

# Care Quality Commission

## Inspection Evidence Table

### Dr WHM Matta & Partners (1-541787246)

Inspection date: 10 December 2019

Date of data download: 25 November 2019

## Overall rating: Good

Please note: Any Quality Outcomes Framework (QOF) data relates to 2018/19.

### Effective

### Rating: Good

Effective needs assessment, care and treatment

**Patients' needs were assessed, and care and treatment was delivered in line with current legislation, standards and evidence-based guidance supported by clear pathways and tools.**

	Y/N/Partial
The practice had systems and processes to keep clinicians up to date with current evidence-based practice.	Y
Patients' immediate and ongoing needs were fully assessed. This included their clinical needs and their mental and physical wellbeing.	Y
Patients presenting with symptoms which could indicate serious illness were followed up in a timely and appropriate way.	Y
We saw no evidence of discrimination when staff made care and treatment decisions.	Y
Patients' treatment was regularly reviewed and updated.	Y
There were appropriate referral pathways to make sure that patients' needs were addressed.	Y
Patients were told when they needed to seek further help and what to do if their condition deteriorated.	Y
The practice used digital services securely and effectively and conformed to relevant digital and information security standards.	N/A
Explanation of any answers and additional evidence: Care pathways were used within the patient computer record system to ensure current guidelines were followed.	

Prescribing	Practice performance	CCG average	England average	England comparison
Average daily quantity of Hypnotics prescribed per Specific Therapeutic group Age-sex Related Prescribing Unit (STAR PU) (01/10/2018 to 30/09/2019) (NHSBSA)	1.42	1.06	0.74	Tending towards variation (negative)

## Older people

## Population group rating: Good

### Findings

- The practice used a clinical tool to identify older patients who were living with moderate or severe frailty. Those identified received a full assessment of their physical, mental and social needs.
- The practice followed up on older patients discharged from hospital. It ensured that their care plans and prescriptions were updated to reflect any extra or changed needs.
- The practice carried out structured annual medication reviews for older patients.
- Staff had appropriate knowledge of treating older people including their psychological, mental and communication needs.
- Health checks, including frailty assessments, were offered to patients over 75 years of age.
- Flu, shingles and pneumonia vaccinations were offered to relevant patients in this age group.
- The practice was aligned to two care homes. Weekly ward rounds were carried out at each of these.

## People with long-term conditions

## Population group rating: Good

### Findings

- Patients with long-term conditions were offered a structured annual review to check their health and medicines needs were being met. For patients with the most complex needs, the GPs and nurses worked with other health and care professionals to deliver a coordinated package of care.
- Staff who were responsible for reviews of patients with long-term conditions had received specific training.
- GPs followed up patients who had received treatment in hospital or through out of hours services for an acute exacerbation of asthma.
- The practice could demonstrate how they identified patients with commonly undiagnosed conditions, for example diabetes, atrial fibrillation and hypertension.
- Adults with newly diagnosed cardio-vascular disease were offered statins.
- Patients with atrial fibrillation were assessed for stroke risk and treated appropriately.
- The practice was aware that there had been a negative variation for some of the long-term conditions performance data for the previous year. They shared with us unverified data for performance for the year 2019/2020 which showed improvements had been made. For example, at the time of the inspection,
  - 77% of patients diagnosed with asthma had received a review. This had met the target of 70% for the year.
  - 70% of patients with chronic obstructive pulmonary disease had received a review. This was a new indicator and could not be compared to the previous year.
  - 73% of the 80% target of patients with hypertension in whom the last blood pressure reading measured in the preceding 12 months is 150/90mmHg or less.

Diabetes Indicators	Practice	CCG average	England average	England comparison
The percentage of patients with diabetes, on the register, in whom the last IFCC-HbA1c is 64 mmol/mol or less in the preceding 12 months (01/04/2018 to 31/03/2019) <small>(QOF)</small>	70.3%	75.9%	79.3%	No statistical variation
Exception rate (number of exceptions).	8.1% (45)	13.9%	12.8%	N/A
The percentage of patients with diabetes, on the register, in whom the last blood pressure reading (measured in the preceding 12 months) is 140/80 mmHg or less (01/04/2018 to 31/03/2019) <small>(QOF)</small>	81.6%	75.2%	78.1%	No statistical variation
Exception rate (number of exceptions).	7.0% (39)	12.4%	9.4%	N/A

	Practice	CCG average	England average	England comparison
The percentage of patients with diabetes, on the register, whose last measured total cholesterol (measured within the preceding 12 months) is 5 mmol/l or less (01/04/2018 to 31/03/2019) <small>(QOF)</small>	78.9%	81.7%	81.3%	No statistical variation
Exception rate (number of exceptions).	8.8% (49)	10.6%	12.7%	N/A

Other long-term conditions	Practice	CCG average	England average	England comparison
The percentage of patients with asthma, on the register, who have had an asthma review in the preceding 12 months that includes an assessment of asthma control using the 3 RCP questions, NICE 2011 menu ID: NM23 (01/04/2018 to 31/03/2019) <small>(QOF)</small>	62.9%	75.7%	75.9%	Variation (negative)
Exception rate (number of exceptions).	1.3% (6)	7.5%	7.4%	N/A
The percentage of patients with COPD who have had a review, undertaken by a healthcare professional, including an assessment of breathlessness using the Medical Research Council dyspnoea scale in the preceding 12 months (01/04/2018 to 31/03/2019) <small>(QOF)</small>	76.9%	91.3%	89.6%	Variation (negative)
Exception rate (number of exceptions).	15.2% (14)	16.6%	11.2%	N/A

Indicator	Practice	CCG average	England average	England comparison
The percentage of patients with hypertension in whom the last blood pressure reading	73.0%	80.7%	83.0%	Variation (negative)

measured in the preceding 12 months is 150/90mmHg or less (01/04/2018 to 31/03/2019) <small>(QOF)</small>				
Exception rate (number of exceptions).	2.1% (23)	6.8%	4.0%	N/A
In those patients with atrial fibrillation with a record of a CHA2DS2-VASc score of 2 or more, the percentage of patients who are currently treated with anti-coagulation drug therapy (01/04/2018 to 31/03/2019) <small>(QOF)</small>	90.2%	91.2%	91.1%	No statistical variation
Exception rate (number of exceptions).	3.1% (4)	4.5%	5.9%	N/A

## Families, children and young people

## Population group rating: Good

### Findings

- The practice had not met the minimum 90% target for three of four childhood immunisation uptake indicators for the year 2018/2019. Unverified data supplied by the practice, from their own record, showed that they were now achieving 94% uptake for these immunisations. The practice had not met the WHO based national target of 95% (the recommended standard for achieving herd immunity) for all four childhood immunisation uptake indicators.
- The practice contacted the parents or guardians of children due to have childhood immunisations. If parents or guardians did not attend with their children after three reminders they were referred to the health visiting team for follow up.
- The practice had arrangements for following up failed attendance of children's appointments following an appointment in secondary care.
- The practice had arrangements to identify and review the treatment of newly pregnant women on long-term medicines. These patients were provided with advice and post-natal support in accordance with best practice guidance.
- Young people could access services for sexual health and contraception.
- Staff had the appropriate skills and training to carry out reviews for this population group.

Child Immunisation	Numerator	Denominator	Practice %	Comparison to WHO target of 95%
The percentage of children aged 1 who have completed a primary course of immunisation for Diphtheria, Tetanus, Polio, Pertussis, Haemophilus influenza type b (Hib), Hepatitis B (Hep B) ((i.e. three doses of DTaP/IPV/Hib/HepB) (01/04/2018 to 31/03/2019) (NHS England)	106	116	91.4%	Met 90% minimum
The percentage of children aged 2 who have received their booster immunisation for Pneumococcal infection (i.e. received Pneumococcal booster) (PCV booster) (01/04/2018 to 31/03/2019) (NHS England)	120	135	88.9%	Below 90% minimum
The percentage of children aged 2 who have received their immunisation for Haemophilus influenza type b (Hib) and Meningitis C (MenC) (i.e. received Hib/MenC booster) (01/04/2018 to 31/03/2019) (NHS England)	120	135	88.9%	Below 90% minimum
The percentage of children aged 2 who have received immunisation for measles, mumps and rubella (one dose of MMR) (01/04/2018 to 31/03/2019) (NHS England)	120	135	88.9%	Below 90% minimum

Note: Please refer to the CQC guidance on Childhood Immunisation data for more information:  
<https://www.cqc.org.uk/guidance-providers/gps/how-we-monitor-gp-practices>

## Working age people (including those recently retired and students)

## Population group rating: Requires Improvement

### Findings

- The practice was below the 80% target set by NHS England for the uptake of cervical screening.
- Patients had access to appropriate health assessments and checks including NHS checks for patients aged 40 to 74. There was appropriate and timely follow-up on the outcome of health assessments and checks where abnormalities or risk factors were identified.
- Patients could book or cancel appointments online and order repeat medication without the need to attend the surgery.

Cancer Indicators	Practice	CCG average	England average	England comparison
The percentage of women eligible for cervical cancer screening at a given point in time who were screened adequately within a specified period (within 3.5 years for women aged 25 to 49, and within 5.5 years for women aged 50 to 64) (01/04/2017 to 31/03/2018) (Public Health England)	62.9%	N/A	80% Target	Below 70% uptake
Females, 50-70, screened for breast cancer in last 36 months (3 year coverage, %) (01/04/2017 to 31/03/2018) (PHE)	71.1%	67.3%	72.1%	N/A
Persons, 60-69, screened for bowel cancer in last 30 months (2.5 year coverage, %)(01/04/2017 to 31/03/2018) (PHE)	51.2%	45.9%	57.3%	N/A
The percentage of patients with cancer, diagnosed within the preceding 15 months, who have a patient review recorded as occurring within 6 months of the date of diagnosis. (01/04/2017 to 31/03/2018) (PHE)	79.3%	68.3%	69.3%	N/A
Number of new cancer cases treated (Detection rate: % of which resulted from a two week wait (TWW) referral) (01/04/2017 to 31/03/2018) (PHE)	43.3%	52.5%	51.9%	No statistical variation

### People whose circumstances make them vulnerable

Population group rating: Good

#### Findings

- Same day appointments and longer appointments were offered when required.
- All patients with a learning disability were offered an annual health check.
- End of life care was delivered in a coordinated way which took into account the needs of those whose circumstances may make them vulnerable.
- The practice had a system for vaccinating patients with an underlying medical condition according to the recommended schedule.
- The practice demonstrated that they had a system to identify people who misused substances.

### People experiencing poor mental health (including people with dementia)

Population group rating: Good

#### Findings

- The practice assessed and monitored the physical health of people with mental illness, severe mental illness, and personality disorder by providing access to health checks, interventions for physical activity, obesity, diabetes, heart disease, cancer and access to 'stop smoking'

services. However, data showed they had a negative variation for recording the alcohol consumption of patients with a mental illness in the previous year. This indicator had now been removed from the Quality and Outcomes Framework so data was not held for the current year.

- Same day and longer appointments were offered when required.
- There was a system for following up patients who failed to attend for administration of long-term medication.
- When patients were assessed to be at risk of suicide or self-harm the practice had arrangements in place to help them to remain safe.
- Patients at risk of dementia were identified and offered an assessment to detect possible signs of dementia. When dementia was suspected there was an appropriate referral for diagnosis.
- Patients with poor mental health, including dementia, were referred to appropriate services.

Mental Health Indicators	Practice	CCG average	England average	England comparison
The percentage of patients with schizophrenia, bipolar affective disorder and other psychoses who have a comprehensive, agreed care plan documented in the record, in the preceding 12 months (01/04/2018 to 31/03/2019) <small>(QOF)</small>	74.2%	90.5%	89.4%	Tending towards variation (negative)
Exception rate (number of exceptions).	4.3% (4)	13.7%	12.3%	N/A
The percentage of patients with schizophrenia, bipolar affective disorder and other psychoses whose alcohol consumption has been recorded in the preceding 12 months (01/04/2018 to 31/03/2019) <small>(QOF)</small>	58.2%	91.6%	90.2%	Significant Variation (negative)
Exception rate (number of exceptions).	2.2% (2)	10.4%	10.1%	N/A
The percentage of patients diagnosed with dementia whose care plan has been reviewed in a face-to-face review in the preceding 12 months (01/04/2018 to 31/03/2019) <small>(QOF)</small>	72.7%	85.2%	83.6%	No statistical variation
Exception rate (number of exceptions).	6.6% (7)	6.8%	6.7%	N/A

## Monitoring care and treatment

**The practice had a comprehensive programme of quality improvement activity and routinely reviewed the effectiveness and appropriateness of the care provided.**

Indicator	Practice	CCG average	England average
Overall QOF score (out of maximum 559)	501.6	531.5	539.2
Overall QOF score (as a percentage of maximum)	89.7%	95.1%	96.4%
Overall QOF exception reporting (all domains)	6.6%	7.2%	.9%

	Y/N/Partial
Clinicians took part in national and local quality improvement initiatives.	Y
The practice had a comprehensive programme of quality improvement and used information about care and treatment to make improvements.	Y
Quality improvement activity was targeted at the areas where there were concerns.	Y
The practice regularly reviewed unplanned admissions and readmissions and took appropriate action.	Y

Examples of improvements demonstrated because of clinical audits or other improvement activity in



past two years

Clinical audits were undertaken by the practice. They covered areas of prescribing and best practice and demonstrated that current guidelines were followed. For example, an audit had been completed that demonstrated patients diagnosed with dementia were receiving appropriate treatment. The outcomes of the audit had been discussed at clinical meetings.

Prescribing tools were used to ensure that all clinicians within the practice prescribed medicines in line with current local and national guidance.

## Effective staffing

**The practice was able to demonstrate that staff had the skills, knowledge and experience to carry out their roles.**

	Y/N/Partial
Staff had the skills, knowledge and experience to deliver effective care, support and treatment. This included specific training for nurses on immunisation and on sample taking for the cervical screening programme.	Y
The learning and development needs of staff were assessed.	Y
The practice had a programme of learning and development.	Y
Staff had protected time for learning and development.	Y
There was an induction programme for new staff.	Y
Induction included completion of the Care Certificate for Health Care Assistants employed since April 2015.	Y
Staff had access to regular appraisals, one to ones, coaching and mentoring, clinical supervision and revalidation. They were supported to meet the requirements of professional revalidation.	Y
The practice could demonstrate how they assured the competence of staff employed in advanced clinical practice, for example, nurses, paramedics, pharmacists and physician associates.	Y
There was a clear and appropriate approach for supporting and managing staff when their performance was poor or variable.	Y
Explanation of any answers and additional evidence: All staff were up to date with role specific and mandatory training. All staff had received annual appraisals where they were given the opportunity to identify their development needs. One of the GP partners was responsible for the clinical oversight and appraisals of the nursing staff.	

## Coordinating care and treatment

### Staff worked together and with other organisations to deliver effective care and treatment.

Indicator	Y/N/Partial
The contractor has regular (at least 3 monthly) multidisciplinary case review meetings where all patients on the palliative care register are discussed (01/04/2018 to 31/03/2019) (QOF)	Y
We saw records that showed that all appropriate staff, including those in different teams and organisations, were involved in assessing, planning and delivering care and treatment.	Y
Care was delivered and reviewed in a coordinated way when different teams, services or organisations were involved.	Y
Patients received consistent, coordinated, person-centred care when they moved between services.	Y
For patients who accessed the practice's digital service there were clear and effective processes to make referrals to other services.	N/A
Explanation of any answers and additional evidence: Multi-disciplinary case review meetings were held every month. These meetings included a review of patients residing in the care homes aligned to the practice.	

## Helping patients to live healthier lives

### Staff were consistent and proactive in helping patients to live healthier lives.

	Y/N/Partial
The practice identified patients who may need extra support and directed them to relevant services. This included patients in the last 12 months of their lives, patients at risk of developing a long-term condition and carers.	Y
Staff encouraged and supported patients to be involved in monitoring and managing their own health.	Y
Patients had access to appropriate health assessments and checks.	Y
Staff discussed changes to care or treatment with patients and their carers as necessary.	Y
The practice supported national priorities and initiatives to improve the population's health, for example, stop smoking campaigns, tackling obesity.	Y
Explanation of any answers and additional evidence: The practice had access to a social prescriber who was based at a neighbouring practice. We were informed that patients were referred to a local council run service, Luton Wellbeing, for healthy living and lifestyle advice. Reception staff were trained to signpost patients to the most appropriate health care professional to meet their needs.	

Smoking Indicator	Practice	CCG average	England average	England comparison
The percentage of patients with any or any combination of the following conditions: CHD, PAD, stroke or TIA, hypertension, diabetes, COPD, CKD, asthma, schizophrenia, bipolar affective disorder or other psychoses whose notes record smoking status in the preceding 12 months (01/04/2018 to 31/03/2019) <small>(QOF)</small>	94.2%	95.3%	95.0%	No statistical variation
Exception rate (number of exceptions).	0.7% (12)	0.9%	0.8%	N/A

### Consent to care and treatment

**The practice always obtained consent to care and treatment in line with legislation and guidance.**

	Y/N/Partial
Clinicians understood the requirements of legislation and guidance when considering consent and decision making. We saw that consent was documented.	Y
Clinicians supported patients to make decisions. Where appropriate, they assessed and recorded a patient's mental capacity to make a decision.	Y
The practice monitored the process for seeking consent appropriately.	Y
Policies for any online services offered were in line with national guidance.	Y
Explanation of any answers and additional evidence: Clinicians had received Mental Capacity Act and Deprivation of Liberty Safeguards training. Written consent forms were used for minor surgical procedures.	

## Well-led

**Rating: Good**

### Leadership capacity and capability

**There was compassionate, inclusive and effective leadership at all levels.**

	Y/N/Partial
Leaders demonstrated that they understood the challenges to quality and sustainability.	Y
They had identified the actions necessary to address these challenges.	Y
Staff reported that leaders were visible and approachable.	Y
There was a leadership development programme, including a succession plan.	Y
Explanation of any answers and additional evidence: The practice had identified the challenges they faced. They were constrained by the size of the premises they used which limited their ability to expand their clinical capacity. They were in consultation with the landlord of the building to look at ways to extend the premises. The practice was working as part of a Primary Care Network and was working with the other members of the network to utilise space in their practices. For example, patients could see the social prescriber and a mental health link worker at neighbouring practices.	

### Vision and strategy

**The practice had a clear vision and credible strategy to provide high quality sustainable care.**

	Y/N/Partial
The practice had a clear vision and set of values that prioritised quality and sustainability.	Y
There was a realistic strategy to achieve their priorities.	Y
The vision, values and strategy were developed in collaboration with staff, patients and external partners.	Y
Staff knew and understood the vision, values and strategy and their role in achieving them.	Y
Progress against delivery of the strategy was monitored.	Y
Explanation of any answers and additional evidence: The practice had a mission statement in place that identified their vision and values. This was displayed on noticeboards in the staff working areas for them to reference.	

## Culture

### The practice had a culture which drove high quality sustainable care.

	Y/N/Partial
There were arrangements to deal with any behaviour inconsistent with the vision and values.	Y
Staff reported that they felt able to raise concerns without fear of retribution.	Y
There was a strong emphasis on the safety and well-being of staff.	Y
There were systems to ensure compliance with the requirements of the duty of candour.	Y
When people were affected by things that went wrong they were given an apology and informed of any resulting action.	Y
The practice encouraged candour, openness and honesty.	Y
The practice's speaking up policies were in line with the NHS Improvement Raising Concerns (Whistleblowing) Policy.	Y
The practice had access to a Freedom to Speak Up Guardian.	Y
Staff had undertaken equality and diversity training.	Y
Explanation of any answers and additional evidence: Staff had access to a Freedom to Speak Up Guardian who was independent to the practice management team.	

### Examples of feedback from staff or other evidence about working at the practice

Source	Feedback
Staff	Staff we spoke with reported they were happy working in the practice. They reported it was a good place to work and they were supported in their roles by the practice management and the GP partners.

## Governance arrangements

### There were clear responsibilities, roles and systems of accountability to support good governance and management.

	Y/N/Partial
There were governance structures and systems which were regularly reviewed.	Y
Staff were clear about their roles and responsibilities.	Y
There were appropriate governance arrangements with third parties.	Y
Explanation of any answers and additional evidence: The practice had policies and procedures in place to support the governance in the practice. All staff had a job description that outlined their roles and responsibilities. There were identified staff members for lead roles within the practice and these were displayed for reference on the staff noticeboards. For example, there was a GP lead for safeguarding and a practice	

nurse was the infection prevention and control lead.

## Managing risks, issues and performance

**There were clear and effective processes for managing risks, issues and performance.**

	Y/N/Partial
There were comprehensive assurance systems which were regularly reviewed and improved.	Y
There were processes to manage performance.	Y
There was a systematic programme of clinical and internal audit.	Y
There were effective arrangements for identifying, managing and mitigating risks.	Y
A major incident plan was in place.	Y
Staff were trained in preparation for major incidents.	Y
When considering service developments or changes, the impact on quality and sustainability was assessed.	Y
Explanation of any answers and additional evidence: The practice had a programme of audits in place and completed audits in response to patient safety alerts and clinical commissioning group (CCG) information regarding the local population. Risk assessments had been completed to cover current and future risks to safety. For example, fire, health and safety and infection prevention and control (IPC) were all in place. Staff had received fire and health and safety training.	

## Appropriate and accurate information

**There was a demonstrated commitment to using data and information proactively to drive and support decision making.**

	Y/N/Partial
Staff used data to adjust and improve performance.	Y
Performance information was used to hold staff and management to account.	Y
Our inspection indicated that information was accurate, valid, reliable and timely.	Y
There were effective arrangements for identifying, managing and mitigating risks.	Y
Staff whose responsibilities included making statutory notifications understood what this entails.	Y
Explanation of any answers and additional evidence: The Quality and Outcomes Framework (QOF) was used to demonstrate the practice's performance in addition to data supplied by the CCG.	

## Engagement with patients, the public, staff and external partners

**The practice involved the public, staff and external partners to sustain high quality and sustainable care.**

	Y/N/Partial
Patient views were acted on to improve services and culture.	Y
The practice had an active Patient Participation Group (PPG).	Partial
Staff views were reflected in the planning and delivery of services.	Y
The practice worked with stakeholders to build a shared view of challenges and of the needs of the population.	Y
Explanation of any answers and additional evidence: We were informed that the practice had historically had a virtual PPG as they found it difficult to recruit new members. However, members of the virtual group had declined. The practice was now working with other practices in their Primary Care Network to form a network wide PPG. The first meeting was planned for January 2020.	

### Any additional evidence

Feedback from patients on the CQC comments cards was positive regarding the practice. Patients described the service they received from the clinical team as excellent, professional and caring. Staff were described as polite, friendly and helpful. Many of the practice staff were mentioned by name as providing specific care and help for patients.

## Continuous improvement and innovation

**There were systems and processes for learning, continuous improvement and innovation.**

	Y/N/Partial
There was a strong focus on continuous learning and improvement.	Y
Learning was shared effectively and used to make improvements.	Y
Explanation of any answers and additional evidence: Complaints and significant events were used to identify learning and make improvements. For example, following an error when an incorrect dose of a travel vaccination was given, measures were put in place to ensure all vaccines were checked by two staff members prior to administration.	

### Examples of continuous learning and improvement

The practice has taken part in a pilot for a local care homes project which has aligned GP practices to care homes. They have worked with the local medicines management teams to ensure appropriate prescribing has taken place and carried out weekly ward rounds to review the needs of the patients who are residents in the two care homes aligned to the practice.

## Notes: CQC GP Insight

GP Insight assesses a practice's data against all the other practices in England. We assess relative performance for the majority of indicators using a "z-score" (this tells us the number of standard deviations from the mean the data point is), giving us a statistical measurement of a practice's performance in relation to the England average. We highlight practices which significantly vary from the England average (in either a positive or negative direction). We consider that z-scores which are higher than +2 or lower than -2 are at significant levels, warranting further enquiry. Using this technique we can be 95% confident that the practices performance is genuinely different from the average. It is important to note that a number of factors can affect the Z score for a practice, for example a small denominator or the distribution of the data. This means that there will be cases where a practice's data looks quite different to the average, but still shows as no statistical variation, as we do not have enough confidence that the difference is genuine. There may also be cases where a practice's data looks similar across two indicators, but they are in different variation bands.

The percentage of practices which show variation depends on the distribution of the data for each indicator, but is typically around 10-15% of practices. The practices which are not showing significant statistical variation are labelled as no statistical variation to other practices.

N.B. Not all indicators in the evidence table are part of the GP insight set and those that aren't will not have a variation band.

The following language is used for showing variation:

Variation Bands	Z-score threshold
Significant variation (positive)	$\leq -3$
Variation (positive)	$> -3$ and $\leq -2$
Tending towards variation (positive)	$> -2$ and $\leq -1.5$
No statistical variation	$< 1.5$ and $> 1.5$
Tending towards variation (negative)	$\geq 1.5$ and $< 2$
Variation (negative)	$\geq 2$ and $< 3$
Significant variation (negative)	$\geq 3$

Note: for the following indicators the variation bands are different:

- Child Immunisation indicators. These are scored against the World Health Organisation target of 95% rather than the England average. Note that practices that have "Met 90% minimum" have not met the WHO target of 95%.
- The percentage of respondents to the GP patient survey who responded positively to how easy it was to get through to someone at their GP practice on the phone uses a rules based approach for scoring, due to the distribution of the data. This indicator does not have a CCG average.
- The percentage of women eligible for cervical cancer screening at a given point in time who were screened adequately within a specified period (within 3.5 years for women aged 25 to 49, and within 5.5 years for women aged 50 to 64). This indicator does not have a CCG average and is scored against the national target of 80%.

It is important to note that z-scores are not a judgement in themselves, but will prompt further enquiry, as part of our ongoing monitoring of GP practices.

Guidance and Frequently Asked Questions on GP Insight can be found on the following link:

<https://www.cqc.org.uk/guidance-providers/gps/how-we-monitor-gp-practices>

Note: The CQC GP Evidence Table uses the most recent validated and publicly available data. In some cases at the time of inspection this data may be relatively old. If during the inspection the practice has provided any more recent data, this can be considered by the inspector. However, it should be noted that any data provided by the practice will be unvalidated and is not directly comparable to the published data. This has been taken into account during the inspection process.

## Glossary of terms used in the data.

- **COPD:** Chronic Obstructive Pulmonary Disease
- **PHE:** Public Health England
- **QOF:** Quality and Outcomes Framework
- **STAR-PU:** Specific Therapeutic Group Age-sex weightings Related Prescribing Units. These weighting allow more accurate and meaningful comparisons within a specific therapeutic group by taking into account the types of people who will be receiving that treatment.