

Care Quality Commission

Inspection Evidence Table

Central Surgery (1-715303610)

Inspection date: 20 and 21 April 2022

Date of data download: 22 April 2022

Overall rating: Requires Improvement

We have rated this practice as requires improvement overall because:

- Some staff had not completed safeguarding training and the safeguarding register had not been reviewed and was not up to date.
- Some patients with long term conditions and patients on high risk medicines were not being safely monitored.
- MHRA alerts were not always acted on to ensure patient safety.
- Patient feedback was not being routinely utilised to drive improvements. Although the national survey was considered and acted upon.
- There was a general lack of governance and quality assurance in areas such as significant events, complaints and patient monitoring.

Safe

Rating: Requires Improvement

We have rated this practice as requires improvement because:

- Some staff had not completed safeguarding training and the safeguarding register had not been reviewed and was not up to date.
- Some patients on high risk medicines were not being safely monitored.
- The infection control processes were not effective.
- MHRA alerts were not always acted on to ensure patient safety.

Safety systems and processes

The practice did not have clear systems, practices and processes to keep people safe and safeguarded from abuse.

Safeguarding	Y/N/Partial
Safeguarding systems, processes and practices were developed, implemented and communicated to staff.	Y
Partners and staff were trained to appropriate levels for their role.	N
There was active and appropriate engagement in local safeguarding processes.	Y

Safeguarding	Y/N/Partial
The Out of Hours service was informed of relevant safeguarding information.	Y
There were systems to identify vulnerable patients on record.	PARTIAL
Disclosure and Barring Service (DBS) checks were undertaken where required.	Y
There were regular discussions between the practice and other health and social care professionals such as health visitors, school nurses, community midwives and social workers to support and protect adults and children at risk of significant harm.	Y
<p>Explanation of any answers and additional evidence:</p> <p>N – Two clinical staff had not completed safeguarding training. Since the inspection the service has implemented an action plan to address this.</p> <p>PARTIAL – Although the practice was actively working to review and monitor patients within this category, there was no completed register or audit of all vulnerable patients to ensure continual monitoring and safety. This meant that their safeguarding register was not up to date. Since the inspection the service has implemented an action plan to address this.</p>	

Recruitment systems	Y/N/Partial
Recruitment checks were carried out in accordance with regulations (including for agency staff and locums).	Y
Staff vaccination was maintained in line with current Public Health England (PHE) guidance if relevant to role.	Y
Explanation of any answers and additional evidence:	

Safety systems and records	Y/N/Partial
Health and safety risk assessments had been carried out and appropriate actions taken. Date of last assessment: 7/4/22	Y
There was a fire procedure. Date of fire risk assessment: 8/12/21	Y
Actions from fire risk assessment were identified and completed.	Y

Infection prevention and control

Appropriate standards of cleanliness and hygiene were not met.

	Y/N/Partial
Staff had received effective training on infection prevention and control.	PARTIAL1
Infection prevention and control audits were carried out. Date of last infection prevention and control audit: October 2021 until April 2022	PARTIAL2

The practice had acted on any issues identified in infection prevention and control audits.	Y
The arrangements for managing waste and clinical specimens kept people safe.	Y
<p>Explanation of any answers and additional evidence:</p> <p>PARTIAL1 – One clinical staff member had not completed IPC training.</p> <p>PARTIAL2 – An IPC audit was still in the process of being completed since October 2021. One audit had been completed in Spring of 2021 but there was no clear date of when actions were completed. Within the October 2021 audit there were no dates of when different checks had been completed or of when specific areas of the premises had been audited. This audit was not fit for purpose because it was not possible to know when any areas of the audit had been completed. In a period of seven months different areas of the audit would have required review within specific timelines and without dates included in the audit it would not have been possible to determine when the reviews would have to take place. We also found that the cleaning cupboard was badly organised and dirty. The sluice was dirty and had not been cleaned for a long period of time. There was no audit of the cleaning that had taken place within the premises. We found that the premises were clean and well maintained, except for the sluice/cleaning room.</p>	

Risks to patients

There were adequate systems to assess, monitor and manage risks to patient safety.

	Y/N/Partial
There was an effective approach to managing staff absences and busy periods.	Y
There was an effective induction system for temporary staff tailored to their role.	Y
The practice was equipped to respond to medical emergencies (including suspected sepsis) and staff were suitably trained in emergency procedures.	Y
Receptionists were aware of actions to take if they encountered a deteriorating or acutely unwell patient and had been given guidance on identifying such patients.	Y
There were enough staff to provide appointments and prevent staff from working excessive hours	Y

Information to deliver safe care and treatment

Staff had the information they needed to deliver safe care and treatment.

	Y/N/Partial
Individual care records, including clinical data, were written and managed securely and in line with current guidance and relevant legislation.	Y

There was a system for processing information relating to new patients including the summarising of new patient notes.	Y
There were systems for sharing information with staff and other agencies to enable them to deliver safe care and treatment.	Y
Referrals to specialist services were documented, contained the required information and there was a system to monitor delays in referrals.	Y
There was a documented approach to the management of test results and this was managed in a timely manner.	Y
There was appropriate clinical oversight of test results, including when reviewed by non-clinical staff.	Y

Appropriate and safe use of medicines

The practice did not have systems for the appropriate and safe use of medicines, including medicines optimisation

Indicator	Practice	CCG average	England average	England comparison
Number of antibacterial prescription items prescribed per Specific Therapeutic group Age-sex Related Prescribing Unit (STAR PU) (01/01/2021 to 31/12/2021) (NHS Business Service Authority - NHSBSA)	0.86	0.63	0.76	No statistical variation
The number of prescription items for co-amoxiclav, cephalosporins and quinolones as a percentage of the total number of prescription items for selected antibacterial drugs (BNF 5.1 sub-set). (01/01/2021 to 31/12/2021) (NHSBSA)	8.8%	9.7%	9.2%	No statistical variation
Average daily quantity per item for Nitrofurantoin 50 mg tablets and capsules, Nitrofurantoin 100 mg m/r capsules, Pivmecillinam 200 mg tablets and Trimethoprim 200 mg tablets prescribed for uncomplicated urinary tract infection (01/07/2021 to 31/12/2021) (NHSBSA)	5.96	5.47	5.28	No statistical variation
Total items prescribed of Pregabalin or Gabapentin per 1,000 patients (01/07/2021 to 31/12/2021) (NHSBSA)	96.7‰	61.3‰	129.2‰	No statistical variation
Average daily quantity of Hypnotics prescribed per Specific Therapeutic group Age-sex Related Prescribing Unit (STAR PU) (01/01/2021 to 31/12/2021) (NHSBSA)	1.10	0.56	0.62	No statistical variation

Indicator	Practice	CCG average	England average	England comparison
Number of unique patients prescribed multiple psychotropics per 1,000 patients (01/07/2021 to 31/12/2021) <small>(NHSBSA)</small>	5.6‰	4.7‰	6.8‰	No statistical variation

Note: ‰ means *per 1,000* and it is **not** a percentage.

Medicines management	Y/N/Partial
The practice ensured medicines were stored safely and securely with access restricted to authorised staff.	Y
Blank prescriptions were kept securely, and their use monitored in line with national guidance.	Y
Staff had the appropriate authorisations to administer medicines (including Patient Group Directions or Patient Specific Directions).	PARTIAL1
The practice could demonstrate the prescribing competence of non-medical prescribers, and there was regular review of their prescribing practice supported by clinical supervision or peer review.	N/A
There was a process for the safe handling of requests for repeat medicines and evidence of structured medicines reviews for patients on repeat medicines.	PARTIAL2
The practice had a process and clear audit trail for the management of information about changes to a patient's medicines including changes made by other services.	Y
There was a process for monitoring patients' health in relation to the use of medicines including high risk medicines (for example, warfarin, methotrexate and lithium) with appropriate monitoring and clinical review prior to prescribing.	PARTIAL3
The practice monitored the prescribing of controlled drugs. (For example, investigation of unusual prescribing, quantities, dose, formulations and strength).	Y
There were arrangements for raising concerns around controlled drugs with the NHS England Area Team Controlled Drugs Accountable Officer.	Y
If the practice had controlled drugs on the premises there were appropriate systems and written procedures for the safe ordering, receipt, storage, administration, balance checks and disposal of these medicines, which were in line with national guidance.	N/A
The practice had taken steps to ensure appropriate antimicrobial use to optimise patient outcomes and reduce the risk of adverse events and antimicrobial resistance.	Y
For remote or online prescribing there were effective protocols for verifying patient identity.	Y
The practice held appropriate emergency medicines, risk assessments were in place to determine the range of medicines held, and a system was in place to monitor stock levels and expiry dates.	Y
There was medical oxygen and a defibrillator on site and systems to ensure these were regularly checked and fit for use.	Y
Vaccines were appropriately stored, monitored and transported in line with PHE guidance to ensure they remained safe and effective.	Y
Explanation of any answers and additional evidence:	

Medicines management	Y/N/Partial
PARTIAL1 – We found that some of the Patient Group Directions (PGD) had been signed by nurses in September 2021 and then authorised by a doctor seven months later in March 2022. This could have resulted in a nurse carrying out clinical activity which they were not lawfully authorised to complete.	
PARTIAL2 and PARTIAL3 – We saw some evidence that some medicines were being repeatedly prescribed without safe monitoring in place. Although the practice had a system for monitoring patients on high-risk medicines, it was not sufficiently effective. For example, some patients on high risk medicines such as methotrexate, leflunomide and spironolactone had not been monitored in accordance with good practice guidance before being prescribed more of these medications.	

Track record on safety and lessons learned and improvements made

The practice learned and made improvements when things went wrong

Significant events	Y/N/Partial
The practice monitored and reviewed safety using information from a variety of sources.	Y
Staff knew how to identify and report concerns, safety incidents and near misses.	Y
There was a system for recording and acting on significant events.	Y
Staff understood how to raise concerns and report incidents both internally and externally.	Y
There was evidence of learning and dissemination of information.	Y
Number of events recorded in last 12 months:	5
Number of events that required action:	5

Example(s) of significant events recorded and actions by the practice.

Event	Specific action taken
One type of referral was applied for when another type would have been more appropriate.	The practice discussed the case in detail and the process was adapted to prevent repeats.
One referral was delayed due to human error.	New failsafe implemented for staff and additional processes reminder made for other services involved.

Safety alerts	Y/N/Partial
There was a system for recording and acting on safety alerts.	PARTIAL
Staff understood how to deal with alerts.	Y
Explanation of any answers and additional evidence:	

PARTIAL – Although there was a system for recording and acting on safety alerts, we found that 15 patients on Citalopram had an incorrect dose based on a medicines and safety alert. This demonstrated that the system was not effective or safe. The practice did have a schedule for reviewing historic safety alerts but the evidence from the clinical searches demonstrated that this schedule was not wholly effective.

Effective

Rating: Requires Improvement

We have rated this practice as requires improvement because:

- Some patients with long term conditions had not been adequately monitored
- Not all staff had completed recommended training
- There was no clear clinical audit cycle in place

QOF requirements were modified by NHS England for 2020/21 to recognise the need to reprioritise aspects of care which were not directly related to COVID-19. This meant that QOF payments were calculated differently. For inspections carried out from 1 October 2021, our reports will not include QOF indicators. In determining judgements in relation to effective care, we have considered other evidence as set out below.

Effective needs assessment, care and treatment

Patients' needs were not always assessed, and care and treatment was not always delivered in line with current legislation, standards and evidence-based guidance supported by clear pathways and tools.

	Y/N/Partial
The practice had systems and processes to keep clinicians up to date with current evidence-based practice.	Y
Patients' immediate and ongoing needs were fully assessed. This included their clinical needs and their mental and physical wellbeing.	Y
Patients presenting with symptoms which could indicate serious illness were followed up in a timely and appropriate way.	Y
We saw no evidence of discrimination when staff made care and treatment decisions.	Y
Patients' treatment was regularly reviewed and updated.	PARTIAL1
There were appropriate referral pathways to make sure that patients' needs were addressed.	Y
Patients were told when they needed to seek further help and what to do if their condition deteriorated.	Y
The practice had prioritised care for their most clinically vulnerable patients during the pandemic	PARTIAL2
Explanation of any answers and additional evidence: PARTIAL1 – We found that some patients on high risk medicines had not received sufficient monitoring or review. PARTIAL2 – We found that some patients with long term conditions had not had sufficient monitoring. For example, we found that some patients with hypothyroidism had not had thyroid function tests for over 18 months.	

Effective care for the practice population

Findings

- The practice used a clinical tool to identify older patients who were living with moderate or severe frailty. Those identified received a full assessment of their physical, mental and social needs.
- Health checks, including frailty assessments, were offered to patients over 75 years of age.
- Flu, shingles and pneumonia vaccinations were offered to relevant patients in this age group.
- The practice had systems to inform eligible patients to have the meningitis vaccine, for example before attending university for the first time.
- All patients with a learning disability were offered an annual health check.
- End of life care was delivered in a coordinated way which took into account the needs of those whose circumstances may make them vulnerable.
- Patients with poor mental health, including dementia, were referred to appropriate services.

Management of people with long term conditions

Findings

- Some patients with hypothyroidism and chronic kidney disease had not sufficient monitoring.
- Staff who were responsible for reviews of patients with long-term conditions had received specific training.
- GPs followed up patients who had received treatment in hospital or through out of hours services for an acute exacerbation of asthma.
- The practice shared clear and accurate information with relevant professionals when deciding care delivery for patients with long-term conditions.
- The practice could demonstrate how they identified patients with commonly undiagnosed conditions, for example diabetes, chronic obstructive pulmonary disease (COPD), atrial fibrillation and hypertension.
- Adults with newly diagnosed cardio-vascular disease were offered statins.
- Patients with suspected hypertension were offered ambulatory blood pressure monitoring.
- Patients with COPD were offered rescue packs.
- Patients with asthma were offered an asthma management plan.

Child Immunisation	Numerator	Denominator	Practice %	Comparison to WHO target of 95%
The percentage of children aged 1 who have completed a primary course of immunisation for Diphtheria, Tetanus, Polio, Pertussis, Haemophilus influenza type b (Hib), Hepatitis B (Hep B) ((i.e. three doses of DTaP/IPV/Hib/HepB) (01/04/2020 to 31/03/2021) (NHS England)	99	107	92.5%	Met 90% minimum
The percentage of children aged 2 who have received their booster immunisation for Pneumococcal infection (i.e. received Pneumococcal booster) (PCV booster) (01/04/2020 to 31/03/2021) (NHS England)	131	145	90.3%	Met 90% minimum
The percentage of children aged 2 who have received their immunisation for Haemophilus influenza type b (Hib) and Meningitis C (MenC) (i.e. received Hib/MenC booster) (01/04/2020 to 31/03/2021) (NHS England)	133	145	91.7%	Met 90% minimum
The percentage of children aged 2 who have received immunisation for measles, mumps and rubella (one dose of MMR) (01/04/2020 to 31/03/2021) (NHS England)	133	145	91.7%	Met 90% minimum
The percentage of children aged 5 who have received immunisation for measles, mumps and rubella (two doses of MMR) (01/04/2020 to 31/03/2021) (NHS England)	117	147	79.6%	Below 80% uptake

Note: Please refer to the CQC guidance on Childhood Immunisation data for more information: <https://www.cqc.org.uk/guidance-providers/gps/how-we-monitor-gp-practices>

Cancer Indicators	Practice	CCG average	England average	England comparison
The percentage of persons eligible for cervical cancer screening at a given point in time who were screened adequately within a specified period (within 3.5 years for persons aged 25 to 49, and within 5.5 years for persons aged 50 to 64). (Snapshot date: 30/09/2021) (Public Health England)	78.1%	N/A	80% Target	Below 80% target
Females, 50-70, screened for breast cancer in last 36 months (3 year coverage, %) (01/04/2020 to 31/03/2021) (PHE)	76.3%	52.4%	61.3%	N/A
Persons, 60-74, screened for bowel cancer in last 30 months (2.5 year coverage, %) (01/04/2020 to 31/03/2021) (PHE)	72.1%	63.5%	66.8%	N/A
Number of new cancer cases treated (Detection rate: % of which resulted from a two week wait (TWW) referral) (01/04/2020 to 31/03/2021) (PHE)	60.8%	52.9%	55.4%	No statistical variation

Monitoring care and treatment

The practice had a partial programme of quality improvement activity and routinely reviewed the effectiveness and appropriateness of the care provided

	Y/N/Partial
Clinicians took part in national and local quality improvement initiatives.	Y
The practice had a programme of targeted quality improvement and used information about care and treatment to make improvements.	PARTIAL
The practice regularly reviewed unplanned admissions and readmissions and took appropriate action.	Y

Examples of improvements demonstrated because of clinical audits or other improvement activity in past two years

<p>The practice completed audits of Warfarin and overuse of asthmatic inhalers in 2021. The warfarin audit resulted in additional measures being implemented to safety net patients on these medicines and we found during our clinical searches that this was effective in ensuring patient safety. The asthma audit did not clearly set out any implemented changes but the patients with asthma were evidently well cared for and monitored as a result of the audit.</p> <p>PARTIAL – Although there was evidence of clinical audits, there was no programme of regular clinical audit cycles to consistently audit quality of care and measure improvements.</p>

Effective staffing

The practice was unable to demonstrate that staff had the skills, knowledge and experience to carry out their roles.

	Y/N/Partial
Staff had the skills, knowledge and experience to deliver effective care, support and treatment.	PARTIAL
The practice had a programme of learning and development.	Y
Staff had protected time for learning and development.	Y
There was an induction programme for new staff.	Y
Staff had access to regular appraisals, one to ones, coaching and mentoring, clinical supervision and revalidation. They were supported to meet the requirements of professional revalidation.	Y
The practice could demonstrate how they assured the competence of staff employed in advanced clinical practice, for example, nurses, paramedics, pharmacists and physician associates.	Y
There was a clear and appropriate approach for supporting and managing staff when their performance was poor or variable.	Y
Explanation of any answers and additional evidence: PARTIAL – We found that 9 out of 39 staff had not completed recommended training such as basic life support, safeguarding or infection control.	

Coordinating care and treatment

Staff worked together and with other organisations to deliver effective care and treatment.

Indicator	Y/N/Partial
Care was delivered and reviewed in a coordinated way when different teams, services or organisations were involved.	Y
Patients received consistent, coordinated, person-centred care when they moved between services.	Y

Helping patients to live healthier lives

Staff were consistent and proactive in helping patients to live healthier lives.

	Y/N/Partial
The practice identified patients who may need extra support and directed them to relevant services. This included patients in the last 12 months of their lives, patients at risk of developing a long-term condition and carers.	Y
Staff encouraged and supported patients to be involved in monitoring and managing their own health.	Y
Patients had access to appropriate health assessments and checks.	Y
Staff discussed changes to care or treatment with patients and their carers as necessary.	Y
The practice supported national priorities and initiatives to improve the population's health, for example, stop smoking campaigns and tackling obesity.	Y

Consent to care and treatment

The practice always obtained consent to care and treatment in line with legislation and guidance.

	Y/N/Partial
Clinicians understood the requirements of legislation and guidance when considering consent and decision making. We saw that consent was documented.	Y
Clinicians supported patients to make decisions. Where appropriate, they assessed and recorded a patient's mental capacity to make a decision.	Y
Do Not Attempt Cardio Pulmonary Resuscitation (DNACPR) decisions were made in line with relevant legislation and were appropriate.	Y

Caring

Rating: Good

Kindness, respect and compassion

Staff treated patients with kindness, respect and compassion. Feedback from patients was positive about the way staff treated people.

	Y/N/Partial
Staff understood and respected the personal, cultural, social and religious needs of patients.	Y
Staff displayed understanding and a non-judgemental attitude towards patients.	Y
Patients were given appropriate and timely information to cope emotionally with their care, treatment or condition.	Y

Patient feedback	
Source	Feedback
NHS Choices Website	Patients have praised the clinical and reception teams for their caring and effective treatment. The practice had responded to all of the five reviews.

National GP Patient Survey results

Indicator	Practice	CCG average	England average	England comparison
The percentage of respondents to the GP patient survey who stated that the last time they had a general practice appointment, the healthcare professional was good or very good at listening to them (01/01/2021 to 31/03/2021)	90.6%	90.2%	89.4%	No statistical variation
The percentage of respondents to the GP patient survey who stated that the last time they had a general practice appointment, the healthcare professional was good or very good at treating them with care and concern (01/01/2021 to 31/03/2021)	92.1%	88.6%	88.4%	No statistical variation
The percentage of respondents to the GP patient survey who stated that during their last GP appointment they had confidence and	99.5%	96.0%	95.6%	Variation (positive)

Indicator	Practice	CCG average	England average	England comparison
trust in the healthcare professional they saw or spoke to (01/01/2021 to 31/03/2021)				
The percentage of respondents to the GP patient survey who responded positively to the overall experience of their GP practice (01/01/2021 to 31/03/2021)	90.4%	85.3%	83.0%	No statistical variation

Question	Y/N
The practice carries out its own patient survey/patient feedback exercises.	PARTIAL

Any additional evidence
PARTIAL – The practice had acted on national survey data by creating an action plan in place in response to the feedback. There were also surveys being received by patients via text message responses and online feedback. However, there was no evidence of improvements made as a result of patient surveys.

Involvement in decisions about care and treatment

Staff helped patients to be involved in decisions about care and treatment

	Y/N/Partial
Staff communicated with patients in a way that helped them to understand their care, treatment and condition, and any advice given.	Y
Staff helped patients and their carers find further information and access community and advocacy services.	Y

National GP Patient Survey results

Indicator	Practice	CCG average	England average	England comparison
The percentage of respondents to the GP patient survey who stated that during their last GP appointment they were involved as much as they wanted to be in decisions about their care and treatment (01/01/2021 to 31/03/2021)	94.4%	93.2%	92.9%	No statistical variation

	Y/N/Partial
--	-------------

Interpretation services were available for patients who did not have English as a first language.	Y
Patient information leaflets and notices were available in the patient waiting area which told patients how to access support groups and organisations.	Y
Information leaflets were available in other languages and in easy read format.	Y
Information about support groups was available on the practice website.	Y
Explanation of any answers and additional evidence:	

Carers	Narrative
Percentage and number of carers identified.	332 carers – 2%
How the practice supported carers (including young carers).	The practice told us that carers are supported by a local carers network and they regularly carry out searches to check their patient list and monitor the carers. All patients in this list are texted to keep the practice updated on their status.
How the practice supported recently bereaved patients.	The practice told us that they put patients in touch with local services for bereavement.

Privacy and dignity

The practice respected patients' privacy and dignity.

	Y/N/Partial
A private room was available if patients were distressed or wanted to discuss sensitive issues.	Y
There were arrangements to ensure confidentiality at the reception desk.	Y

Responsive

Rating: Good

Responding to and meeting people's needs

The practice organised and delivered services to meet patients' needs

	Y/N/Partial
The practice understood the needs of its local population and had developed services in response to those needs.	Y
The importance of flexibility, informed choice and continuity of care was reflected in the services provided.	Y
The facilities and premises were appropriate for the services being delivered.	Y
The practice made reasonable adjustments when patients found it hard to access services.	Y
There were arrangements in place for people who need translation services.	Y
The practice complied with the Accessible Information Standard.	Y

Practice Opening Times	
Day	Time
Opening times:	
Monday	07:30 – 18:30
Tuesday	07:30 – 18:30
Wednesday	07:30 – 18:30
Thursday	07:30 – 18:30
Friday	07:30 – 18:30

Further information about how the practice is responding to the needs of their population

- Patients had a named GP who supported them in whatever setting they lived.
- The practice was responsive to the needs of older patients and offered home visits and urgent appointments for those with enhanced needs and complex medical issues.
- The practice liaised regularly with the community services to discuss and manage the needs of patients with complex medical issues.
- All parents or guardians calling with concerns about a child were offered a same day appointment when necessary.
- People in vulnerable circumstances were easily able to register with the practice, including those with no fixed abode such as homeless people and Travellers.

Access to the service

People were able to access care and treatment in a timely way.

The COVID-19 pandemic has affected access to GP practices and presented many challenges. In order to keep both patients and staff safe early in the pandemic practices were asked by NHS England to assess patients remotely (for example by telephone or video consultation) when contacting the practice and to only see patients in the practice when deemed to be clinically appropriate to do so. Following the changes in national guidance during the summer of 2021 there has been a more flexible approach to patients interacting with their practice. During the pandemic there was a significant increase in telephone and online consultations compared to patients being predominantly seen in a face to face setting.

	Y/N/Partial
Patients had timely access to appointments/treatment and action was taken to minimize the length of time people waited for care, treatment or advice	Y
The practice offered a range of appointment types to suit different needs (e.g. face to face, telephone, online)	Y
Patients were able to make appointments in a way which met their needs	Y
There were systems in place to support patients who face communication barriers to access treatment	Y
Patients with most urgent needs had their care and treatment prioritised	Y
There was information available for patients to support them to understand how to access services (including on websites and telephone messages)	Y
This practice proactively worked to support and care for its population during the pandemic. Drive through clinics were set up to enable vaccinations and the practice won national acclaim for its successful vaccination programme.	

National GP Patient Survey results

Indicator	Practice	CCG average	England average	England comparison
The percentage of respondents to the GP patient survey who responded positively to how easy it was to get through to someone at their GP practice on the phone (01/01/2021 to 31/03/2021)	75.6%	N/A	67.6%	No statistical variation
The percentage of respondents to the GP patient survey who responded positively to the overall experience of making an appointment (01/01/2021 to 31/03/2021)	82.8%	74.8%	70.6%	No statistical variation
The percentage of respondents to the GP patient survey who were very satisfied or fairly satisfied with their GP practice appointment times (01/01/2021 to 31/03/2021)	70.3%	71.3%	67.0%	No statistical variation
The percentage of respondents to the GP patient survey who were satisfied with the appointment (or appointments) they were offered (01/01/2021 to 31/03/2021)	86.5%	82.1%	81.7%	No statistical variation

Source	Feedback
For example, NHS Choices	Four out of five reviews were positive and all had been responded to by the practice.

Listening and learning from concerns and complaints

Complaints were listened and responded to and used to improve the quality of care

Complaints	
Number of complaints received in the last year.	10
Number of complaints we examined.	3
Number of complaints we examined that were satisfactorily handled in a timely way.	3
Number of complaints referred to the Parliamentary and Health Service Ombudsman.	0

	Y/N/Partial
Information about how to complain was readily available.	Y
There was evidence that complaints were used to drive continuous improvement.	Y

Example(s) of learning from complaints.

Complaint	Specific action taken
Complaint about the method of clinical testing for one area.	As a result of the complaint the practice ensured that all reception staff would spend some time explaining the method of testing to all patients before the patient attended clinic to prepare them for the appointment.

Well-led

Rating: Requires Improvement

We rated this practice as requires improvement because:

- There was a lack of governance. There were no clear audits of significant events, safeguarding, complaints, patient feedback and phone access data.
- There was no patient participation group (PPG) for feedback.

Leadership capacity and capability

There was compassionate, inclusive and effective leadership at all levels

	Y/N/Partial
Leaders demonstrated that they understood the challenges to quality and sustainability.	Y
They had identified the actions necessary to address these challenges.	Y
Staff reported that leaders were visible and approachable.	Y
There was a leadership development programme, including a succession plan.	Y

Vision and strategy

The practice had a clear vision and credible strategy to provide high quality sustainable care.

	Y/N/Partial
The vision, values and strategy were developed in collaboration with staff, patients and external partners.	Y
Staff knew and understood the vision, values and strategy and their role in achieving them.	Y
Progress against delivery of the strategy was monitored.	Y

Culture

The practice had a culture which drove high quality sustainable care

	Y/N/Partial
There were arrangements to deal with any behaviour inconsistent with the vision and values.	Y
Staff reported that they felt able to raise concerns without fear of retribution.	Y
There was a strong emphasis on the safety and well-being of staff.	Y
There were systems to ensure compliance with the requirements of the duty of candour.	Y
When people were affected by things that went wrong, they were given an apology and informed of any resulting action.	Y
The practice encouraged candour, openness and honesty.	Y
The practice had access to a Freedom to Speak Up Guardian.	Y
Staff had undertaken equality and diversity training.	Y

Examples of feedback from staff or other evidence about working at the practice

Source	Feedback
Staff	Staff told us the team were like a family and the management style was open and approachable.

Governance arrangements

The overall governance arrangements were ineffective.

	Y/N/Partial
There were governance structures and systems which were regularly reviewed.	N
Staff were clear about their roles and responsibilities.	Y
There were appropriate governance arrangements with third parties.	Y
Explanation of any answers and additional evidence:	
N – There was a lack of governance at this practice. There were no clear audits of significant events, safeguarding, complaints, patient feedback and phone access data. The practice manager was able to demonstrate that some improvements had been made in response to patterns and trends being spotted in significant events and complaints. The management team had begun to implement a plan to audit systems and processes this year.	

Managing risks, issues and performance

The practice did not have clear and effective processes for managing risks, issues and performance.

	Y/N/Partial
There were comprehensive assurance systems which were regularly reviewed and improved.	N
There were processes to manage performance.	Y
There was a quality improvement programme in place.	Y
There were effective arrangements for identifying, managing and mitigating risks.	Y
A major incident plan was in place.	Y
Staff were trained in preparation for major incidents.	Y
When considering service developments or changes, the impact on quality and sustainability was assessed.	Y
Explanation of any answers and additional evidence:	
N – There was a lack of assurance systems in place to review the practice systems. For example, the IPC audits which were undated and ineffective had not been reviewed or assured so that gaps such as the cleaning room and its audits were discovered and addressed.	

The practice had systems in place to continue to deliver services, respond to risk and meet patients' needs during the pandemic

	Y/N/Partial
The practice had adapted how it offered appointments to meet the needs of patients during the pandemic.	Y
The needs of vulnerable people (including those who might be digitally excluded) had been considered in relation to access.	Y
There were systems in place to identify and manage patients who needed a face-to-face appointment.	Y
The practice actively monitored the quality of access and made improvements in response to findings.	Y
There were recovery plans in place to manage backlogs of activity and delays to treatment.	Y
Changes had been made to infection control arrangements to protect staff and patients using the service.	Y
Staff were supported to work remotely where applicable.	Y

Appropriate and accurate information

There was a demonstrated commitment to using data and information proactively to drive and support decision making

	Y/N/Partial
Staff used data to monitor and improve performance.	Y
Performance information was used to hold staff and management to account.	Y
Staff whose responsibilities included making statutory notifications understood what this entailed.	Y

Governance and oversight of remote services

	Y/N/Partial
The practice used digital services securely and effectively and conformed to relevant digital and information security standards.	Y
The provider was registered as a data controller with the Information Commissioner's Office.	Y
Patient records were held in line with guidance and requirements.	Y
Patients were informed and consent obtained if interactions were recorded.	Y
The practice ensured patients were informed how their records were stored and managed.	Y
Patients were made aware of the information sharing protocol before online services were delivered.	Y
The practice had arrangements to make staff and patients aware of privacy settings on video and voice call services.	Y
Online consultations took place in appropriate environments to ensure confidentiality.	Y
The practice advised patients on how to protect their online information.	Y

Engagement with patients, the public, staff and external partners

The practice did not involve the public, staff and external partners to sustain high quality and sustainable care.

	Y/N/Partial
Patient views were acted on to improve services and culture.	PARTIAL1
The practice had an active Patient Participation Group.	N
Staff views were reflected in the planning and delivery of services.	PARTIAL2
The practice worked with stakeholders to build a shared view of challenges and of the needs of the population.	Y
Explanation of any answers and additional evidence:	
PARTIAL1 – Although the national survey data had been used to consider changes and improvements at the practice, there were no additional surveys or methods of patient feedback being utilised. The national survey action plan was still in the early stages of being actioned at the time of the inspection.	
N1 – There was no Patient Participation Group (PPG) at this practice and there had been no PPG before the pandemic. At the last inspection in 2016 the practice was told by CQC to organise a PPG.	
PARTIAL2 – There had been staff surveys in 2019 and they were due to be re-started in 2022 to gain feedback from staff.	

Continuous improvement and innovation

There was some evidence of systems and processes for learning, continuous improvement and innovation.

	Y/N/Partial
There was a strong focus on continuous learning and improvement.	PARTIAL
Learning was shared effectively and used to make improvements.	Y
Explanation of any answers and additional evidence:	
PARTIAL – The complaints and significant events had been used to drive improvements and encourage learning at this practice. The management team were clearly capable of using information to make changes at the practice. However, there was little evidence of proactive learning or of continuous improvement through audit cycles or innovation.	

GP Insight assesses a practice's data against all the other practices in England. We assess relative performance for the majority of indicators using a "z-score" (this tells us the number of standard deviations from the mean the data point is), giving us a statistical measurement of a practice's performance in relation to the England average. We highlight practices which significantly vary from the England average (in either a positive or negative direction). We consider that z-scores which are higher than +2 or lower than -2 are at significant levels, warranting further enquiry. Using this technique we can be 95% confident that the practice's performance is genuinely different from the average. It is important to note that a number of factors can affect the Z score for a practice, for example a small denominator or the distribution of the data. This means that there will be cases where a practice's data looks quite different to the average, but still shows as no statistical variation, as we do not have enough confidence that the difference is genuine. There may also be cases where a practice's data looks similar across two indicators, but they are in different variation bands.

The percentage of practices which show variation depends on the distribution of the data for each indicator, but is typically around 10-15% of practices. The practices which are not showing significant statistical variation are labelled as no statistical variation to other practices.

N.B. Not all indicators in the evidence table are part of the GP insight set and those that aren't will not have a variation band.

The following language is used for showing variation:

Variation Bands	Z-score threshold
Significant variation (positive)	≤ -3
Variation (positive)	> -3 and ≤ -2
Tending towards variation (positive)	> -2 and ≤ -1.5
No statistical variation	< 1.5 and > -1.5
Tending towards variation (negative)	≥ 1.5 and < 2
Variation (negative)	≥ 2 and < 3
Significant variation (negative)	≥ 3

Note: for the following indicators the variation bands are different:

- Child Immunisation indicators. These are scored against the World Health Organisation target of 95% rather than the England average. Note that practices that have "Met 90% minimum" have not met the WHO target of 95%.
- The percentage of respondents to the GP patient survey who responded positively to how easy it was to get through to someone at their GP practice on the phone uses a rules based approach for scoring, due to the distribution of the data. This indicator does not have a CCG average.
- The percentage of women eligible for cervical cancer screening at a given point in time who were screened adequately within a specified period (within 3.5 years for women aged 25 to 49, and within 5.5 years for women aged 50 to 64). This indicator does not have a CCG average and is scored against the national target of 80%.

It is important to note that z-scores are not a judgement in themselves, but will prompt further enquiry, as part of our ongoing monitoring of GP practices.

Guidance and Frequently Asked Questions on GP Insight can be found on the following link: <https://www.cqc.org.uk/guidance-providers/gps/how-we-monitor-gp-practices>

Note: The CQC GP Evidence Table uses the most recent validated and publicly available data. In some cases at the time of inspection this data may be relatively old. If during the inspection the practice has provided any more recent data, this can be considered by the inspector. However, it should be noted that any data provided by the practice will be unvalidated and is not directly comparable to the published data. This has been taken into account during the inspection process.

Glossary of terms used in the data.

- **COPD:** Chronic Obstructive Pulmonary Disease.
- **PHE:** Public Health England.
- **QOF:** Quality and Outcomes Framework.
- **STAR-PU:** Specific Therapeutic Group Age-sex weightings Related Prescribing Units. These weighting allow more accurate and meaningful comparisons within a specific therapeutic group by taking into account the types of people who will be receiving that treatment.
-
- ‰ = per thousand.