

Care Quality Commission

Inspection Evidence Table

Trescobeas Surgery (1-548326733)

Inspection date: 18 May 2022

Date of data download: 13 May 2022

Overall rating: Good

We carried out an announced remote regulatory assessment with Trescobeas Surgery on 17 December 2020. A report was created as part of pilot work which looked at new and innovative ways of fulfilling CQC regulatory obligations and responding to risk in light of the COVID-19 pandemic. We found the practice did not have clear systems and processes to keep patients safe. These issues included:

- There was a lack of process in place for monitoring patients' health in relation to the use of medicines including high risk medicines with appropriate monitoring and clinical review prior to prescribing. This included ensuring all patients received an annual review of their medicines.
- Effective systems and processes to ensure good governance were not in place.

We did not change the rating as we did not visit the practice.

Our inspection in June 2021 was undertaken to ensure that improvements had been made, since the inspection in December 2020. We found that the practice had made some improvements, although some areas of work remained ongoing, and it was therefore rated as requires improvement overall.

At this inspection we found:

Improvements had been made by the practice and protocols and policies were now fully embedded.

Safe

Rating: Good

Safety systems and processes

The practice had clear systems, practices and processes to keep people safe and safeguarded from abuse.

Safeguarding	Y/N/Partial
Safeguarding systems, processes and practices were developed, implemented and communicated to staff.	Yes
Partners and staff were trained to appropriate levels for their role.	Yes
There was active and appropriate engagement in local safeguarding processes.	Yes
The Out of Hours service was informed of relevant safeguarding information.	Yes
There were systems to identify vulnerable patients on record.	Yes
Disclosure and Barring Service (DBS) checks were undertaken where required.	Yes
There were regular discussions between the practice and other health and social care professionals such as health visitors, school nurses, community midwives and social workers to support and protect adults and children at risk of significant harm.	Yes
<p>Explanation of any answers and additional evidence:</p> <p>At our inspection in June 2021, we found from the training records provided by the practice one GP had not been trained to level three safeguarding children as recommended by the intercollegiate guidance for child safeguarding published in January 2019.</p> <p>At this inspection we found all staff had up to date training in safeguarding adults and children to the required level for their role.</p>	

Recruitment systems	Y/N/Partial
Recruitment checks were carried out in accordance with regulations (including for agency staff and locums).	Yes
Staff vaccination was maintained in line with current UK Health and Security Agency (UKHSA) guidance if relevant to role.	Yes

Safety systems and records	Y/N/Partial
Health and safety risk assessments had been carried out and appropriate actions taken. Date of last assessment: Trescobeas January 2022 Mylor October 2021	Yes
There was a fire procedure.	Yes
Date of fire risk assessment: Trescobeas August 2021 Mylor August 2021 Actions from fire risk assessment were identified and completed.	Yes

Infection prevention and control

Appropriate standards of cleanliness and hygiene were met.

	Y/N/Partial
Staff had received effective training on infection prevention and control.	Yes
Infection prevention and control audits were carried out.	Yes

Date of last infection prevention and control audit: September 2021	
The practice had acted on any issues identified in infection prevention and control audits.	Yes
The arrangements for managing waste and clinical specimens kept people safe.	Yes

Risks to patients

There were systems to assess, monitor and manage risks to patient safety.

	Y/N/Partial
There was an effective approach to managing staff absences and busy periods.	Yes
There was an effective induction system for temporary staff tailored to their role.	Yes
The practice was equipped to respond to medical emergencies (including suspected sepsis) and staff were suitably trained in emergency procedures.	Yes
Receptionists were aware of actions to take if they encountered a deteriorating or acutely unwell patient and had been given guidance on identifying such patients.	Yes
There were enough staff to provide appointments and prevent staff from working excessive hours	Yes
<p>Explanation of any answers and additional evidence:</p> <p>Clinical and non-clinical staff were trained in the identification of a rapidly deteriorating patient. For example, sepsis. We spoke with a member of the reception team who described how they had identified a patient with the potential to become ill very quickly and had raised the alarm with one of the GPs. Appropriate action was taken, and the patient made a good recovery.</p>	

Information to deliver safe care and treatment

Staff had the information they needed to deliver safe care and treatment.

	Y/N/Partial
Individual care records, including clinical data, were written and managed securely and in line with current guidance and relevant legislation.	Yes
There was a system for processing information relating to new patients including the summarising of new patient notes.	Yes
There were systems for sharing information with staff and other agencies to enable them to deliver safe care and treatment.	Yes
Referrals to specialist services were documented, contained the required information and there was a system to monitor delays in referrals.	Yes
There was a documented approach to the management of test results and this was managed in a timely manner.	Yes
There was appropriate clinical oversight of test results, including when reviewed by non-clinical staff.	Yes

Appropriate and safe use of medicines

The practice had systems for the appropriate and safe use of medicines, including medicines optimisation

Indicator	Practice	CCG average	England average	England comparison
Number of antibacterial prescription items prescribed per Specific Therapeutic group Age-sex Related Prescribing Unit (STAR PU) (01/01/2021 to 31/12/2021) (NHS Business Service Authority - NHSBSA)	0.69	0.76	0.76	No statistical variation
The number of prescription items for co-amoxiclav, cephalosporins and quinolones as a percentage of the total number of prescription items for selected antibacterial drugs (BNF 5.1 sub-set). (01/01/2021 to 31/12/2021) (NHSBSA)	10.5%	9.8%	9.2%	No statistical variation
Average daily quantity per item for Nitrofurantoin 50 mg tablets and capsules, Nitrofurantoin 100 mg m/r capsules, Pivmecillinam 200 mg tablets and Trimethoprim 200 mg tablets prescribed for uncomplicated urinary tract infection (01/07/2021 to 31/12/2021) (NHSBSA)	5.42	5.32	5.28	No statistical variation
Total items prescribed of Pregabalin or Gabapentin per 1,000 patients (01/07/2021 to 31/12/2021) (NHSBSA)	138.2‰	153.7‰	129.2‰	No statistical variation
Average daily quantity of Hypnotics prescribed per Specific Therapeutic group Age-sex Related Prescribing Unit (STAR PU) (01/01/2021 to 31/12/2021) (NHSBSA)	0.36	0.67	0.62	No statistical variation
Number of unique patients prescribed multiple psychotropics per 1,000 patients (01/07/2021 to 31/12/2021) (NHSBSA)	6.1‰	6.9‰	6.8‰	No statistical variation

Note: ‰ means *per 1,000* and it is **not** a percentage.

Medicines management	Y/N/Partial
The practice ensured medicines were stored safely and securely with access restricted to authorised staff.	Yes
Blank prescriptions were kept securely, and their use monitored in line with national guidance.	Yes
Staff had the appropriate authorisations to administer medicines (including Patient Group Directions or Patient Specific Directions).	Yes
The practice could demonstrate the prescribing competence of non-medical prescribers, and there was regular review of their prescribing practice supported by clinical supervision or peer review.	Yes

Medicines management	Y/N/Partial
There was a process for the safe handling of requests for repeat medicines and evidence of structured medicines reviews for patients on repeat medicines.	Yes
The practice had a process and clear audit trail for the management of information about changes to a patient's medicines including changes made by other services.	Yes
There was a process for monitoring patients' health in relation to the use of medicines including high risk medicines (for example, warfarin, methotrexate and lithium) with appropriate monitoring and clinical review prior to prescribing.	Yes
The practice monitored the prescribing of controlled drugs. (For example, investigation of unusual prescribing, quantities, dose, formulations and strength).	Yes
There were arrangements for raising concerns around controlled drugs with the NHS England and Improvement Area Team Controlled Drugs Accountable Officer.	Yes
If the practice had controlled drugs on the premises there were appropriate systems and written procedures for the safe ordering, receipt, storage, administration, balance checks and disposal of these medicines, which were in line with national guidance.	NA
The practice had taken steps to ensure appropriate antimicrobial use to optimise patient outcomes and reduce the risk of adverse events and antimicrobial resistance.	Yes
For remote or online prescribing there were effective protocols for verifying patient identity.	Yes
The practice held appropriate emergency medicines, risk assessments were in place to determine the range of medicines held, and a system was in place to monitor stock levels and expiry dates.	Yes
There was medical oxygen and a defibrillator on site and systems to ensure these were regularly checked and fit for use.	Yes
Vaccines were appropriately stored, monitored and transported in line with UKHSA guidance to ensure they remained safe and effective.	Yes
<p>Explanation of any answers and additional evidence:</p> <p>As part of our remote clinical searches, we reviewed patient records to ascertain the appropriate monitoring and clinical review was being undertaken prior to providing patients with repeat prescriptions. We reviewed patient records and found patients had their checks carried out appropriately. Other clinical searches carried out on disease modifying drugs, such as methotrexate and high-risk medicines such as warfarin (a blood thinning medicine) showed that appropriate monitoring was carried out and that safe care and treatment was provided.</p> <p>At our inspection in June 2021 we found, although the practice had emergency equipment on site and monthly checks were carried out, the checklist did not include child and adult face masks and we found these to be out of date. At this inspection we found the face masks had been added to the checklist and the child and adult face masks were in date.</p>	

Track record on safety and lessons learned and improvements made
The practice learned and made improvements when things went wrong.

Significant events	Y/N/Partial
The practice monitored and reviewed safety using information from a variety of sources.	Yes
Staff knew how to identify and report concerns, safety incidents and near misses.	Yes
There was a system for recording and acting on significant events.	Yes
Staff understood how to raise concerns and report incidents both internally and externally.	Yes
There was evidence of learning and dissemination of information.	Yes
Number of events recorded in last 12 months:	5
Explanation of any answers and additional evidence: There was a protocol in place for identifying and recording significant events. Significant events and learning outcomes were shared with staff during team meetings.	

Example(s) of significant events recorded and actions by the practice.

Event	Specific action taken
Patient failed to attend a nurse's appointment for clinical procedure.	Protocol put in place to follow up with patients when they do not attend.

Safety alerts	Y/N/Partial
There was a system for recording and acting on safety alerts.	Yes
Staff understood how to deal with alerts.	Yes
Explanation of any answers and additional evidence: There was a system for recording and acting on safety alerts and we saw the practice had acted in response to some alerts from the Medicines and Healthcare products Regulatory Agency (MHRA). The clinical searches identified a safety alert regarding patients prescribed clopidogrel and omeprazole together. We found evidence demonstrating that a review had taken place with the five patients that we looked at in detail. Patients received safe care and treatment to protect them from potential harm relating to the safety alert.	

Effective

Rating: Good

At the previous inspection in December 2021, the practice was rated requires improvement because data showed the care of patients with long-term conditions had not been managed effectively. At this inspection, we found the oversight of long-term conditions was now being managed effectively.

QOF requirements were modified by NHS England and Improvement for 2020/21 to recognise the need to reprioritise aspects of care which were not directly related to COVID-19. This meant that QOF payments were calculated differently. For inspections carried out from 1 October 2021, our reports will not include QOF indicators. In determining judgements in relation to effective care, we have considered other evidence as set out below.

Effective needs assessment, care and treatment

Patients' needs were assessed, and care and treatment was delivered in line with current legislation, standards and evidence-based guidance supported by clear pathways and tools.

	Y/N/Partial
The practice had systems and processes to keep clinicians up to date with current evidence-based practice.	Yes
Patients' immediate and ongoing needs were fully assessed. This included their clinical needs and their mental and physical wellbeing.	Yes
Patients presenting with symptoms which could indicate serious illness were followed up in a timely and appropriate way.	Yes
We saw no evidence of discrimination when staff made care and treatment decisions.	Yes
Patients' treatment was regularly reviewed and updated.	Yes
There were appropriate referral pathways to make sure that patients' needs were addressed.	Yes
Patients were told when they needed to seek further help and what to do if their condition deteriorated.	Yes
The practice had prioritised care for their most clinically vulnerable patients during the pandemic	Yes

Effective care for the practice population

Findings
<ul style="list-style-type: none">• The practice used a clinical tool to identify older patients who were living with moderate or severe frailty. Those identified received a full assessment of their physical, mental and social needs.• Health checks, including frailty assessments, were offered to patients over 75 years of age.• Flu, shingles and pneumonia vaccinations were offered to relevant patients in this age group.

- The practice had systems to inform eligible patients to have the meningitis vaccine, for example before attending university for the first time.
- Patients had access to appropriate health assessments and checks including NHS checks for patients aged 40 to 74. There was appropriate and timely follow-up on the outcome of health assessments and checks where abnormalities or risk factors were identified.
- All patients with a learning disability were offered an annual health check.
- End of life care was delivered in a coordinated way which took into account the needs of those whose circumstances may make them vulnerable.
- The practice had a system for vaccinating patients with an underlying medical condition according to the recommended schedule.
- The practice demonstrated that they had a system to identify people who misused substances.
- The practice assessed and monitored the physical health of people with mental illness, severe mental illness, and personality disorder
- Patients with poor mental health, including dementia, were referred to appropriate services.

Management of people with long term conditions

Findings

- As part of the inspection a number of set clinical record searches were undertaken by a CQC GP specialist advisor. The records of patients with long term conditions were checked to ensure the required assessment and reviews were taking place. These searches are visible to the practice. The records we examined provided evidence that overall patients with long term conditions had been monitored and reviewed appropriately.
- Patients with long-term conditions were offered a structured annual review to check their health and medicines needs were being met. For patients with the most complex needs, the GP worked with other health and care professionals to deliver a coordinated package of care.
- Staff who were responsible for reviews of patients with long-term conditions had received specific training.
- GPs followed up patients who had received treatment in hospital or through out of hours services for an acute exacerbation of asthma.
- The practice shared clear and accurate information with relevant professionals when deciding care delivery for patients with long-term conditions.
- The practice could demonstrate how they identified patients with commonly undiagnosed conditions, for example diabetes, chronic obstructive pulmonary disease (COPD), atrial fibrillation and hypertension. They had invested in the Ardens Templates toolkits which provide a comprehensive support tool to assist practitioners in both correct diagnosis, safe and accurate treatment options and referrals to a specialist secondary care service where appropriate.
- Adults with newly diagnosed cardio-vascular disease were offered statins.
- Patients with suspected hypertension were offered ambulatory blood pressure monitoring.

- Patients with COPD were offered rescue packs.
- Patients with asthma were offered an asthma management plan.

Child Immunisation	Numerator	Denominator	Practice %	Comparison to WHO target of 95%
The percentage of children aged 1 who have completed a primary course of immunisation for Diphtheria, Tetanus, Polio, Pertussis, Haemophilus influenza type b (Hib), Hepatitis B (Hep B) ((i.e. three doses of DTaP/IPV/Hib/HepB) (01/04/2020 to 31/03/2021) (NHS England and Improvement)	83	88	94.3%	Met 90% minimum
The percentage of children aged 2 who have received their booster immunisation for Pneumococcal infection (i.e. received Pneumococcal booster) (PCV booster) (01/04/2020 to 31/03/2021) (NHS England and Improvement)	73	78	93.6%	Met 90% minimum
The percentage of children aged 2 who have received their immunisation for Haemophilus influenza type b (Hib) and Meningitis C (MenC) (i.e. received Hib/MenC booster) (01/04/2020 to 31/03/2021) (NHS England and Improvement)	73	78	93.6%	Met 90% minimum
The percentage of children aged 2 who have received immunisation for measles, mumps and rubella (one dose of MMR) (01/04/2020 to 31/03/2021) (NHS England and Improvement)	73	78	93.6%	Met 90% minimum
The percentage of children aged 5 who have received immunisation for measles, mumps and rubella (two doses of MMR) (01/04/2020 to 31/03/2021) (NHS England and Improvement)	80	93	86.0%	Below 90% minimum

Note: Please refer to the CQC guidance on Childhood Immunisation data for more information: <https://www.cqc.org.uk/guidance-providers/gps/how-we-monitor-gp-practices>

Any additional evidence or comments

The practice were aware of their lower percentage for children aged five who had not received two doses of the measles, mumps and rubella immunisation. There was a process in place to contact the parents, by letter, who declined the immunisation for their children. This was recorded in their records.

Cancer Indicators	Practice	CCG average	England average	England comparison
The percentage of persons eligible for cervical cancer screening at a given point in time who were screened adequately within a specified period (within 3.5 years for persons aged 25 to 49, and within 5.5 years for persons aged 50 to 64). (Snapshot date: 31/12/2021) (UK Health and Security Agency)	75.9%	N/A	80% Target	Below 80% target
Females, 50-70, screened for breast cancer in last 36 months (3 year coverage, %) (01/04/2020 to 31/03/2021) (UKHSA)	70.4%	69.5%	61.3%	N/A
Persons, 60-74, screened for bowel cancer in last 30 months (2.5 year coverage, %) (01/04/2020 to 31/03/2021) (UKHSA)	73.7%	70.1%	66.8%	N/A
Number of new cancer cases treated (Detection rate: % of which resulted from a two week wait (TWW) referral) (01/04/2020 to 31/03/2021) (UKHSA)	55.1%	54.9%	55.4%	No statistical variation

Any additional evidence or comments

The practice had improved upon their cervical cancer screening from the previous year. Two new nurses had been employed and a third nurse was in the process of receiving training. GPs had also implemented extra clinics to increase uptake. Unverified data provided by the practice showed, from 170 eligible females only six required screening.

Monitoring care and treatment

The practice had a comprehensive programme of quality improvement activity and routinely reviewed the effectiveness and appropriateness of the care provided.

	Y/N/Partial
Clinicians took part in national and local quality improvement initiatives.	Yes
The practice had a programme of targeted quality improvement and used information about care and treatment to make improvements.	Yes
The practice regularly reviewed unplanned admissions and readmissions and took appropriate action.	Yes

Examples of improvements demonstrated because of clinical audits or other improvement activity in past two years

Audits were carried out to monitor and review medicine prescribing at the practice in response to safety alert notifications and to ensure that appropriate health checks were being undertaken prior to medicines being prescribed. An example being: the practice had carried out searches on patients prescribed, over 12 times in the year, an inhaler used to relieve asthma. Of the 94 patients, 11 were found to be high users. The process of review was changed by requesting these patients to complete a patient asthma questionnaire in addition to looking at the number of inhalers prescribed. This had identified some objectively poorly controlled patients (subjectively reported as controlled) but also identified a vast number of inhalers that were being over-ordered. These patients were reviewed by the practice.

Effective staffing

The practice was able to demonstrate that staff had the skills, knowledge and experience to carry out their roles.

	Y/N/Partial
Staff had the skills, knowledge and experience to deliver effective care, support and treatment.	Yes
The practice had a programme of learning and development.	Yes
Staff had protected time for learning and development.	Yes
There was an induction programme for new staff.	Yes
Staff had access to regular appraisals, one to ones, coaching and mentoring, clinical supervision and revalidation. They were supported to meet the requirements of professional revalidation.	Yes
The practice could demonstrate how they assured the competence of staff employed in advanced clinical practice, for example, nurses, paramedics, pharmacists and physician associates.	Yes
There was a clear and appropriate approach for supporting and managing staff when their performance was poor or variable.	Yes

Coordinating care and treatment

Staff worked together and with other organisations to deliver effective care and treatment.

Indicator	Y/N/Partial
Care was delivered and reviewed in a coordinated way when different teams, services or organisations were involved.	Yes
Patients received consistent, coordinated, person-centred care when they moved between services.	Yes
Explanation of any answers and additional evidence: The practice worked in a multidisciplinary approach, involving colleagues across health and social care to ensure coordinated care was in place for vulnerable patients and to support patients and their families at the end of life.	

Helping patients to live healthier lives

Staff were consistent and proactive in helping patients to live healthier lives.

	Y/N/Partial
The practice identified patients who may need extra support and directed them to relevant services. This included patients in the last 12 months of their lives, patients at risk of developing a long-term condition and carers.	Yes
Staff encouraged and supported patients to be involved in monitoring and managing their own health.	Yes
Patients had access to appropriate health assessments and checks.	Yes
Staff discussed changes to care or treatment with patients and their carers as necessary.	Yes
The practice supported national priorities and initiatives to improve the population's health, for example, stop smoking campaigns and tackling obesity.	Yes

Consent to care and treatment

The practice always obtained to demonstrate that it always obtained consent to care and treatment in line with legislation and guidance.

	Y/N/Partial
Clinicians understood the requirements of legislation and guidance when considering consent and decision making. We saw that consent was documented.	Yes
Clinicians supported patients to make decisions. Where appropriate, they assessed and recorded a patient's mental capacity to make a decision.	Yes
Do Not Attempt Cardio Pulmonary Resuscitation (DNACPR) decisions were made in line with relevant legislation and were appropriate.	Yes
<p>Explanation of any answers and additional evidence:</p> <p>At our inspection in June 2021, the remote searches identified three DNACPR records that had been completed by a clinician, but not signed by a GP. This was highlighted to a GP during inspection and there was a plan in place to ensure they were reviewed and countersigned appropriately.</p> <p>At this inspection, the remote searches reviewed five patients with a DNACPR in place, all had been completed and signed by the appropriate clinicians.</p>	

Responsive

Rating: Not rated

Access to the service

People were able to access care and treatment in a timely way.

The COVID-19 pandemic has affected access to GP practices and presented many challenges. In order to keep both patients and staff safe early in the pandemic practices were asked by NHS England and Improvement to assess patients remotely (for example by telephone or video consultation) when contacting the practice and to only see patients in the practice when deemed to be clinically appropriate to do so. Following the changes in national guidance during the summer of 2021 there has been a more flexible approach to patients interacting with their practice. During the pandemic there was a significant increase in telephone and online consultations compared to patients being predominantly seen in a face to face setting.

	Y/N/Partial
Patients had timely access to appointments/treatment and action was taken to minimize the length of time people waited for care, treatment or advice	Yes
The practice offered a range of appointment types to suit different needs (e.g. face to face, telephone, online)	Yes
Patients were able to make appointments in a way which met their needs	Yes
There were systems in place to support patients who face communication barriers to access treatment	Yes
Patients with most urgent needs had their care and treatment prioritised	Yes
There was information available for patients to support them to understand how to access services (including on websites and telephone messages)	Yes
Explanation of any answers and additional evidence: Data demonstrated patients were satisfied with access and services provided. For example: <ul style="list-style-type: none">90% of patients in the GP patient survey responded positively to the overall experience of their practice compared with the national average of 83%.77% of patients responded positively to how easy it was to get through to someone at their GP practice on the phone compared with the national average of 68%.89% of patients were who were satisfied with the appointment (or appointments) they were offered compared with the national average of 82%. During the height of the pandemic, clinicians were available at all times by telephone to triage problems, give advice and support and arrange face to face consultations. The practice worked closely with the complex care mental health teams in a pilot study to review patients and carers requiring support in their illness. Dementia registers were audited; undiagnosed patients were identified by reviewing registered patients in care homes or with a diagnosis of Parkinson's disease (up to 70% patients with Parkinson's disease develop dementia). Regular	

telephone contact was made with patients and carers, identifying patients requiring additional support at an earlier stage rather than at crisis point. This was essential in lockdown when patients might previously have presented in crisis.

Initially at the beginning of the covid lockdown access to the practice could be difficult. Carers of patients on the end-of-life pathway were provided with an alternate contact telephone number to ensure immediate access to medicines, GP and nurse support.

Well-led

Rating: Good

Following our inspection in June 2021, we rated Well-Led as requires improvement because although new processes, systems and leadership roles had been put in place, they were not embedded and required further development. At this inspection, we found that improvements had been made and the practice was rated as good for providing well led services.

Leadership capacity and capability

There was compassionate, inclusive and effective leadership at all levels

	Y/N/Partial
Leaders demonstrated that they understood the challenges to quality and sustainability.	Yes
They had identified the actions necessary to address these challenges.	Yes
Staff reported that leaders were visible and approachable.	Yes
There was a leadership development programme, including a succession plan.	Yes
Explanation of any answers and additional evidence: At our inspection in June 2021, we found the practice had implemented some systems and processes which were not yet fully integrated or established. For example, the GP partners had lead roles within the practice to ensure the practice offered high quality patient care and undertook the responsibility for governance and the development of the practice. These roles were still new and required further time to develop. At this inspection, members of the management team shared information about the practice's history and organisational structure. This highlighted how the practice had undergone changes and some challenges over the years, which included staffing turnover; in particular, the leadership team. Staff we spoke with during our inspection described that things had improved, and they felt that the practice was travelling in the right direction. The evidence and staff feedback we gathered highlighted that the practice was moving towards a period of settling into some positive changes.	

Vision and strategy

The practice had a clear vision and credible strategy to provide high quality sustainable care.

	Y/N/Partial
The vision, values and strategy were developed in collaboration with staff, patients and external partners.	Yes
Staff knew and understood the vision, values and strategy and their role in achieving them.	Yes
Progress against delivery of the strategy was monitored.	Yes

Culture

The practice had a culture which drove high quality sustainable care.

	Y/N/Partial
There were arrangements to deal with any behaviour inconsistent with the vision and values.	Yes
Staff reported that they felt able to raise concerns without fear of retribution.	Yes
There was a strong emphasis on the safety and well-being of staff.	Yes
There were systems to ensure compliance with the requirements of the duty of candour.	Yes
When people were affected by things that went wrong, they were given an apology and informed of any resulting action.	Yes
The practice encouraged candour, openness and honesty.	Yes
The practice had access to a Freedom to Speak Up Guardian.	Yes
Staff had undertaken equality and diversity training.	Yes
Explanation of any answers and additional evidence: Staff we spoke with were proud of the practice as a place to work and spoke highly of the culture. Staff at all levels were actively encouraged to speak up and raise concerns. Staff we spoke with expressed that they were comfortable being open and honest about things at work, advising they felt listened to and supported to raise concerns. There was evidence of collaboration, team-working and support across all functions and a common focus on improving the quality and sustainability of care and people's experiences.	

Examples of feedback from staff or other evidence about working at the practice

Source	Feedback
Staff interviews	Staff told us that they felt the GPs were supportive and open to discussion. Staff felt that all the staff worked well as a team and supported each other.

Governance arrangements

There were clear responsibilities, roles and systems of accountability to support good governance and management.

	Y/N/Partial
There were governance structures and systems which were regularly reviewed.	Yes
Staff were clear about their roles and responsibilities.	Yes
There were appropriate governance arrangements with third parties.	Yes
Explanation of any answers and additional evidence: We found the practice had spent significant time managing and developing its governance arrangements over the last 12 months. This included a review of management responsibilities; reviews and updates to policies and procedures; and developing and allocating key governance responsibilities to managers.	

Managing risks, issues and performance

There were effective processes for managing risks, issues and performance.

	Y/N/Partial
There were comprehensive assurance systems which were regularly reviewed and improved.	Yes
There were processes to manage performance.	Yes
There was a quality improvement programme in place.	Yes
There were effective arrangements for identifying, managing and mitigating risks.	Yes
A major incident plan was in place.	Yes
Staff were trained in preparation for major incidents.	Yes
When considering service developments or changes, the impact on quality and sustainability was assessed.	Yes
Explanation of any answers and additional evidence:	
At our inspection in June 2021, the practice did not have effective oversight of processes to ensure risks, issues and performance were managed effectively.	
At this inspection we saw evidence demonstrating:	
Arrangements were in place for planning and monitoring the number and mix of staff needed to meet patients' needs, including planning for holidays, sickness, busy periods and epidemics.	
The practice was equipped to deal with medical emergencies and staff were suitably trained in emergency procedures. Staff understood their responsibilities to manage emergencies on the premises and to recognise those in need of urgent medical attention.	
A range of health and safety risk assessments were undertaken and regularly reviewed. Actions were taken where needed.	

The practice had systems in place to continue to deliver services, respond to risk and meet patients' needs during the pandemic

	Y/N/Partial
The practice had adapted how it offered appointments to meet the needs of patients during the pandemic.	Yes
The needs of vulnerable people (including those who might be digitally excluded) had been considered in relation to access.	Yes
There were systems in place to identify and manage patients who needed a face-to-face appointment.	Yes

The practice actively monitored the quality of access and made improvements in response to findings.	Yes
There were recovery plans in place to manage backlogs of activity and delays to treatment.	Yes
Changes had been made to infection control arrangements to protect staff and patients using the service.	Yes
Staff were supported to work remotely where applicable.	Yes

Appropriate and accurate information

There was a demonstrated commitment to using data and information proactively to drive and support decision making.

	Y/N/Partial
Staff used data to monitor and improve performance.	Yes
Performance information was used to hold staff and management to account.	Yes
Staff whose responsibilities included making statutory notifications understood what this entailed.	Yes
Explanation of any answers and additional evidence:	
We saw evidence that senior staff could appropriately access and make use of data and performance information to drive performance improvement.	

Governance and oversight of remote services

	Y/N/Partial
The practice used digital services securely and effectively and conformed to relevant digital and information security standards.	Yes
The provider was registered as a data controller with the Information Commissioner's Office.	Yes
Patient records were held in line with guidance and requirements.	Yes
Patients were informed and consent obtained if interactions were recorded.	Yes
The practice ensured patients were informed how their records were stored and managed.	Yes
Patients were made aware of the information sharing protocol before online services were delivered.	Yes
The practice had arrangements to make staff and patients aware of privacy settings on video and voice call services.	Yes
Online consultations took place in appropriate environments to ensure confidentiality.	Yes
The practice advised patients on how to protect their online information.	Yes

Engagement with patients, the public, staff and external partners

The practice involved the public, staff and external partners to sustain high quality and sustainable care.

	Y/N/Partial
Patient views were acted on to improve services and culture.	Yes
The practice had an active Patient Participation Group.	Yes
Staff views were reflected in the planning and delivery of services.	Yes
The practice worked with stakeholders to build a shared view of challenges and of the needs of the population.	Yes

Continuous improvement and innovation

There was evidence of systems and processes for learning, continuous improvement and innovation.

	Y/N/Partial
There was a strong focus on continuous learning and improvement.	Yes
Learning was shared effectively and used to make improvements.	Yes
Explanation of any answers and additional evidence: The provider used significant events, complaints and audits to drive improvements throughout the practice.	

Examples of continuous learning and improvement

We saw examples of how the practice had made changes to improve access to appointments for their patients. For instance, at the time of our inspection, the practice was in the process of having a new system installed to improve online access for patients. This was implemented following patient feedback.

Notes: CQC GP Insight

GP Insight assesses a practice's data against all the other practices in England. We assess relative performance for the majority of indicators using a "z-score" (this tells us the number of standard deviations from the mean the data point is), giving us a statistical measurement of a practice's performance in relation to the England average. We highlight practices which significantly vary from the England average (in either a positive or negative direction). We consider that z-scores which are higher than +2 or lower than -2 are at significant levels, warranting further enquiry. Using this technique, we can be 95% confident that the practice's performance is genuinely different from the average. It is important to note that a number of factors can affect the Z score for a practice, for example a small denominator or the distribution of the data. This means that there will be cases where a practice's data looks quite different to the average, but still shows as no statistical variation, as we do not have enough confidence that the difference is genuine. There may also be cases where a practice's data looks similar across two indicators, but they are in different variation bands.

The percentage of practices which show variation depends on the distribution of the data for each indicator but is typically around 10-15% of practices. The practices which are not showing significant statistical variation are labelled as no statistical variation to other practices.

N.B. Not all indicators in the evidence table are part of the GP insight set and those that aren't will not have a variation band.

The following language is used for showing variation:

Variation Bands	Z-score threshold
Significant variation (positive)	≤ -3
Variation (positive)	> -3 and ≤ -2
Tending towards variation (positive)	> -2 and ≤ -1.5
No statistical variation	< 1.5 and > -1.5
Tending towards variation (negative)	≥ 1.5 and < 2
Variation (negative)	≥ 2 and < 3
Significant variation (negative)	≥ 3

Note: for the following indicators the variation bands are different:

- Child Immunisation indicators. These are scored against the World Health Organisation target of 95% rather than the England average. Note that practices that have "Met 90% minimum" have not met the WHO target of 95%.
- The percentage of respondents to the GP patient survey who responded positively to how easy it was to get through to someone at their GP practice on the phone uses a rules-based approach for scoring, due to the distribution of the data. This indicator does not have a CCG average.
- The percentage of women eligible for cervical cancer screening at a given point in time who were screened adequately within a specified period (within 3.5 years for women aged 25 to 49, and within 5.5 years for women aged 50 to 64). This indicator does not have a CCG average and is scored against the national target of 80%.

It is important to note that z-scores are not a judgement in themselves, but will prompt further enquiry, as part of our ongoing monitoring of GP practices.

Guidance and Frequently Asked Questions on GP Insight can be found on the following link: <https://www.cqc.org.uk/guidance-providers/gps/how-we-monitor-gp-practices>

Note: The CQC GP Evidence Table uses the most recent validated and publicly available data. In some cases at the time of inspection this data may be relatively old. If during the inspection the practice has provided any more recent data, this can be considered by the inspector. However, it should be noted that any data provided by the practice will be unvalidated and is not directly comparable to the published data. This has been taken into account during the inspection process.

Glossary of terms used in the data.

- COPD:** Chronic Obstructive Pulmonary Disease.
- UKHSA:** UK Health and Security Agency.
- QOF:** Quality and Outcomes Framework.
- STAR-PU:** Specific Therapeutic Group Age-sex weightings Related Prescribing Units. These weighting allow more accurate and meaningful comparisons within a specific therapeutic group by taking into account the types of people who will be receiving that treatment.
- ‰ = per thousand.