

Care Quality Commission

Inspection Evidence Table

Park Surgery (1-558192820)

Inspection date: 19 May 2022

Date of data download: 17 May 2022

Overall rating: Requires Improvement

Safe

Rating: Requires Improvement

- The management of medicines and long term conditions did not always demonstrate patients had received appropriate healthcare checks.
- Risk assessments were not always supported with a clear record of actions taken.

Safety systems and processes

The practice had clear systems, practices and processes to keep people safe and safeguarded from abuse.

Safeguarding	Y/N/Partial
Safeguarding systems, processes and practices were developed, implemented and communicated to staff.	Y
Partners and staff were trained to appropriate levels for their role.	Y
There was active and appropriate engagement in local safeguarding processes.	Y
The Out of Hours service was informed of relevant safeguarding information.	Y
There were systems to identify vulnerable patients on record.	Y
Disclosure and Barring Service (DBS) checks were undertaken where required.	Y
There were regular discussions between the practice and other health and social care professionals such as health visitors, school nurses, community midwives and social workers to support and protect adults and children at risk of significant harm.	Y
Explanation of any answers and additional evidence: Children who were not brought to appointments were coded as 'child not brought'. These children were followed up as per the practice policy to ensure children who missed appointments were identified and safeguarded.	

Recruitment systems	Y/N/Partial
Recruitment checks were carried out in accordance with regulations (including for agency staff and locums).	Y
Staff vaccination was maintained in line with current UK Health and Security Agency (UKHSA) guidance if relevant to role.	Partial
<p>Explanation of any answers and additional evidence:</p> <p>We looked at the staff records for immunisation and vaccination and found that records held were not in line with national guidelines. We noted that the practice had identified this as an area requiring action prior to our inspection. We saw evidence of risk assessment and referral of staff to occupational health to verify their immunisation status. Steps were in place to mitigate risks during this period.</p>	

Safety systems and records	Y/N/Partial
Health and safety risk assessments had been carried out and appropriate actions taken. Date of last assessment: 11/08/2021	N
There was a fire procedure. Date of fire risk assessment: 24/02/2021	Y
Actions from fire risk assessment were identified and completed.	N
<p>Explanation of any answers and additional evidence:</p> <p>We reviewed the fire risk assessment completed in 2021 and found a number of actions had been identified. There was no response in place to this assessment and it was unclear as to the approach the practice was taking to address these concerns. We were able to see evidence of some steps taken. For example, clearing combustible materials in front of a window and the removal of a bicycle from a fire exit area.</p> <p>We also reviewed the practice health and safety risk assessment and found that this document did not include a formal response to address the risks identified in the report. The practice had no formal assessment of the risk of legionella. (Bacterium found in water systems that can cause legionnaires disease.)</p> <p>Following the inspection, we were sent an updated action plan for these risk areas to demonstrate that the practice was taking action to address the concerns.</p>	

Infection prevention and control

Appropriate standards of cleanliness and hygiene were met.

	Y/N/Partial
Staff had received effective training on infection prevention and control.	Y
Infection prevention and control audits were carried out. Date of last infection prevention and control audit: 06/05/2022	Y
The practice had acted on any issues identified in infection prevention and control audits.	Y
The arrangements for managing waste and clinical specimens kept people safe.	Y

Risks to patients

There were adequate systems to assess, monitor and manage risks to patient safety.

	Y/N/Partial
There was an effective approach to managing staff absences and busy periods.	Y
There was an effective induction system for temporary staff tailored to their role.	Y
The practice was equipped to respond to medical emergencies (including suspected sepsis) and staff were suitably trained in emergency procedures.	Y
Receptionists were aware of actions to take if they encountered a deteriorating or acutely unwell patient and had been given guidance on identifying such patients.	Y
There were enough staff to provide appointments and prevent staff from working excessive hours	Partial
Explanation of any answers and additional evidence: The practice had identified shortfalls in staff within the administration and secretary teams. We saw an action plan to advertise and recruit new staff. Feedback from the practice staff and the practice's own survey of their team, demonstrated that it was an area of concern for all levels of the organisation.	

Information to deliver safe care and treatment

Staff had the information they needed to deliver safe care and treatment.

	Y/N/Partial
Individual care records, including clinical data, were written and managed securely and in line with current guidance and relevant legislation.	Y
There was a system for processing information relating to new patients including the summarising of new patient notes.	Y
There were systems for sharing information with staff and other agencies to enable them to deliver safe care and treatment.	Y
Referrals to specialist services were documented, contained the required information and there was a system to monitor delays in referrals.	Y
There was a documented approach to the management of test results and this was managed in a timely manner.	Y
There was appropriate clinical oversight of test results, including when reviewed by non-clinical staff.	Y

Appropriate and safe use of medicines

The practice had systems for the appropriate and safe use of medicines, including medicines optimization. However, these were not always fully implemented.

Indicator	Practice	CCG average	England average	England comparison
Number of antibacterial prescription items prescribed per Specific Therapeutic group Age-sex Related Prescribing Unit (STAR PU) (01/01/2021 to 31/12/2021) (NHS Business Service Authority - NHSBSA)	0.73	0.71	0.76	No statistical variation
The number of prescription items for co-amoxiclav, cephalosporins and quinolones as a percentage of the total number of prescription items for selected antibacterial drugs (BNF 5.1 sub-set). (01/01/2021 to 31/12/2021) (NHSBSA)	14.5%	11.9%	9.2%	Variation (negative)
Average daily quantity per item for Nitrofurantoin 50 mg tablets and capsules, Nitrofurantoin 100 mg m/r capsules, Pivmecillinam 200 mg tablets and Trimethoprim 200 mg tablets prescribed for uncomplicated urinary tract infection (01/07/2021 to 31/12/2021) (NHSBSA)	6.19	5.70	5.28	No statistical variation
Total items prescribed of Pregabalin or Gabapentin per 1,000 patients (01/07/2021 to 31/12/2021) (NHSBSA)	117.3‰	118.9‰	129.2‰	No statistical variation
Average daily quantity of Hypnotics prescribed per Specific Therapeutic group Age-sex Related Prescribing Unit (STAR PU) (01/01/2021 to 31/12/2021) (NHSBSA)	0.80	0.60	0.62	No statistical variation
Number of unique patients prescribed multiple psychotropics per 1,000 patients (01/07/2021 to 31/12/2021) (NHSBSA)	8.0‰	6.9‰	6.8‰	No statistical variation

Note: ‰ means *per 1,000* and it is **not** a percentage.

Medicines management	Y/N/Partial
The practice ensured medicines were stored safely and securely with access restricted to authorised staff.	Y
Blank prescriptions were kept securely, and their use monitored in line with national guidance.	Y
Staff had the appropriate authorisations to administer medicines (including Patient Group Directions or Patient Specific Directions).	Y
The practice could demonstrate the prescribing competence of non-medical prescribers,	Y

Medicines management	Y/N/Partial
and there was regular review of their prescribing practice supported by clinical supervision or peer review.	
There was a process for the safe handling of requests for repeat medicines and evidence of structured medicines reviews for patients on repeat medicines.	Y
The practice had a process and clear audit trail for the management of information about changes to a patient's medicines including changes made by other services.	Y
There was a process for monitoring patients' health in relation to the use of medicines including high risk medicines (for example, warfarin, methotrexate and lithium) with appropriate monitoring and clinical review prior to prescribing.	N
The practice monitored the prescribing of controlled drugs. (For example, investigation of unusual prescribing, quantities, dose, formulations and strength).	Y
There were arrangements for raising concerns around controlled drugs with the NHS England and Improvement Area Team Controlled Drugs Accountable Officer.	Y
If the practice had controlled drugs on the premises there were appropriate systems and written procedures for the safe ordering, receipt, storage, administration, balance checks and disposal of these medicines, which were in line with national guidance.	N/A
The practice had taken steps to ensure appropriate antimicrobial use to optimise patient outcomes and reduce the risk of adverse events and antimicrobial resistance.	Y
For remote or online prescribing there were effective protocols for verifying patient identity.	Y
The practice held appropriate emergency medicines, risk assessments were in place to determine the range of medicines held, and a system was in place to monitor stock levels and expiry dates.	Y
There was medical oxygen and a defibrillator on site and systems to ensure these were regularly checked and fit for use.	Y
Vaccines were appropriately stored, monitored and transported in line with UKHSA guidance to ensure they remained safe and effective.	Y
Explanation of any answers and additional evidence:	
<p>We conducted searches of patient records. These searches were indicative of the number of patients potentially at risk due to a lack of monitoring or diagnosis. Risk was not conclusive and further investigation of the patient record was needed to assess the potential risks. A CQC GP Specialist Advisor sampled a select number of patient records, where any risks were potentially identified, to assess the risks for these individual patients.</p>	
<p>The searches we carried out and subsequent examination of patient records during our inspection found that, in most instances, all the required up to date health monitoring had been completed. However, some areas required further action.</p>	
<p>We looked at the potential missed diagnosis of Chronic Kidney Disease (CKD). Our searches found 444 patients indicated a potential missed diagnosis. We reviewed the records for five patients, and found these lacked the level of monitoring required. We were made aware that the practice had identified a significantly higher level of missed diagnosis in their own audit in February 2022 with a</p>	

Medicines management**Y/N/Partial**

figure of 911 patients identified. The practice had been working to review these records and had taken some steps to address the concern. However there was still a significant number of patients identified as requiring review.

We also reviewed the records for patients prescribed Direct-Acting Oral Anticoagulants (DOACs) and found the total number of patients prescribed these medicines was 673. Our search identified 293 patients who had not had the required healthcare monitoring. We examined five patient records and found that, whilst all had the required blood tests, three records did not indicate the creatinine clearance (this test measures how well the patient's kidneys are working) had been calculated at any time. One was last calculated in January 2020 and one in January 2022.

Track record on safety and lessons learned and improvements made

The practice learned and made improvements when things went wrong.

Significant events	Y/N/Partial
The practice monitored and reviewed safety using information from a variety of sources.	Y
Staff knew how to identify and report concerns, safety incidents and near misses.	Y
There was a system for recording and acting on significant events.	Y
Staff understood how to raise concerns and report incidents both internally and externally.	Y
There was evidence of learning and dissemination of information.	Y

Example(s) of significant events recorded and actions by the practice.

Event	Specific action taken
Incorrect prescribing information entry on patient record	Practice carried out a full investigation liaising with the patient and local hub. Systems reviewed and staff reminded to check and confirm identity of patient matches with records.
Patient with mental health concerns not receiving timely follow up from other services	Practice liaised with patient, family and other services during the initial incident. Reviewed their actions and have reflected on what they could do to maintain contact following the initial referral to be reassured of next steps. The practice had shared this with the service the referral was made to for their review.

Safety alerts	Y/N/Partial
There was a system for recording and acting on safety alerts.	Y
Staff understood how to deal with alerts.	Y
Explanation of any answers and additional evidence: We saw steps had been taken to review patient medicines and prescribing combinations and the risks discussed with patients.	

Effective

Rating: Good

QOF requirements were modified by NHS England and Improvement for 2020/21 to recognise the need to reprioritise aspects of care which were not directly related to COVID-19. This meant that QOF payments were calculated differently. For inspections carried out from 1 October 2021, our reports will not include QOF indicators. In determining judgements in relation to effective care, we have considered other evidence as set out below.

Effective needs assessment, care and treatment

Patients' needs were assessed, and care and treatment was delivered in line with current legislation, standards and evidence-based guidance supported by clear pathways and tools.

	Y/N/Partial
The practice had systems and processes to keep clinicians up to date with current evidence-based practice.	Y
Patients' immediate and ongoing needs were fully assessed. This included their clinical needs and their mental and physical wellbeing.	Y
Patients presenting with symptoms which could indicate serious illness were followed up in a timely and appropriate way.	Y
We saw no evidence of discrimination when staff made care and treatment decisions.	Y
Patients' treatment was regularly reviewed and updated.	Y
There were appropriate referral pathways to make sure that patients' needs were addressed.	Y
Patients were told when they needed to seek further help and what to do if their condition deteriorated.	Y
The practice had prioritised care for their most clinically vulnerable patients during the pandemic	Y

Effective care for the practice population

Findings

- The practice used a clinical tool to identify older patients who were living with moderate or severe frailty. Those identified received a full assessment of their physical, mental and social needs.
- Health checks, including frailty assessments, were offered to patients over 75 years of age.
- Flu, shingles and pneumonia vaccinations were offered to relevant patients in this age group.
- Patients had access to appropriate health assessments and checks, including NHS checks for patients aged 40 to 74. There was appropriate and timely follow-up on the outcome of health assessments and checks where abnormalities or risk factors were identified.

- All patients with a learning disability were offered an annual health check.
- End of life care was delivered in a coordinated way which took into account the needs of those whose circumstances may make them vulnerable.
- The practice held weekly rounds in all the nursing and residential care homes they were responsible for.
- The practice had a system for vaccinating patients with an underlying medical condition, according to the recommended schedule.
- The practice assessed and monitored the physical health of people with mental illness, severe mental illness, and personality disorder.
- Patients with poor mental health, including dementia, were referred to appropriate services.
- The practice had alerts on patient records highlighting any communication difficulties, such as hearing or vision impairment or language barriers. The practice had two hearing loops – one at each reception desk on both levels to help patients with hearing difficulties.

Management of people with long term conditions

Findings

- Patients with long-term conditions were offered a structured annual review to check their health and medicines needs were being met. For patients with the most complex needs, the GP worked with other health and care professionals to deliver a coordinated package of care. A weekly community multidisciplinary meeting was held where practice staff discussed complex cases with the community team, hospice team and a geriatric consultant.
- Staff who were responsible for reviews of patients with long-term conditions had received specific training.
- GPs followed up patients who had received treatment in hospital or through out of hours services for an acute exacerbation of asthma.
- A system was in place to notify the named GP when children at risk or on a child protection plan attended A&E .
- The practice shared clear and accurate information with relevant professionals when deciding care delivery for patients with long-term conditions.
- The practice could demonstrate how they identified patients with commonly undiagnosed conditions, for example diabetes, chronic obstructive pulmonary disease (COPD), atrial fibrillation and hypertension.
- Adults with newly diagnosed cardio-vascular disease were offered statins.
- Patients with suspected hypertension were offered ambulatory blood pressure monitoring.
- Patients with COPD were offered rescue packs.
- Patients with asthma were offered an asthma management plan.

Child Immunisation	Numerator	Denominator	Practice %	Comparison to WHO target of 95%
The percentage of children aged 1 who have completed a primary course of immunisation for Diphtheria, Tetanus, Polio, Pertussis, Haemophilus influenza type b (Hib), Hepatitis B (Hep B) ((i.e. three doses of DTaP/IPV/Hib/HepB) (01/04/2020 to 31/03/2021) (NHS England and Improvement)	185	192	96.4%	Met 95% WHO based target
The percentage of children aged 2 who have received their booster immunisation for Pneumococcal infection (i.e. received Pneumococcal booster) (PCV booster) (01/04/2020 to 31/03/2021) (NHS England and Improvement)	224	230	97.4%	Met 95% WHO based target
The percentage of children aged 2 who have received their immunisation for Haemophilus influenza type b (Hib) and Meningitis C (MenC) (i.e. received Hib/MenC booster) (01/04/2020 to 31/03/2021) (NHS England and Improvement)	225	230	97.8%	Met 95% WHO based target
The percentage of children aged 2 who have received immunisation for measles, mumps and rubella (one dose of MMR) (01/04/2020 to 31/03/2021) (NHS England and Improvement)	225	230	97.8%	Met 95% WHO based target
The percentage of children aged 5 who have received immunisation for measles, mumps and rubella (two doses of MMR) (01/04/2020 to 31/03/2021) (NHS England and Improvement)	226	233	97.0%	Met 95% WHO based target

Note: Please refer to the CQC guidance on Childhood Immunisation data for more information: <https://www.cqc.org.uk/guidance-providers/gps/how-we-monitor-gp-practices>

Any additional evidence or comments

The practice exceeded the World Health Organisation's (WHO) target for vaccination and immunisation in all childhood age groups.

Cancer Indicators	Practice	CCG average	England average	England comparison
The percentage of persons eligible for cervical cancer screening at a given point in time who were screened adequately within a specified period (within 3.5 years for persons aged 25 to 49, and within 5.5 years for persons aged 50 to 64). (Snapshot date: 31/12/2021) (UK Health and Security Agency)	71.4%	N/A	80% Target	Below 80% target
Females, 50-70, screened for breast cancer in last 36 months (3 year coverage, %) (01/04/2020 to 31/03/2021) (UKHSA)	71.0%	67.3%	61.3%	N/A
Persons, 60-74, screened for bowel cancer in last 30 months (2.5 year coverage, %) (01/04/2020 to 31/03/2021) (UKHSA)	71.3%	70.6%	66.8%	N/A
Number of new cancer cases treated (Detection rate: % of which resulted from a two week wait (TWW) referral) (01/04/2020 to 31/03/2021) (UKHSA)	56.0%	55.9%	55.4%	No statistical variation

Any additional evidence or comments

The practice was aware of its results and they had a system for recall of patients.

Unvalidated data we saw as part of our searches indicated that the current figures for cervical cancer screening for persons aged 25 to 49 was 73.1%, and for persons aged 50 to 64 was 73.8%.

Monitoring care and treatment

The practice had a comprehensive programme of quality improvement activity and routinely reviewed the effectiveness and appropriateness of the care provided.

	Y/N/Partial
Clinicians took part in national and local quality improvement initiatives.	Y
The practice had a programme of targeted quality improvement and used information about care and treatment to make improvements.	Y
The practice regularly reviewed unplanned admissions and readmissions and took appropriate action.	Y

Example of improvements demonstrated because of clinical audits or other improvement activity in past two years

The practice had undertaken a repeat prescribing audit to ensure practice policy was being adhered to. The aim was to ensure a safe and efficient repeat prescription service was provided to patients. A three cycle audit was carried out between January 2022 and May 2022. The outcome indicated a safer process in line with practice policy had been achieved as a result of the audit process. Blood monitoring policies and staff training were updated, being led and audited by clinical pharmacists and medicines reviews being updated by clinicians.

Effective staffing

The practice was able to demonstrate that staff had the skills, knowledge and experience to carry out their roles.

	Y/N/Partial
Staff had the skills, knowledge and experience to deliver effective care, support and treatment.	Y
The practice had a programme of learning and development.	Y
Staff had protected time for learning and development.	Y
There was an induction programme for new staff.	Y
Staff had access to regular appraisals, one to ones, coaching and mentoring, clinical supervision and revalidation. They were supported to meet the requirements of professional revalidation.	Y
The practice could demonstrate how they assured the competence of staff employed in advanced clinical practice, for example, nurses, paramedics, pharmacists and physician associates.	Y
There was a clear and appropriate approach for supporting and managing staff when their performance was poor or variable.	Y
Explanation of any answers and additional evidence: Clinical staff told us that they received appropriate clinical support and supervision, including the review of their practice.	

Coordinating care and treatment

Staff worked together and with other organisations to deliver effective care and treatment.

Indicator	Y/N/Partial
Care was delivered and reviewed in a coordinated way when different teams, services or organisations were involved.	Y
Patients received consistent, coordinated, person-centred care when they moved between services.	Y

Helping patients to live healthier lives

Staff were consistent and proactive in helping patients to live healthier lives.

	Y/N/Partial
The practice identified patients who may need extra support and directed them to relevant services. This included patients in the last 12 months of their lives, patients at risk of developing a long-term condition and carers.	Y
Staff encouraged and supported patients to be involved in monitoring and managing their own health.	Y
Patients had access to appropriate health assessments and checks.	Y
Staff discussed changes to care or treatment with patients and their carers as necessary.	Y
The practice supported national priorities and initiatives to improve the population's health, for example, stop smoking campaigns and tackling obesity.	Y

Consent to care and treatment

The practice always obtained consent to care and treatment in line with legislation and guidance.

	Y/N/Partial
Clinicians understood the requirements of legislation and guidance when considering consent and decision making. We saw that consent was documented.	Y
Clinicians supported patients to make decisions. Where appropriate, they assessed and recorded a patient's mental capacity to make a decision.	Y
Do Not Attempt Cardio Pulmonary Resuscitation (DNACPR) decisions were made in line with relevant legislation and were appropriate.	Y

Responsive

Rating: Inspected but not rated

Access to the service

People were able to access care and treatment in a timely way. However, waiting times on the phone could be an issue for some patients.

The COVID-19 pandemic has affected access to GP practices and presented many challenges. In order to keep both patients and staff safe early in the pandemic practices were asked by NHS England and Improvement to assess patients remotely (for example by telephone or video consultation) when contacting the practice and to only see patients in the practice when deemed to be clinically appropriate to do so. Following the changes in national guidance during the summer of 2021 there has been a more flexible approach to patients interacting with their practice. During the pandemic there was a significant increase in telephone and online consultations compared to patients being predominantly seen in a face to face setting.

	Y/N/Partial
Patients had timely access to appointments/treatment and action was taken to minimize the length of time people waited for care, treatment or advice	Partial
The practice offered a range of appointment types to suit different needs (e.g. face to face, telephone, online)	Y
Patients were able to make appointments in a way which met their needs	Y
There were systems in place to support patients who face communication barriers to access treatment	Y
Patients with most urgent needs had their care and treatment prioritised	Y
There was information available for patients to support them to understand how to access services (including on websites and telephone messages)	Y

Explanation of any answers and additional evidence:

The practice carried out a patient survey between March 2022 and April 2022. The practice received 271 responses and the outcome resulted in three priority areas:

- Increase patients' awareness of the role of Physicians Associates in the practice
- Improve online services
- Improve telephone waiting times

We were provided with evidence of a quality improvement initiative commenced in April 2022 in response to one of the areas identified in the patient survey. As part of this initiative the practice undertook a review of triage/telephone appointments over a 16 day period. The conclusion of this initial audit found that 96% of callers received a same day appointment, a booked appointment or the issues were resolved on the phone. The audit highlighted a wide range of waiting times for the call to be answered. This ranged from 0 minutes to 1hour 43 minutes. The average wait was 27.5 minutes.

An action plan had been put in place to reduce call waiting times and this included increasing the number of staff to manage calls. We noted that this was dependent on recruiting more staff. The impact of this work could not be evaluated at the time of inspection.

The practice provided information to show they provided 9,668 appointments in the period 18/04/2022 to 18/05/2022.

National GP Patient Survey results

Indicator	Practice	CCG average	England average	England comparison
The percentage of respondents to the GP patient survey who responded positively to how easy it was to get through to someone at their GP practice on the phone (01/01/2021 to 31/03/2021)	70.0%	N/A	67.6%	No statistical variation
The percentage of respondents to the GP patient survey who responded positively to the overall experience of making an appointment (01/01/2021 to 31/03/2021)	77.9%	74.3%	70.6%	No statistical variation
The percentage of respondents to the GP patient survey who were very satisfied or fairly satisfied with their GP practice appointment times (01/01/2021 to 31/03/2021)	69.1%	68.7%	67.0%	No statistical variation
The percentage of respondents to the GP patient survey who were satisfied with the appointment (or appointments) they were offered (01/01/2021 to 31/03/2021)	82.5%	84.8%	81.7%	No statistical variation

Well-led

Rating: Requires Improvement

Leadership capacity and capability

There was compassionate and effective leadership at all levels. Work was underway to address the inclusivity of the culture and leadership.

	Y/N/Partial
Leaders demonstrated that they understood the challenges to quality and sustainability.	Y
They had identified the actions necessary to address these challenges.	Y
Staff reported that leaders were visible and approachable.	Y
There was a leadership development programme, including a succession plan.	Y
Explanation of any answers and additional evidence:	
We saw evidence that the practice was taking steps to improve the accessibility of leaders and their engagement with the practice team. Strategies had been put in place to improve access to regular meetings.	

Culture

The practice had a culture which drove high quality sustainable care.

	Y/N/Partial
There were arrangements to deal with any behaviour inconsistent with the vision and values.	Y
Staff reported that they felt able to raise concerns without fear of retribution.	Partial
There was a strong emphasis on the safety and well-being of staff.	Y
There were systems to ensure compliance with the requirements of the duty of candour.	Y
When people were affected by things that went wrong, they were given an apology and informed of any resulting action.	Y
The practice encouraged candour, openness and honesty.	Y
Staff had undertaken equality and diversity training.	Y
Explanation of any answers and additional evidence:	
Staff told us that they knew how to report concerns and had access to information, including policies and procedures, to assist them.	
The practice had undertaken a staff survey in April 2022 and found that not all staff felt they had good channels of communication with the management of the practice. This was reflected in feedback to inspectors during our inspection with staff telling us that they had not always felt they could raise concerns. The practice had made changes to the leadership team in recent months and they had been working with the staff team to address feedback from the staff survey. The plans in place were at	

an early stage and impact could not be evaluated at the time of inspection.

Governance arrangements

There were clear responsibilities, roles and systems of accountability to support good governance and management.

	Y/N/Partial
There were governance structures and systems which were regularly reviewed.	Y
Staff were clear about their roles and responsibilities.	Y
There were appropriate governance arrangements with third parties.	Y

Managing risks, issues and performance

There were clear and effective processes for managing risks, issues and performance.

	Y/N/Partial
There were comprehensive assurance systems which were regularly reviewed and improved.	Y
There were processes to manage performance.	Y
There was a quality improvement programme in place.	Y
There were effective arrangements for identifying, managing and mitigating risks.	Partial
A major incident plan was in place.	Y
Staff were trained in preparation for major incidents.	Y
Explanation of any answers and additional evidence: In most instances the practice had systems to respond to risk. However, we found areas of health and safety were not always supported with an action plan. This included areas such as clinical governance, fire, health and safety and legionella.	

The practice had systems in place to continue to deliver services, respond to risk and meet patients' needs during the pandemic

	Y/N/Partial
The practice had adapted how it offered appointments to meet the needs of patients during the pandemic.	Y

The needs of vulnerable people (including those who might be digitally excluded) had been considered in relation to access.	Y
There were systems in place to identify and manage patients who needed a face-to-face appointment.	Y
The practice actively monitored the quality of access and made improvements in response to findings.	Y
There were recovery plans in place to manage backlogs of activity and delays to treatment.	Y
Changes had been made to infection control arrangements to protect staff and patients using the service.	Y
Staff were supported to work remotely where applicable.	Y

Appropriate and accurate information

There was a demonstrated commitment to using data and information proactively to drive and support decision making.

	Y/N/Partial
Staff used data to monitor and improve performance.	Y
Performance information was used to hold staff and management to account.	Y
Staff whose responsibilities included making statutory notifications understood what this entailed.	Y

Governance and oversight of remote services

	Y/N/Partial
The practice used digital services securely and effectively and conformed to relevant digital and information security standards.	Y
The provider was registered as a data controller with the Information Commissioner's Office.	Y
Patient records were held in line with guidance and requirements.	Y
Patients were informed and consent obtained if interactions were recorded.	Y
The practice ensured patients were informed how their records were stored and managed.	Y
Patients were made aware of the information sharing protocol before online services were delivered.	Y
The practice had arrangements to make staff and patients aware of privacy settings on video and voice call services.	Y

Online consultations took place in appropriate environments to ensure confidentiality.	Y
The practice advised patients on how to protect their online information.	Y

Engagement with patients, the public, staff and external partners

The practice involved the public, staff and external partners to sustain high quality and sustainable care.

	Y/N/Partial
Patient views were acted on to improve services and culture.	Y
The practice had an active Patient Participation Group.	Y
Staff views were reflected in the planning and delivery of services.	Partial
The practice worked with stakeholders to build a shared view of challenges and of the needs of the population.	Y
Explanation of any answers and additional evidence:	
<p>The practice worked with the clinical commissioning group and an external consultancy to develop plans to address areas identified by staff surveys, recent practice audits and feedback from patients and other stakeholders.</p> <p>The feedback from staff was mixed. We received eight questionnaires from staff members and carried out a number of interviews as part of this inspection. Staff told us they had access to training, felt supported by colleagues but did not always feel supported by leaders. We were told the communication between management/leaders needed to improve. Staff recognized recent actions to address concerns and improve communication. Feedback also included comments that things were improving in this area, but staff were not confident of improvements at the time of inspection. These views were echoed in the feedback shared by the practice and their action plan to address practice management, staff morale and practice communication.</p>	

Feedback from Patient Participation Group.

Feedback

We spoke with a representative of the patient participation group. They told us that the group also fund-raised for the practice as a registered charity. The PPG were involved in patient surveys, supported with clinics, such as the annual flu clinics, and had produced a newsletter. We were told that during the pandemic, the practice focused on providing vaccination services and support to patients and engagement with members of the PPG had significantly reduced. The PPG were disappointed that no staff members were present at their meeting in March and felt communication had been very limited. They had a meeting with the staff recently and meetings were planned every two months going forward. They had contact with the new practice manager and were hopeful for improved communication and assisting the practice with engagement with patients.

Continuous improvement and innovation

There was evidence of systems and processes for learning, continuous improvement and innovation.

	Y/N/Partial
There was a strong focus on continuous learning and improvement.	Y
Learning was shared effectively and used to make improvements.	Y
Explanation of any answers and additional evidence:	
The practice had engaged an external organisation to assist with the review of practice systems, policies and procedures. We saw evidence of improved practices and developing systems to record and disseminate information. This included the use of a new information management system.	

Notes: CQC GP Insight

GP Insight assesses a practice's data against all the other practices in England. We assess relative performance for the majority of indicators using a "z-score" (this tells us the number of standard deviations from the mean the data point is), giving us a statistical measurement of a practice's performance in relation to the England average. We highlight practices which significantly vary from the England average (in either a positive or negative direction). We consider that z-scores which are higher than +2 or lower than -2 are at significant levels, warranting further enquiry. Using this technique, we can be 95% confident that the practice's performance is genuinely different from the average. It is important to note that a number of factors can affect the Z score for a practice, for example a small denominator or the distribution of the data. This means that there will be cases where a practice's data looks quite different to the average, but still shows as no statistical variation, as we do not have enough confidence that the difference is genuine. There may also be cases where a practice's data looks similar across two indicators, but they are in different variation bands.

The percentage of practices which show variation depends on the distribution of the data for each indicator but is typically around 10-15% of practices. The practices which are not showing significant statistical variation are labelled as no statistical variation to other practices.

N.B. Not all indicators in the evidence table are part of the GP insight set and those that aren't will not have a variation band.

The following language is used for showing variation:

Variation Bands	Z-score threshold
Significant variation (positive)	≤ -3
Variation (positive)	> -3 and ≤ -2
Tending towards variation (positive)	> -2 and ≤ -1.5
No statistical variation	< 1.5 and > -1.5
Tending towards variation (negative)	≥ 1.5 and < 2
Variation (negative)	≥ 2 and < 3
Significant variation (negative)	≥ 3

Note: for the following indicators the variation bands are different:

- Child Immunisation indicators. These are scored against the World Health Organisation target of 95% rather than the England average. Note that practices that have "Met 90% minimum" have not met the WHO target of 95%.
- The percentage of respondents to the GP patient survey who responded positively to how easy it was to get through to someone at their GP practice on the phone uses a rules-based approach for scoring, due to the distribution of the data. This indicator does not have a CCG average.
- The percentage of women eligible for cervical cancer screening at a given point in time who were screened adequately within a specified period (within 3.5 years for women aged 25 to 49, and within 5.5 years for women aged 50 to 64). This indicator does not have a CCG average and is scored against the national target of 80%.

It is important to note that z-scores are not a judgement in themselves, but will prompt further enquiry, as part of our ongoing monitoring of GP practices.

Guidance and Frequently Asked Questions on GP Insight can be found on the following link: <https://www.cqc.org.uk/guidance-providers/gps/how-we-monitor-gp-practices>

Note: The CQC GP Evidence Table uses the most recent validated and publicly available data. In some cases at the time of inspection this data may be relatively old. If during the inspection the practice has provided any more recent data, this can be considered by the inspector. However, it should be noted that any data provided by the practice will be unvalidated and is not directly comparable to the published data. This has been taken into account during the inspection process.

Glossary of terms used in the data.

- **COPD:** Chronic Obstructive Pulmonary Disease.
- **UKHSA:** UK Health and Security Agency.
- **QOF:** Quality and Outcomes Framework.
- **STAR-PU:** Specific Therapeutic Group Age-sex weightings Related Prescribing Units. These weighting allow more accurate and meaningful comparisons within a specific therapeutic group by taking into account the types of people who will be receiving that treatment.
- ‰ = per thousand.