Care Quality Commission

Inspection Evidence Table

Langbank Medical Centre (1-586646610)

Inspection date: Remote searches completed 14 September 2021 and site vist 15 September 2021

Date of data download: 07 September 2021

Overall rating: Good

At the last inspection on 3 December 2019 the practice was rated as requires improvement overall and requires improvement for providing safe and effective servies. Caring, responsive and well-led were rated as Good.

We issued requirement notices in respect of breaches Regulation 12 (safe care and treatment), Regulation 15 (Premises and equipment), Regulation 17 (Good governance) and Regulation 18 (Staffing).

At this inspection we found improvements had been achieved and the regulatory breaches had now been met.

Please note: Any Quality Outcomes Framework (QOF) data relates to 2019/20.

Safe

Rating: Good

At the last inspection, December 2019, the practice was rated requires improvement for safe services. This was because the system for managing patient blood results in a timely manner was not comphrehensive and the fire risk assessment had not been addressed in relation to fire detection and warning systems.

At this inspection 14 and 15 September 2021, we have rated the practice Good for providing safe services because:

- The fire risk assessment now covered all safety measures for fire detection and prevention.
- The system for managing blood results had been reviewed and identified areas for improvement which had been implemented.

Safety systems and processes

The practice had clear systems, practices and processes to keep people safe and safeguarded from abuse.

Safeguarding	Y/N/Partial
There was a lead member of staff for safeguarding processes and procedures.	Y
Safeguarding systems, processes and practices were developed, implemented and communicated to staff.	Y
There were policies covering adult and child safeguarding which were accessible to all staff.	Υ
Policies and procedures were monitored, reviewed and updated.	Y
Partners and staff were trained to appropriate levels for their role.	
There was active and appropriate engagement in local safeguarding processes.	Y
The Out of Hours service was informed of relevant safeguarding information.	Υ
There were systems to identify vulnerable patients on record.	Υ
Disclosure and Barring Service (DBS) checks were undertaken where required.	Y
Staff who acted as chaperones were trained for their role.	Y
There were regular discussions between the practice and other health and social care professionals such as health visitors, school nurses, community midwives and social workers to support and protect adults and children at risk of significant harm.	

Explanation of any answers and additional evidence:

We found the level of child safeguarding training for non-clincial staff was not at the appropriate level recommended in accordance with Safeguarding Children and Young People: Roles and Competencies for Healthcare Staff.

Recruitment systems	Y/N/Partial
Recruitment checks were carried out in accordance with regulations (including for agency staff and locums).	Partial
Staff vaccination was maintained in line with current Public Health England (PHE) guidance if relevant to role.	Y
There were systems to ensure the registration of clinical staff (including nurses and pharmacists) was checked and regularly monitored.	Υ

Explanation of any answers and additional evidence:

We looked at a sample of four recruitment records. This showed suitable checks were in place. However, photographic identification checks were completed but not documented in staff records.

Safety systems and records	Y/N/Partial
There was a record of portable appliance testing or visual inspection by a competent person. Date of last inspection/test: 2018	Partial
There was a record of equipment calibration. Date of last calibration: 15/11/2019	Partial
There were risk assessments for any storage of hazardous substances for example, liquid nitrogen, storage of chemicals.	Υ

There was a fire procedure.	Y
A fire risk assessment had been completed. Date of completion: 31/08/2021	Υ
Actions from fire risk assessment were identified and completed.	Partial

Explanation of any answers and additional evidence:

At our previous inspection December 2019 an electronic fire alert system was not in place. The fire risk assessment identified that no fire blankets were in place and that fire doors were also not in place. Smoke detectors were installed but there were no records of the checks undertaken kept.

At this inspection September 2021 we found the portable appliance testing and equipment calibration were due during lockdown and the practice had arranged for testing to be completed October 2021.

An electronic fire system was now in place and there were two outstanding actions from the fire risk assessment to be completed by November 2021.

Health and safety	Y/N/Partial	
Premises/security risk assessment had been carried out.	Partial	
Date of last assessment: 31 August 2021	Failiai	
Health and safety risk assessments had been carried out and appropriate actions taken.	V	
Date of last assessment: 31 August 2021	1	

Explanation of any answers and additional evidence:

At our previous inspection December 2019 we found a health and safety management plan which identified when checks of the building, and when equipment and risk assessments were to be reviewed.

At this inspection we found a security risk assessment had not been completed.

Infection prevention and control

Appropriate standards of cleanliness and hygiene were met.

	Y/N/Partial
There was an infection risk assessment and policy.	Υ
Staff had received effective training on infection prevention and control.	Y
Infection prevention and control audits were carried out. Date of last infection prevention and control audit: August 2021	Y
The practice had acted on any issues identified in infection prevention and control audits.	Y
There was a system to notify Public Health England of suspected notifiable diseases.	Y
The arrangements for managing waste and clinical specimens kept people safe.	Υ
Explanation of any answers and additional evidence:	

At our previous inspection December 2019 we found there were no infection prevention and control training records kept for long-term locum staff.

At this inspection September 2021 we found staff had completed on line training and training certificates were in staff files.

Risks to patients

There were adequate systems to assess, monitor and manage risks to patient safety.

	Y/N/Partial
There was an effective approach to managing staff absences and busy periods.	Y
There was an effective induction system for temporary staff tailored to their role.	Y
The practice was equipped to respond to medical emergencies (including suspected sepsis) and staff were suitably trained in emergency procedures.	Y
Receptionists were aware of actions to take if they encountered a deteriorating or acutely unwell patient and had been given guidance on identifying such patients.	Y
Explanation of any answers and additional evidence:	

Information to deliver safe care and treatment

Staff had the information they needed to deliver safe care and treatment.

V
Y
Y
Υ
Υ
Y
Υ
_

Explanation of any answers and additional evidence:

At our previous inspection December 2019 we found the system for blood results was not comphrehensive.

On this inspection Septemeber 2021 we found the provider had amended the policy so test results were reviewed by a clinician.

Annual audits for blood tests had been completed 2020 and 2021 for all clinicians.

Appropriate and safe use of medicines

The practice had systems for the appropriate and safe use of medicines, including medicines optimisation

Indicator	Practice	CCG average	England average	England comparison
Number of antibacterial prescription items prescribed per Specific Therapeutic group Age-sex Related Prescribing Unit (STAR PU) (01/07/2020 to 30/06/2021) (NHS Business Service Authority - NHSBSA)	0.86	0.79	0.69	No statistical variation
The number of prescription items for co- amoxiclav, cephalosporins and quinolones as a percentage of the total number of prescription items for selected antibacterial drugs (BNF 5.1 sub-set). (01/07/2020 to 30/06/2021) (NHSBSA)	8.9%	9.3%	10.0%	No statistical variation
Average daily quantity per item for Nitrofurantoin 50 mg tablets and capsules, Nitrofurantoin 100 mg m/r capsules, Pivmecillinam 200 mg tablets and Trimethoprim 200 mg tablets prescribed for uncomplicated urinary tract infection (01/01/2021 to 30/06/2021)	6.35	5.49	5.38	No statistical variation
Total items prescribed of Pregabalin or Gabapentin per 1,000 patients (01/01/2021 to 30/06/2021) (NHSBSA)	244.2‰	220.1‰	126.0‰	Tending towards variation (negative)
Average daily quantity of Hypnotics prescribed per Specific Therapeutic group Age-sex Related Prescribing Unit (STAR PU) (01/07/2020 to 30/06/2021) (NHSBSA)		0.96	0.65	Tending towards variation (positive)
Number of unique patients prescribed multiple psychotropics per 1,000 patients (01/10/2020 to 31/03/2021) (NHSBSA)		11.4‰	6.8‰	Variation (negative)

Note: ‰ means per 1,000 and it is **not** a percentage.

Medicines management	Y/N/Partial
The practice ensured medicines were stored safely and securely with access restricted to authorised staff.	Y

Medicines management	Y/N/Partial
Blank prescriptions were kept securely, and their use monitored in line with national guidance.	Y
Staff had the appropriate authorisations to administer medicines (including Patient Group Directions or Patient Specific Directions).	Y
The practice could demonstrate the prescribing competence of non-medical prescribers, and there was regular review of their prescribing practice supported by clinical supervision or peer review.	Y
There was a process for the safe handling of requests for repeat medicines and evidence of structured medicines reviews for patients on repeat medicines.	Y
The practice had a process and clear audit trail for the management of information about changes to a patient's medicines including changes made by other services.	Y
There was a process for monitoring patients' health in relation to the use of medicines including high risk medicines (for example, warfarin, methotrexate and lithium) with appropriate monitoring and clinical review prior to prescribing.	Y
The practice monitored the prescribing of controlled drugs. (For example, investigation of unusual prescribing, quantities, dose, formulations and strength).	Y
There were arrangements for raising concerns around controlled drugs with the NHS England Area Team Controlled Drugs Accountable Officer.	Υ
If the practice had controlled drugs on the premises there were appropriate systems and written procedures for the safe ordering, receipt, storage, administration, balance checks and disposal of these medicines, which were in line with national guidance.	N/A
The practice had taken steps to ensure appropriate antimicrobial use to optimise patient outcomes and reduce the risk of adverse events and antimicrobial resistance.	Y
For remote or online prescribing there were effective protocols for verifying patient identity.	Y
The practice held appropriate emergency medicines, risk assessments were in place to determine the range of medicines held, and a system was in place to monitor stock levels and expiry dates.	Y
There was medical oxygen and a defibrillator on site and systems to ensure these were regularly checked and fit for use.	Y
Vaccines were appropriately stored, monitored and transported in line with PHE guidance to ensure they remained safe and effective.	Y

Explanation of any answers and additional evidence:

At the last inspection December 2019 we found blank prescription pads were not kept securely. Uncollected prescriptions were checked every three months and the provider told us they would change the system to a monthly check.

At this inspection September 2021 electronic prescription pads were locked away for emergency use. However, we found uncollected prescriptions had not been checked monthly.

The practice had plans in place to review psychotropic medicines with seconday care teams prescribing the medicines.

As part of the inspection a number of set clinical record searches were undertaken by a CQC GP specialist advisor without visiting the practice. These searches are visible to the practice. The results showed there was no significant backlog for medicine reviews.

Track record on safety and lessons learned and improvements made

The practice learned and made improvements when things went wrong.

Significant events	Y/N/Partial
The practice monitored and reviewed safety using information from a variety of sources.	Y
Staff knew how to identify and report concerns, safety incidents and near misses.	Υ
There was a system for recording and acting on significant events.	Y
Staff understood how to raise concerns and report incidents both internally and externally.	Υ
There was evidence of learning and dissemination of information.	Y
Number of events recorded in last 12 months:	15
Number of events that required action:	15
	•

Explanation of any answers and additional evidence:

The provider monitored incidents for themes and trends using an electronic system to make improvements and learn from incidents. The incidents were investigated and reviewed at staff meetings to share learning.

Example(s) of significant events recorded and actions by the practice.

Event	Specific action taken
	A Multi discipline meeting (MDT) was held and a visit to the nursing home.
	Discussion of the prescription ordering process.
	Changes were made to the process of nursing home repeat prescriptions to make it work more effectively for providing safe patient care.
Cancer diagnosis	Patient journey mapped.
	Policies and protocols followed and patient received timely care and treatment.

Safety alerts	Y/N/Partial
There was a system for recording and acting on safety alerts.	Υ
Staff understood how to deal with alerts.	Y
Explanation of any answers and additional evidence: We saw examples of actions taken on recent alerts for example, regarding sodium valproa	ite.

Effective

Rating: Good

At the previous inspection 3 December 2019 we rated effective as requires improvement because the system for ensuring staff training was not comphrehensive and the practice did not carry out effective quality improvement activity to review the effectiveness and appropriateness of the care provided.

On this inspection we rated effective as Good because:

- There was now a comphrehensive training system in place.
- The practice carried out effective quality improvement activity to review the effectiveness and appropriateness of the care provided.

Effective needs assessment, care and treatment

Patients' needs were assessed, and care and treatment was delivered in line with current legislation, standards and evidence-based guidance supported by clear pathways and tools.

	Y/N/Partial
The practice had systems and processes to keep clinicians up to date with current evidence-based practice.	Υ
Patients' immediate and ongoing needs were fully assessed. This included their clinical needs and their mental and physical wellbeing.	Y
Patients presenting with symptoms which could indicate serious illness were followed up in a timely and appropriate way.	Y
We saw no evidence of discrimination when staff made care and treatment decisions.	Υ
Patients' treatment was regularly reviewed and updated.	Y
There were appropriate referral pathways to make sure that patients' needs were addressed.	Y
Patients were told when they needed to seek further help and what to do if their condition deteriorated.	Υ

Explanation of any answers and additional evidence:

At the last inspection, December 2019, the system in place to receive and disseminate the information to keep clinicians up to date with current evidence-based practice was under review.

At this inspection, September 2021, we found structured meetings were now in place and meeting minutes recorded.

The lead GP mentored clinical staff and completed clinical consultation audits for all clinicians. Audits had been undertaken to review outcomes. For example, minor surgery, diabetes with chronic kidney diease (CKD) and asthma. Second and third cycle audits had been completed which showed improvements were made.

Older people

Population group rating: Good

Findings

- The practice used a clinical tool to identify older patients who were living with moderate or severe frailty. Those identified received a full assessment of their physical, mental and social needs.
- The practice followed up on older patients discharged from hospital. It ensured that their care
 plans and prescriptions were updated to reflect any extra or changed needs.
- The practice carried out structured annual medicines reviews for older patients.
- Staff had appropriate knowledge of treating older people including their psychological, mental and communication needs.
- Health checks, including frailty assessments, were offered to patients over 75 years of age.
- Flu, pneumonia and covid vaccinations were offered to relevant patients in this age group.

People with long-term conditions

Population group rating: Good

- Patients with long-term conditions were offered a structured annual review to check their health and medicines needs were being met. For patients with the most complex needs, the GP worked with other health and care professionals to deliver a coordinated package of care.
- Staff who were responsible for reviews of patients with long-term conditions had received specific training.
- The practice shared clear and accurate information with relevant professionals when deciding care delivery for patients with long-term conditions.
- The practice could demonstrate how they identified patients with commonly undiagnosed conditions, for example diabetes, chronic obstructive pulmonary disease (COPD), atrial fibrillation and hypertension.
- Adults with newly diagnosed cardio-vascular disease were offered statins.
- Patients with suspected hypertension were offered ambulatory blood pressure monitoring.
- Patients with atrial fibrillation were assessed for stroke risk and treated appropriately.
- Patients with COPD were offered rescue packs.
- Patients with asthma were offered an asthma management plan.
- The practice took part in the Healthy Lung project which led to earlier lung cancer diagnosis for patients.

Long-term conditions	Practice	CCG average	England average	England comparison
The percentage of patients with asthma, on the register, who have had an asthma review in the preceding 12 months that includes an assessment of asthma control using the 3 RCP questions. (01/04/2019 to 31/03/2020)	88.4%	76.7%	76.6%	Variation (positive)

PCA* rate (number of PCAs).	19.0% (59)	16.6%	12.3%	N/A
The percentage of patients with COPD who have had a review, undertaken by a healthcare professional, including an assessment of breathlessness using the Medical Research Council dyspnoea scale in the preceding 12 months (01/04/2019 to 31/03/2020) (QOF)	96.8%	88.5%	89.4%	Tending towards variation (positive)
PCA rate (number of PCAs).	3.1% (7)	11.9%	12.7%	N/A

^{*}PCA:. Personalised Care Adjustments allow practices to remove a patient from the indicator for limited, specified reasons.

Long-term conditions	Practice	CCG average	England average	England comparison
The percentage of patients aged 79 years or under with coronary heart disease in whom the last blood pressure reading (measured in the preceding 12 months) is 140/90 mmHg or less (01/04/2019 to 31/03/2020) (QOF)	85.7%	82.2%	82.0%	No statistical variation
PCA* rate (number of PCAs).	2.6% (4)	5.9%	5.2%	N/A
The percentage of patients with diabetes, on the register, without moderate or severe frailty in whom the last IFCC-HbA1c is 58 mmol/mol or less in the preceding 12 months (01/04/2019 to 31/03/2020) (QOF)	69.2%	64.8%	66.9%	No statistical variation
PCA rate (number of PCAs).	23.8% (57)	18.0%	15.3%	N/A
The percentage of patients aged 79 years or under with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 140/90 mmHg or less (01/04/2019 to 31/03/2020) (QOF)	80.2%	73.3%	72.4%	No statistical variation
PCA rate (number of PCAs).	3.4% (20)	8.9%	7.1%	N/A
In those patients with atrial fibrillation with a record of a CHA2DS2-VASc score of 2 or more, the percentage of patients who are currently treated with anti-coagulation drug therapy (01/04/2019 to 31/03/2020) (QOF)	88.4%	92.1%	91.8%	No statistical variation
PCA rate (number of PCAs).	7.5% (7)	5.9%	4.9%	N/A
The percentage of patients with diabetes, on the register, without moderate or severe frailty in whom the last blood pressure reading (measured in the preceding 12 months) is 140/80 mmHg or less (01/04/2019 to 31/03/2020) (QOF)	84.3%	75.3%	75.9%	No statistical variation
PCA rate (number of PCAs).	14.6% (35)	12.9%	10.4%	N/A

^{*}PCA:. Personalised Care Adjustments allow practices to remove a patient from the indicator for limited, specified reasons.

Any additional evidence or comments

Our clinical searches and record reviews did not identify any significant concerns. The areas of improvement identified were supporting the advanced nurse practitioners with reviews.

Families, children and young people Population group rating: Good

- The practice had not met the minimum 90% for five of five childhood immunisation uptake indicators. The small number of patients in this population group affected the overall percentages.
- The practice contacted the parents or guardians of children due to have childhood immunisations.
- The practice had arrangements for following up failed attendance of children's appointments
 following an appointment in secondary care or for immunisation and would liaise with health visitors
 when necessary.
- The practice had arrangements to identify and review the treatment of newly pregnant women on long-term medicines. These patients were provided with advice and post-natal support in accordance with best practice guidance.
- Young people could access services for sexual health and contraception.
- Staff had the appropriate skills and training to carry out reviews for this population group.

Child Immunisation	Numerator	Denominator	Practice %	Comparison to WHO target of 95%
The percentage of children aged 1 who have completed a primary course of immunisation for Diphtheria, Tetanus, Polio, Pertussis, Haemophilus influenza type b (Hib), Hepatitis B (Hep B) ((i.e. three doses of DTaP/IPV/Hib/HepB) (01/04/2019 to 31/03/2020) (NHS England)	43	49	87.8%	Below 90% minimum
The percentage of children aged 2 who have received their booster immunisation for Pneumococcal infection (i.e. received Pneumococcal booster) (PCV booster) (01/04/2019 to 31/03/2020) (NHS England)	51	58	87.9%	Below 90% minimum
The percentage of children aged 2 who have received their immunisation for Haemophilus influenza type b (Hib) and Meningitis C (MenC) (i.e. received Hib/MenC booster) (01/04/2019 to 31/03/2020) (NHS England)	51	58	87.9%	Below 90% minimum

The percentage of children aged 2 who have received immunisation for measles, mumps and rubella (one dose of MMR) (01/04/2019 to 31/03/2020) (NHS England)	51	58	87.9%	Below 90% minimum
The percentage of children aged 5 who have received immunisation for measles, mumps and rubella (two doses of MMR) (01/04/2019 to 31/03/2020) (NHS England)	64	72	88.9%	Below 90% minimum

Note: Please refer to the CQC guidance on Childhood Immunisation data for more information: https://www.cqc.org.uk/guidance-providers/gps/how-we-monitor-gp-practices

Working age people (including those recently retired and students)

Population group rating: Requires Improvement

- Patients had access to appropriate health assessments and checks including NHS checks for patients aged 40 to 74. There was appropriate and timely follow-up on the outcome of health assessments and checks where abnormalities or risk factors were identified.
- Patients could book or cancel appointments online and order repeat medicines without the need to attend the surgery.
- Telephone consultations and eConsult were offered.
- Extened hours services were also in place to meet the needs of the working population.

Cancer Indicators	Practice	CCG average	England average	England comparison
The percentage of women eligible for cervical cancer screening at a given point in time who were screened adequately within a specified period (within 3.5 years for women aged 25 to 49, and within 5.5 years for women aged 50 to 64). (Snapshot date: 31/03/2021) (Public Health England)	69.3%	N/A	80% Target	Below 70% uptake
Females, 50-70, screened for breast cancer in last 36 months (3 year coverage, %) (01/04/2019 to 31/03/2020) (PHE)	59.4%	63.8%	70.1%	N/A
Persons, 60-74, screened for bowel cancer in last 30 months (2.5 year coverage, %) (01/04/2019 to 31/03/2020) (PHE)	54.3%	55.0%	63.8%	N/A
The percentage of patients with cancer, diagnosed within the preceding 15 months, who have a patient review recorded as occurring within 6 months of the date of diagnosis (01/04/2019 to 31/03/2020) (QOF)	90.0%	93.8%	92.7%	N/A
Number of new cancer cases treated (Detection rate: % of which resulted from a two	64.3%	49.1%	54.2%	No statistical variation

week wait (TWW) referral) (01/04/2019 to			
week wait (1000) relenally (01/04/2019 to	1		
31/03/2020) (PHE)			
01/00/2020) (FRE)	i I		

Any additional evidence or comments

- Cervical cancer screening was below the 80% coverage target and the provider had continued to
 offer flexible appointments, opportunistic screening, monitoring of non-attendance and putting
 flags on the records of patients who had not attended so they could be reminded.
- The cancer screening rates for breast and bowel had improved from our last inspection.

People whose circumstances make them vulnerable

Population group rating: Good

Findings

- Same day appointments and longer appointments were offered when required.
- All patients with a learning disability were offered an annual health check.
- End of life care was delivered in a coordinated way which took into account the needs of those whose circumstances may make them vulnerable.
- The practice had a system for vaccinating patients with an underlying medical condition according to the recommended schedule.

People experiencing poor mental health (including people with dementia)

Population group rating: Good

- The practice assessed and monitored the physical health of people with mental illness, severe
 mental illness, and personality disorder by providing access to health checks, interventions for
 physical activity, obesity, diabetes, heart disease, cancer and access to 'stop smoking' services.
- Same day and longer appointments were offered when required.
- There was a system for following up patients who failed to attend for administration of long-term medicines.
- When patients were assessed to be at risk of suicide or self-harm the practice had arrangements in place to help them to remain safe.
- Patients with poor mental health, including dementia, were referred to appropriate services.

Mental Health Indicators	Practice	CCG average	England average	England comparison
The percentage of patients with schizophrenia, bipolar affective disorder and other psychoses who have a comprehensive, agreed care plan documented in the record, in the preceding 12 months (01/04/2019 to 31/03/2020) (QOF)	96.6%	89.0%	85.4%	No statistical variation
PCA* rate (number of PCAs).	0.0% (0)	14.7%	16.6%	N/A
The percentage of patients diagnosed with dementia whose care plan has been reviewed in a face-to-face review in the preceding 12 months (01/04/2019 to 31/03/2020) (QOF)	91.2%	81.1%	81.4%	No statistical variation
PCA rate (number of PCAs).	2.9% (1)	6.9%	8.0%	N/A

^{*}PCA:. Personalised Care Adjustments allow practices to remove a patient from the indicator for limited, specified reasons.

Monitoring care and treatment

The practice had a comprehensive programme of quality improvement activity and routinely reviewed the effectiveness and appropriateness of the care provided.

Indicator	Practice	England average
Overall QOF score (out of maximum 559)	556.2	533.9
Overall QOF score (as a percentage of maximum)	99.5%	95.5%
Overall QOF PCA reporting (all domains)	9.1%	5.9%

	Y/N/Partial
Clinicians took part in national and local quality improvement initiatives.	Y
The practice had a programme of targeted quality improvement and used information about care and treatment to make improvements.	Y
The practice regularly reviewed unplanned admissions and readmissions and took appropriate action.	Υ

Examples of improvements demonstrated because of clinical audits or other improvement activity in past two years

The practice had developed an annual audit schedule for clinical audit to measure outcomes and improve the service. For example, accident and emergency discharges, pathology results, clinical consultation and drug monitoring.

Effective staffing

The practice was ablestaff had the skills, knowledge and experience to carry out their roles.

	Y/N/Partial
Staff had the skills, knowledge and experience to deliver effective care, support and treatment.	Y
The practice had a programme of learning and development.	Υ
Staff had protected time for learning and development.	Υ
There was an induction programme for new staff.	Υ
Staff had access to regular appraisals, one to ones, coaching and mentoring, clinical supervision and revalidation. They were supported to meet the requirements of professional revalidation.	Υ
The practice could demonstrate how they assured the competence of staff employed in advanced clinical practice, for example, nurses, paramedics, pharmacists and physician associates.	Υ
There was a clear and appropriate approach for supporting and managing staff when their performance was poor or variable.	Υ

Explanation of any answers and additional evidence:

There was evidence staff were supported and supervised to improve the service the practice provided.

The practice supported staff to develop and encouraged learning and development.

However, reception staff training for child safeguarding had not been identified at the appropriate level.

Coordinating care and treatment

Staff worked together and with other organisations to deliver effective care and treatment.

Indicator	Y/N/Partial
Care was delivered and reviewed in a coordinated way when different teams, services or organisations were involved.	Y
Patients received consistent, coordinated, person-centred care when they moved between services.	Y
Explanation of any answers and additional evidence:	

Helping patients to live healthier lives

Staff were consistent and proactive in helping patients to live healthier lives.

	Y/N/Partial
The practice identified patients who may need extra support and directed them to relevant services. This included patients in the last 12 months of their lives, patients at risk of developing a long-term condition and carers.	Y
Staff encouraged and supported patients to be involved in monitoring and managing their own health.	Y
Patients had access to appropriate health assessments and checks.	Υ
Staff discussed changes to care or treatment with patients and their carers as necessary.	Y
The practice supported national priorities and initiatives to improve the population's health, for example, stop smoking campaigns and tackling obesity.	Y
Explanation of any answers and additional evidence:	

Consent to care and treatment

The practice always obtained consent to care and treatment in line with legislation and guidance.

	Y/N/Partial
Clinicians understood the requirements of legislation and guidance when considering consent and decision making. We saw that consent was documented.	Y
Clinicians supported patients to make decisions. Where appropriate, they assessed and recorded a patient's mental capacity to make a decision.	Υ
Do Not Attempt Cardio Pulmonary Resuscitation (DNACPR) decisions were made in line with relevant legislation and were appropriate.	Y
Explanation of any answers and additional evidence:	

Well-led

Rating: Good

Leadership capacity and capability

There was compassionate, inclusive and effective leadership at all levelsand could demonstrate that they had the capacity and skills to deliver high quality sustainable care.

	Y/N/Partial
Leaders demonstrated that they understood the challenges to quality and sustainability.	Υ
They had identified the actions necessary to address these challenges.	Υ
Staff reported that leaders were visible and approachable.	Υ
There was a leadership development programme, including a succession plan.	Y

Explanation of any answers and additional evidence:

Staff told us they felt supported and practice leaders were approachable.

There was a leadership structure in place to support improvements needed, quality monitoring processes and ensuiring safe care and treatment.

Vision and strategy

The practice had a clear vision and credible strategy to provide high quality sustainable care.

	Y/N/Partial
The practice had a clear vision and set of values that prioritised quality and sustainability.	Υ
There was a realistic strategy to achieve their priorities.	Υ
The vision, values and strategy were developed in collaboration with staff, patients and external partners.	Y
Staff knew and understood the vision, values and strategy and their role in achieving them.	Υ
Progress against delivery of the strategy was monitored.	Υ

Explanation of any answers and additional evidence:

The practice had plans to employ clinicians rather than using locums. However, recruitment efforts had not been successful.

Culture

The practice had a culture which drove high quality sustainable care.

	Y/N/Partial
There were arrangements to deal with any behaviour inconsistent with the vision and values.	Υ
Staff reported that they felt able to raise concerns without fear of retribution.	Y
There was a strong emphasis on the safety and well-being of staff.	Y
There were systems to ensure compliance with the requirements of the duty of candour.	Υ
When people were affected by things that went wrong, they were given an apology and informed of any resulting action.	Y
The practice encouraged candour, openness and honesty.	Υ
The practice's speaking up policies were in line with the NHS Improvement Raising Concerns (Whistleblowing) Policy.	Υ
The practice had access to a Freedom to Speak Up Guardian.	Υ
Staff had undertaken equality and diversity training.	Y

Explanation of any answers and additional evidence:

The practice had continued to use an external agency for advice and guidance regarding human resource issues.

The provider had commissioned an occupational health and employee assistance with a local hospital.

Staff were positive about the culture and support from the management team.

Examples of feedback from staff or other evidence about working at the practice

Source		Feedback
Staff	feedback	Enjoy been part of a great, supportive team who are like family.
questionnaire	:	

Governance arrangements

There were clear responsibilities, roles and systems of accountability to support good governance and management.

	Y/N/Partial
There were governance structures and systems which were regularly reviewed.	Υ
Staff were clear about their roles and responsibilities.	Υ
There were appropriate governance arrangements with third parties.	Υ
Explanation of any answers and additional evidence:	

Our last inspection, December 2019, identified that improvements were needed to the oversight of how the service operated. For example improvements to ensure the safe management of blood results, safety of the premises and ensuring all staff had the training needed for their roles.

At this inspection, September 2021, we found improvements had been made to the safe management of blood results and building work had been completed to the premises.

The provider had a clear governance structure with roles and responsibilitities to support the mananagement and improvement of the service.

Managing risks, issues and performance

There were effective processes for managing risks, issues and performance.

	Y/N/Partial
There were comprehensive assurance systems which were regularly reviewed and improved.	Y
There were processes to manage performance.	Υ
There was a quality improvement programme in place.	Υ
There were effective arrangements for identifying, managing and mitigating risks.	Y
A major incident plan was in place.	Y
Staff were trained in preparation for major incidents.	Y
When considering service developments or changes, the impact on quality and sustainability was assessed.	Y

Explanation of any answers and additional evidence:

Our last inspection, December 2019, improvements were needed to the monitoring of the service and systems to mitigate risk.

On this inspection September 2021, audits had been completed to check clinicians consultations and meetings had been structured to review patient care.

The practice worked with the primary care network to improve performance.

The practice had systems in place to continue to deliver services, respond to risk and meet patients' needs during the pandemic

	Y/N/Partial
The practice had adapted how it offered appointments to meet the needs of patients during the pandemic.	Y
The needs of vulnerable people (including those who might be digitally excluded) had been considered in relation to access.	Y
There were systems in place to identify and manage patients who needed a face-to-face appointment.	Y

The practice actively monitored the quality of access and made improvements in response to findings.	Υ
There were recovery plans in place to manage backlogs of activity and delays to treatment.	Y
Changes had been made to infection control arrangements to protect staff and patients using the service.	Y
Staff were supported to work remotely where applicable.	Y
Explanation of any answers and additional evidence:	

Appropriate and accurate information

There was a demonstrated commitment to using data and information proactively to drive and support decision making.

Staff used data to monitor and improve performance.	V
	I
Performance information was used to hold staff and management to account.	Υ
There were effective arrangements for identifying, managing and mitigating risks.	
Staff whose responsibilities included making statutory notifications understood what this entails.	Y

Governance and oversight of remote services

	Y/N/Partial
The practice used digital services securely and effectively and conformed to relevant digital and information security standards.	Y
The provider was registered as a data controller with the Information Commissioner's Office.	Y
Patient records were held in line with guidance and requirements.	Υ
Patients were informed and consent obtained if interactions were recorded.	Υ
The practice ensured patients were informed how their records were stored and managed.	Y
Patients were made aware of the information sharing protocol before online services were delivered.	Y

The practice had arrangements to make staff and patients aware of privacy settings on video and voice call services.	Υ
Online consultations took place in appropriate environments to ensure confidentiality.	Y
The practice advised patients on how to protect their online information.	Υ
Explanation of any answers and additional evidence:	

explanation of any answers and additional evidence:

The practice website and information technology systems provided information for patients on record storage and privacy settings.

Engagement with patients, the public, staff and external partners

The practice involved the public, staff and external partners to sustain high quality and sustainable care.

	Y/N/Partial
Patient views were acted on to improve services and culture.	Υ
The practice had an active Patient Participation Group.	Y
Staff views were reflected in the planning and delivery of services.	Y
The practice worked with stakeholders to build a shared view of challenges and of the needs of the population.	Y
Explanation of any answers and additional evidence:	1
The patient participation group had continued to meet virtually during the pandemic.	

Feedback from Patient Participation Group.

Feedback

The practice service during the Covid-19 pandemic had adapted and some patients were still adjusting to the new triage system in place.

Continuous improvement and innovation

There were systems and processes for learning, continuous improvement and innovation.

Y/N/Partial
Y
Y

At the last inspection December 2019 the GPs all worked part-time and there were limited opportunities for all to meet.

On this inspection September 2021 we found practice meetings were planned with protected time. Learning was discussed to make improvements.

Examples of continuous learning and improvement

- The practice continued to work with the Primary Care Network (PCN) to look at service developments in the local area.
- All prescriptions were now electronic and sent to a nominated pharmacy.

Notes: CQC GP Insight

GP Insight assesses a practice's data against all the other practices in England. We assess relative performance for the majority of indicators using a "z-score" (this tells us the number of standard deviations from the mean the data point is), giving us a statistical measurement of a practice's performance in relation to the England average. We highlight practices which significantly vary from the England average (in either a positive or negative direction). We consider that z-scores which are higher than +2 or lower than -2 are at significant levels, warranting further enquiry. Using this technique we can be 95% confident that the practices performance is genuinely different from the average. It is important to note that a number of factors can affect the Z score for a practice, for example a small denominator or the distribution of the data. This means that there will be cases where a practice's data looks quite different to the average, but still shows as no statistical variation, as we do not have enough confidence that the difference is genuine. There may also be cases where a practice's data looks similar across two indicators, but they are in different variation bands.

The percentage of practices which show variation depends on the distribution of the data for each indicator, but is typically around 10-15% of practices. The practices which are not showing significant statistical variation are labelled as no statistical variation to other practices.

N.B. Not all indicators in the evidence table are part of the GP insight set and those that aren't will not have a variation band.

The following language is used for showing variation:

Variation Bands	Z-score threshold
Significant variation (positive)	≤-3
Variation (positive)	>-3 and ≤-2
Tending towards variation (positive)	>-2 and ≤-1.5
No statistical variation	<1.5 and >-1.5
Tending towards variation (negative)	≥1.5 and <2
Variation (negative)	≥2 and <3
Significant variation (negative)	≥3

Note: for the following indicators the variation bands are different:

- Child Immunisation indicators. These are scored against the World Health Organisation target of 95% rather than the England average. Note that practices that have "Met 90% minimum" have not met the WHO target of 95%.
- The percentage of respondents to the GP patient survey who responded positively to how easy it was to get through to someone at their GP practice on the phone uses a rules based approach for scoring, due to the distribution of the data. This indicator does not have a CCG average.
- The percentage of women eligible for cervical cancer screening at a given point in time who were screened adequately within a specified period (within 3.5 years for women aged 25 to 49, and within 5.5 years for women aged 50 to 64). This indicator does not have a CCG average and is scored against the national target of 80%.

It is important to note that z-scores are not a judgement in themselves, but will prompt further enquiry, as part of our ongoing monitoring of GP practices.

Guidance and Frequently Asked Questions on GP Insight can be found on the following link: https://www.cqc.org.uk/guidance-providers/gps/how-we-monitor-qp-practices

Note: The CQC GP Evidence Table uses the most recent validated and publicly available data. In some cases at the time of inspection this data may be relatively old. If during the inspection the practice has provided any more recent data, this can be considered by the inspector. However, it should be noted that any data provided by the practice will be unvalidated and is not directly comparable to the published data. This has been taken into account during the inspection process.

Glossary of terms used in the data.

- COPD: Chronic Obstructive Pulmonary Disease.
- PHE: Public Health England.
- QOF: Quality and Outcomes Framework.
- STAR-PU: Specific Therapeutic Group Age-sex weightings Related Prescribing Units. These weighting allow more accurate and meaningful comparisons within a specific therapeutic group by taking into account the types of people who will be receiving that treatment.
- *PCA: Personalised Care Adjustment. This replaces the QOF Exceptions previously used in the Evidence Table (see GMS QOF Framework). Personalised Care Adjustments allow practices to remove a patient from the indicator for limited, specified reasons.
- % = per thousand.