

Care Quality Commission

Inspection Evidence Table

Greengates Medical Group (1-540187000)

Inspection date: 30th August – 1st September 2022

Date of data download: 23 August 2022

Overall rating: Good

Safe

Rating: Good

Safety systems and processes

The practice had clear systems, practices and processes to keep people safe and safeguarded from abuse.

Safeguarding	Y/N/Partial
Safeguarding systems, processes and practices were developed, implemented and communicated to staff.	Y
Partners and staff were trained to appropriate levels for their role.	Y
There was active and appropriate engagement in local safeguarding processes.	Y
The Out of Hours service was informed of relevant safeguarding information.	Y
There were systems to identify vulnerable patients on record.	Y
Disclosure and Barring Service (DBS) checks were undertaken where required.	Y
There were regular discussions between the practice and other health and social care professionals such as health visitors, school nurses, community midwives and social workers to support and protect adults and children at risk of significant harm.	Y
Explanation of any answers and additional evidence: <ul style="list-style-type: none">• The practices staff training matrix showed that staff had all received the appropriate level of training• The practice had regular safeguarding meetings.• The practice cared for patients at a local care home. A GP did ward rounds as part of a multidisciplinary team (MDT) including advanced nurse practioners, pharmacists and social workers.	

Recruitment systems

Y/N/Partial

Recruitment checks were carried out in accordance with regulations (including for agency staff and locums).	Y
Staff vaccination was maintained in line with current UK Health and Security Agency (UKHSA) guidance if relevant to role.	Y
Explanation of any answers and additional evidence: <ul style="list-style-type: none"> We reviewed four recruitment files including a locum GP and found appropriate recruitment checks had been carried out. 	

Safety systems and records	Y/N/Partial
Health and safety risk assessments had been carried out and appropriate actions taken. Date of last assessment: 17/08/22	Y
There was a fire procedure.	Y
Date of fire risk assessment: January 2022 Actions from fire risk assessment were identified and completed.	Y

Infection prevention and control

Appropriate standards of cleanliness and hygiene were met.

	Y/N/Partial
Staff had received effective training on infection prevention and control.	Y
Infection prevention and control audits were carried out. Date of last infection prevention and control audit: June 2022	Y
The practice had acted on any issues identified in infection prevention and control audits.	Y
The arrangements for managing waste and clinical specimens kept people safe.	Y
Explanation of any answers and additional evidence: <ul style="list-style-type: none"> The practice had named infection control nurses at each of its sites who were, accountable for upholding infection prevention and control standards. 	

Risks to patients

There were systems to assess, monitor and manage risks to patient safety.

	Y/N/Partial
There was an effective approach to managing staff absences and busy periods.	Y
There was an effective induction system for temporary staff tailored to their role.	Y
The practice was equipped to respond to medical emergencies (including suspected sepsis) and staff were suitably trained in emergency procedures.	Y
Receptionists were aware of actions to take if they encountered a deteriorating or acutely unwell patient and had been given guidance on identifying such patients.	Y

There were enough staff to provide appointments and prevent staff from working excessive hours	Y
<p>Explanation of any answers and additional evidence:</p> <ul style="list-style-type: none">• The practice used a staffing matrix for both clinical and administration staff. This allowed them to identify where shortfalls were so they could be addressed. The matrix showed each member of staffs skillset so they could be utilised effectively. It also allowed the practice to manage busy periods.	

Information to deliver safe care and treatment

Staff had the information they needed to deliver safe care and treatment.

	Y/N/Partial
Individual care records, including clinical data, were written and managed securely and in line with current guidance and relevant legislation. ¹	Y
There was a system for processing information relating to new patients including the summarising of new patient notes.	Y
There were systems for sharing information with staff and other agencies to enable them to deliver safe care and treatment.	Y
Referrals to specialist services were documented, contained the required information and there was a system to monitor delays in referrals.	Y
There was a documented approach to the management of test results and this was managed in a timely manner.	Y
There was appropriate clinical oversight of test results, including when reviewed by non-clinical staff.	Y
Explanation of any answers and additional evidence: <ul style="list-style-type: none">• The practice employed a dedicated medical summariser. Their competence was assured by GPs doing random spot checks to monitor records.• When a GP completed a referral to a specialist service a task was automatically created and sent to the secretaries to follow up. The practice also provided the patient with appropriate timescales and what to do if they had not received any more information within that timescale.	

Appropriate and safe use of medicines

The practice had systems for the appropriate and safe use of medicines, including medicines optimisation

Note: CCGs were replaced by integrated care systems in July 2022. The CCG averages will continue to be used until CQC's internal systems are updated and data for 2022/23 is released.

Indicator	Practice	CCG average	England average	England comparison
Number of antibacterial prescription items prescribed per Specific Therapeutic group Age-sex Related Prescribing Unit (STAR PU) (01/04/2021 to 31/03/2022) (NHS Business Service Authority - NHSBSA)	0.77	0.83	0.79	No statistical variation
The number of prescription items for co-amoxiclav, cephalosporins and quinolones as a percentage of the total number of prescription items for selected antibacterial drugs (BNF 5.1 sub-set). (01/04/2021 to 31/03/2022) (NHSBSA)	4.0%	4.7%	8.8%	Variation (positive)
Average daily quantity per item for Nitrofurantoin 50 mg tablets and capsules, Nitrofurantoin 100 mg m/r capsules, Pivmecillinam 200 mg tablets and Trimethoprim 200 mg tablets prescribed for uncomplicated urinary tract infection (01/10/2021 to 31/03/2022) (NHSBSA)	5.52	5.52	5.29	No statistical variation
Total items prescribed of Pregabalin or Gabapentin per 1,000 patients (01/10/2021 to 31/03/2022) (NHSBSA)	109.2‰	128.7‰	128.2‰	No statistical variation
Average daily quantity of Hypnotics prescribed per Specific Therapeutic group Age-sex Related Prescribing Unit (STAR PU) (01/04/2021 to 31/03/2022) (NHSBSA)	0.79	0.55	0.60	No statistical variation
Number of unique patients prescribed multiple psychotropics per 1,000 patients (01/10/2021 to 31/03/2022) (NHSBSA)	5.3‰	5.4‰	6.8‰	No statistical variation

Note: ‰ means *per 1,000* and it is **not** a percentage.

Medicines management	Y/N/Partial
The practice ensured medicines were stored safely and securely with access restricted to authorised staff.	Y
Blank prescriptions were kept securely, and their use monitored in line with national guidance.	Y
Staff had the appropriate authorisations to administer medicines (including Patient Group Directions or Patient Specific Directions).	Y

Medicines management	Y/N/Partial
The practice could demonstrate the prescribing competence of non-medical prescribers, and there was regular review of their prescribing practice supported by clinical supervision or peer review.	Y
There was a process for the safe handling of requests for repeat medicines and evidence of structured medicines reviews for patients on repeat medicines. ¹	Y
The practice had a process and clear audit trail for the management of information about changes to a patient's medicines including changes made by other services.	Y
There was a process for monitoring patients' health in relation to the use of medicines including high risk medicines (for example, warfarin, methotrexate and lithium) with appropriate monitoring and clinical review prior to prescribing. ²	Y
The practice monitored the prescribing of controlled drugs. (For example, investigation of unusual prescribing, quantities, dose, formulations and strength).	Y
There were arrangements for raising concerns around controlled drugs with the NHS England and Improvement Area Team Controlled Drugs Accountable Officer.	Y
If the practice had controlled drugs on the premises there were appropriate systems and written procedures for the safe ordering, receipt, storage, administration, balance checks and disposal of these medicines, which were in line with national guidance.	Y
The practice had taken steps to ensure appropriate antimicrobial use to optimise patient outcomes and reduce the risk of adverse events and antimicrobial resistance.	Y
For remote or online prescribing there were effective protocols for verifying patient identity.	Y
The practice held appropriate emergency medicines, risk assessments were in place to determine the range of medicines held, and a system was in place to monitor stock levels and expiry dates.	Y
There was medical oxygen and a defibrillator on site and systems to ensure these were regularly checked and fit for use.	Y
Vaccines were appropriately stored, monitored and transported in line with UKHSA guidance to ensure they remained safe and effective.	Y
<p>Explanation of any answers and additional evidence, including from clinical searches.</p> <ul style="list-style-type: none"> • GP partners at the practice had regular supervision with non-medical prescribers. This included going through random clinics and random patients to do spot checks to check the competency for these staff members. Non-medical prescribers also met with the practice pharmacist as part of their appraisal where data was gathered from prescriptions. • The practice had appropriate emergency medication at all sites. The same medication was available at all sites so if staff were working from a different site, they knew what emergency medication was available to them. • Our clinical searches highlighted that 31 patients out of 153 prescribed potassium sparing diuretic, which is a medication to treat hypertension and congestive heart failure had not had the required six monthly monitoring. This was addressed with a GP partner and practice pharmacist. No harm for these patients was found and the practice had started calling these patients in for monitoring. • The practice had a named person responsible for disease modifying antirheumatic drugs (DMARD) monitoring. Our clinical searches run by the CQC specialist advisor showed that 30 patients were 	

Medicines management	Y/N/Partial
<p>prescribed Azathioprine which is prescribed to patients to treat inflammatory conditions such as rheumatoid arthritis. Three patients had not had the required monitoring.</p> <ul style="list-style-type: none"> • Our clinical search of patients prescribed a high risk medicine indicated that seven patients aged 65 or older on a high dose of citalopram or escitalopram. Three out of the five patients looked at showed that there had been a discussion with the patient about the risks associated with taking this medicine. The other two patients already had tasks created to arrange a call with the patient to discuss the risks. • Vaccines were appropriately stored and monitored. Practice nurses were given dedicated time for monitoring stock control and expiry dates. • At one of the practice's sites controlled drugs was stored. The practice had processes in place to manage stock levels, safely store medication and dispose of medication when required. 	

Dispensary services (where the practice provided a dispensary service)	Y/N/Partial
There was a GP responsible for providing effective leadership for the dispensary.	Y
The practice had clear Standard Operating Procedures which covered all aspects of the dispensing process, were regularly reviewed, and a system to monitor staff compliance.	Y
Dispensary staff who worked unsupervised had received appropriate training and regular checks of their competency.	Y
Where the Electronic Prescription Service is not used for dispensary prescriptions, prescriptions were signed before medicines were dispensed and handed out to patients. There was a risk assessment or surgery policy for exceptions such as acute prescriptions.	Y
Medicines stock was appropriately managed and disposed of, and staff kept appropriate records.	Y
Medicines that required refrigeration were appropriately stored, monitored and transported in line with the manufacturer's recommendations to ensure they remained safe and effective.	Y
If the dispensary provided medicines in Monitored Dosage Systems, there were systems to ensure staff were aware of medicines that were not suitable for inclusion in such packs, and appropriate information was supplied to patients about their medicines.	N/A
If the practice offered a delivery service, this had been risk assessed for safety, security, confidentiality and traceability.	N/A
Dispensing incidents and near misses were recorded and reviewed regularly to identify themes and reduce the chance of reoccurrence.	Y
Information was provided to patients in accessible formats for example, large print labels, braille, information in a variety of languages etc.	Y
There was the facility for dispensers to speak confidentially to patients and protocols described the process for referral to clinicians.	Y
<p>Explanation of any answers and other comments on dispensary services:</p> <ul style="list-style-type: none"> • The practice had a named GP who provided leadership for the dispensary. The dispensing staff were supported by a pharmacist and could instantly contact other GPs if support was needed. • Medicines stock was managed effectively. Stock was ordered as when necessary so there was not an oversupply of medication • All members of the dispensing team had access to report incidents and record near misses. All incidents were reported to the pharmacist to review and investigate where needed. 	

Track record on safety and lessons learned and improvements made

The practice learned and made improvements when things went wrong.

Significant events	Y/N/Partial
The practice monitored and reviewed safety using information from a variety of sources.	Y
Staff knew how to identify and report concerns, safety incidents and near misses.	Y
There was a system for recording and acting on significant events.	Y
Staff understood how to raise concerns and report incidents both internally and externally.	Y
There was evidence of learning and dissemination of information.	Y
Number of events recorded in last 12 months:	14
Number of events that required action:	9
Explanation of any answers and additional evidence: <ul style="list-style-type: none"> Staff questionnaires received by CQC highlighted that members of staff understood the process for raising and reporting incidents. The practice had regular meetings where significant events were discussed and learning was shared. 	

Example(s) of significant events recorded and actions by the practice.

Event	Specific action taken
A task was sent to the secretaries to ask for a stroke referral. Secretary started form and returned to practitioner to complete. The practitioner completed the task but did not do the referral. Patient rang surgery as had not heard anything and secondary care confirmed they had not received anything.	This was discussed at a clinical meeting and also discussed with the secretaries. Secretaries will now send tasks to their group to check they get referrals back and not just reply and leave referral. This added a safety net so the problem would not happen again.
When completing a letter for a patient it was matched to the wrong patient. This meant that the wrong codes were added to the wrong patient's record. This was noticed during a completion of a medical report.	All staff involved were informed and staff were reminded to always check NHS numbers when processing and adding codes.

Safety alerts	Y/N/Partial
There was a system for recording and acting on safety alerts. ¹	Y
Staff understood how to deal with alerts.	Y
Explanation of any answers and additional evidence: <ul style="list-style-type: none"> The practice had a clear process for managing safety alerts. The practice pharmacist dealt with any Medicines and Healthcare products Regulatory Agency (MHRA) alerts and worked alongside the medicines management team to action these 	

- If the safety alert was regarding medical devices then this was dealt with by an advanced nurse practitioner.
- The practice also employed a clinical service administrator who ran reports and passed this on to the pharmacist.
- Once the alerts were actioned the practice manager was informed and a spreadsheet was updated to show that the alert had been actioned.

Effective

Rating: Good

QOF requirements were modified by NHS England and Improvement for 2020/21 to recognise the need to reprioritise aspects of care which were not directly related to COVID-19. This meant that QOF payments were calculated differently. For inspections carried out from 1 October 2021, our reports will not include QOF indicators. In determining judgements in relation to effective care, we have considered other evidence as set out below.

Effective needs assessment, care and treatment

Patients' needs were assessed, and care and treatment was delivered in line with current legislation, standards and evidence-based guidance supported by clear pathways and tools.

	Y/N/Partial
The practice had systems and processes to keep clinicians up to date with current evidence-based practice.	Y
Patients' immediate and ongoing needs were fully assessed. This included their clinical needs and their mental and physical wellbeing. ¹	Y
Patients presenting with symptoms which could indicate serious illness were followed up in a timely and appropriate way. ²	Y
We saw no evidence of discrimination when staff made care and treatment decisions.	Y
Patients' treatment was regularly reviewed and updated. ³	Y
There were appropriate referral pathways to make sure that patients' needs were addressed.	Y
Patients were told when they needed to seek further help and what to do if their condition deteriorated.	Y
The practice had prioritised care for their most clinically vulnerable patients during the pandemic	Y

Effective care for the practice population

Findings

- The practice used a clinical tool to identify older patients who were living with moderate or severe frailty. Those identified received a full assessment of their physical, mental and social needs.
- Health checks, including frailty assessments, were offered to patients over 75 years of age.
- Flu, shingles and pneumonia vaccinations were offered to relevant patients in this age group.
- The practice had systems to inform eligible patients to have the meningitis vaccine, for example before attending university for the first time.
- Patients had access to appropriate health assessments and checks including NHS checks for patients aged 40 to 74. There was appropriate and timely follow-up on the outcome of health assessments and checks where abnormalities or risk factors were identified.

- All patients with a learning disability were offered an annual health check. The practice held a register for these patients that was regularly reviewed and updated.
- End of life care was delivered in a coordinated way which took into account the needs of those whose circumstances may make them vulnerable.
- The practice had a system for vaccinating patients with an underlying medical condition according to the recommended schedule.
- The practice demonstrated that they had a system to identify people who misused substances.
- The practice assessed and monitored the physical health of people with mental illness, severe mental illness, and personality disorder
- Patients with poor mental health, including dementia, were referred to appropriate services.

Management of people with long term conditions

Findings

- Patients with long-term conditions were offered a structured annual review to check their health and medicines needs were being met. For patients with the most complex needs, the GP worked with other health and care professionals to deliver a coordinated package of care.
- Staff who were responsible for reviews of patients with long-term conditions had received specific training.
- GPs followed up patients who had received treatment in hospital or through out of hours services for an acute exacerbation of asthma.
- The practice shared clear and accurate information with relevant professionals when deciding care delivery for patients with long-term conditions.
- The practice could demonstrate how they identified patients with commonly undiagnosed conditions, for example diabetes, chronic obstructive pulmonary disease (COPD), atrial fibrillation and hypertension.
- Adults with newly diagnosed cardio-vascular disease were offered statins.
- Patients with suspected hypertension were offered ambulatory blood pressure monitoring.
- Patients with COPD were offered rescue packs.
- Patients with asthma were offered an asthma management plan.
- Clinical searches showed patients with asthma who needed rescue steroids were assessed appropriately, there was evidence of regular asthma reviews.
- Clinical searches highlighted that 1024 patients had hypothyroidism and only 32 of these patients had not had thyroid function test monitoring. The practice was in the process of inviting these patients in for monitoring.
- There was evidence from the clinical searches that patients with diabetes were followed up for regular monitoring. The practice worked with the diabetes specialist nurse team in secondary care to assist with monitoring these patients.

Child Immunisation	Numerator	Denominator	Practice %	Comparison to WHO target of 95%
The percentage of children aged 1 who have completed a primary course of immunisation for Diphtheria, Tetanus, Polio, Pertussis, Haemophilus influenza type b (Hib), Hepatitis B (Hep B) ((i.e. three doses of DTaP/IPV/Hib/HepB) (01/04/2020 to 31/03/2021) (NHS England and Improvement)	160	164	97.6%	Met 95% WHO based target
The percentage of children aged 2 who have received their booster immunisation for Pneumococcal infection (i.e. received Pneumococcal booster) (PCV booster) (01/04/2020 to 31/03/2021) (NHS England and Improvement)	170	177	96.0%	Met 95% WHO based target
The percentage of children aged 2 who have received their immunisation for Haemophilus influenza type b (Hib) and Meningitis C (MenC) (i.e. received Hib/MenC booster) (01/04/2020 to 31/03/2021) (NHS England and Improvement)	170	177	96.0%	Met 95% WHO based target
The percentage of children aged 2 who have received immunisation for measles, mumps and rubella (one dose of MMR) (01/04/2020 to 31/03/2021) (NHS England and Improvement)	169	177	95.5%	Met 95% WHO based target
The percentage of children aged 5 who have received immunisation for measles, mumps and rubella (two doses of MMR) (01/04/2020 to 31/03/2021) (NHS England and Improvement)	173	201	86.1%	Below 90% minimum

Note: Please refer to the CQC guidance on Childhood Immunisation data for more information: <https://www.cqc.org.uk/guidance-providers/gps/how-we-monitor-gp-practices>

Any additional evidence or comments

- The practice had processes in place to book children in to have their immunisations.
- Some patients had refused for their children to have immunisations, when this happened a nurse would always follow this up and explain the benefits of immunisations.

Cancer Indicators	Practice	CCG average	England average	England comparison
The percentage of persons eligible for cervical cancer screening at a given point in time who were screened adequately within a specified period (within 3.5 years for persons aged 25 to 49, and within 5.5 years for persons aged 50 to 64). (Snapshot date: 31/03/2022) (UK Health and Security Agency)	77.4%	N/A	80% Target	Below 80% target
Females, 50-70, screened for breast cancer in last 36 months (3 year coverage, %) (01/04/2020 to 31/03/2021) (UKHSA)	38.4%	62.2%	61.3%	N/A
Persons, 60-74, screened for bowel cancer in last 30 months (2.5 year coverage, %) (01/04/2020 to 31/03/2021) (UKHSA)	70.8%	70.8%	66.8%	N/A
Number of new cancer cases treated (Detection rate: % of which resulted from a two week wait (TWW) referral) (01/04/2020 to 31/03/2021) (UKHSA)	51.4%	55.6%	55.4%	No statistical variation

Note: CCGs were replaced by integrated care systems in July 2022. The CCG averages will continue to be used until CQC's internal systems are updated and data for 2022/23 is released.

Any additional evidence or comments
<ul style="list-style-type: none"> Administration staff are updated regularly when patients are due cervical screening. Administration and nursing staff worked together to try and encourage these patients to come in for screening. This involved the nursing team discussing the benefits of screening with patients. The practice was working with the Primary Care Network (PCN) cancer lead to improve the process for getting patients in to have breast screening. The practice had also been working with their Patient Participation Group (PPG) to highlight the importance of screening and improve uptake from patients.

Monitoring care and treatment

The practice had a comprehensive programme of quality improvement activity and routinely reviewed the effectiveness and appropriateness of the care provided.

	Y/N/Partial
Clinicians took part in national and local quality improvement initiatives.	Y
The practice had a programme of targeted quality improvement and used information about care and treatment to make improvements.	Y
The practice regularly reviewed unplanned admissions and readmissions and took appropriate action.	Y

Examples of improvements demonstrated because of clinical audits or other improvement activity in past two years

The practice ran a clinical audit looking at patients with gestational diabetes. In the UK approximately 16% of women will develop gestational diabetes in pregnancy. Gestational diabetes can have implications antenatally for both the mother and baby but also postnatally. As a result of this audit the practice were able to make health care professionals aware of the local criteria for monitoring. They used a template for fasting plasma glucose at 6 weeks, HBA1C at 3 months and annually. A recall was also placed on these patients notes so their care could be monitored.

Effective staffing

The practice was able to demonstrate that staff had the skills, knowledge and experience to carry out their roles.

	Y/N/Partial
Staff had the skills, knowledge and experience to deliver effective care, support and treatment.	Y
The practice had a programme of learning and development.	Y
Staff had protected time for learning and development.	Y
There was an induction programme for new staff.	Y
Staff had access to regular appraisals, one to ones, coaching and mentoring, clinical supervision and revalidation. They were supported to meet the requirements of professional revalidation.	Y
The practice could demonstrate how they assured the competence of staff employed in advanced clinical practice, for example, nurses, paramedics, pharmacists and physician associates.	Y
There was a clear and appropriate approach for supporting and managing staff when their performance was poor or variable.	Y

Explanation of any answers and additional evidence:

- The practice had a structured induction system for all members of staff. Staff worked through this induction with support from managers and colleagues until they were deemed competent. Their probation period could be extended if this was required.
- Feedback from CQC staff questionnaires highlighted that members of staff had access to regular appraisals.

Coordinating care and treatment

Staff worked together and with other organisations to deliver effective care and treatment.

Indicator	Y/N/Partial
Care was delivered and reviewed in a coordinated way when different teams, services or organisations were involved.	Y
Patients received consistent, coordinated, person-centred care when they moved between services.	Y

Explanation of any answers and additional evidence:

- A GP that was responsible for managing the local care home was part of a multidisciplinary team (MDT) that regularly reviewed care home patients. This team was made up of doctors, advanced nurse practitioners, pharmacists and paramedics. This ensured these patients received consistent care.

Helping patients to live healthier lives

Staff were consistent and proactive in helping patients to live healthier lives.

	Y/N/Partial
The practice identified patients who may need extra support and directed them to relevant services. This included patients in the last 12 months of their lives, patients at risk of developing a long-term condition and carers.	Y
Staff encouraged and supported patients to be involved in monitoring and managing their own health.	Y
Patients had access to appropriate health assessments and checks.	Y
Staff discussed changes to care or treatment with patients and their carers as necessary.	Y
The practice supported national priorities and initiatives to improve the population's health, for example, stop smoking campaigns and tackling obesity.	Y
Explanation of any answers and additional evidence: <ul style="list-style-type: none"> The practice was involved in a number of initiatives, this included; exercise on prescription which was run in conjunction with a local leisure centre, stop smoking clinics and the practice pharmacist did talks with patients on pre-diabetes and supplied patients with flyers and leaflets to assist them with this. 	

Consent to care and treatment

The practice always obtained to demonstrate that it always obtained consent to care and treatment in line with legislation and guidance.

	Y/N/Partial
Clinicians understood the requirements of legislation and guidance when considering consent and decision making. We saw that consent was documented.	Y
Clinicians supported patients to make decisions. Where appropriate, they assessed and recorded a patient's mental capacity to make a decision.	Y
Do Not Attempt Cardio Pulmonary Resuscitation (DNACPR) decisions were made in line with relevant legislation and were appropriate. ¹	Y

Responsive

Rating: Not Rated

Access to the service

People were/ were not able to access care and treatment in a timely way.

The COVID-19 pandemic has affected access to GP practices and presented many challenges. In order to keep both patients and staff safe early in the pandemic practices were asked by NHS England and Improvement to assess patients remotely (for example by telephone or video consultation) when contacting the practice and to only see patients in the practice when deemed to be clinically appropriate to do so. Following the changes in national guidance during the summer of 2021 there has been a more flexible approach to patients interacting with their practice. During the pandemic there was a significant increase in telephone and online consultations compared to patients being predominantly seen in a face to face setting.

	Y/N/Partial
Patients had timely access to appointments/treatment and action was taken to minimize the length of time people waited for care, treatment or advice	Y
The practice offered a range of appointment types to suit different needs (e.g. face to face, telephone, online)	Y
Patients were able to make appointments in a way which met their needs	Y
There were systems in place to support patients who face communication barriers to access treatment	Y
Patients with most urgent needs had their care and treatment prioritised	Y
There was information available for patients to support them to understand how to access services (including on websites and telephone messages)	Y
Explanation of any answers and additional evidence: <ul style="list-style-type: none">• The practice offered a range of different appointments for patients, these included face to face, telephone and video consultations.• The practice also offered appointments through the extended access scheme. Extended access is the offer, to registered patients of a practice, of pre-bookable appointments outside of core contractual hours, either in the early morning, evening or at weekends.• Extended access appointments were available with a wide range of clinical staff.• The practice had access to an interpreter service when needed if the patients first language was not English.	

Well-led

Rating: Good

Leadership capacity and capability

There was compassionate, inclusive and effective leadership at all levels and could demonstrate that they had the capacity and skills to deliver high quality sustainable care.

	Y/N/Partial
Leaders demonstrated that they understood the challenges to quality and sustainability.	Y
They had identified the actions necessary to address these challenges.	Y
Staff reported that leaders were visible and approachable.	Y
There was a leadership development programme, including a succession plan.	Y
Explanation of any answers and additional evidence: <ul style="list-style-type: none">• Leaders at the practice identified challenges and put in actions to mitigate these. This included putting more telephone lines into the practice. This meant that the practice was able to deal with increased demand but also had extra capacity for when GP's had to make outbound calls• Staff feedback received from questionnaires was overwhelmingly positive about how visible and approachable leaders were.• The organisation had arrangements in place for succession planning,• The practice had systems in place to allow staff to develop into new roles. An example shared through the inspection showed a member of staff who had started off working as part of the admin team had been trained by the practice to become a phlebotomist, since this was completed, they had started training to become a health care assistant.	

Vision and strategy

The practice had a clear vision and credible strategy to provide high quality sustainable care.

	Y/N/Partial
The vision, values and strategy were developed in collaboration with staff, patients and external partners.	Y
Staff knew and understood the vision, values and strategy and their role in achieving them.	Y
Progress against delivery of the strategy was monitored.	Y

Culture

The practice had a culture which drove high quality sustainable care.

	Y/N/Partial
There were arrangements to deal with any behaviour inconsistent with the vision and values.	Y
Staff reported that they felt able to raise concerns without fear of retribution.	Y
There was a strong emphasis on the safety and well-being of staff.	Y
There were systems to ensure compliance with the requirements of the duty of candour.	Y
When people were affected by things that went wrong, they were given an apology and informed of any resulting action.	Y
The practice encouraged candour, openness and honesty.	Y
The practice had access to a Freedom to Speak Up Guardian.	Y
Staff had undertaken equality and diversity training.	Y
Explanation of any answers and additional evidence: <ul style="list-style-type: none"> • Staff feedback received highlighted that staff felt comfortable to raise concerns. Staff were also able to identify who the practice's Freedom to Speak Up Guardian was. • The practice had initiatives to promote the well-being of their staff. This included, taking part in team building exercises to help encourage staff to meet other members of staff that they may not have already met who worked at different sites. They also organised regular social nights outside of work. • Staff members also had access to Occupational Health services when required. • It was evident when speaking to staff they felt well supported by the leadership team and would be happy to go to them if they required more support. 	

Examples of feedback from staff or other evidence about working at the practice

Source	Feedback
CQC completed electronic staff questionnaires	The overwhelming majority of responses to the staff questionnaires we received described the practice as a "friendly" and "good" place to work. None of the 21 questionnaires received had any negative comments about the culture of the organisation.

Governance arrangements

There were clear responsibilities, roles and systems of accountability to support good governance and management.

	Y/N/Partial
There were governance structures and systems which were regularly reviewed.	Y
Staff were clear about their roles and responsibilities.	Y

There were appropriate governance arrangements with third parties.	Y
--	---

Managing risks, issues and performance

There were clear and effective processes for managing risks, issues and performance.

	Y/N/Partial
There were comprehensive assurance systems which were regularly reviewed and improved.	Y
There were processes to manage performance.	Y
There was a quality improvement programme in place.	Y
There were effective arrangements for identifying, managing and mitigating risks.	Y
A major incident plan was in place.	Y
Staff were trained in preparation for major incidents.	Y
When considering service developments or changes, the impact on quality and sustainability was assessed.	Y
Explanation of any answers and additional evidence: <ul style="list-style-type: none"> The practice had a disaster recovery policy. This would be followed in the event of a major incident. This was a step by step guide on what to do and who to contact depending on the incident that had occurred. The practice had five sites which meant they had resilience should any incidents affect specific sites. 	

The practice had systems in place to continue to deliver services, respond to risk and meet patients' needs during the pandemic

	Y/N/Partial
The practice had adapted how it offered appointments to meet the needs of patients during the pandemic.	Y
The needs of vulnerable people (including those who might be digitally excluded) had been considered in relation to access.	Y
There were systems in place to identify and manage patients who needed a face-to-face appointment.	Y
The practice actively monitored the quality of access and made improvements in response to findings.	Y
There were recovery plans in place to manage backlogs of activity and delays to treatment.	Y
Changes had been made to infection control arrangements to protect staff and patients using the service.	Y
Staff were supported to work remotely where applicable.	Y

Appropriate and accurate information

There was a demonstrated commitment to using data and information proactively to drive and support decision making.

	Y/N/Partial
Staff used data to monitor and improve performance.	Y
Performance information was used to hold staff and management to account.	Y
Staff whose responsibilities included making statutory notifications understood what this entailed.	Y

Governance and oversight of remote services

	Y/N/Partial
The practice used digital services securely and effectively and conformed to relevant digital and information security standards.	Y
The provider was registered as a data controller with the Information Commissioner's Office.	Y
Patient records were held in line with guidance and requirements.	Y
Patients were informed and consent obtained if interactions were recorded.	Y
The practice ensured patients were informed how their records were stored and managed.	Y
Patients were made aware of the information sharing protocol before online services were delivered.	Y
The practice had arrangements to make staff and patients aware of privacy settings on video and voice call services.	Y
Online consultations took place in appropriate environments to ensure confidentiality.	Y
The practice advised patients on how to protect their online information.	Y

Engagement with patients, the public, staff and external partners

The practice involved the public, staff and external partners to sustain high quality and sustainable care.

	Y/N/Partial
Patient views were acted on to improve services and culture.	Y
The practice had an active Patient Participation Group.	Y
Staff views were reflected in the planning and delivery of services.	Y
The practice worked with stakeholders to build a shared view of challenges and of the needs of the population.	Y
Explanation of any answers and additional evidence: <ul style="list-style-type: none"> • The practice had an active Patient Participation Group (PPG) that it engaged with regularly. • Due to discussion with staff the assistant managers role was split into different roles in order to provide more support for staff. 	

Feedback from Patient Participation Group.

Feedback
We spoke with a representative of the PPG who told us: <ul style="list-style-type: none"> • The PPG felt they were very much part of the practice and had a positive and useful role to play. • They had a professional relationship with the staff and they worked with them to ensure that they are well-informed about current issues. • They believed they were exceptionally lucky to be patients at this practice. They said it was run by a highly professional team from the practice manager, the medical staff and care navigators. Everyone knows their role and carries it out professionally.

Continuous improvement and innovation

There was evidence of systems and processes for learning, continuous improvement and innovation.

	Y/N/Partial
There was a strong focus on continuous learning and improvement.	Y
Learning was shared effectively and used to make improvements.	Y
Explanation of any answers and additional evidence: <ul style="list-style-type: none"> • The practice had used funding to develop pharmacists and paramedics with additional training so they could manage patients at care homes and also be part of the MDT involved in their care. 	

Notes: CQC GP Insight

GP Insight assesses a practice's data against all the other practices in England. We assess relative performance for the majority of indicators using a "z-score" (this tells us the number of standard deviations from the mean the data point is), giving us a statistical measurement of a practice's performance in relation to the England average. We highlight practices which significantly vary from the England average (in either a positive or negative direction). We consider that z-scores which are higher than +2 or lower than -2 are at significant levels, warranting further enquiry. Using this technique, we can be 95% confident that the practice's performance is genuinely different from the average. It is important to note that a number of factors can affect the Z score for a practice, for example a small denominator or the distribution of the data. This means that there will be cases where a practice's data looks quite different to the average, but still shows as no statistical variation, as we do not have enough confidence that the difference is genuine. There may also be cases where a practice's data looks similar across two indicators, but they are in different variation bands.

The percentage of practices which show variation depends on the distribution of the data for each indicator but is typically around 10-15% of practices. The practices which are not showing significant statistical variation are labelled as no statistical variation to other practices.

N.B. Not all indicators in the evidence table are part of the GP insight set and those that aren't will not have a variation band.

The following language is used for showing variation:

Variation Bands	Z-score threshold
Significant variation (positive)	≤ -3
Variation (positive)	> -3 and ≤ -2
Tending towards variation (positive)	> -2 and ≤ -1.5
No statistical variation	< 1.5 and > -1.5
Tending towards variation (negative)	≥ 1.5 and < 2
Variation (negative)	≥ 2 and < 3
Significant variation (negative)	≥ 3

Note: for the following indicators the variation bands are different:

- Child Immunisation indicators. These are scored against the World Health Organisation target of 95% rather than the England average. Note that practices that have "Met 90% minimum" have not met the WHO target of 95%.
- The percentage of respondents to the GP patient survey who responded positively to how easy it was to get through to someone at their GP practice on the phone uses a rules-based approach for scoring, due to the distribution of the data. This indicator does not have a CCG average.
- The percentage of women eligible for cervical cancer screening at a given point in time who were screened adequately within a specified period (within 3.5 years for women aged 25 to 49, and within 5.5 years for women aged 50 to 64). This indicator does not have a CCG average and is scored against the national target of 80%.

It is important to note that z-scores are not a judgement in themselves, but will prompt further enquiry, as part of our ongoing monitoring of GP practices.

Guidance and Frequently Asked Questions on GP Insight can be found on the following link: <https://www.cqc.org.uk/guidance-providers/gps/how-we-monitor-gp-practices>

Note: The CQC GP Evidence Table uses the most recent validated and publicly available data. In some cases at the time of inspection this data may be relatively old. If during the inspection the practice has provided any more recent data, this can be considered by the inspector. However, it should be noted that any data provided by the practice will be unvalidated and is not directly comparable to the published data. This has been taken into account during the inspection process.

Glossary of terms used in the data.

- **COPD:** Chronic Obstructive Pulmonary Disease.
- **UKHSA:** UK Health and Security Agency.
- **QOF:** Quality and Outcomes Framework.
- **STAR-PU:** Specific Therapeutic Group Age-sex weightings Related Prescribing Units. These weighting allow more accurate and meaningful comparisons within a specific therapeutic group by taking into account the types of people who will be receiving that treatment.
- $\%$ = per thousand.