

Care Quality Commission

Inspection Evidence Table

Felton Surgery (1-2764953536)

Inspection date: 2 September 2021

Date of data download: 30 July 2021

Overall rating: Good

Please note: Any Quality Outcomes Framework (QOF) data relates to 2019/20.

Safe

Rating: Good

Safety systems and processes

The practice had clear systems, practices and processes to keep people safe and safeguarded from abuse.

Safeguarding	Y/N/Partial
There was a lead member of staff for safeguarding processes and procedures.	Y
Safeguarding systems, processes and practices were developed, implemented and communicated to staff.	Y
There were policies covering adult and child safeguarding which were accessible to all staff.	Y
Policies and procedures were monitored, reviewed and updated.	Y
Partners and staff were trained to appropriate levels for their role.	Y
There was active and appropriate engagement in local safeguarding processes.	Y
The Out of Hours service was informed of relevant safeguarding information.	Y
There were systems to identify vulnerable patients on record.	Y
Disclosure and Barring Service (DBS) checks were undertaken where required.	Y
Staff who acted as chaperones were trained for their role.	Y
There were regular discussions between the practice and other health and social care professionals such as health visitors, school nurses, community midwives and social workers to support and protect adults and children at risk of significant harm.	Y
The practice leadership team had noted that one GP still required confirmation they had completed their level three safeguarding training. However due to the pandemic this had been delayed, the practice manager was actively pursuing this.	

Recruitment systems	Y/N/Partial
Recruitment checks were carried out in accordance with regulations (including for agency staff and locums).	Y
Staff vaccination was maintained in line with current Public Health England (PHE) guidance if relevant to role.	Y
There were systems to ensure the registration of clinical staff (including nurses and pharmacists) was checked and regularly monitored.	Y

Safety systems and records	Y/N/Partial
There was a record of portable appliance testing or visual inspection by a competent person. Date of last inspection/test: August 2021	Y
There was a record of equipment calibration. Date of last calibration: August 2021	Y
There were risk assessments for any storage of hazardous substances for example, liquid nitrogen, storage of chemicals.	Y
There was a fire procedure.	N
A fire risk assessment had been completed. Date of completion: August 2021	Y
Actions from fire risk assessment were identified and completed.	Y
The practice could not recall when they had their last fire drill and agreed to carry one out at the earliest opportunity. Failure to carry out a fire drill meant they could not evidence their fire procedure was effective.	

Health and safety	Y/N/Partial
Premises/security risk assessment had been carried out. Date of last assessment: August 2021	Y
Health and safety risk assessments had been carried out and appropriate actions taken. Date of last assessment: August 2021	Y
The premises and health and safety assessments indicated the current practice building had several issues including lack of space for patients and staff. Suitable measures had been taken during the pandemic to keep people safe when inside the building. The practice had taken action and an agreement was in place to build a new surgery within the village. We confirmed this with the local Clinical Commissioning Group (CCG). Neither the practice or the CCG were able to provide a timeframe for when the build would take place.	

Infection prevention and control

Appropriate standards of cleanliness and hygiene were met.

	Y/N/Partial
There was an infection risk assessment and policy.	Y
Staff had received effective training on infection prevention and control.	Y
Infection prevention and control audits were carried out. Date of last infection prevention and control audit: 26 august 2021	Y
The practice had acted on any issues identified in infection prevention and control audits.	Y
There was a system to notify Public Health England of suspected notifiable diseases.	Y
The arrangements for managing waste and clinical specimens kept people safe.	Y
The infection control audit had identified areas that required action such as not using older furniture and enhanced cleaning schedules to ensure floor surfaces were kept clean. The practice manager highlighted that ultimately some issues were difficult to resolve due to the age and unsuitability of the current premises.	

Risks to patients

There were some gaps in systems to assess, monitor and manage risks to patient safety.

	Y/N/Partial
There was an effective approach to managing staff absences and busy periods.	Y
There was an effective induction system for temporary staff tailored to their role.	Y
The practice was equipped to respond to medical emergencies (including suspected sepsis) and staff were suitably trained in emergency procedures.	Y
Receptionists were aware of actions to take if they encountered a deteriorating or acutely unwell patient and had been given guidance on identifying such patients.	Y
The practice leadership team told us that staff would often work joint roles, for example administration staff were trained to assist the clinical staff in specific roles. The practice identified they required additional healthcare assistants and were in the process of recruiting in order to increase capacity for NHS healthchecks. They had also recruited an additional part time nurse to help with cervical screening and additional clinics.	
We sent out questionnaires to staff who worked at the practice and asked their opinion as to how the practice safely managed patients. The majority of staff told us they had struggled with the additional workload placed upon them during the pandemic, particularly when it came to covering absences through ill-health, covid isolation and annual leave.	

Information to deliver safe care and treatment

Staff had the information they needed to deliver safe care and treatment.

	Y/N/Partial
Individual care records, including clinical data, were written and managed securely and in line with current guidance and relevant legislation.	Y
There was a system for processing information relating to new patients including the summarising of new patient notes.	Y
There were systems for sharing information with staff and other agencies to enable them to deliver safe care and treatment.	Y
Referrals to specialist services were documented, contained the required information and there was a system to monitor delays in referrals.	Y
There was a documented approach to the management of test results and this was managed in a timely manner.	Y
There was appropriate clinical oversight of test results, including when reviewed by non-clinical staff.	Y

Appropriate and safe use of medicines

The practice had systems for the appropriate and safe use of medicines, including medicines optimisation

Indicator	Practice	CCG average	England average	England comparison
Number of antibacterial prescription items prescribed per Specific Therapeutic group Age-sex Related Prescribing Unit (STAR PU) (01/04/2020 to 31/03/2021) (NHS Business Service Authority - NHSBSA)	0.55	0.82	0.70	No statistical variation
The number of prescription items for co-amoxiclav, cephalosporins and quinolones as a percentage of the total number of prescription items for selected antibacterial drugs (BNF 5.1 sub-set). (01/04/2020 to 31/03/2021) (NHSBSA)	1.7%	8.6%	10.2%	Significant Variation (positive)
Average daily quantity per item for Nitrofurantoin 50 mg tablets and capsules, Nitrofurantoin 100 mg m/r capsules, Pivmecillinam 200 mg tablets and Trimethoprim 200 mg tablets prescribed for uncomplicated urinary tract	4.45	5.11	5.37	No statistical variation

Indicator	Practice	CCG average	England average	England comparison
infection (01/10/2020 to 31/03/2021) (NHSBSA)				
Total items prescribed of Pregabalin or Gabapentin per 1,000 patients (01/10/2020 to 31/03/2021) (NHSBSA)	92.1‰	180.0‰	126.9‰	No statistical variation
(to) (NHSBSA)	-	-		-
(to) (NHSBSA)		-		-

Note: ‰ means *per 1,000* and it is **not** a percentage.

Medicines management	Y/N/Partial
The practice ensured medicines were stored safely and securely with access restricted to authorised staff.	Y
Blank prescriptions were kept securely, and their use monitored in line with national guidance.	Y
Staff had the appropriate authorisations to administer medicines (including Patient Group Directions or Patient Specific Directions).	Y
The practice could demonstrate the prescribing competence of non-medical prescribers, and there was regular review of their prescribing practice supported by clinical supervision or peer review.	Y
There was a process for the safe handling of requests for repeat medicines and evidence of structured medicines reviews for patients on repeat medicines.	Y
The practice had a process and clear audit trail for the management of information about changes to a patient's medicines including changes made by other services.	Y
There was a process for monitoring patients' health in relation to the use of medicines including high risk medicines (for example, warfarin, methotrexate and lithium) with appropriate monitoring and clinical review prior to prescribing.	Y
The practice monitored the prescribing of controlled drugs. (For example, investigation of unusual prescribing, quantities, dose, formulations and strength).	Y
There were arrangements for raising concerns around controlled drugs with the NHS England Area Team Controlled Drugs Accountable Officer.	Y
If the practice had controlled drugs on the premises there were appropriate systems and written procedures for the safe ordering, receipt, storage, administration, balance checks and disposal of these medicines, which were in line with national guidance.	Y
The practice had taken steps to ensure appropriate antimicrobial use to optimise patient outcomes and reduce the risk of adverse events and antimicrobial resistance.	Y
For remote or online prescribing there were effective protocols for verifying patient identity.	Y
The practice held appropriate emergency medicines, risk assessments were in place to determine the range of medicines held, and a system was in place to monitor stock levels and expiry dates.	Y
There was medical oxygen and a defibrillator on site and systems to ensure these were regularly checked and fit for use.	Y

Medicines management	Y/N/Partial
Vaccines were appropriately stored, monitored and transported in line with PHE guidance to ensure they remained safe and effective.	Y

Dispensary services (where the practice provided a dispensary service)	Y/N/Partial
There was a GP responsible for providing effective leadership for the dispensary.	Y
The practice had clear Standard Operating Procedures which covered all aspects of the dispensing process, were regularly reviewed, and a system to monitor staff compliance.	Y
Dispensary staff who worked unsupervised had received appropriate training and regular checks of their competency.	Y
Where the Electronic Prescription Service is not used for dispensary prescriptions, prescriptions were signed before medicines were dispensed and handed out to patients. There was a risk assessment or surgery policy for exceptions such as acute prescriptions.	Y
Medicines stock was appropriately managed and disposed of, and staff kept appropriate records.	Y
Medicines that required refrigeration were appropriately stored, monitored and transported in line with the manufacturer's recommendations to ensure they remained safe and effective.	Y
If the dispensary provided medicines in Monitored Dosage Systems, there were systems to ensure staff were aware of medicines that were not suitable for inclusion in such packs, and appropriate information was supplied to patients about their medicines.	Y
If the practice offered a delivery service, this had been risk assessed for safety, security, confidentiality and traceability.	NA
Dispensing incidents and near misses were recorded and reviewed regularly to identify themes and reduce the chance of reoccurrence.	Y
Information was provided to patients in accessible formats for example, large print labels, braille, information in a variety of languages etc.	Y
There was the facility for dispensers to speak confidentially to patients and protocols described the process for referral to clinicians.	Y

Track record on safety and lessons learned and improvements made

The practice learned and made improvements when things went wrong.

Significant events	Y/N/Partial
The practice monitored and reviewed safety using information from a variety of sources.	Y
Staff knew how to identify and report concerns, safety incidents and near misses.	Y
There was a system for recording and acting on significant events.	Y
Staff understood how to raise concerns and report incidents both internally and externally.	Y
There was evidence of learning and dissemination of information.	Y
Number of events recorded in last 12 months:	17
Number of events that required action:	17
The practice held meetings to discuss significant events in order to help ensure they were not repeated.	

Example(s) of significant events recorded and actions by the practice.

Event	Specific action taken
Data input error	Identified some complications around two systems, new processes introduced
Minor dispensing error	Identified staff needed support to ensure they took additional care when preparing medicines.

Safety alerts	Y/N/Partial
There was a system for recording and acting on safety alerts.	Y
Staff understood how to deal with alerts.	Y
Explanation of any answers and additional evidence: We saw examples of actions taken on recent alerts for example, regarding sodium valproate.	

Effective

Rating: Good

Effective needs assessment, care and treatment

Patients' needs were/were not assessed, and care and treatment was/ was not delivered in line with current legislation, standards and evidence-based guidance supported by clear pathways and tools.

	Y/N/Partial
The practice had systems and processes to keep clinicians up to date with current evidence-based practice.	Y
Patients' immediate and ongoing needs were fully assessed. This included their clinical needs and their mental and physical wellbeing.	Y
Patients presenting with symptoms which could indicate serious illness were followed up in a timely and appropriate way.	Y
We saw no evidence of discrimination when staff made care and treatment decisions.	Y
Patients' treatment was regularly reviewed and updated.	Y
There were appropriate referral pathways to make sure that patients' needs were addressed.	Y
Patients were told when they needed to seek further help and what to do if their condition deteriorated.	Y

Older people

Population group rating: Good

Findings

- The practice used a clinical tool to identify older patients who were living with moderate or severe frailty. Those identified received a full assessment of their physical, mental and social needs.
- The practice followed up on older patients discharged from hospital. It ensured that their care plans and prescriptions were updated to reflect any extra or changed needs.
- The practice carried out structured annual medicines reviews for older patients.
- Staff had appropriate knowledge of treating older people including their psychological, mental and communication needs.
- Health checks, including frailty assessments, were offered to patients over 75 years of age.
- Flu, shingles and pneumonia vaccinations were offered to relevant patients in this age group.
- The practice had identified patients that required immune compromised version of the shingles vaccination.

Findings

- Patients with long-term conditions were offered an annual review to check their health and medicines needs were being met. The practice were further developing a more structured approach. For patients with the most complex needs, the GP worked with other health and care professionals to deliver a coordinated package of care.
- Staff who were responsible for reviews of patients with long-term conditions had received specific training.
- GPs followed up patients who had received treatment in hospital or through out of hours services for an acute exacerbation of asthma.
- The practice shared clear and accurate information with relevant professionals when deciding care delivery for patients with long-term conditions.
- The practice could demonstrate how they identified patients with commonly undiagnosed conditions, for example diabetes, chronic obstructive pulmonary disease (COPD), atrial fibrillation and hypertension.
- Adults with newly diagnosed cardio-vascular disease were offered statins.
- Patients with suspected hypertension were offered ambulatory blood pressure monitoring.
- Patients with atrial fibrillation were assessed for stroke risk and treated appropriately.
- Patients with COPD were offered rescue packs.
- Patients with asthma were offered an asthma management plan.

Long-term conditions	Practice	CCG average	England average	England comparison
The percentage of patients with asthma, on the register, who have had an asthma review in the preceding 12 months that includes an assessment of asthma control using the 3 RCP questions. (01/04/2019 to 31/03/2020) <small>(QOF)</small>	85.0%	74.5%	76.6%	No statistical variation
PCA* rate (number of PCAs).	2.0% (2)	10.1%	12.3%	N/A
The percentage of patients with COPD who have had a review, undertaken by a healthcare professional, including an assessment of breathlessness using the Medical Research Council dyspnoea scale in the preceding 12 months (01/04/2019 to 31/03/2020) <small>(QOF)</small>	91.2%	88.7%	89.4%	No statistical variation
PCA rate (number of PCAs).	24.4% (11)	11.3%	12.7%	N/A

*PCA: Personalised Care Adjustments allow practices to remove a patient from the indicator for limited, specified reasons.

Long-term conditions	Practice	CCG average	England average	England comparison
----------------------	----------	-------------	-----------------	--------------------

The percentage of patients aged 79 years or under with coronary heart disease in whom the last blood pressure reading (measured in the preceding 12 months) is 140/90 mmHg or less (01/04/2019 to 31/03/2020) <small>(QOF)</small>	82.0%	83.4%	82.0%	No statistical variation
PCA* rate (number of PCAs).	9.1% (5)	4.5%	5.2%	N/A
The percentage of patients with diabetes, on the register, without moderate or severe frailty in whom the last IFCC-HbA1c is 58 mmol/mol or less in the preceding 12 months (01/04/2019 to 31/03/2020) <small>(QOF)</small>	74.7%	69.3%	66.9%	No statistical variation
PCA rate (number of PCAs).	22.7% (22)	21.0%	15.3%	N/A
The percentage of patients aged 79 years or under with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 140/90 mmHg or less (01/04/2019 to 31/03/2020) <small>(QOF)</small>	68.7%	75.2%	72.4%	No statistical variation
PCA rate (number of PCAs).	12.0% (33)	7.0%	7.1%	N/A
In those patients with atrial fibrillation with a record of a CHA2DS2-VASc score of 2 or more, the percentage of patients who are currently treated with anti-coagulation drug therapy (01/04/2019 to 31/03/2020) <small>(QOF)</small>	94.3%	90.7%	91.8%	No statistical variation
PCA rate (number of PCAs).	0.0% (0)	6.2%	4.9%	N/A
The percentage of patients with diabetes, on the register, without moderate or severe frailty in whom the last blood pressure reading (measured in the preceding 12 months) is 140/80 mmHg or less (01/04/2019 to 31/03/2020) <small>(QOF)</small>	77.3%	76.2%	75.9%	No statistical variation
PCA rate (number of PCAs).	22.7% (22)	10.9%	10.4%	N/A

*PCA: Personalised Care Adjustments allow practices to remove a patient from the indicator for limited, specified reasons.

Findings

- The practice had met the minimum 90% for five of five childhood immunisation uptake indicators. The practice had met the WHO based national target of 95% (the recommended standard for achieving herd immunity) for five of five childhood immunisation uptake indicators. Please note these figures are unverified and were presented to us by the practice on the day of our inspection.
- The practice contacted the parents or guardians of children due to have childhood immunisations.
- The practice had arrangements for following up failed attendance of children's appointments following an appointment in secondary care or for immunisation and would liaise with health visitors when necessary.
- The practice had arrangements to identify and review the treatment of newly pregnant women on long-term medicines. These patients were provided with advice and post-natal support in accordance with best practice guidance.
- Young people could access services for sexual health and contraception.
- Staff had the appropriate skills and training to carry out reviews for this population group.

Child Immunisation	Numerator	Denominator	Practice %	Comparison to WHO target of 95%
The percentage of children aged 1 who have completed a primary course of immunisation for Diphtheria, Tetanus, Polio, Pertussis, Haemophilus influenza type b (Hib), Hepatitis B (Hep B) ((i.e. three doses of DTaP/IPV/Hib/HepB) (01/04/2019 to 31/03/2020) (NHS England)	12	13	92.3%	Met 90% minimum
The percentage of children aged 2 who have received their booster immunisation for Pneumococcal infection (i.e. received Pneumococcal booster) (PCV booster) (01/04/2019 to 31/03/2020) (NHS England)	11	16	68.8%	Below 80% uptake
The percentage of children aged 2 who have received their immunisation for Haemophilus influenza type b (Hib) and Meningitis C (MenC) (i.e. received Hib/MenC booster) (01/04/2019 to 31/03/2020) (NHS England)	11	16	68.8%	Below 80% uptake
The percentage of children aged 2 who have received immunisation for measles, mumps and rubella (one dose of MMR) (01/04/2019 to 31/03/2020) (NHS England)	11	16	68.8%	Below 80% uptake
The percentage of children aged 5 who have received immunisation for measles, mumps and rubella (two doses of MMR) (01/04/2019 to 31/03/2020) (NHS England)	10	11	90.9%	Met 90% minimum

Note: Please refer to the CQC guidance on Childhood Immunisation data for more information: <https://www.cqc.org.uk/guidance-providers/gps/how-we-monitor-gp-practices>

Any additional evidence or comments

The practice leadership team presented unverified figures to indicate 100 percent compliance with childhood immunisations.

Working age people (including those recently retired and students)

Population group rating: Good

Findings

- The practice had systems to inform eligible patients to have the meningitis vaccine, for example before attending university for the first time.
- Patients had access to appropriate health assessments and checks including NHS checks for patients aged 40 to 74. There was appropriate and timely follow-up on the outcome of health assessments and checks where abnormalities or risk factors were identified.
- Patients could book or cancel appointments online and order repeat medicines without the need to attend the surgery.

Cancer Indicators	Practice	CCG average	England average	England comparison
The percentage of women eligible for cervical cancer screening at a given point in time who were screened adequately within a specified period (within 3.5 years for women aged 25 to 49, and within 5.5 years for women aged 50 to 64). (Snapshot date: 31/03/2021) (Public Health England)	75.5%	N/A	80% Target	Below 80% target
Females, 50-70, screened for breast cancer in last 36 months (3 year coverage, %) (01/04/2019 to 31/03/2020) (PHE)	79.7%	73.0%	70.1%	N/A
Persons, 60-74, screened for bowel cancer in last 30 months (2.5 year coverage, %) (01/04/2019 to 31/03/2020) (PHE)	74.1%	69.8%	63.8%	N/A
The percentage of patients with cancer, diagnosed within the preceding 15 months, who have a patient review recorded as occurring within 6 months of the date of diagnosis (01/04/2019 to 31/03/2020) (QoF)	100.0%	93.5%	92.7%	N/A
Number of new cancer cases treated (Detection rate: % of which resulted from a two week wait (TWW) referral) (01/04/2019 to 31/03/2020) (PHE)	61.5%	53.6%	54.2%	No statistical variation

Any additional evidence or comments

Due to the pandemic the practice had not achieved over 80 percent compliance with cervical screening. However they had recovery plans in place including recruiting to and developing their nursing team. In addition they were actively pursuing patients to remind them their cervical screening was due.

People whose circumstances make them vulnerable

Population group rating: Good

Findings

- Same day appointments and longer appointments were offered when required.
- All patients with a learning disability were offered an annual health check.
- End of life care was delivered in a coordinated way which took into account the needs of those whose circumstances may make them vulnerable.
- The practice had a system for vaccinating patients with an underlying medical condition according to the recommended schedule.
- The practice demonstrated that they had a system to identify people who misused substances.

People experiencing poor mental health (including people with dementia)

Population group rating: Good

Findings

- The practice assessed and monitored the physical health of people with mental illness, severe mental illness, and personality disorder by providing access to health checks, interventions for physical activity, obesity, diabetes, heart disease, cancer and access to 'stop smoking' services.
- Same day and longer appointments were offered when required.
- There was a system for following up patients who failed to attend for administration of long-term medicines.
- When patients were assessed to be at risk of suicide or self-harm the practice had arrangements in place to help them to remain safe.
- Patients at risk of dementia were identified and offered an assessment to detect possible signs of dementia. When dementia was suspected there was an appropriate referral for diagnosis.
- All staff had received dementia training in the last 12 months.
- Patients with poor mental health, including dementia, were referred to appropriate services.
- A mental health nurse has been employed by the local primary care network providing support to patients.

Mental Health Indicators	Practice	CCG average	England average	England comparison
The percentage of patients with schizophrenia, bipolar affective disorder and other psychoses who have a comprehensive, agreed care plan documented in the record, in the preceding 12 months (01/04/2019 to 31/03/2020) <small>(QOF)</small>	100.0%	81.9%	85.4%	No statistical variation
PCA* rate (number of PCAs).	50.0% (1)	17.3%	16.6%	N/A
The percentage of patients diagnosed with dementia whose care plan has been reviewed in a face-to-face review in the preceding 12 months (01/04/2019 to 31/03/2020) <small>(QOF)</small>	87.5%	82.6%	81.4%	No statistical variation
PCA rate (number of PCAs).	27.3% (3)	9.2%	8.0%	N/A

*PCA: Personalised Care Adjustments allow practices to remove a patient from the indicator for limited, specified reasons.

Monitoring care and treatment

The practice had a comprehensive programme of quality improvement activity and routinely reviewed the effectiveness and appropriateness of the care provided/There was limited monitoring of the outcomes of care and treatment.

Indicator	Practice	England average
Overall QOF score (out of maximum 559)	544.6	533.9
Overall QOF score (as a percentage of maximum)	97.4%	95.5%
Overall QOF PCA reporting (all domains)	5.7%	5.9%

	Y/N/Partial
Clinicians took part in national and local quality improvement initiatives.	Y
The practice had a programme of targeted quality improvement and used information about care and treatment to make improvements.	Y
The practice regularly reviewed unplanned admissions and readmissions and took appropriate action.	Y

Examples of improvements demonstrated because of clinical audits or other improvement activity in past two years

The practice identified they had improved the way GPs mail was processed via their audit system. In terms of clinical audit they were ensuring that medicine safety alerts were being actioned and embedded

in practice. In addition the practice had improved their lithium monitoring and demonstrated good practice by working closely with local nursing teams to ensure this was done safely.

Effective staffing

The practice were not always able to demonstrate that staff had the skills, knowledge and experience to carry out their roles.

	Y/N/Partial
Staff had the skills, knowledge and experience to deliver effective care, support and treatment.	Y
The practice had a programme of learning and development.	Y
Staff had protected time for learning and development.	Y
There was an induction programme for new staff.	Y
Staff had access to regular appraisals, one to ones, coaching and mentoring, clinical supervision and revalidation. They were supported to meet the requirements of professional revalidation.	N
The practice could demonstrate how they assured the competence of staff employed in advanced clinical practice, for example, nurses, paramedics, pharmacists and physician associates.	Y
There was a clear and appropriate approach for supporting and managing staff when their performance was poor or variable.	Y
The provider told us that time was given for staff learning and development on request. However feedback from staff indicated the majority of staff found this difficult as they prioritised clinical work and other patient related tasks. The practice manager informed us they were behind on their appraisal schedule. Upon further discussion the practice management team agreed further support and direction was required to ensure staff felt able to take time to complete their learning and development. There were also plans in place to bring appraisals up to date which would give the practice manager additional information around the needs of their staff.	

Coordinating care and treatment

Staff worked/ did not work together and with other organisations to deliver effective care and treatment.

Indicator	Y/N/Partial
Care was delivered and reviewed in a coordinated way when different teams, services or organisations were involved.	Y
Patients received consistent, coordinated, person-centred care when they moved between services.	Y

Helping patients to live healthier lives

Staff were / were not consistent and proactive in helping patients to live healthier lives.

	Y/N/Partial
The practice identified patients who may need extra support and directed them to relevant services. This included patients in the last 12 months of their lives, patients at risk of developing a long-term condition and carers.	Y
Staff encouraged and supported patients to be involved in monitoring and managing their own health.	Y
Patients had access to appropriate health assessments and checks.	Y
Staff discussed changes to care or treatment with patients and their carers as necessary.	Y
The practice supported national priorities and initiatives to improve the population's health, for example, stop smoking campaigns and tackling obesity.	Y

Consent to care and treatment

The practice always obtained / was unable to demonstrate that it always obtained consent to care and treatment in line with legislation and guidance.

	Y/N/Partial
Clinicians understood the requirements of legislation and guidance when considering consent and decision making. We saw that consent was documented.	Y
Clinicians supported patients to make decisions. Where appropriate, they assessed and recorded a patient's mental capacity to make a decision.	Y
Do Not Attempt Cardio Pulmonary Resuscitation (DNACPR) decisions were made in line with relevant legislation and were appropriate.	Y

Well-led Improvement

Rating: Requires

Leadership capacity and capability

There was not always compassionate, inclusive and effective leadership at all levels.

	Y/N/Partial
Leaders demonstrated that they understood the challenges to quality and sustainability.	Y
They had identified the actions necessary to address these challenges.	Y
Staff reported that leaders were visible and approachable.	Partial
There was a leadership development programme, including a succession plan.	Y
Not all staff felt that the leaders within the practice were approachable. The provider following feedback as part of the inspection acknowledged they could improve in this area and put immediate plans in place to do so. This included a staff meeting which had previously proved difficult due to the conditions imposed by the pandemic.	

Vision and strategy

The practice had a clear vision and credible strategy to provide high quality sustainable care.

	Y/N/Partial
The practice had a clear vision and set of values that prioritised quality and sustainability.	Y
There was a realistic strategy to achieve their priorities.	Y
The vision, values and strategy were developed in collaboration with staff, patients and external partners.	Y
Staff knew and understood the vision, values and strategy and their role in achieving them.	Y
Progress against delivery of the strategy was monitored.	Y
Staff were aware of the plans to build a new surgery and understood how this would effect them.	

Culture

The practice culture did not always effectively support high quality sustainable care.

	Y/N/Partial
There were arrangements to deal with any behaviour inconsistent with the vision and values.	Y
Staff reported that they felt able to raise concerns without fear of retribution.	Partial
There was a strong emphasis on the safety and well-being of staff.	Y
There were systems to ensure compliance with the requirements of the duty of candour.	Y
When people were affected by things that went wrong, they were given an apology and informed of any resulting action.	Y
The practice encouraged candour, openness and honesty.	N
The practice's speaking up policies were in line with the NHS Improvement Raising Concerns (Whistleblowing) Policy.	Y
The practice had access to a Freedom to Speak Up Guardian.	Y
Staff had undertaken equality and diversity training.	Y
Some staff told us they felt unable to raise issues with the leaders of the practice and were concerned they would be identified and get into trouble if they gave the practice negative feedback. The majority of staff indicated they did not always feel listened to when they did raise issues. The practice leaders were disappointed when informed of this as they had not recognised this as a problem. They planned to speak with all of the staff in a staff meeting and ensure appraisals were brought up to date. This would give the staff the opportunity to speak in a group or individually. We will continue to monitor this.	

Governance arrangements

There were clear responsibilities, roles and systems of accountability to support good governance and management.

	Y/N/Partial
There were governance structures and systems which were regularly reviewed.	Y
Staff were clear about their roles and responsibilities.	Y
There were appropriate governance arrangements with third parties.	Y

Managing risks, issues and performance

There were not always clear and effective processes for managing risks, issues and performance.

	Y/N/Partial
There were comprehensive assurance systems which were regularly reviewed and improved.	Partial
There were processes to manage performance.	Partial
There was a quality improvement programme in place.	Y
There were effective arrangements for identifying, managing and mitigating risks.	Y
A major incident plan was in place.	Y
Staff were trained in preparation for major incidents.	Y
When considering service developments or changes, the impact on quality and sustainability was assessed.	Y
In terms of clinical areas there were no issues with the assurance systems the practice leadership team had in place. However, systems had failed to identify how the staff were struggling and how the lack of appraisal and effective staff meetings had impacted on their performance and well-being. No additional measures had been put in place, for example staff surveys.	

The practice had systems in place to continue to deliver services, respond to risk and meet patients' needs during the pandemic

	Y/N/Partial
The practice had adapted how it offered appointments to meet the needs of patients during the pandemic.	Y
The needs of vulnerable people (including those who might be digitally excluded) had been considered in relation to access.	Y
There were systems in place to identify and manage patients who needed a face-to-face appointment.	Y
The practice actively monitored the quality of access and made improvements in response to findings.	Y
There were recovery plans in place to manage backlogs of activity and delays to treatment.	Y
Changes had been made to infection control arrangements to protect staff and patients using the service.	Y
Staff were supported to work remotely where applicable.	Y

Appropriate and accurate information

There was a demonstrated commitment to using data and information proactively to drive and support decision making.

	Y/N/Partial
Staff used data to monitor and improve performance.	Y
Performance information was used to hold staff and management to account.	Partial
There were effective arrangements for identifying, managing and mitigating risks.	Y
Staff whose responsibilities included making statutory notifications understood what this entails.	Y
The practice leadership team were committed to using data to drive decision making. However, in terms of performance information on individual staff members appraisals were not up to date, though plans were in place prior to our inspection to rectify this.	

Governance and oversight of remote services

	Y/N/Partial
The practice used digital services securely and effectively and conformed to relevant digital and information security standards.	Y
The provider was registered as a data controller with the Information Commissioner's Office.	Y
Patient records were held in line with guidance and requirements.	Y
Patients were informed and consent obtained if interactions were recorded.	Y
The practice ensured patients were informed how their records were stored and managed.	Y
Patients were made aware of the information sharing protocol before online services were delivered.	Y
The practice had arrangements to make staff and patients aware of privacy settings on video and voice call services.	Y
Online consultations took place in appropriate environments to ensure confidentiality.	Y
The practice advised patients on how to protect their online information.	Y

Engagement with patients, the public, staff and external partners

The practice involved the public, staff and external partners to sustain high quality and sustainable care.

	Y/N/Partial
Patient views were acted on to improve services and culture.	y
The practice had an active Patient Participation Group.	Y
Staff views were reflected in the planning and delivery of services.	Y
The practice worked with stakeholders to build a shared view of challenges and of the needs of the population.	Y
The practice were undergoing a large scale consultation and engaging with all of its stakeholders on a regular basis.	

Continuous improvement and innovation

There was evidence of systems and processes for learning, continuous improvement and innovation.

	Y/N/Partial
There was a strong focus on continuous learning and improvement.	Y
Learning was shared effectively and used to make improvements.	Y

Notes: CQC GP Insight

GP Insight assesses a practice's data against all the other practices in England. We assess relative performance for the majority of indicators using a "z-score" (this tells us the number of standard deviations from the mean the data point is), giving us a statistical measurement of a practice's performance in relation to the England average. We highlight practices which significantly vary from the England average (in either a positive or negative direction). We consider that z-scores which are higher than +2 or lower than -2 are at significant levels, warranting further enquiry. Using this technique we can be 95% confident that the practice's performance is genuinely different from the average. It is important to note that a number of factors can affect the Z score for a practice, for example a small denominator or the distribution of the data. This means that there will be cases where a practice's data looks quite different to the average, but still shows as no statistical variation, as we do not have enough confidence that the difference is genuine. There may also be cases where a practice's data looks similar across two indicators, but they are in different variation bands.

The percentage of practices which show variation depends on the distribution of the data for each indicator, but is typically around 10-15% of practices. The practices which are not showing significant statistical variation are labelled as no statistical variation to other practices.

N.B. Not all indicators in the evidence table are part of the GP insight set and those that aren't will not have a variation band.

The following language is used for showing variation:

Variation Bands	Z-score threshold
Significant variation (positive)	≤ -3
Variation (positive)	> -3 and ≤ -2
Tending towards variation (positive)	> -2 and ≤ -1.5
No statistical variation	< 1.5 and > -1.5
Tending towards variation (negative)	≥ 1.5 and < 2
Variation (negative)	≥ 2 and < 3
Significant variation (negative)	≥ 3

Note: for the following indicators the variation bands are different:

- Child Immunisation indicators. These are scored against the World Health Organisation target of 95% rather than the England average. Note that practices that have "Met 90% minimum" have not met the WHO target of 95%.
- The percentage of respondents to the GP patient survey who responded positively to how easy it was to get through to someone at their GP practice on the phone uses a rules based approach for scoring, due to the distribution of the data. This indicator does not have a CCG average.

- The percentage of women eligible for cervical cancer screening at a given point in time who were screened adequately within a specified period (within 3.5 years for women aged 25 to 49, and within 5.5 years for women aged 50 to 64). This indicator does not have a CCG average and is scored against the national target of 80%.

It is important to note that z-scores are not a judgement in themselves, but will prompt further enquiry, as part of our ongoing monitoring of GP practices.

Guidance and Frequently Asked Questions on GP Insight can be found on the following link: <https://www.cqc.org.uk/guidance-providers/gps/how-we-monitor-gp-practices>

Note: The CQC GP Evidence Table uses the most recent validated and publicly available data. In some cases at the time of inspection this data may be relatively old. If during the inspection the practice has provided any more recent data, this can be considered by the inspector. However, it should be noted that any data provided by the practice will be unvalidated and is not directly comparable to the published data. This has been taken into account during the inspection process.

Glossary of terms used in the data.

- **COPD:** Chronic Obstructive Pulmonary Disease.
- **PHE:** Public Health England.
- **QOF:** Quality and Outcomes Framework.
- **STAR-PU:** Specific Therapeutic Group Age-sex weightings Related Prescribing Units. These weighting allow more accurate and meaningful comparisons within a specific therapeutic group by taking into account the types of people who will be receiving that treatment.
- ***PCA:** Personalised Care Adjustment. This replaces the QOF Exceptions previously used in the Evidence Table (see [GMS QOF Framework](#)). Personalised Care Adjustments allow practices to remove a patient from the indicator for limited, specified reasons.
-
- ‰ = per thousand.