

Appendix 2: Risk assessment template Much 29TH 2021

As a facility provider, you should complete your own COVID-19 Risk Assessment and publish this to your users.

and hygiene etc. Remember that you must review your other Health and Safety, and Safeguarding, risk assessments for other hazards such as fire, first aid how this will apply to each aspect of your operation and identify the controls you require to meet Government guidance regarding health, social distancing We have provided an example risk assessment below, which is for illustrative purposes only, and includes some examples of things to consider. Consider

see guidance? Have you assessed control measures for preventing spectators (with limited exceptions – under COVID restrictions? activities accordingly? Have you ensured safeguarding procedures are being followed, even Have you reviewed supervision ratios and adapt group sizes for supervised children's practice and matches? Have you review playing guidance and make suitable adaptation to your approach to distancing and legal gathering size limits? Have you determined the safe capacity of your net practice facilities accounting for social ratios where applicable? households), accounting for social distancing, legal gathering size limits and supervision cricket activity and off-field activities (subject to the Rule of 6 or as a group made up of two Have you determined the safe capacity of your field of play and grounds for both organised Facility users, staff, volunteers, visitors and the wider community Transmission of COVID-19 ORGANISED PRACTICES COACHES TO PLAYER (NETS SPLAYERS IX COACH I LANG) Sx GLOUPS (SPLAYERS IX COACH) Action Taken by the Club SXPLAYERS SX GLOUPS ALL WITH SAWTIGHT AND DROP OFF ONLY FIRST AID GROUP 1 × BAT 1 × PADDING OP

-		Hyg	ı	Soc												
Materials, PPE and training that you have provided to your staff for effective cleaning.	Develop an appropriate cleaning plan	Vgiene and Cleaning	Have you ensured your social and hospitality areas will remain closed?	Social and Hospitality Areas	Consider your wet weather plans and describe what actions you will take to maintain social distancing in wet weather.	Assess the arrangement of seating areas to maintain social distancing and minimise the risk of transmission.	Assess the maximum occupancy of your rooms in order to ensure Social Distancing can be maintained, and establish a suitable circulation system / one-way system. Use signage and floor markings to communicate this.	Assess ventilation in your building (natural and mechanical) and take appropriate measures to maximise ventilation and minimise risk of transmission.	Buildings	Staff and volunteer training to support the implementation of the plan, with suitable training records.	Signage and communication so that all participants and visitors (including spectators) are aware of the control measures in place and how to act appropriately to minimise the risk of transmission of COVID-19.	-	An assessment of user numbers, space capacities, venue circulation and layout planning to maintain social distancing.		Bull	
SANATISE AND FIRST AID KIT EACH STOTION	YES DEEP CLEAN AND SAN ITISE		Yes		TRAINING CANLELLED	NO BUILDING TO BE' USED	No BUILDING TO BE USED	No BUILDING TO BE USED		IN PLACE		DESIGNATED AVEN	IN PLACE	TRACK AND TRACE IN PLACE WITH APP	NOT TO THEN UP AT ALL	ALL IN PLACE

harmed?	hazards? Who might be	available during all activity. What are the Pitches of	What steps have you taken to improve you under COVID? Under COVID? The property of AFD then check that it is in working order, service is up to date and that it is	Aid Check that your first aid kits are stocked and accessible during all activity. Check that your first aid kits are stocked and accessible during all activity.	Controls required	Who might be	What are the	Check that y	Check that Gas safety,	Consider th	Controls required	Who might be harmed?	What are the hazards?	Provision of suital	
	Players, o	g all activity. Pitches or	ve you taken	ur first aid kits				Check that your ground is ready and safe to play. Look at what work is required and how	Check that routine maintenance has not been missed and certification is up to date (e.g. Gas safety, Electrical Safety and Portable Appliance Testing, Fire Safety, Lifts and Heating – Ventilation and Air Conditioning).	Consider the risk of Legionnaire's disease and carry out necessary work to make your water supply safe for users. Refer to the specific guidance in the document above.	quired		6	Provision of nand washing facilities with warm water, soap, disposable towels and bin. Provision of suitable hand sanitiser in locations around the facility to maintain frequent hand sanitisation.	
	Players, officials, ground staff	Il activity. Pitches or outfield are unsafe to play on	ck that it is i	s are stocked		First aiders, facility users, staff, volunteers and visitors	Vital first aid equipment is not available when needed. First aiders do not have adequate FIED WITH AND FIRST AICENSON SITE	ready and saf	nance has no y and Portablioning).	nnaire's diseas er to the spec		Facility users, staff, volunteers and visitors	Other venue hazards to be considered after temporary closure such as Legionnaire's Disease, fire, electrical safety etc. ALLIN FLACE	g facilities with	
	nd staff	unsafe to F	n working o	and accessi		ers, staff, vo	ept is not ava	e to play. Lo	t been missec e Appliance T	se and carry o ific guidance i		olunteers and	to be considered	cations aroun	
	1	olay on	rder, service	ble during a ers' underst		Junteers and	ilable when	ok at what w	d and certifica Testing, Fire S	ut necessary in the docum		visitors	red after tem	soap, disposa d the facility t	
25	PLAYERS COACITE		e is up to da	Il activity. anding of fir		visitors	needed. Firs	ork is require	ation is up to afety, Lifts ar	work to make ent above.		CACHES AND PERYGES	porary closure	ble towels and o maintain fre	
	COACI	THEN	te and that i	st aid provis			t aiders do no	d and how	date (e.g.	your water		RAYAS	such as Legio		
	75	THEN CANCEL AC			ACTION	Action 1	ot have aded	MOID W	IN FLAC	IN PLACE	Action Taker		onnaire's Disease, fire, electrical safety etc.	GATE ON ENTRY AT NETS	
		EL AC	STORY MI	GLOVES, MA	Action Taxen by the	Taken by the	ludie FFE to	SCIEDING NO.	S / HKOUG	10.1	Action Taken by the club		ise, fire, electr	TRY AT W	
		コルチュ		GLOVES, MASKS, SANTISAL WIPES		Club	Can't do	out first	IN FLACE / MKONGH COMME	The control of		ı	ical safety etc.	ERS AND	
			N. E.	नाडक्प प				aid when r						AND EACH SIMION	

