

## **Risk Assessment Template**

As a facility provider, you should complete your own COVID-19 Risk Assessment and publish this to your users.

If you are not the facility provider, then you should consider which sections will apply to your clubs individual situation upon returning to play and complete a risk assessment based on your activity, including (but not limited to) people management and communication, hygiene and first aid. You may still wish to record that you have assessed facility risks through enquiries made with your facility provider.

We have provided an example risk assessment below, which is for illustrative purposes only, and includes some examples of things to consider. Consider how this will apply to each aspect of your operation and identify the controls you require to meet Government guidance regarding health, social distancing and hygiene etc. Remember that you must review your other Health and Safety, and Safeguarding, risk assessments for other hazards such as fire, first aid etc.

	ght be			
			d the wider community Action Taken by the Club	
		t and Communication		
to e	ensure indivi	f individuals before they arrive at the venue duals displaying COVID-19 symptoms or Id be shielding do not travel or attend.	Details published on our social media channels and website.	
		of user numbers, space capacities, venue layout planning to maintain social distancing.	Assessment took place on 06/07/2020 and appropriate signage has been displayed for limited indoor capacity.	
	A plan for where parents and players will sit whilst watching cricket activities.		Seating areas allocated for Home & Away teams as well as Scorers Tables and a small area for spectators.	
visit to a	tors are awa	nmunication so that all participants and re of the control measures in place and how Itely to minimise the risk of transmission of	Posters have been put in place for players and spectators, all details to be communicated to visiting teams and officials.	
		eer training to support the implementation n suitable training records.	A log of all training is kept in the blue folder in the pavilion. Full training session for committee held on 07/07/2020.	

Bui	Buildings			
	Assess ventilation in your building (natural and mechanical) and take appropriate measures to maximise ventilation and minimise risk of transmission.	Double doors to pavilion to remain open at all times. Main pavilion windows can also be opened.		
	Assess the maximum occupancy of your rooms at 2m social distancing (or 1m with risk mitigation where 2m is not possible) and establish a suitable circulation system/one-way system. Use signage and floor markings to communicate this.	Toilets to be one in one out. Only 1 cubicle open in Ladies and urinals to remain closed in Gents with only cubicle open. Main pavilion capacity is only 8 people at 1 time. Only 1 person to be serving in the Bar. Floor markings and signage put in place.		
	Assess the arrangement of seating areas to maintain social distancing and minimise the risk of transmission.	No indoor seating. Outdoor seating spaced at 2m intervals as per guidelines.		
	Consider your wet weather plans and describe what actions you will take to maintain social distancing in wet weather.	In wet weather all players and spectators to return to vehicles. Only 1 Bar/Club Official to remain in clubhouse.		

ocial and Hospitality Areas Plan to solicit and maintain records of your member		Registration stations in place with sanitizer stations.
	attendance, customers and visitors - to be maintained for 21	
	days and then destroyed.	
	Identification of suitable areas for outdoor service that don't overlap with cricket activity.	If required outdoor area of pavilion can be used.
	Steps taken to minimise time and the number of people at the bar.	One way queuing system in place with social distancing signage on floor.
	Steps taken to minimise contact points at payment or around the hospitality space.	iZettle card payments accepted at Bar.
	Suitable PPE provision and training for staff and volunteers.	Gloves, facemasks and sanitizer provided, as well as wipes for the till.
	Strategy for the safe serving, clearing and cleaning of glassware and tableware.	One person to clear glasses, dishwasher used to clean glasses on hot was 'prog 4 or higher'
	Deep cleaning strategy to minimise COVID-19 transmission risk	Clubhouse deep cleaned 06/07/2020
	Daily cleaning strategy to minimise COVID-19 transmission risk.	Sprays, Wipes and Paper towels purchased and full final through clean to take place after game/event.
	High-frequency touchpoint cleaning strategy to minimise COVID-19 transmission risk and how you will keep records.	Hourly cleaning of High Touch Areas during game/event using Wipes (Disposable).Areas to be cleaned – Toilets, Bar Area, Sanitising Stations, Door Handles. All ticked, signed and initialed in blue Covid folder held in pavilion.

Hygiene and Cleaning	
Materials, PPE and training that you have provided to your staff for effective cleaning.	Facemasks, Disposable Gloves, Anti-Bacterial Wipes, Anti-Bacterial Spray and Paper Towels.
Provision of hand washing facilities with warm water, soap, disposable towels and bin.	In toilets for all.
Provision of suitable hand sanitiser in locations around the facility to maintain frequent hand sanitisation.	Hand Sanitiser in both Toilets, Pavillion Entrance, Kitchen Serving Area, Bar Area, Outside Tables and Sanitising Stations.
Provision of suitable wipes and hand sanitiser on the field for hygiene breaks.	Wipes and Sanitiser in Basket at entrance to pavilion to be taken onto field.
What are the Other venue hazards to be considered after to hazards?	emporary closure such as Legionnaire's Disease, fire, electrical safety etc.
Who might be Facility users, staff, volunteers and visitors harmed?	

Controls ree	quired	Action Taken by the Club
Preparing Your E	Buildings	
necessary v	e risk of Legionnaire's disease and carry out vork to make your water supply safe for users. e specific guidance in the document above.	Water tanks are drained at the end of each season and the showers, taps, toilets flushed through and cleaned. 06/07/2020
certificatior and Portabl	routine maintenance has not been missed and n is up to date (e.g. Gas safety, Electrical Safety le Appliance Testing, Fire Safety, Lifts and Heating n and Air Conditioning).	PAT Testing is Scheduled now pavilion is open.
	your ground is ready and safe to play. Look at is required and how this can be done safely at a nce.	Ground checked by groundsman and club risk assessment carried out.
What are th	Ne Vital first aid equipment is not available whe	en needed. First aiders do not have adequate PPE to carry out first aid when
hazards?	required.	· · ·
	required. be First aiders, facility users, staff, volunteers a	· · ·

Fire	First Aid		
	Check that your first aid kits are stocked and accessible during all activity.	First Aid kits have been check and facemasks added.	
	What steps have you taken to improve your first aiders' understanding of first aid provision under COVID-19?	First Aid Provision explained through training session on 07/07/2020	
	If you have an AED then check that it is in working order, service is up to date and that it is available during all activity.	N/A (Located in Village Phone Box)	
	What are the hazards?Pitches or outfield are unsafe to play on		
	Who might be Players, officials, ground staff harmed?		
	Controls required	Action Taken by the Club	
Pre	eparing your Grounds		

Safety checks on machinery, sightscreens and covers.	Visual Checks Undertaken.
Check and repair of any damage to pitches and outfields.	Pitch and Outfield inspection carried out.
Surfaces checked and watering regime adjusted based on lack of rainfall.	Extra watering has taken place.

	What are the	Some presents with symptoms of Covid 19.	
	hazards?	some presents with symptoms of covid 15.	
		A11 *	
	Who might be All in attendance.		
-	harmed?		
	Controls require	d	Action Taken by the Club
	Are identified fo	r an Isolation area?	Home Changing Room nominated as area, face masks available.