

## SAFETY DATA SHEET (REACH)

In accordance with Regulation (EC) No 2015/830, amendment to Annex II of Regulation (EC) No 1907/2006 (REACH)



DESA-CHEM PFV

Revision 02: eng 30/12/2021  
(sup: 01/02/2018)  
Page 1 to 7

### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier:

**Substance name:** DESA-CHEM PFV (25400320)

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against:

A Chemical anchoring application.

#### 1.3. Details of the Supplier of the safety data sheet:

**GRUPODESA FASTENERS, S.A.U.**

\*Carrer Basters, 29 Pol.Ind Palau del Reig | 43800 Valls

Tarragona | Spain

Tlf: +34 977 60 84 06

[www.grupodesa.es](http://www.grupodesa.es)

#### 1.4. Emergency telephone number:

+34 977 60 84 06 (Opening hours 8:00 to 17:00)

Information Toxicological Service (National Institute of Toxicology) Phone: +34 91 5620420.

In Spanish language (24h/365 days). Healthy emergencies only.

### SECTION 2. HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

**\*Classification according to Regulation (EC) N°1272/2008 (CLP):**

STOT RE 2: H373; Eye Irrit. 2: H319; Repr. 2: H361d; Skin Irrit. 2: H315; Skin Sens. 1: H317

**Most important adverse effects:**

May cause an allergic skin reaction. Causes serious eye irritation. Suspected of damaging the unborn child. May cause damage to organs [ears] through prolonged or repeated exposure [inhalation (vapour)].

#### 2.2. Label elements:

Labelling according to Regulation (EC) n° 1272/2008 (CLP):

**\*Hazard statements:**

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H361d: Suspected of damaging the unborn child.

H373: May cause damage to organs [ears] through prolonged or repeated exposure [inhalation (vapour)].

**Signal words:** Warning

**Hazard pictograms:**

GHS07: Exclamation mark

GHS08: Health hazard



(Continues on the next page)

## SAFETY DATA SHEET (REACH)

In accordance with Regulation (EC) No 2015/830, amendment to Annex II of Regulation (EC) No 1907/2006 (REACH)



DESA-CHEM PFV

Revision 02: eng 30/12/2021  
(sup: 01/02/2018)  
Page 2 to 7

### Precautionary statements:

P202: Do not handle until all safety precautions have been read and understood.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P302+352: IF ON SKIN: Wash with plenty of soap and water.  
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308+313: IF exposed or concerned: Get medical advice/attention.  
P314: Get medical advice/attention if you feel unwell.

### 2.3. Other hazards

This product is not identified as a PBT/vPvB substance

## SECTION 3. COMPOSITION. INFORMATION ON INGREDIENTS

3.1. Substances: Not apply

3.2. Mixtures:

### \*Hazardous ingredients:

STYRENE - REACH registered number(s): 01-2119457861-32

EINECS	CAS	Clasificación (CLP)	%
202-851-5	100-42-5	Flam. Líq. 3: H226; Repr. 2: H361d; Acute Tox. 4: H332; STOT RE 1: H372; Skin Irrit. 2: H315; Eye Irrit. 2: H319	3-10%

DIBENZOYL PEROXIDE- REACH registered number(s): 01-2119511472-50-XXXX

202-327-6	94-36-0	Skin Sens. 1: H317; Org. Perox. B: H241; Eye Irrit. 2: H319	1-3%
-----------	---------	---	------

## SECTION 4. FIRST AID MEASURES

### 4.1. \*Description of first aid measures

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. Consult a doctor.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

**Ingestion:** Wash out mouth with water. Consult a doctor.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

(Continues on the next page)

## SAFETY DATA SHEET (REACH)

In accordance with Regulation (EC) No 2015/830, amendment to Annex II of Regulation (EC) No 1907/2006 (REACH)



DESA-CHEM PFV

Revision 02: eng 30/12/2021  
(sup: 01/02/2018)  
Page 3 to 7

### SECTION 5. Firefighting measures

#### 5.1. **Extinguishing media:**

**Suitable extinguishing media:** Suitable extinguishing media for the surrounding fire should be used.

#### 5.2. **Special hazards arising from the substance or mixture**

**Exposure hazards:** In combustion emits toxic fumes.

#### 5.3. **Advice for fire-fighters**

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

### SECTION 6. SECTION 6: Accidental release measures

#### 6.1. **\*Personal precautions, protective equipment and emergency procedures**

Refer to section 8 of SDS for personal protection details. If outside, do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not create dust.

#### 6.2. **Environmental precautions:**

Do not discharge into drains or rivers.

#### 6.3. **Methods and material for containment and cleaning up:**

Transfer to a closable, labelled salvage container for disposal by an appropriate method.

#### 6.4. **Reference to other sections:** Refer to sections 8 of this SDS.

### SECTION 7. Handling and storage

#### 7.1. **\*Precautions for safe handling**

**Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of dust in the air.

#### 7.2. **\*Conditions for safe storage, including any incompatibilities**

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed.

**Suitable packaging:** Must only be kept in original packaging.

#### 7.3. **Specific end use(s)**

No data available.

*(Continues on the next page)*

## SAFETY DATA SHEET (REACH)

In accordance with Regulation (EC) No 2015/830, amendment to Annex II of Regulation (EC) No 1907/2006 (REACH)



DESA-CHEM PFV

Revision 02: eng 30/12/2021  
(sup: 01/02/2018)  
Page 4 to 7

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. \*Control parameters

**Hazardous ingredients:**

**Workplace exposure limits:**

**Respirable dust**

State	8 hour TWA	15 min STEL	8 hour TWA	15 min STEL
-------	------------	-------------	------------	-------------

#### STYRENE

UK	430 mg/m <sup>3</sup>	1080 mg/m <sup>3</sup>		
----	-----------------------	------------------------	--	--

#### DIBENZOYL PEROXIDE

UK	5 mg/m <sup>3</sup>			
----	---------------------	--	--	--

**DNEL/PNEC:** No data available.

#### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** \* Self-contained breathing apparatus must be available in case of emergency.

**Gas/vapour filter, type A:** organic vapours (EN141).

**Hand protection:** \* Protective gloves. Wear solvent proof gloves. Nitrile gloves. Rubber gloves. Recommended thickness of material >0.4 mm. Breakthrough time of the glove material > 8 hours. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

**Environmental:** Ensure all engineering measures mentioned in section 7 of SDS are in place.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

a) <b>Appearance:</b>	Paste. Various colours
b) <b>Odour:</b>	Characteristic odour
c) <b>Odour threshold:</b>	not available /not apply
d) <b>pH:</b>	not available /not apply
e) <b>Melting point/freezing point:</b>	not available /not apply
f) <b>Initial boiling point and boiling range:</b>	not available /not apply
g) <b>Flash point:</b>	not available /not apply
h) <b>Evaporation rate:</b>	not available /not apply
i) <b>Flammability (solid, gas):</b>	not available /not apply
j) <b>Upper/lower flammability or explosive limits:</b>	not available /not apply
k) <b>Vapour pressure:</b>	not available /not apply
l) <b>Vapour density:</b>	not available /not apply
m) <b>Relative density:</b>	*1,71 * <b>VOC g/l:</b> 2.74
n) <b>Solubility(ies):</b>	Insoluble
o) <b>Partition coefficient: n-octanol/water:</b>	not available /not apply
p) <b>Auto-ignition temperature:</b>	not available /not apply
q) <b>Decomposition temperature:</b>	not available /not apply
r) <b>Viscosity:</b>	not available /not apply
s) <b>Explosive properties:</b>	not available /not apply
t) <b>Oxidising properties:</b>	not available /not apply

#### 9.2. Other information

Solid suspension - classified as non-flammable according to results from Test N.1 test method for readily combustible solids.

(Continues on the next page)

## SAFETY DATA SHEET (REACH)

In accordance with Regulation (EC) No 2015/830, amendment to Annex II of Regulation (EC) No 1907/2006 (REACH)



DESA-CHEM PFV

Revision 02: eng 30/12/2021  
(sup: 01/02/2018)  
Page 5 to 7

### SECTION 10. \*STABILITY AND REACTIVITY

#### 10.1. Reactivity

Stable under recommended transport or storage conditions.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4. Conditions to avoid

Heat.

#### 10.5. Incompatible materials

**Materials to avoid:** Strong oxidising agents. Strong acids.

#### 10.6. Hazardous decomposition products

In combustion emits toxic fumes.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

##### Hazardous ingredients:

##### STYRENE

IVN	MUS	LD50	90	mg/kg
ORL	MUS	LD50	316	mg/kg
ORL	RAT	LD50	2650	mg/kg

##### \*DIBENZOYL PEROXIDE

ORL	RAT	LD50	2000	mg/kg
ORL	RAT	LD50	24,3	mg/kg

##### Relevant effects for product:

Effect	Route	Basis
Serious eye damage/irritation	DRM	Hazardous: calculated
Respiratory or skin sensitisation	DRM	Hazardous: calculated
Reproductive toxicity	-	Hazardous: calculated
STOT-repeated exposure	-	Hazardous: calculated

##### Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

**Other information:** Not applicable.

(Continues on the next page)

## SAFETY DATA SHEET (REACH)

In accordance with Regulation (EC) No 2015/830, amendment to Annex II of Regulation (EC) No 1907/2006 (REACH)



DESA-CHEM PFV

Revision 02: eng 30/12/2021  
(sup: 01/02/2018)  
Page 6 to 7

### SECTION 12. \*ECOLOGICAL INFORMATION

#### 12.1. \*Toxicity

**Ecotoxicity values:** Grey Catalyst Comp B

Species	Test	Value	Units
ALGAE	72H ErC50	>60	mg/l
FISH	96H LC50	>100	mg/l
Daphnia magna	48H LC50	>11	mg/l
FISH	48H LC50	>7	mg/l

**Hazardous ingredients:**

#### DIBENZOYL PEROXIDE

Species	Test	Value	Units
ALGAE	72H ErC50	0,0711	mg/l
Daphnia magna	48H LC50	0,110	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	0,0602	mg/l

#### 12.2. \*Persistence and degradability

Biodegradable.

#### 12.3. \*Bioaccumulative potential

No bioaccumulation potential.

#### 12.4. Mobility in soil

**Mobility:** Insoluble in water. Heavier than water.

#### 12.5. Results of PBT and vPvB assessment

This product is not identified as a PBT/vPvB substance

#### 12.6. \*Other adverse effects

Negligible ecotoxicity

### SECTION 13. DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

##### 13.1.1. Product / Packaging disposal:

**Disposal operations:** \*Transfer to a suitable container and arrange for collection by specialised disposal company.

**Waste code number:** 08 04 09

**Disposal of packaging:** Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.

#### 13.2. Other disposal recommendations:

The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

(Continues on the next page)

## **SAFETY DATA SHEET (REACH)**

In accordance with Regulation (EC) No 2015/830, amendment to Annex II of Regulation (EC) No 1907/2006 (REACH)



DESA-CHEM PFV

Revision 02: eng 30/12/2021  
(sup: 01/02/2018)  
Page 7 to 7

### **SECTION 14. \*TRANSPORT INFORMATION**

**Transport class:** This product does not require a classification for transport.

### **SECTION 15. REGULATORY INFORMATION**

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations**

**Specific regulations:** Not applicable.

#### **15.2. Chemical Safety Assessment:**

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

### **SECTION 16. OTHER INFORMATION**

#### **Modifications compared to the previous SDS:**

This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

\* indicates text in the SDS which has changed since the last revision.

Active Oxygen Content of Catalyst Component 0.99%.

#### **Phrases used in s.2 and s.3:**

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H361d: Suspected of damaging the unborn child.

H373: May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

#### **Methods used for the purposes of classification of the mixture according to Regulation 1272/2008 (CLP):**

Calculation performed from the classification of components.

#### **Recommendations for training workers:**

It is advisable to basic training regarding occupational health and safety for proper handling.

#### **Legal disclaimer:**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

The information in this SDS is based on current knowledge and on current EU and national laws, as the working conditions of users are beyond our knowledge and control.

The product should not be used for purposes other than those specified, without an instruction in writing, of its handling. It is always the responsibility of the user to take appropriate measures in order to meet the requirements established by current legislation.