


AQUALISA

iSYSTEM™ SMART

new



“HEY
GOOGLE,
TURN
ON MY
SHOWER”





Voice Activation



Single or Dual Outlet



Contemporary Linear Design



Mobile Data for Water Usage



Aqualisa SmartValve™
Digital Intelligence



iSYSTEM™ SMART TECHNICAL SPECIFICATION



iSystem™ Smart concealed with wall fixed head

HP/Combi
ISD.A1.BFW.21
Gravity Pumped
ISD.A2.BFW.21



iSystem™ Smart concealed with ceiling fixed head

HP/Combi
ISD.A1.BFC.21
Gravity Pumped
ISD.A2.BFC.21



iSystem™ Smart concealed with adjustable head

HP/Combi
ISD.A1.BV.21
Gravity Pumped
ISD.A2.BV.21



iSystem™ Smart divert concealed adj & wall fixed head

HP/Combi
ISD.A1.BV.DVFW.21
Gravity Pumped
ISD.A2.BV.DVFW.21

USER FEATURES

- Simple shower activation using the Aqualisa app or voice command
- Boost or divert your shower at the touch of a button
- Safe family showering with precise thermostatic temperature control & adjustable maximum temperature
- Eco mode setting saves up to 33% on your water consumption
- Shower ready LED lighting display
- Optional remote control

CONNECTED FEATURES (APP)

- WiFi connected
- Voice command (Google Home and Amazon Alexa compatible)
- App dashboard tracks and records water usage, time & costs
- Prepare your shower from anywhere in or outside the home

INSTALLATION FEATURES

- Adjustable rail fixing points
- Exposed model available for minimal disruption to pipework and tiles
- The Aqualisa SmartValve™ sited away from the showering area for easy access
- Suitable for all approved UK domestic water systems
- iSystem™ Smart utilises the same data cable as the current iSystem™ for a simple retrofit
- Push fit connections and isolation valves all included





**iSystem™ Smart
divert concealed adj
& ceiling fixed head**

HP/Combi
ISD.A1.BV.DVFC.21

Gravity Pumped
ISD.A2.BV.DVFC.21



**iSystem™ Smart
divert exposed with
adjustable head**

HP/Combi
ISD.A1.EV.21

Gravity Pumped
ISD.A2.EV.21



**iSystem™ Smart
divert exposed adj
& ceiling fixed head**







HP/Combi
ISD.A1.EV.DVFC.21


Gravity Pumped
ISD.A2.EV.DVFC.21



**iSystem™ Smart
remote control**

Wired
ISD.B3.DS.14





AQUALISA

Aqualisa Products Limited
The Flyers Way
Westerham
Kent TN16 1DE

Customer Service Helpline: 01959 560 010

Switchboard: 01959 560 000

Direct Account Support: 01959 560 020

Brochure request line: 0800 652 3669

Email: enquiries@aqualisa.co.uk

Website: www.aqualisa.co.uk

Live chat: www.aqualisa.co.uk



The company reserves the right to alter, change or modify the product specifications without prior warning. Please refer to the installation guides for technical information. Registered Trademark Aqualisa Products Limited.

Copyright © Aqualisa 2020. All rights reserved. No part of this brochure may be reproduced whether by copying or storing in any medium, electronic or otherwise, without the express permission of Aqualisa subject to any contrary provision under the Copyright, Designs and Patents Act 1988. Any unauthorised reproduction of any part of this brochure may lead to a civil claim for damages or criminal prosecution.