

### Connect 2

DESIGNED FOR EVERYDAY LIVING







# Setting the standard in style and quality.

Ideal Standard Group is one of the leading manufacturers of products and solutions for private and public bathrooms. We see ourselves in the context of urban development, building architecture and bathroom design. Our mission is to make life better for our customers. We aim to shape the future of modern living, together with architects, urban designers, construction firms and our partners in trade and research.

#### Contents


DESIGNED TO PERFORM	4
NTRODUCTION	6
SUIT YOUR EVERY NEED	10
CORNER INSTALLATIONS	12
ALCOVE INSTALLATIONS	12
RANGE OF FEATURES	14
PRODUCT SPECIFICATION	14
COMPATIBLE SHOWER TRAYS	21
SPECIFICATION SUPPORT	26
GUARANTEE	27

# Designed to perform

Your clients and end-users are looking out for improved sustainability and advanced performance. They expect beautiful, lightweight design. We design with the demands of modern life in mind: pushing ourselves to achieve new levels of efficiency, offering elegant and impactful design.

Meanwhile, our decades of experience have taught us that there's always a better, more intelligent solution. Which is why we never rest until we've found a way to offer you and your clients a higher standard of performance.

Connect 2 offset quadrant enclosure, Simplicity offset quadrant tray, Concept Easybox Slim Shower Built-in Pack, Concept Air 80cm vanity basin  $\theta$  unit, Concept Air project basin mixer  $\theta$  Mirror with sensor, ambient  $\theta$  front light, anti-steam



# Connect 2

Sleek, modern and minimalist, Connect 2 is luxury without the price tag. Designed to look and feel sensational, it combines high quality materials with easy manageability for everyday showering pleasure.





# Suit your every need.

Connect 2's sleek good looks and wide choices make it the perfect fit for any modern bathroom.

Ideal Standard understand what it takes to make the perfect shower environment. The main considerations for planning are access, space and position.

Connect 2 infold shower enclosure door, Simplicity rectangular shower tray, Ceratherm T25 Dual Shower Pack with Idealrain M3 kit & Concept Air column unit



10

# Expertly designed for tight spaces.

#### **Corner Installations**









#### QUADRANT AND OFFSET QUADRANT

These curved enclosures suit almost any bathroom design, creating an open environment, even in restricted spaces. Available with sliding doors.





#### BIFOLD DOOR WITH SIDE PANEL

When there isn't room to open a door a Bifold door is a good solution. It offers wide access in tight spaces as it folds both inwards and outwards.



Sliding doors offer maximum access where there is limited space to open a door. They can also work well in larger spaces to create luxurious showering areas.

#### CORNER ENTRY

When space is limited on either side of a shower enclosure a corner entry with sliding doors offers an effective solution.



#### PIVOT DOOR WITH SIDE PANEL

These doors swing open to offer wide access, which when combined with a side panel creates an light and airy showering area.

#### Alcove Installations



#### PIVOT DOOR

These doors work well in alcoves allowing the maximum showering area combined with the maximum access.





#### SLIDING DOOR

Sliding doors are a practical solution for alcoves, especially larger spaces. The door glides on smooth running wheels for access.





#### BIFOLD DOOR

The Bifold door is a great option for smaller spaces. It folds inwards and outwards to provide full access.



## Complete range of features.

Expert engineering means Connect 2 is full of clever features which make them not just a pleasure to use everyday but easy to install, clean and maintain.



#### Click & Clean

Bottom wheels on sliding doors can be released from track for easier cleaning. The wheels click back into position for water tight sealing.



#### Guarantee

Enclosures and baths screens have a 10 year guarantee.



#### **Glass Thickness**

6mm toughened safety glass.



#### IdealClean

Reduces cleaning time by up to 90%. Special coating so glass is easier to clean and stays cleaner for longer.



#### **Horizontal Adjustment**

Profile can be adjusted to allow for untrue walls.






Model	Ref
800mm enclosure	K9383EO
900mm enclosure	K9384EO

Height 1950mm 6mm clear safety glass Idealclean treatment Bright silver finish Solid chrome plated handles Click and clean wheels Smooth running wheels Concealed fixings with easy click covers & top caps Horizontal adjustment up to 25mm per profile Suitable for installation on a tray or wetroom floor



Size (mm)	A width	B opening	C width
800	755 – 780	400	755 – 780
900	855 – 880	525	855 – 880







Height 1950mm



#### Connect 2 offset quadrant




Model	Ref
900 x 760mm enclosure	K9417EO
1000 x 800mm enclosure	K9385EO
1200 x 800mm enclosure	K9386EO
1200 x 900mm enclosure	K9575EO

6mm clear safety glass Idealclean treatment Bright silver finish Solid chrome plated handles Click and clean wheels Smooth running wheels Concealed fixings with easy click covers  $\boldsymbol{\vartheta}$  top caps Horizontal adjustment up to 25mm per profile Suitable for installation on a tray or wetroom floor



Size (mm)	A width	B opening	C width	
900 x 760	855 - 880	430	715 – 740	
1000 x 800	955 – 980	465	755 – 780	
1200 x 800	1155 – 1180	465	755 – 780	
1200 x 900	1155 - 1180	525	855 - 880	




#### Connect 2 corner entry



Model	Ref
800mm enclosure	L0073EO
900mm enclosure	L0074EO

6mm clear safety glass Idealclean treatment Bright silver finish Solid chrome plated handles Click and clean wheels Smooth running wheels Concealed fixings with easy click covers & top caps Horizontal adjustment up to 25mm per profile Suitable for installation on a tray or wetroom floor





855 - 880

#### Connect 2 pivot alcove




Model	Ref
760mm pivot door	K9391EO
800mm pivot door	K9392EO
900mm pivot door	K9393EO


6mm clear safety glass Idealclean treatment Bright silver finish Solid chrome plated handles Concealed fixings with easy click covers & top caps Horizontal adjustment up to 25mm per profile Suitable for installation on a tray or wetroom floor



Height 1950mm

Door (mm)	A width	B opening	D reach
760	710 – 760	475	492
800	750 – 800	500	517
900	850 - 900	550	567





#### Connect 2 bifold alcove




Model	Ref
760mm bifold door	K9397EO
800mm bifold door	K9398EO
900mm bifold door	К9399ЕО
L000mm bifold door	K9280EO

Height 1950mm 6mm clear safety glass Idealclean treatment Bright silver finish Solid chrome plated handles Smooth running wheels Concealed fixings with easy click covers  $\boldsymbol{\vartheta}$  top caps Horizontal adjustment up to 25mm per profile Suitable for installation on a tray or wetroom floor



Size (mm)	A width	B opening
760	710 – 760	503
800	750 – 800	543
900	850 – 900	643
1000	950 – 1000	743





#### Connect 2 pivot corner




Model	Ref
760mm pivot door	K9391EO
800mm pivot door	K9392EO
900mm pivot door	K9393EO
700mm side panel	K9412EO
760mm side panel	K9413EO
800mm side panel	K9415EO
900mm side panel	K9416EO
1000mm side panel	K9578EO

Height 1950mm 6mm clear safety glass Idealclean treatment Bright silver finish Solid chrome plated handles Concealed fixings with easy click covers & top caps Horizontal adjustment up to 25mm per profile Suitable for installation on a tray or wetroom floor



Door (mm)	A width	B opening	D reach
760	710 – 760	475	492
800	750 – 800	500	517
900	850 – 900	550	567





Size panel	C width
700	655 – 705
760	715 – 765
800	755 – 805
900	855 – 905
1000	955 – 1005

#### Connect 2 bifold corner



Model	Ref
760mm bifold door	K9397EO
800mm bifold door	K9398EO
900mm bifold door	K9399EO
1000mm bifold door	K9280EO
700mm side panel	K9412EO
760mm side panel	K9413EO
800mm side panel	K9415EO
900mm side panel	K9416EO
1000mm side panel	K9578EO

Height 1950mm 6mm clear safety glass Idealclean treatment Bright silver finish Solid chrome plated handles Smooth running wheels Concealed fixings with easy click covers  $\vartheta$  top caps Horizontal adjustment up to 25mm per profile Suitable for installation on a tray or wetroom floor



Door (mm)	A width	B opening	D reach
760	710 – 760	475	492
800	750 – 800	500	517
900	850 - 900	550	567

1_	<u>  </u>	
	B	

Size panel	C width
700	655 – 705
760	715 – 765
800	755 – 805
900	855 – 905
1000	955 – 1005

Height 1950mm 6mm clear safety glass

Idealclean treatment

Bright silver finish

#### Connect 2 slider alcove




Model	Ref
1000mm sliding door	K9394EO
1100mm sliding door	K9395EO
1200mm sliding door	K9396EO
1400mm sliding door	K9426EO

6mm clear safety glass Idealclean treatment Bright silver finish Solid chrome plated handles Click and clean wheels Smooth running wheels Concealed fixings with easy click covers & top caps Horizontal adjustment up to 25mm per profile



Size (mm)	A width	B opening
1000	950 – 1000	357
1100	1050 - 1100	407
1200	1150 – 1200	457
1400	1350 - 1400	557





-A----

#### Connect 2 slider alcove, 2 doors



Model	Ref
1500mm sliding doors x 2	K9427EO
1700mm sliding doors x 2	K9434EO

Solid chrome plated handles Click and clean wheels Smooth running wheels Concealed fixings with easy click covers & top caps Horizontal adjustment up to 25mm per profile Suitable for installation on a tray or wetroom floor



10 YEAR GUARANTEE	6mm GLASS	++	25mm
	Ш		

Size (mm)	A width	B opening
1500	1450 - 1500	585
1700	1650 - 1700	685

#### Connect 2 slider corner



Model	Ref
1000mm sliding door	K9394EO
1100mm sliding door	K9395EO
1200mm sliding door	K9396EO
1400mm sliding door	K9426EO
700mm side panel	K9412EO
760mm side panel	K9413EO
800mm side panel	K9415EO
900mm side panel	K9416EO
1000mm side panel	K9578EO

Idealclean treatment Bright silver finish Solid chrome plated handles Click and clean wheels Smooth running wheels Concealed fixings with easy click covers & top caps Horizontal adjustment up to 25mm per profile Suitable for installation on a tray or wetroom floor



Height 1950mm

6mm clear safety glass





ize (mm)	A width	B opening
000	950 - 1000	357
100	1050 - 1100	407
200	1150 - 1200	457
400	1350 - 1400	557


Size panel	C width				
700	655 – 705				
760	715 – 765				
800	755 – 805				
900	855 – 905				
1000	955 – 1005				

#### Connect 2 slider corner, 2 doors



Model	Ref
1500mm sliding doors x 2	K9427EO
1700mm sliding doors x 2	K9434EO
700mm side panel	K9412EO
760mm side panel	K9413EO
800mm side panel	K9415EO
900mm side panel	K9416EO
1000mm side panel	K9578EO

6mm clear safety glass Idealclean treatment Bright silver finish Solid chrome plated handles Click and clean wheels Smooth running wheels Concealed fixings with easy click covers & top caps Horizontal adjustment up to 25mm per profile Suitable for installation on a tray or wetroom floor





Height 1950mm

Size (mm)	Dim. A width (mm)	Dim. B opening (mm)
1500	1450 - 1500	585
1700	1650 - 1700	685

Size panel	C width			
700	655 – 705			
760	715 – 765			
800	755 – 805			
900	855 – 905			
1000	955 – 1005			


#### Connect 2 radius screen




10 YEAR guarantee

Model	Ref
Radius bath screen	T9924AA

Height 1400mm 5mm clear safety glass Bright silver finish 180 degree opening – inwards and outwards Rise and fall for easy opening Concealed fixings with easy click covers and top caps Up to 20mm horizontal adjustment





#### Connect 2 angle screen






Height 1400mm

Model	Ref
Angle bath screen	T9923AA

Bright silver finish 180 degree opening – inwards and outwards Rise and fall for easy opening Concealed fixings with easy click covers and top caps Up to 20mm horizontal adjustment 10 YEAR guarantee





## **Shower trays**

Ideal Standard offer a range of shower trays to complement our enclosures. These slim, low profile trays are strong and durable with a clean contemporary design which makes them suitable for a wide range of installations.

#### SHOWER TRAY SHAPES

There is a wide range of shapes and sizes available for every type of installation.

In addition to the square and rectangular standard measurements, the Ultra Flat S trays have the possibility of customized production.



Rectangular



Offset quadrant





#### UPSTANDS

Upstand trays feature a water retaining lip around the edge that is tiled into the wall to minimise water leaks (see right).

The shower is installed against the finished wall with plaster board on top of the upstand.

The tray is then tiled into the wall by tiling over the upstand onto the tray.

Where an upstand is not required around the whole tray a roll of flexible adhesive upstand is available to purchase which can be cut to size as required.





# **Ultra Flat S**Shower Trays

A luxurious compound with an exceptionally robust performance.

Ultra Flat S is the new shower tray made in IDEAL SOLID®, a highly resistant material composed of a mixture of natural minerals and resins. The matt stone effect finish is elegant and contemporary, and gives distinctiveness and personality to the shower area.





#### **FEATURES**

30mm height

Made in Ideal Solid®, a highly resistant combination of natural minerals and resins.

Matt stone effect available in four contemporary finishes

Stain proof – resistant to chemicals

Anti slip - DIN class C

Bacterial resistant

Resilient surface is fully repairable in unlikely event of scratching

Can be installed flush with the floor for level access

Matching coloured waste covers available

5 YEAR Guarantee

All of our Ultra Flat S shower trays come with an integrated stainless steel waste cover. Colour matched waste covers can be purchased separately. These are compatible with our Ideal Standard 90mm fast flow waste (L6307AA) which is sold separately.

#### FINISHES









FR Pure white







#### A CUSTOMISABLE & VERSATILE INSTALLATION

The shower trays can be customised on site to meet any space requirement. With an option to install the tray flush to the floor creating a seamless, luxury feel.

We offer these standard sizes and the possibility customised production dependent on order quantity.

		800	900	1000	1200	1400	1600	1700	1800	2000
	700		•	•	•	•		•		
	800	•		•	•	•	•	•	•	
	900		•	•	•	•	•	•	•	•
	1000			•	•		•		•	•

# **Simplicity**Shower Trays

#### FEATURES

40mm height excluding upstand

Made from lightweight stone resin

Acrylic capped ABS offers strength and stability with a smooth, scratch -resistant gloss surface

Floor standing or riser installation.

Slim, low profile trays with a choice of upstand solutions for leak-free installation

Supplied with a 90mm fast-flow chrome waste

25 YEAR guarantee

# **Idealite**Shower Trays

#### FEATURES

45mm height excluding upstand

Made from lightweight polymer resin which is 35% lighter than stone resin

Acrylic capped ABS offers strength and stability with a smooth, scratch -resistant gloss surface

Floor standing installation.

Slim, low profile trays with a choice of upstand solutions for leak-free installation

Supplied with a 90mm fast-flow c hrome waste

25 YEAR guarantee





Ideal Standard have experience and expertise that can prove invaluable to your project. Our sales support teams know the product ranges back-to-front and field based contact managers can provide technical advice and training in installation.

We understand that your business relies on our supply chain, ease of installation and guaranteed performance.

#### SPECIFICATION SUPPORT

Ideal Standard's specialist service has been created as a 'one stop shop' to work alongside you until your project reaches a successful conclusion. We bring all of our expertise and product knowledge to bear on your behalf, however large or small your budget. We are effectively a partner in parallel and we:

- hold a huge amount of information and experience in water delivery
- can advise on issues around environment legislation and health and safety
- can match appropriate products to specific applications
- work with you to prepare estimates, costings and schedules
- track projects from proposal to completion
- advise on after care and maintenance

Our aim is to enable the smooth specification of a project making life easy for you.

**0870 122 8822** Monday to Friday 9:00 - 5:30pm

#### IDEALSPEC

Idealspec.co.uk, by Ideal Standard, is the industry bible. With over 5,000 dedicated listings, it has become the UK's largest collection of bathroom and washroom products. It offers a specifier tool that generates documentation in NBS format and downloadable CAD files. All optimised for use on smartphones when you are on site.

www.ldealSpec.co.uk

#### **PLANNING**

We offer a complete 3D and 4D visualisation service using Virtual Worlds planning software.

#### **BUILDING INFORMATION MODELLING (BIM)**

We've been leading innovation within the bathroom sector for decades and with BIM there is no exception. Each of our BIM drawings are created within Ideal Standard directly from the original design data, providing you with the highest visual representation and accurate up to date COBie data. Our expert team are also able to offer a bespoke BIM package.

#### BIM advantages:

- allows construction projects to be digitally modelled from start to finish
- simpler communication and enhanced collaboration
- reduces work by more than 30% due to less errors or recalculations
- greater accuracy of project phasing, reducing project costs
- legal requirement for construction projects in the UK other countries are following.

Hosted on www.nationalbimlibrary.com and www.BIMobject.com

Supporter of BIM4M2 www.bim4m2.co.uk

#### Guarantee

Ideal Standard have been producing bathrooms for more than 100 years. Intensive and continuous testing is the key to class-leading durability. Designed to endure the impact of daily use all of our products are guaranteed to perform stylishly and reliably, year after year.

Shower enclosures and bath screens are guaranteed for 10 years. Idealite and Simplicity shower trays for 25 years and Ultra Flat S trays for 5 years.

Shower seals are not included. replacements may be purchased through our parts supply service.

The guarantee is transferable and applies to the product not the purchaser, provided guarantee registration details are passed on to the new owner.

For full conditions, please refer to our website: www.idealspec.co.uk/support/Guarantee.html

Ideal Standard pursue a policy of continuing improvement in design and performance of our products. The right is therefore reserved to vary specifications without notice. While great care has been taken to ensure accuracy of all prices, product codes, descriptions and dimensions, Ideal Standard reserves the right to correct errors or misprints. Colour reproduction is as accurate as possible within the limitations of the printing process.

P1977 02/20

Ideal Standard (UK) Ltd The Bathroom Works National Avenue Kingston Upon Hull HU5 4HS England

01482 346461

