



Contour 21 Washbasin 60cm No Taphole No Chainstay Hole or Overflow - General Use

Illustrated

- S2155** (LB H L) Contour 21 back outlet washbasin, 60cm, no tapholes, no overflow, no chainstay hole
- S8750** Waste 1¼" outlet adaptor for all Contour back outlet washbasins
- S8920** (TRR1/P) Trap 1¼" plastic resealing bottle, 75mm seal, multi-purpose outlet
- S9112** Concealed hangers pressed Steel, toggle bolts and clips for Contour washbasins

Configuration options

- S8746** Plastic strainer for back outlet washbasins
- A4181** Sensorflow 21 tubular panel mounted 150mm projection spout anti splash or aerated outlet remote panel sensor, copper tube inlets, link
- A4180** Sensorflow 21 tubular panel mounted 150mm projection spout anti splash or aerated outlet remote panel sensor, copper tube inlets, mains
- S7422** Contour 21 washbasin mixer wall mounted single control concealed, ceramic disc operation, 150mm projection spout with alternative aerator or flow straightener outlet, rigid copper inlet tails integral combined filter and regulating valves
- A4126** Sensorflow 21 tubular panel mounted 150mm projection spout anti splash or aerated outlet remote panel sensor, copper tube inlets, battery
- A5900** TMV Thermostatic mixing valve 15mm

Material

Vitreous China

Standards

Vitreous china to BS 3402

Weights

S2155	19.50KG
S8750	0.17KG
S8920	2.00KG
S9112	0.47KG

Special Notes

Suggested rim heights; 780-800 for ambulant users 680-700 for wheelchair users. Washbasin wall mounted using S9112 hangers or panel mounted using S9112 hangers, toggle bolts & clips. Toggle bolts and outlet adaptor suitable for maximum panel thickness of 18mm.

Colours

White (01)

Designer

Robin Levien, RDI

Frequently used applications

General Healthcare Hospitals
Sports and Leisure

Features

HTM
Special Care

Accreditations

WRAS
Water Label

*Armitage
Shanks*

Email: info@idealspec.co.uk
Tel: 0870 122 8822
Fax: 0870 122 8282
Web: www.idealspec.co.uk

Ideal Standard (UK) Ltd. makes every effort to ensure that the information provided on its website is accurate. However, we cannot guarantee this, and accept no liability for any information or advice given via its website.

Powered by
IdealSpec

Date created:18/07/2016