



SANDRINGHAM SL 21


B3304AA

SANDRINGHAM SL 21 | Basin pillar tap 45x112x70 mm, 81 mm spout projection in chrome finish, 4 l/min (3 bar), no waste | SmartShine

Image & drawing







General information

Product type: Washbasin mixers Sub product type: Basin pillar tap Brand: Armitage Shanks Suite name: SANDRINGHAM SL 21 Ideal Standard Designer: Colour: AA - Chrome Surface finish effect: glossy Height (mm): 70 Width (mm): 45 Length / Projection (mm): 112 Fixing method: Shank fixation

Net weight (kg): 1 37

EAN code: 3800861059998

Suitable for balanced/unbalanced supplies. Inlets screwed 1/2" BSP male, coned for copper. Consideration should be given to safe hot water delivery and the use of an appropriate temperature reduction device, please see A5900AA (for use with 15mm pipework) or A5901AA (for use with 22mm pipework). Water saving can be achieved by the use of flow limiters such as $% \left(1\right) =\left(1\right) \left(1\right$ L6935NU to deliver a maximum of 4 litres per minute. Unregulated flow rate 8.2 litres per minute at 0.1 Bar.

Features



SmartShine

Downloads

• Spare Parts List

Product standard & certifications

Additional standards: EN 248 | DIN 4109-1 | EN 200

Product specifications

Amount of handles: 1 Blue Start technology: No Colour code: Colour description: chrome Cool Body technology: No Easy Fix technology: No

Handle application: Volume control

Handle position: Тор No Includes a chain eye: Integrated electronics: Low-pressure model: No Material: Metal Material quality: Brass Max. flow rate at 3 bar (l):





SANDRINGHAM SL 21

B3304AA

SANDRINGHAM SL 21 | Basin pillar tap 45x112x70 mm, 81 mm spout projection in chrome finish, 4 l/min (3 bar), no waste | SmartShine

Max. flow rate at 3 bar (I) for all

outlets:

Max. flow rate at 3 bar (I) for

spout:

Max. operating pressure (bar): 10

0.5

Manual

Min. operating pressure (bar):
Operating method:

PVD technology: No SmartShine: Yes

Spout model: Fixed
Spout type: Caste

Spout type: Casted body
Surface cover: chromium-plated

Surface finish effect: glossy
Swivelling spout: No
Tap outlet model: Aerator
Tap outlet visibility: Visible
Tap outlet adjustable: No
Tap outlet is anti-vandal: No

Tap outlet is anti-vandal: No Touchless control: No

Type of handle: Rotary knob

Type of temperature control: Manually operated

With drain plug: No
With escutcheon(s): No
With handle(s): Yes
With outlet: Yes
With pull-out spray: No
With waste set: No

Fixing method: Shank fixation

Handle fixation position: Back

Mounting method: Tap hole





Your local contact:

België • Belgique

Ideal Standard Produktions-GmbH Corporate Village - Frame 21 Building Da Vincilaan 2 B-1935 Zaventem

(1) +32 2 325 66 00(2) +32 2 325 66 01(3) ±32 5 66 01(4) ±32 2 325 66 01(5) ±32 2 325 66 01(6) ±32 2 325 66 01(7) ±32 2 325 66 01(8) ±32 2 325 66 01(9) ±32 2 325 66 01<

България

Идеал Стандарт - Видима АД ул. "Марин Попов" 53 гр. Севлиево, 5400 ② +359 885 938 880 ☑ office@idealstandard.com www.idealstandard.bg

Česká republika

Ideal Standard s.r.o.
Zemska 623
41574 Teplice
① +420 (0)-417-265 11
② +420 (0)-417-265 15
www.idealstandard.cz

Hrvatska

Ideal Standard Hrvatska Lopatinečka ul. 8 10000, Zagreb ① +385 91 229 9304 www.idealstandard.hr

Danmark

Ideal Standard Skandinavia ApS Fynsvej 9 5500 Middelfart (Denmark) ① +45 75 84 10 10 www.idealstandard.dk

Deutschland

Ideal Standard GmbH
Euskirchener Straße 80
53121 Bonn
① +49 (0)228 521-0
= +49 (0)228 521-241
\times idealstandard.de@idealstandard.com

www.idealstandard.de

Éire

Ideal Standard Éire 2nd Floor, Unit 3103 Lake Drive Citywest Business Campus Tallaght Dublin 24 YXW2 ① +353 1 4564525 www.idealstandard.ie

España

Ideal Standard Iberia S.L.U Riera Principal Nr. 8 08328 Alella (Barcelona - España) ① +34 93 561 80 00 www.idealstandard.es

Ελλάδα

Ideal Standard S. A. Γραφεία Αθηνών: Λ. Μεσογείων 265, 15451 Ν. Ψυχικό, Αθήνα Φ +2106790800 www.idealstandard.gr

France

Ideal Standard France - Siège social 39Rue St. Sabin 75011 Paris

 +33 (0)1 49 38 81 34
 sav.idealstandard@idealstandard.com (demandes techniques) / devis.chantier@idealstandard.com (demandes commerciales)

www.idealstandard.fr

Italia

Ideal Standard (Italia) Srl Via Giosuè Borsi 9 20143 Milano, Italia ① +39 (0)2 28881 ☑ info@idealstandard.it www.idealstandard.it

Nederland

Ideal Standard Nederland BV Hambakenwetering 3 5231 DD 's-Hertogenbosch ① +31 (0)-77 355 08 08 ② +31 (0)-77 354 21 86 www.idealstandard.nl

Österreich

Ideal Standard GmbH
Zweigniederlassung Österreich
Erzherzog-Karl-Str. 131–135
1220 Wien Österreich
① +43 125 66 222-0
= +43 125 66 222-625
www.idealstandard.at

Polska

Ideal Standard Polska UI, Ostrowskiego 7 53-238 Wroclaw ① +48 71 78 68 301 www.idealstandard.po

România

Ideal Standard Representative Office România Calea Victoriei 109, Etaj 1, Sector 1 București, 010069 ① +40 746 050 408 ☑ officebucharest@idealstandard.com www.ideal-standard.ro

Srbija

Ideal Standard - Vidima AD Drinčićeva br.19, I sprat, stan br.8 11000 Beograd Srbija ① +381 11 7138 058 www.idealstandard.rs

United Kingdom

www.idealstandard.co.uk

Ideal Standard (UK) Ltd
The Bathroom Works National Avenue
Kingston Upon Hull
HU5 4HS
① +44 (0)-1482 346 461
B +44 (0)-1482 445 886