


Twyford Alcona floor-standing WC for close-coupled exposed cistern, washdown, horizontal outlet











CHARACTERISTICS

- Floor-standing
- · Washdown WC
- · With flush rim
- · Horizontal outlet
- Type 2 in accordance with EN 997

TECHNICAL DATA

Product material

Vitreous china

SCOPE OF DELIVERY

• WC ceramic appliance

TO ORDER ADDITIONALLY


- Cistern
- · WC seat
- · Fastening material




Twyford Alcona exposed cistern, close-coupled, dual flush, bottom water supply connection









APPLICATION PURPOSES

For close-coupled installation

CHARACTERISTICS

- · Dual flush
- Close-coupled
- Type 2 in accordance with EN 997
- Water supply connection on the bottom right

TECHNICAL DATA

Flush volume, factory setting Flush volume large, adjustment range Flush volume small, adjustment range Product material

SCOPE OF DELIVERY

- Exposed cistern, close-coupled
- Mechanism

4/2.61

2.6 / 4 |

Vitreous china

4/61


TO ORDER ADDITIONALLY

· Fastening material for rear wall



Twyford Alcona WC seat, fastening from above





Fastening distance 15.5 cm **TECHNICAL DATA**

Product material Duroplast

Art no.	Colour/surface	8	# Com	~ E	Quick-reles	Soft Closing	Fastening	Hinge material
AR7851WH	white / Glossy	36.5	4	44	no	yes	from above	Metal
AR7864WH	white / Glossy	36.5	4	44	no	no	from above	Metal