




# Twyford Option floor-standing WC for close-coupled exposed cistern



## APPLICATION PURPOSES

- For close-coupled installation

- Horizontal outlet
- Type 2 in accordance with EN 997

## SCOPE OF DELIVERY

- WC ceramic appliance

## CHARACTERISTICS

- Washdown WC
- Floor-standing
- With flush rim

## TECHNICAL DATA

Product material




Vitreous china

## TO ORDER ADDITIONALLY

- Cistern
- WC seat
- Fastening material

Art. no.	Colour / surface	B cm	H cm	T cm	Outlet
OT1148WH	white	36	40	63	horizontal

# Twyford Option exposed cistern, close-coupled, for floor-standing WC raised



## APPLICATION PURPOSES

- For close-coupled installation

## CHARACTERISTICS

- Dual flush
- Type 2 in accordance with EN 997

## TECHNICAL DATA

Flush volume, factory setting	6 / 4 l
Flush volume large, adjustment range	6 l
Flush volume small	4 l
Product material	Vitreous china

## SCOPE OF DELIVERY


- Exposed cistern, close-coupled

## TO ORDER ADDITIONALLY

- WC ceramic appliance
- Fastening material for rear wall

Art. no.	Colour / surface	B cm	H cm	T cm
OT2396WH	white	38	37	15.5

# Twyford Option WC seat



Example image

## APPLICATION PURPOSES

- For private bathrooms and hotels

## TECHNICAL DATA

Product material Duroplast  
Fastening distance 15.5 cm

## SCOPE OF DELIVERY

- WC seat

## CHARACTERISTICS

- Sandwich shape

Art. no.	Colour / surface	B cm	H cm	T cm	Soft-closing mechanism	Fastening	Hinge material
OT7815WH	white / glossy	37	4.4	44	no	from below	Stainless steel
ST2810WH	white / glossy	37	4.4	44	no	from below	Plastic