
SPECIFIERS' CATALOGUE **2022**

EDITION FOR PROFESSIONALS



PRICES VALID FROM 1ST JANUARY 2022

GROHE.CO.UK

GROHE
TABLE OF CONTENTS

Bath Taps	Single Lever Mixers	Allure Brilliant	26
		Allure	35
		Allure	47
		Atrio	51
		Grandera	67
		Lineare	77
		Eurocube Joy	86
		Eurocube	92
		GROHE Plus	103
		Europlus	115
		Essence	116
		Eurodisc Joy	130
		Eurodisc Cosmopolitan	133
		Concetto	140
		Eurostyle Cosmopolitan	149
		Eurostyle	156
		Eurosmart Cosmopolitan	167
		Eurosmart	178
		Eurosmart Care	189
		BauEdge	194
		BauLoop	201
		BauFlow	207
	Two Handle fittings	Costa L	209
	Universal	Universal	213
	Bath Sets	Talentofill	214
	Accessories	Selection	216
		Selection Cube	221
		Essentials	224
		Essentials Cube	232
		BauCosmopolitan	236
		Essentials Authentic	239
Thermostats	Grohtherm	Grohtherm SmartControl	257
		Grohtherm 2 handle trim sets	269

GROHE
TABLE OF CONTENTS

		Grohtherm 2000	276
		Grohtherm Cube	282
		Grohtherm 1000 Cosmopolitan 3/4“	286
		Grohtherm 1000	288
		Grohtherm 1000 Performance	292
		Grohtherm 800 Cosmopolitan	296
		Grohtherm 800	299
		Grohtherm 500	301
Concealed Solutions		GROHE Rapido SmartBox	312
		GROHE Rapido	314
		GROHE Rapido C / stop valves	315
Showers	GROHE Digital	F-digital Deluxe	330
		F-digital Controllers	337
	Shower Systems	Rainshower System SmartControl	338
		Rainshower SmartActive System	342
		Rainshower System	345
		Euphoria SmartControl System	348
		Euphoria Shower System	350
		Tempesta System	360
		Shower System Accessories	365
	Head Showers	Head Showers	367
	Showers	Sena	395
		Rainshower SmartActive	397
		Rainshower	404
		Relexa	407
		Euphoria	410
		Tempesta	420
		Sena Trigger Sprays	436
		Tempesta-F Trigger Sprays	437
		Shower Hoses	439
		Shower Accessories	443
Kitchen Fittings	Water Systems	GROHE Blue Professional	479
		GROHE Blue Home	485

GROHE
TABLE OF CONTENTS

		GROHE Blue Pure	494
		GROHE Blue Accessories	496
		GROHE Red	500
		Waste separation systems	504
	Premium Lines	K7	506
		Foot Control	507
		Minta / Minta SmartControl / Minta Touch	508
		Zedra / Zedra SmartControl / Zedra Touch	513
		Atrio	515
		Essence	516
		Eurocube	518
	Competence Lines	Eurodisc Cosmopolitan	519
		Eurodisc	520
		Concetto	521
		Eurostyle Cosmopolitan	524
		Eurosmart Cosmopolitan	526
		Eurosmart	529
		Euroeco / Euroeco Special	532
		Costa	533
		Bau Lines	535
		Soap dispensers	538
	Kitchen sinks	Stainless steel sinks	539
		Composite sinks	546
Commercial fittings	Electronic Fittings	Eurocube E	560
		Essence E	562
		Bluetooth monitoring	565
		Europlus E	574
		Eurosmart Cosmopolitan E	576
		Euroeco Cosmopolitan E	585
		Bau Cosmopolitan E	589
	Special Thermostats	Grohtherm Micro	591
		Grohtherm Special	592
		Grohtherm XL	596

GROHE
TABLE OF CONTENTS

	Single-Lever Mixers	Eurosmart Care	597
		Vertica Eurostyle Cosmopolitan	602
		Commercial Showers	603
		Euroeco Special	606
		Hospita	611
		Euroeco Single Sequential	612
	Self-closing Fittings	Eurodisc SE	614
		Eurosmart Cosmopolitan T	615
		Euroeco Cosmopolitan T	616
Shower Toilet		GROHE Sensia Arena	624
		Manual bidet seat	627
Ceramics		Essence	636
		Cube Ceramic	641
		Euro Ceramic	645
		Bau Ceramic	651
		Acrylic shower trays	660
Installation Systems	Rapid SLX	Rapid SLX	664
	Rapid SL	Rapid SL for WC	666
		Rapid SL for Urinal	677
		Rapid SL for Wash Basin and Bidet	679
		Rapid SL for the Disabled	682
		Rapid SL Fitting Supports	684
		Rapid SL Accessories	685
Flushing Systems	WC	Flushing Cisterns	690
		Accessories for Flushing Cisterns	693
		WC Flush Valves	699
		Electronic Actuations for WC	701
	Urinal	Electronic Actuations for Urinal	706
		Urinal Flush Valves	711
Actuations	WC	Flush Plates for WC	716
		GROHE Fresh	724
		Flush Plates for WC Flush Valves	725
	Urinal	Flush Plates for Urinal	726

GROHE
TABLE OF CONTENTS

Connection and Security Technology	Angle Valves	730
	WAS valves	734
	Safety Systems	735
Spare Parts and Accessories	Cartridges	738
	Thermo elements and thermostatic cartridges	740
	Aquadimmer	743
	Head parts	744
	Spare parts for two-handle faucets	747
	Extension sets	748
	Unions	749
	Outlets and spouts	750
	Flow straighteners	751
	Waste sets and traps	753
	Connections and non-return valves	756
	Spare parts for electronics	757
	Diverters	758
	Hoses	759
	Spare parts for kitchen faucets	760
	Spare parts for showers	761
	Miscellaneous	763
	Special tools	764
	Cleaning and care	765
	Spare parts for sanitary systems	766
	Spare parts for shower toilet	768
	Spare parts for Ceramics	769
Survey of contents		770
LIXIL makes better homes a reality for everyone, everywhere		798


PURE FREUDE AN WASSER.


Life-giving, universal, joyful – water itself is the source of inspiration for the whole of our distinctive product portfolio.

Each of these products is always based on our four core values: Quality, Technology, Design and Sustainability. Balancing these in everything we do, allows us to deliver unrivalled water enjoyment to our customers.









QUALITY


From the first design sketch to the final product to after-sales services: Our customers can rely on our Made in Germany sense of perfectionism.

"No.1 most trusted brand in the sanitary industry" – Wirtschaftswoche, 2017

TECHNOLOGY

We constantly drive innovation to enrich your everyday water experience, delivering smart solutions on the path of the digitization of water.

"Top 50 companies to change the world" – Fortune Magazine, 2017





DESIGN

Our highly awarded design DNA's recipe for success is simple: Merging the contemporary and the timeless into products that feel like they were designed just for you.

Over 400 design awards won since 2003

SUSTAINABILITY

Water is our passion. We care about every drop and our CSR commitment goes even beyond one element alone: We strive to protect all of our planet's resources for future generations.

Double award winner of the German Sustainability Award 2021

IDENTIFY YOUR **WATER SYSTEM**

By identifying the plumbing system in your home, you can select the product that is best suited to your water pressure. The majority of GROHE's products can be used with most systems and we have a number of products that are suited to low Pressure. Water pressure is measured in bar. Please refer to the diagrams to help identify your water system.

GRAVITY FED SYSTEMS

Measure from the base of the cold water tank to the exact position of where the water is coming out from in a vertical measurement (if it's a shower it will be to where the shower head is or if it's a tap to where the spout of the tap finishes). For each metre in vertical distance you will have 0.1 bar in pressure. So if you select a kitchen tap that requires 0.5 bar pressure then you will need 5 metres in vertical distance, if you select a basin tap that requires 0.2 bar then you will require 2 metres as you will see in the below drawing.




Fig 1

FOR EXAMPLE WATER PRESSURE CAN BE CALCULATED AS FOLLOWS:

Upstairs bathroom shower	1 m = 0.1 bar pressure
Upstairs bathroom basin taps	2 m = 0.2 bar pressure
Kitchen Tap	5 m = 0.5 bar pressure




Fig 2

GRAVITY FED (LOW PRESSURE) SYSTEMS

Your home has:

- A cold water storage tank in the loft
- A hot water cylinder (usually in an airing cupboard)
- NO shower pump

How does it work?

1 - Cold water is fed to a storage tank in the loft

2 - Water passes to a cylinder where it is heated by a boiler circuit flow

3 - The pressure of water is determined by distance from the bottom of cold water tank to the top of highest outlet (Fig 2)

BOOSTED GRAVITY FED WATER SYSTEM

Your home has:

- A cold water storage tank in the loft
- A hot water cylinder (usually in an airing cupboard)
- An additional booster pump

How does it work?

1 - Cold water is fed to a storage tank in the loft

2 - Water passes to a cylinder where it is heated by a boiler circuit flow

3 - The pressure of water is determined by a separately installed pump (1–3 bar/dynamic) (Fig 3)




Fig 3




Fig 4

MAINS HIGH PRESSURE WATER SYSTEM

Your home has:

- An unvented cylinder with an expansion vessel (usually located in a garage or service cupboard)
- NO cold water tank in the loft
- NO shower pump

How does it work?

1 - Cold water delivered at mains pressure (min 1.5 bar & 20 l/min.)

2 - Water passes to a cylinder where it is heated by a boiler circuit flow

3 - An expansion vessel replaces the storage tank in loft to deal with expansion

4 - The water pressure is determined by mains pressure (Fig 4)

COMBINATION BOILER WATER SYSTEM

Your home has:

- A combination boiler for hot water on demand (usually located in the kitchen)
- NO storage tanks
- NO shower pump

How does it work?

1 - Cold water delivered at mains pressure (min 1.0 bar to boiler & cold supply)

2 - Water is heated as it travels through the combination boiler providing hot water on demand

3 - The pressure is dictated by the incoming mains and the flow of water is determined by the power of the selected boiler (Fig 5)




Fig 5

GROHE GUARANTEE

GROHE products are designed to be both visionary and innovative with quality always guaranteed. Purchasing GROHE products means your investment is perfectly balanced in terms of quality, technology and design with sustainable production.

THE 5 YEAR **MANUFACTURER'S GUARANTEE**

GROHE shall grant guarantee services to the end consumer in accordance with the terms and conditions set forth below for all products supplied to the end customer under the GROHE brand, which are tagged as products to which the "GROHE Manufacturer's 5-year Guarantee" is applicable.

http://www.grohe.co.uk/en_gb/our-service/guarantee.html



THE 2 YEARS PLUS **MANUFACTURER'S GUARANTEE**

GROHE shall grant guarantee services to the end consumer in accordance with the terms and conditions set forth below for all products supplied to the end customer under the GROHE brand, which are tagged as products to which the "GROHE 2 years plus Manufacturer's Guarantee" is applicable.

http://www.grohe.co.uk/en_gb/our-service/guarantee.html



GROHE HELPDESK
YOUR RELIABLE CONTACT



We'd love to help you – offering a friendly and helpful service
No matter what issues or questions you may have, you can find the right contact person for you.

Order management

(Ordering and Delivery Service)

Tel. 0208 283 2840

orders-uk@grohe.com

Opening Times:
Monday – Wednesday: 8:30-17:00
Thursday – Friday: 8:30-16:00

Customer Service

(Warranty, Technical, General Enquiries)

Tel. 0208 283 2840

info-uk@grohe.com

Opening Times:
Monday – Wednesday: 8:30-17:00
Thursday – Friday: 8:30-16:00

Projects

(Quotations, Architects, Developers)

Tel. 0208 283 2840

projects-uk@grohe.com

Opening Times:
Monday – Wednesday: 8:30-17:00
Thursday – Friday: 8:30-16:00

This pricelist replaces all previous editions. General conditions of sale and delivery apply.
We reserve the right to make changes to specifications, dimensions and design.

CERTIFICATES

The Water Regulations Advisory Scheme (WRAS) assesses water fitting products to ensure that they do not waste, misuse, unduly consume or contaminate the water supply, in order to show compliance with Regulation 4 of the requirements of the Water Supply (Water Fittings) Regulations 1999. GROHE have over 600 products that have been approved by WRAS and a further selection that are in the process of being approved. The WRAS Approved product logo is shown on our website against each approved product. Please visit www.grohe.co.uk for our up-to-date listing.









SPECIFIERS' CATALOGUE **2022**

EDITION FOR PROFESSIONALS

GROHE
BATH TAPS





CONTENTS

Single Lever Mixers	Allure Brilliant	26
	Allure	35
	Allure	47
	Atrio	51
	Grandera	67
	Lineare	77
	Eurocube Joy	86
	Eurocube	92
	GROHE Plus	103
	Europlus	115
	Essence	116
	Eurodisc Joy	130
	Eurodisc Cosmopolitan	133
	Concetto	140
	Eurostyle Cosmopolitan	149
	Eurostyle	156
	Eurosmart Cosmopolitan	167
	Eurosmart	178
	Eurosmart Care	189
	BauEdge	194
	BauLoop	201
	BauFlow	207
Two Handle fittings	Costa L	209
Universal	Universal	213
Bath Sets	Talentofill	214
Accessories	Selection	216
	Selection Cube	221
	Essentials	224
	Essentials Cube	232
	BauCosmopolitan	236
	Essentials Authentic	239

GROHE
PLUS

ACCURACY THAT GOES BEYOND DESIGN

Imagine a bathroom that offers not just sleek, cutting-edge, bold design design, but also confidence and control. Where you can tell water temperature at a glance and switch water flow with just a swipe of your hand. A room where nothing is left to chance, where form delivers function in a sleek, tactile package. With the new GROHE Plus you can make it a reality.

This innovative range puts control and convenience in your hands, delivering accurate temperature information at a glance. The GROHE Plus range includes some taps with a temperature display, so you know the water will always be just the right temperature. GROHE Plus also offers a new level of ergonomic comfort and practical function too, presented in a silhouette of architectural strength and elegance, with surfaces so sleek they invite interaction.



23 959 003
L-Size
Basin mixer
with LED water temperature display
and two sprays
with smooth body
with push-open waste set

DESIGN OPTIONS
FOR EVERY CONCEPT

THE PERFECT FINISH

Whether your bathroom is a space of timeless elegance or slick minimalist styling, the GROHE Plus is a perfect fit. The Plus range features a broad selection of sizes, with models from compact basin mixers to wall-mounted taps and show-stopping floor-standing bath filler. GROHE Plus taps are also available in three durable, desirable finishes. Choose between the dazzling chrome finish or the more architectural SuperSteel or Brushed Hard Graphite, according to your taste.

23 871 DC3
Basin mixer M-Size with pop-up waste set



32 612 003
Basin mixer S-Size with pop-up waste set





33 547 003 + 40 954 000
Shower mixer with shower set + tray

CO-ORDINATED BATHROOM
IN GROHE COLOURS

When it comes to perfect bathroom design, the ultimate guide should be the own personal style. GROHE has developed GROHE Colours as an enabler to put vision into reality.

The combination of outstanding design lines and exclusive colours gives the ultimate freedom of choice to perfectly express individuality. Whether tone-on-tone colour scheme, a harmony of contrasting colours, the shining golden beauty of Cool Sunrise or the intriguing elegance of Brushed Hard Graphite – GROHE Colours are the perfect choice. A carefully selected range of 10 colours and finishes offering countless options to complement every interior design.

There is more to it than just the obvious beauty. GROHE Colours come with GROHE PVD quality. This outstanding finish ensures both maximum colour brilliance as well as unparalleled material resistance.

GROHE Colours are not driven by fashion. They open new dimensions to express personal style in bathroom design. Taps, showers and accessories are all perfectly aligned in a preferred colour with GROHE quality to stay perfect in finish and function for the years to come.





GROHE
COLOURS

PRODUCT RANGE		COLOUR OPTIONS										
		CHROME	SUPERSTEEL	POLISHED NICKEL	BRUSHED NICKEL	COOL SUNRISE	BRUSHED COOL SUNRISE	WARM SUNSET	BRUSHED WARM SUNSET	HARD GRAPHITE	BRUSHED HARD GRAPHITE
GRANDERA		●									
ALLURE BRILLIANT		●	●							●	●
ATRIO		●	●			●		●			●
ESSENCE		●	●	●	●	●	●	●	●	●	●
EUROCUBE		●	●								●
LINEARE		●	●								●
GROHE PLUS		●	●								●

GROHE
BATHROOM COMBINATIONS

	THERMOSTATS										SHOWER SYSTEMS						HEAD SHOWERS					
	DESIGN THERMOSTATS	GROHTHERM SMARTCONTROL	GROHTHERM 2-HANDLE TRIM SETS	GROHTHERM CUBE	GROHTHERM 3000	GROHTHERM 2000	GROHTHERM 1000 PERFORMANCE	GROHTHERM 1000	GROHTHERM 800 COSMOPOLITAN	GROHTHERM 800	RAINSHOWER SYSTEM SMARTCONTROL	RAINSHOWER SYSTEM	EUPHORIA SMARTCONTROL SYSTEM	EUPHORIA SYSTEM CUBE	EUPHORIA SYSTEM	TEMPESTA SYSTEM	DESIGN HEAD SHOWERS	AQUASYMPHONY / RAINSHOWER F-SERIES	RAINSHOWER 360	RAINSHOWER 310	EUPHORIA 260	TEMPESTA 210
ALLURE BRILLIANT		●		●							●	●	●	●			●	●		●		
ALLURE		●			●						●	●	●				●	●		●		
ATRIO	●	●			●						●	●	●				●	●	●	●		
GRANDERA												●	●				●	●		●		
LINEARE		●	●		●						●	●	●		●			●	●	●	●	
EUROCUBE		●	●	●									●	●				●		●		
GROHE PLUS		●	●		●						●	●	●		●			●	●	●	●	
ESSENCE		●	●		●						●	●	●					●		●		
EURODISC COSMOPOLITAN		●	●			●					●		●		●					●	●	
CONCETTO			●				●		●						●						●	
EUROSTYLE COSMOPOLITAN			●				●		●						●						●	
EUROSTYLE			●				●	●							●						●	
EUROSMART COSMOPOLITAN			●				●		●							●						●
EUROSMART			●				●	●								●						●
BAUEDGE										●						●						●
BAULOOP										●						●						●
BAUFLOW										●						●						●

													●		●	●	DESIGN HAND SHOWERS
										●		●		●	●		SENA
								●	●			●					RAINSHOWER SMARTACTIVE
								●	●			●					POWER & SOUL
										●	●					●	EUPHORIA CUBE
					●	●	●	●	●			●					EUPHORIA
●	●	●	●	●													TEMPESTA
										●	●	●			●	●	CUBE CERAMIC
									●	●		●		●			ESSENCE
			●	●	●	●											EURO CERMAIC
●	●	●															BAU CERAMIC
													●	●	●	●	DESIGN ACCESSORIES
											●	●			●	●	SELECTION CUBE
										●	●					●	ESSENTIALS CUBE
			●	●	●	●	●	●	●	●		●					ESSENTIALS
●	●	●															BAU COSMOPOLITAN
										●	●				●	●	SKATE COSMOPOLITAN
						●	●	●	●	●		●		●			NOVA COSMOPOLITAN
				●						●							ARENA COSMOPOLITAN
●	●	●	●		●												SKATE AIR

HAND SHOWERS

CERAMIC


ACCESSORIES

ACTUATIONS

GROHE
ALLURE BRILLIANT

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 029 000	**Chrome**	4005176898709	620.05
23 029 DC0	**supersteel**	4005176489471	803.32
23 029 AL0	**Brushed Hard Graphite**	4005176353154	1,007.22






Allure Brilliant
Basin mixer 1/2"
M-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE FastFixation installation system
spout with integrated mousseur
pop-up waste set 1 1/4"
flexible connection hoses

23 033 000	**Chrome**	4005176898716	620.05
23 033 DC0	**supersteel**	4005176489488	803.32
23 033 AL0	**Brushed Hard Graphite**	4005176489648	917.78

Ditto, smooth body

23 109 000	**Chrome**	4005176898754	778.42
23 109 DC0	**supersteel**	4005176489860	998.75
23 109 AL0	**Brushed Hard Graphite**	4005176353161	1,155.32






Allure Brilliant
Single-lever basin mixer 1/2"
L-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE FastFixation installation system
spout with integrated mousseur
pop-up waste set 1 1/4"
flexible connection hoses

23 112 000	**Chrome**	4005176898778	778.42
23 112 AL0	**Brushed Hard Graphite**	4005176489785	1,141.28

Ditto, smooth body

23 114 000	**Chrome**	4005176898792	942.30
23 114 DC0	**supersteel**	4005176489914	1,237.38
23 114 AL0	**Brushed Hard Graphite**	4005176353178	1,414.45






Allure Brilliant
Basin mixer 1/2"
XL-Size
monobloc installation
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE FastFixation installation system
spout with integrated mousseur
smooth body
flexible connection hoses

29 086 000		4005176935497	249.61






Rough-in set 1/2"
for floor-mounted tub spouts and mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ALLURE BRILLIANT


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**20 344 000**	**Chrome**	**4005176898884**	**894.53**
	20 344 DC0	**supersteel**	**4005176489815**	**1,172.59**
	20 344 AL0	**Brushed Hard Graphite**	**4005176353185**	**1,469.98**



Allure Brilliant
Three-hole basin mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
spout with integrated mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves

20 342 000	**Chrome**	**4005176898860**	**766.26**
20 342 DC0	**supersteel**	**4005176490071**	**982.56**
20 342 AL0	**Brushed Hard Graphite**	**4005176490064**	**1,122.92**






Allure Brilliant
Three-hole basin mixer 1/2"
S-Size
ceramic headparts 1/2", 90°
GROHE EcoJoy 5.0 l/min. flow limiter
low spout with integrated mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves

20 346 000	**Chrome**	**4005176898907**	**790.60**
20 346 DC0	**supersteel**	**4005176490217**	**1,020.35**
20 346 AL0	**Brushed Hard Graphite**	**4005176490200**	**1,166.11**






Allure Brilliant
Three-hole basin mixer 1/2"
S-Size
wall mounted
without concealed body
set for final installation for
29 025 002
valves hot/cold
with headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
spout with integrated mousseur
projection 161 mm

20 348 000	**Chrome**	**4005176898921**	**839.35**
20 348 DC0	**supersteel**	**4005176490309**	**1,085.14**
20 348 AL0	**Brushed Hard Graphite**	**4005176490293**	**1,240.62**

Ditto, projection 210 mm

29 025 002		**4005176519895**	**247.26**






Two-handle basin mixer
concealed body, 1/2"
for 3-hole basin mixer
wall installation
without finishing trim set
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

GROHE
ALLURE BRILLIANT

Ref. No.	Colour	EAN	Retail Guide Price (£)
19 781 000	**Chrome**	**4005176898822**	**739.27**
19 781 DC0	**supersteel**	**4005176490392**	**977.16**
19 781 AL0	**Brushed Hard Graphite**	**4005176490385**	**1,116.45**





Allure Brilliant
2-hole basin mixer
S-Size
wall mounted
without concealed body
set for final installation for
23 200 000
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
spout with integrated mousseur
centre distance 110 mm
projection 161 mm


19 783 000	**Chrome**	**4005176898846**	**802.81**
19 783 DC0	**supersteel**	**4005176490484**	**1,041.94**
19 783 AL0	**Brushed Hard Graphite**	**4005176490477**	**1,190.95**

Ditto, projection 210 mm

---

23 200 000 | **4005176908354** | **254.61**






Single-lever mixer 1/2", concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
installation depth 45 to 75 mm
DR-brass
installation device

---

23 200 002 | **4005176519901** | **237.55**






Single-lever mixer 1/2", concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

---

23 117 000	**Chrome**	**4005176898938**	**691.50**
23 117 DC0	**supersteel**	**4005176490576**	**912.38**
23 117 AL0	**Brushed Hard Graphite**	**4005176490569**	**1,041.94**






Allure Brilliant
Bidet mixer 1/2"
M-Size
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE FastFixation installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ALLURE BRILLIANT

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 071 000	**Chrome**	**4005176465901**	**393.42**
24 071 DC0	**supersteel**	**4005176465918**	**507.47**
24 071 AL0	**Brushed Hard Graphite**	**4005176465925**	**579.81**





Allure Brilliant
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
flow performance:
outlet B or C = 30 l/min
without roughing-in-set


35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

---

24 072 000	**Chrome**	**4005176465932**	**432.99**
24 072 DC0	**supersteel**	**4005176465949**	**558.23**
24 072 AL0	**Brushed Hard Graphite**	**4005176465956**	**637.05**





Allure Brilliant
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set


35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

---

24 099 000	**Chrome**	**4005176480744**	**458.96**
24 099 DC0	**supersteel**	**4005176480751**	**640.16**
24 099 AL0	**Brushed Hard Graphite**	**4005176480768**	**731.64**





Allure Brilliant
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set


35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

---


19 787 001	**Chrome**	**4005176429057**	**1,687.81**
19 787 DC1	**supersteel**	**4005176489570**	**2,148.68**
19 787 AL1	**Brushed Hard Graphite**	**4005176489563**	**2,456.40**






Allure Brilliant
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
pre-assembled spout fixing
single lever mixer operating element
bath spout with integrated mousseur
diverter bath/shower
hand shower Euphoria Cube+ 6.5 l/min
metal shower hose 2000 mm (always chrome for any colour of the set)
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000

GROHE
ALLURE BRILLIANT

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**29 037 000**		**4005176865749**	**839.33**


4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color

23 119 001	**Chrome**	**4005176428883**	**2,604.32**


Allure Brilliant
Single-lever bath mixer 1/2", floor mounted
set for final installation for 45 984 001
without roughing-in-set
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with integrated mousseur
hand shower Euphoria Cube+ 6.5 l/min
Silverflex shower hose 1250 mm
projection 270 mm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
protected against backflow

23 119 000	**Chrome**	**4005176899027**	**2,800.63**
23 119 DC0	**supersteel**	**4005176489679**	**3,620.35**
23 119 AL0	**Brushed Hard Graphite**	**4005176353208**	**4,518.82**


Allure Brilliant
Single-lever bath mixer 1/2", floor mounted
set for final installation for 45 984 001
without roughing-in-set
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with integrated mousseur
projection 270 mm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
hand shower Euphoria Cube+
metal shower hose 1250 mm
protected against backflow

45 984 001		**4005176992056**	**388.61**

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material


29 086 000		**4005176935497**	**249.61**


Rough-in set 1/2"
for floor-mounted tub spouts and mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
ALLURE BRILLIANT

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	13 319 000	Chrome	4005176912627	814.97
	13 319 DC0	supersteel	4005176490651	1,045.18
	13 319 AL0	Brushed Hard Graphite	4005176353284	1,194.19


Allure Brilliant
Cascade spout for bath and shower
wall mounted
GROHE StarLight chrome finish
projection 180 mm

 	13 299 000	Chrome	4005176899003	352.02
	13 299 DC0	supersteel	4005176490712	452.41
	13 299 AL0	Brushed Hard Graphite	4005176490705	516.12


Allure Brilliant
Bath spout
wall mounted
GROHE StarLight chrome finish
projection 161 mm
spout with integrated mousseur

 	19 798 000	Chrome	4005176899157	285.43
	19 798 DC0	supersteel	4005176489969	369.27
	19 798 AL0	Brushed Hard Graphite	4005176353079	387.63

Allure Brilliant
5-way diverter
set for final installation for
29 033 000
without concealed body
GROHE StarLight chrome finish
installation depth adjustable
66 - 113 mm





 	29 033 000		4005176845338	273.50

5-way diverter
concealed body
wall installation
with ceramic sealing disks
connection cold and hot 1/2"
2 outlets 1/2"
1 bath outlet 3/4"
installation depth adjustable
66 - 113 mm
DR-brass

 	19 796 000	Chrome	4005176899133	205.89
	19 796 DC0	supersteel	4005176490019	265.62
	19 796 AL0	Brushed Hard Graphite	4005176353062	278.57







Allure Brilliant
Concealed stop-valve trim
set for final installation for
29 032 000 (preassembled headpart 1/2")
29 068 000 (preassembled ceramic headpart 1/2" - not to be used as shut-off)
35 028 000
GROHE StarLight chrome finish
installation depth adjustable
43 - 91 mm

GROHE
ALLURE BRILLIANT


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**29 032 000**		**4005176845277**	**34.64**
	Concealed valve pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass			
 	**26 054 000**	**Chrome**	**4005176937088**	**592.10**
	Rainshower Allure 230 **Head shower set 286 mm, 1 spray** Rainshower Allure 230 metal head shower (27 479) 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 709 000) **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system			
 	**27 707 000**	**Chrome**	**4005176908446**	**48.22**
	27 707 DC0	**supersteel**	**4005176490897**	**72.64**
	27 707 AL0	**Brushed Hard Graphite**	**4005176490880**	**88.29**
	Allure Brilliant **Shower outlet elbow, 1/2"** male thread protected against backflow material: metal **GROHE StarLight** chrome finish			
 	**27 706 000**	**Chrome**	**4005176908439**	**35.84**
	27 706 DC0	**supersteel**	**4005176490989**	**45.82**
	27 706 AL0	**Brushed Hard Graphite**	**4005176490972**	**55.88**
	Allure Brilliant **Wall hand Shower holder** non-adjustable material: metal **GROHE StarLight** chrome finish			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
ALLURE BRILLIANT

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		40 494 000	Chrome	4005176899263	332.72
		Allure Brilliant **Holder with soap dispenser** material: glass / metal filling quantity 150 ml concealed fastening **GROHE StarLight** chrome finish			
		40 493 000	Chrome	4005176899256	221.51
		Allure Brilliant **Holder with tumbler** material: glass / metal concealed fastening **GROHE StarLight** chrome finish			
		40 503 000	Chrome	4005176900068	258.58
		Allure Brilliant **Shelf with tumbler** material: glass / metal concealed fastening **GROHE StarLight** chrome finish			
		40 504 000	Chrome	4005176900075	267.83
		Allure Brilliant **Shelf with soap dish** **GROHE StarLight** chrome finish			
		40 496 000	Chrome	4005176899287	180.70
		Allure Brilliant **Towel bar** 2 arms, not pivotable length 431 mm concealed fastening **GROHE StarLight** chrome finish			
		40 497 000	Chrome	4005176899294	202.97
		Allure Brilliant **Towel rail** 650 mm (drilling length 600 mm) material: metal concealed fastening **GROHE StarLight** chrome finish			


GROHE
ALLURE BRILLIANT

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 498 000	Chrome	4005176899300	87.11

Allure Brilliant
Robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish

 	40 499 000	Chrome	4005176899317	176.09

Allure Brilliant
Toilet roll holder
without cover
material: metal
concealed fastening
GROHE StarLight chrome finish


 	40 500 000	Chrome	4005176899324	286.38

Allure Brilliant
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE ALLURE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**32 757 001**	**Chrome**	**4005176498589**	**285.90**
	32 757 GN1	**brushed cool sunrise**	**4005176499326**	**457.44**
	32 757 DL1	**brushed warm sunset**	**4005176499340**	**457.44**
	32 757 A01	**hard graphite**	**4005176499357**	**428.85**




Allure
Basin mixer 1/2"
M-Size
monobloc installation
swivelling spout
28 mm ceramic cartridge
with **GROHE SilkMove**
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE FastFixation Plus installation system
GROHE AquaGuide adjustable slim air mousseur
pop-up waste set 1 1/4"
flexible connection hoses
temperature limiter

	**32 146 001**	**Chrome**	**4005176499388**	**317.66**
	32 146 GN1	**brushed cool sunrise**	**4005176499425**	**508.26**
	32 146 DL1	**brushed warm sunset**	**4005176499449**	**508.26**
	32 146 A01	**hard graphite**	**4005176499456**	**476.50**



Allure
Single-lever basin mixer 1/2"
L-Size
monobloc installation
swivelling spout
28 mm ceramic cartridge
with **GROHE SilkMove**
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE FastFixation Plus installation system
GROHE AquaGuide adjustable slim air mousseur
pop-up waste set 1 1/4"
flexible connection hoses
temperature limiter

	**23 403 001**	**Chrome**	**4005176499487**	**428.52**
	23 403 GN1	**brushed cool sunrise**	**4005176499524**	**638.88**
	23 403 DL1	**brushed warm sunset**	**4005176499548**	**638.88**
	23 403 A01	**hard graphite**	**4005176499555**	**584.34**




Allure
Basin mixer 1/2"
XL-Size
monobloc installation
swivelling spout
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min. flow limiter
smooth body
GROHE AquaGuide adjustable slim air mousseur
projection 185 mm
height 377 mm
push-to-open waste set
flexible connection hoses
temperature limiter

GROHE ALLURE

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 856 001	Chrome	4005176499586	1,111.83
23 856 GN1	brushed cool sunrise	4005176499623	1,778.92
23 856 DL1	brushed warm sunset	4005176499647	1,778.92
23 856 A01	hard graphite	4005176499654	1,667.74






Allure
Single-lever basin mixer floor mounted
monobloc installation
for free-standing basins
set for final installation for
45 984 001
28 mm ceramic cartridge
with **GROHE SilkMove**
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min. flow limiter
smooth body
GROHE AquaGuide adjustable slim air mousseur
projection 185 mm
temperature limiter

45 984 001		4005176992056	388.61






Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material

20 188 001	Chrome	4005176499685	540.03
20 188 GN1	brushed cool sunrise	4005176499722	864.05
20 188 DL1	brushed warm sunset	4005176499746	864.05
20 188 A01	hard graphite	4005176499753	810.04






Allure
Three-hole basin mixer 1/2"
M-Size
deck mounted
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE AquaGuide adjustable slim air mousseur
projection 143 mm
pressure-proof, flexible connection hoses
between spout and side valves
pop-up waste set 1 1/4"

20 189 002	Chrome	4005176499784	389.56
20 189 GN2	brushed cool sunrise	4005176499821	701.21
20 189 DL2	brushed warm sunset	4005176499845	701.21
20 189 A02	hard graphite	4005176499852	662.26





Allure
Three-hole basin mixer 1/2"
S-Size
wall mounted, with lever handles
without concealed body
set for final installation for 29 025 000
valves hot/cold
with headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min. flow limiter
Precision Control with haptic click feedback (optional)
GROHE AquaGuide adjustable slim air mousseur
projection 150 mm

29 025 002		4005176519895	247.26


Rough-in set for 3-hole basin mixer

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ALLURE

Ref. No.	Colour	EAN	Retail Guide Price (£)
20 193 002	**Chrome**	**4005176499883**	**428.52**
20 193 GN2	**brushed cool sunrise**	**4005176499920**	**701.21**
20 193 DL2	**brushed warm sunset**	**4005176499944**	**701.21**
20 193 A02	**hard graphite**	**4005176499951**	**623.30**






Allure
Three-hole basin mixer 1/2"
M-Size
wall mounted
with lever handles
without concealed body
set for final installation for
29 025 000
valves hot/cold
with headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min. flow limiter
Precision Control with haptic click feedback (optional)
GROHE AquaGuide adjustable slim air mousseur
projection 208 mm

29 025 002		**4005176519895**	**247.26**

Rough-in set for 3-hole basin mixer

19 309 002	**Chrome**	**4005176499982**	**587.68**
19 309 GN2	**brushed cool sunrise**	**4005176514173**	**940.29**
19 309 DL2	**brushed warm sunset**	**4005176514227**	**940.29**
19 309 A02	**hard graphite**	**4005176514302**	**881.52**






Allure
2-hole basin mixer
S-Size
wall mounted
without concealed body
set for final installation for
23 429 000
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE AquaGuide adjustable slim air mousseur
centre distance 110 mm
projection 154 mm

23 429 000		**4005176993695**	**254.60**

Set for final installation for 2-hole basin mixer

19 386 002	**Chrome**	**4005176512995**	**603.56**
19 386 GN2	**brushed cool sunrise**	**4005176512810**	**965.70**
19 386 DL2	**brushed warm sunset**	**4005176512872**	**965.70**
19 386 A02	**hard graphite**	**4005176512971**	**905.34**






Allure
2-hole basin mixer
M-Size
wall mounted
without concealed body
set for final installation for
23 429 000
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE AquaGuide adjustable slim air mousseur
centre distance 110 mm
projection 212 mm

23 429 000		**4005176993695**	**254.60**






Single-lever mixer 1/2", concealed body
for 2 hole basin mixer
without finishing trim set
GROHE FeatherControl Joystick cartridge
wall installation
installation device
DR-brass
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve


GROHE ALLURE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**24 160 001**	**Chrome**	**4005176596230**	**249.32**
	24 160 GN1	**brushed cool sunrise**	**4005176596278**	**373.98**
	24 160 DL1	**brushed warm sunset**	**4005176598692**	**373.98**
	24 160 A01	**hard graphite**	**4005176598708**	**342.81**




Allure
Bidet mixer 1/2"
M-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
GROHE StarLight chrome finish
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

	**32 846 001**	**Chrome**	**4005176506895**	**349.43**
	32 846 GN1	**brushed cool sunrise**	**4005176506734**	**559.09**
	32 846 DL1	**brushed warm sunset**	**4005176506796**	**559.09**
	32 846 A01	**hard graphite**	**4005176506871**	**524.15**




Allure
Single-lever shower mixer 1/2" exposed
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE FastFixation system
adjustable flow rate limiter
shower front outlet 1/2"
with integrated non return-valve
covered S-unions
protected against backflow

	**32 826 001**	**Chrome**	**4005176507076**	**381.20**
	32 826 GN1	**brushed cool sunrise**	**4005176506918**	**609.92**
	32 826 DL1	**brushed warm sunset**	**4005176506970**	**609.92**
	32 826 A01	**hard graphite**	**4005176507052**	**571.80**



Allure
Single-lever bath mixer 1/2" exposed
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE FastFixation system
adjustable flow rate limiter
automatic diverter: bath/shower
cast spout
mousseur
shower bottom outlet 1/2" with
integrated non return-valve
covered S-unions
protected against backflow

	**18 968 001**	**Chrome**	**4005176514586**	**122.30**
	18 968 GN1	**brushed cool sunrise**	**4005176514401**	**195.68**
	18 968 DL1	**brushed warm sunset**	**4005176514463**	**195.68**
	18 968 A01	**hard graphite**	**4005176514562**	**183.45**




Allure
Shower and bath tray
for installation with 32 846 001 and 32 826 001
easy to click on and remove
material: acrylic glass
width 315 mm
depth 136 mm

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ALLURE

Ref. No.	Colour	EAN	Retail Guide Price (£)
19 317 001	**Chrome**	**4005176513756**	**230.31**
19 317 GN1	**brushed cool sunrise**	**4005176513572**	**368.49**
19 317 DL1	**brushed warm sunset**	**4005176513633**	**368.49**
19 317 A01	**hard graphite**	**4005176513732**	**345.46**






Allure
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No.	Colour	EAN	Retail Guide Price (£)
19 315 001	**Chrome**	**4005176514159**	**262.07**
19 315 GN1	**brushed cool sunrise**	**4005176513978**	**419.32**
19 315 DL1	**brushed warm sunset**	**4005176514036**	**419.32**
19 315 A01	**hard graphite**	**4005176514135**	**393.11**






Allure
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 176 001	**Chrome**	**4005176507779**	**285.90**
29 176 GN1	**brushed cool sunrise**	**4005176507618**	**457.44**
29 176 DL1	**brushed warm sunset**	**4005176507670**	**457.44**
29 176 A01	**hard graphite**	**4005176507755**	**428.85**





Allure
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set


35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE ALLURE

Ref. No.	Colour	EAN	Retail Guide Price (£)
19 380 002	**Chrome**	**4005176513190**	**304.75**
19 380 GN2	**brushed cool sunrise**	**4005176513015**	**482.85**
19 380 DL2	**brushed warm sunset**	**4005176513077**	**482.85**
19 380 A02	**hard graphite**	**4005176513176**	**452.67**






Allure
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
ceramic stop valve, 120°
metal handles
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 181 002	**Chrome**	**4005176558993**	**317.66**
29 181 GN2	**brushed cool sunrise**	**4005176559037**	**508.26**
29 181 DL2	**brushed warm sunset**	**4005176559051**	**508.26**
29 181 A02	**hard graphite**	**4005176559068**	**476.50**





Allure
Thermostat for concealed installation with 2-way diverter head shower/hand shower
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000		**4005176698774**	**142.72**


GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ALLURE

Ref. No.	Colour	EAN	Retail Guide Price (£)
19 446 002	**Chrome**	**4005176512797**	**317.66**
19 446 GN2	**brushed cool sunrise**	**4005176512612**	**508.26**
19 446 DL2	**brushed warm sunset**	**4005176512674**	**508.26**
19 446 A02	**hard graphite**	**4005176512773**	**476.50**






Allure
Thermostat for concealed installation with 2-way diverter hand shower/bath filler
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No.	Colour	EAN	Retail Guide Price (£)
25 221 001	**Chrome**	**4005176509438**	**790.98**
25 221 GN1	**brushed cool sunrise**	**4005176509254**	**1,265.58**
25 221 DL1	**brushed warm sunset**	**4005176509315**	**1,265.58**
25 221 A01	**hard graphite**	**4005176509414**	**1,186.48**






Allure
5-hole bath/shower combination
for installation under tiled surround
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
Consisting of:
pre-assembled spout fixing
with lever handles
bath spout with mousseur and diverter bath/shower
Sena hand shower 6.6 l/min
shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
optional baseframes for installation: 29 037 001/29 037 002

Ref. No.	Colour	EAN	Retail Guide Price (£)
19 316 001	**Chrome**	**4005176513954**	**1,124.53**
19 316 GN1	**brushed cool sunrise**	**4005176513770**	**1,799.25**
19 316 DL1	**brushed warm sunset**	**4005176513831**	**1,799.25**
19 316 A01	**hard graphite**	**4005176513930**	**1,686.80**






Allure
4-hole single-lever bath combination
for installation under tiled surround
GROHE StarLight chrome finish
single lever mixer operating element
diverter bath/shower
Sena hand shower 6.6 l/min
shower hose 2000 mm
optional baseframes for installation: 29 037 001/29 037 002

29 037 001		**4005176455490**	**828.15**






4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color

GROHE ALLURE

Ref. No.	Colour	EAN	Retail Guide Price (£)






29 037 002		**4005176519918**	**781.73**

4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve
caps to cover screw fixations always come in chrome color






25 222 001	**Chrome**	**4005176509230**	**1,397.72**
25 222 GN1	**brushed cool sunrise**	**4005176509056**	**2,236.36**
25 222 DL1	**brushed warm sunset**	**4005176509117**	**2,236.36**
25 222 A01	**hard graphite**	**4005176509216**	**2,096.59**

Allure
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
swivel spout with mousseur
and stop limiter
projection 263 mm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
Sena hand shower 6.6 l/min
shower hose 1250 mm
protected against backflow






45 984 001		**4005176992056**	**388.61**

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material






13 317 001	**Chrome**	**4005176514869**	**889.46**
13 317 GN1	**brushed cool sunrise**	**4005176514685**	**1,423.14**
13 317 DL1	**brushed warm sunset**	**4005176514746**	**1,423.14**
13 317 A01	**hard graphite**	**4005176514845**	**1,334.19**

Allure
Cascade spout for bath and shower
wall mounted
with decorative glass cover plate
GROHE StarLight chrome finish
projection 169 mm





13 264 001	**Chrome**	**4005176515149**	**198.54**


Allure
Bath spout 3/4"
wall mounted
GROHE StarLight chrome finish
projection 167 mm
caché mousseur

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ALLURE

Ref. No.	Colour	EAN	Retail Guide Price (£)
19 590 001	Chrome	4005176512599	135.01
19 590 GN1	brushed cool sunrise	4005176512414	216.01
19 590 DL1	brushed warm sunset	4005176512476	216.01
19 590 A01	hard graphite	4005176512575	202.51






Allure
3-way diverter
set for final installation for
29 033 000
without concealed body
bayonet union escutcheon
installation depth adjustable
66 - 113 mm
only for use with concealed body
GROHE StarLight chrome finish

Ref. No.		EAN	Retail Guide Price (£)
29 033 000		4005176845338	273.50






5-way diverter
concealed body
wall installation
with ceramic sealing disks
connection cold and hot 1/2"
2 outlets 1/2"
1 bath outlet 3/4"
installation depth adjustable
66 - 113 mm
DR-brass


Ref. No.	Colour	EAN	Retail Guide Price (£)
19 334 001	Chrome	4005176513558	79.42
19 334 GN1	brushed cool sunrise	4005176513374	127.07
19 334 DL1	brushed warm sunset	4005176513435	127.07
19 334 A01	hard graphite	4005176513534	119.12






Allure
Concealed stop-valve trim
for concealed valve 35 028 000 or 29 032 000
GROHE StarLight chrome finish
installation depth adjustable
20-80 mm
escutcheon with screwable wall sealing
with lever handle

Ref. No.		EAN	Retail Guide Price (£)
35 028 000		4005176908316	144.94






GROHE Rapido C
Rough-in for single volume control
for grid installation of Grohtherm Custom Shower system
built-in box with removable protection cover
waterproof membrane base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
pre-assembled ceramic headpart 3/4"
connection threads 1/2"
installation depth 70 - 95 mm

Ref. No.		EAN	Retail Guide Price (£)
29 032 000		4005176845277	34.64






Concealed valve
pre-assembled headpart 1/2"
threaded union 1/2"
installation depth adjustable
43 - 91 mm
DR-brass

GROHE ALLURE

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 278 001	**Chrome**	**4005176531545**	**73.06**
40 278 GN1	**brushed cool sunrise**	**4005176531583**	**116.90**
40 278 DL1	**brushed warm sunset**	**4005176531606**	**116.90**
40 278 A01	**hard graphite**	**4005176531613**	**109.59**






Allure
Glass/soap dish holder
fits glass 40 254 003 or soap dispenser 40 306 003 (to be ordered separately)
material: metal
concealed fastening
GROHE StarLight chrome finish

---

40 306 003	**Chrome**	**4005176461545**	**52.81**






Soap dispenser
material: glass / metal
filling quantity 160 ml
fits holders Allure 40 278 001 and Atrio 40 304 xx3 (to be ordered separately)
GROHE StarLight chrome finish

---

40 254 003		**4005176462405**	**43.38**






Glass
material: glass
fits holders Allure 40 278 001 and Atrio 40 304 xx3 (to be ordered separately)

---

40 963 001	**Chrome**	**4005176530913**	**49.86**
40 963 GN1	**brushed cool sunrise**	**4005176530951**	**77.91**
40 963 DL1	**brushed warm sunset**	**4005176530975**	**77.91**
40 963 A01	**hard graphite**	**4005176530982**	**68.56**






Allure
Glass/soap dish holder
for soap dish 40 256 003 or hair dryer inlet 40 964 001 (to be ordered separately)
material: metal
concealed fastening
GROHE StarLight chrome finish

---

40 256 003	**Glass Matt**	**4005176462443**	**40.30**






Soap dish
material: glass
fits holders Allure (40 963 001) and Atrio (40 305 xx3), sold separately

---

40 964 001	**black**	**4005176531019**	**10.91**







Allure
Hair dryer inlet
material: plastic
holder 40 963 001 to be ordered separately

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE ALLURE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 284 001	Chrome	4005176531941	28.05
	40 284 GN1	brushed cool sunrise	4005176531989	43.63
	40 284 DL1	brushed warm sunset	4005176532009	43.63
	40 284 A01	hard graphite	4005176532016	38.96


Allure
Robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish

 	40 342 001	Chrome	4005176531644	101.29
	40 342 GN1	brushed cool sunrise	4005176531682	186.99
	40 342 DL1	brushed warm sunset	4005176531705	186.99
	40 342 A01	hard graphite	4005176531712	155.82


Allure
Double towel bar
material: metal
pivotable 90°
length 460 mm
concealed fastening
GROHE StarLight chrome finish

 	40 341 001	Chrome	4005176531743	101.29
	40 341 GN1	brushed cool sunrise	4005176531781	186.99
	40 341 DL1	brushed warm sunset	4005176531804	186.99
	40 341 A01	hard graphite	4005176531811	155.82


Allure
Towel rail
center distance 569 mm
material: metal
concealed fastening
GROHE StarLight chrome finish

 	40 339 001	Chrome	4005176531026	63.53
	40 339 GN1	brushed cool sunrise	4005176531064	101.65
	40 339 DL1	brushed warm sunset	4005176531088	101.65
	40 339 A01	hard graphite	4005176531095	95.30

Allure
Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish

 	40 955 001	Chrome	4005176531842	135.01
	40 955 GN1	brushed cool sunrise	4005176531880	216.01
	40 955 DL1	brushed warm sunset	4005176531903	216.01
	40 955 A01	hard graphite	4005176531910	202.51

Allure
Grab rail
material: metal
concealed fastening
center distance 269 mm
GROHE StarLight chrome finish


 	40 279 001	Chrome	4005176532047	95.30
	40 279 GN1	brushed cool sunrise	4005176532085	152.48
	40 279 DL1	brushed warm sunset	4005176532108	152.48
	40 279 A01	hard graphite	4005176532115	142.95

Allure
Toilet roll holder
without cover
material: metal
concealed fastening
GROHE StarLight chrome finish

GROHE ALLURE

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 956 001	Chrome	4005176532146	87.36
40 956 GN1	brushed cool sunrise	4005176532184	139.77
40 956 DL1	brushed warm sunset	4005176532207	139.77
40 956 A01	hard graphite	4005176532214	131.04






Allure
Spare toilet paper holder
without cover
material: metal
concealed fastening
GROHE StarLight chrome finish

40 340 001	Chrome	4005176532245	158.83
40 340 GN1	brushed cool sunrise	4005176532283	254.13
40 340 DL1	brushed warm sunset	4005176532306	254.13
40 340 A01	hard graphite	4005176532313	238.25






Allure
Toilet brush set
wall mounted
concealed fastening
material: glass / metal
GROHE StarLight chrome finish

40 965 001	Chrome	4005176531125	214.42
40 965 GN1	brushed cool sunrise	4005176531163	343.08
40 965 DL1	brushed warm sunset	4005176531187	343.08
40 965 A01	hard graphite	4005176531194	321.64






Allure
Shelf
wall mounted
material: glass / metal
concealed fastening
width 600 mm
depth 100 mm
GROHE StarLight chrome finish

40 966 001	Chrome	4005176531224	155.82
40 966 GN1	brushed cool sunrise	4005176531262	194.78
40 966 DL1	brushed warm sunset	4005176531286	194.78
40 966 A01	hard graphite	4005176531293	194.78






Allure
Shower basket
wall mounted
material: metal/plastic
with draining function
concealed fastening
width 300 mm
depth 100 mm
height 66 mm
GROHE StarLight chrome finish

40 967 001	Chrome	4005176531323	111.18
40 967 GN1	brushed cool sunrise	4005176531361	177.89
40 967 DL1	brushed warm sunset	4005176531385	177.89
40 967 A01	hard graphite	4005176531392	166.77






Allure
Beauty / shaving mirror
wall mounted
magnification: x 7
material: glass / metal
concealed fastening
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ALLURE

	Ref. No.	Colour	EAN	Retail Guide Price (£)






23 076 000 **Chrome** **4005176890505** **559.14**

Allure
Single-lever basin mixer 1/2“
L-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
GROHE StarLight chrome finish
GROHE EcoJoy 6.0 l/min. flow limiter
rapid installation system
mousseur
U spout
without lift rod and without pop up waste
flexible connection hoses






32 760 000 **Chrome** **4005176870927** **727.33**

Allure
Basin mixer 1/2“
XL-Size
monobloc installation
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
GROHE StarLight chrome finish
GROHE EcoJoy 6.0 l/min. flow limiter
rapid installation system
mousseur
pop-up waste set 1 1/4“
flexible connection hoses
projection 104 mm






32 249 000 **Chrome** **4005176832383** **775.11**

Allure
Basin mixer 1/2“
XL-Size
monobloc installation
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
GROHE StarLight chrome finish
GROHE EcoJoy 6.0 l/min. flow limiter
rapid installation system
mousseur
pop-up waste set 1 1/4“
flexible connection hoses











20 143 000 **Chrome** **4005176832581** **693.16**






Allure
Three-hole basin mixer 1/2“
M-Size
with metal plate
GROHE StarLight chrome finish
ceramic headpart 1/2“, 180°
flow limiter 8 l/min.
spout with mousseur
pop-up waste set 1 1/4“
pressure-proof, flexible connection hoses
between spout and side valves

GROHE ALLURE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**20 190 000**	**Chrome**	**4005176875748**	**607.89**
	Allure **Three-hole basin mixer 1/2"** **S-Size** wall mounted, **without concealed body** set for final installation for 32 706 000 with metal plate valves hot/cold with Carbodur ceramic headparts 1/2" - 180 **GROHE StarLight** chrome finish flow limiter 8 l/min. spout with mousseur centre distance 200 mm projection 172 mm			
	20 192 000	**Chrome**	**4005176875991**	**656.60**
	Ditto, projection 220 mm			
 	**32 706 000**		**4005176855092**	**266.76**
	Two-handle basin mixer **concealed body, 1/2"** for 3-hole basin mixer wall installation **without finishing trim set**			
 	**34 742 000**	**Chrome**	**4005176484094**	**1,445.05**
	Grohtherm SmartControl **Perfect shower set** Consisting of: concealed thermostat with 2 valves and integrated hand shower holder Grohtherm SmartControl set for final installation (29 125 000) GROHE Rapido SmartBox 35 600/35 604 Rainshower F-Series 10" head shower set (26 070 000) including horizontal shower arm 286 mm hand shower Power&Soul Cosmopolitan 115 (27 661 000) Silverflex shower hose 1250 mm (28 362)			
 	**29 086 000**		**4005176935497**	**249.61**
	Rough-in set 1/2" for floor-mounted tub spouts and mixers **without finishing trim set** installation plate with 360° horizontal and 3° vertical adjustment installation depth 47-151 mm depth compensation 104 mm two 1/2" female connections (hot/cold supplies) flushing plug			
 	**35 028 000**		**4005176908316**	**144.94**
	GROHE Rapido C **Rough-in for single volume control** for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE ALLURE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**29 800 000**		**4005176504839**	**32.85**
	Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve threaded union 1/2" DR-brass			
	29 802 000 **ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"**		**4005176504853**	**55.52**
	29 805 000 **ditto, 1", pre-assembled headpart 1", thread union 1"**		**4005176504884**	**93.25**
 	**29 801 000**		**4005176504846**	**27.07**
	Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve soldered connection Ø15 mm DR-brass			
	29 804 000 **ditto, soldered connection Ø 22 mm**		**4005176504877**	**43.06**
 	**29 811 000**		**4005176062711**	**55.52**
	Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass			
 	**19 384 000**	**Chrome**	**4005176875755**	**154.07**
	Allure **Concealed stop-valve trim** with lever handle set for final installation for **29 032 000** 35 028 000 installation depth adjustable 43 - 91 mm metal escutcheon **without concealed body** **GROHE StarLight** chrome finish			
	35 028 000 **GROHE Rapido C rough-in box for single volume control**		**4005176908316**	**144.94**
 	**29 032 000**		**4005176845277**	**34.64**
	Concealed valve pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass			

GROHE ALLURE

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 469 000 **Chrome** **4005176882593** **1,247.25**

Rainshower F-Series System 254
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower F-Series 254 (27 285 000)
material: metal
with ball joint, rotation angle ± 20°
hand shower Sena (28 341 000)
adjustable height via gliding element
(12 140 000)
metal shower hose 1750 mm
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect flow
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life






26 070 000 **Chrome** **4005176937248** **517.93**

Rainshower F-Series 10" 254 x 254
Head shower set 275 mm, 1 spray
Consisting of:
head shower Rainshower F-Series 254 (27 285 000)
material: metal
1 spray pattern:
Rain
Shower arm Rainshower 275 mm (27 488 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

26 060 000 **Chrome** **4005176937149** **517.93**
ditto, with non-restricted flow






26 071 000 **Chrome** **4005176937255** **517.93**

Rainshower F-Series 10"
Head shower set ceiling 142 mm, 1 spray
Consisting of:
head shower Rainshower F-Series 254 (27 285 000)
material: metal
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (27 485 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system





28 034 000 **Chrome** **4005176231810** **159.46**


Sena Stick
Hand shower 1 spray
Normal spray
material: metal
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
32 043 003	**Chrome**	4005176454479	341.25
32 043 DC3	**supersteel**	4005176454486	542.65
32 043 GL3	**cool sunrise**	4005176492211	536.34
32 043 AL3	**Brushed Hard Graphite**	4005176454691	620.20






Atrio
Basin mixer 1/2"
M-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular C-spout with mousseur
stop limiter
Push-open waste set 1 1/4"
flexible connection hoses

32 042 003	**Chrome**	4005176454448	393.64
32 042 DC3	**supersteel**	4005176454455	626.11
32 042 GL3	**cool sunrise**	4005176492143	611.24
32 042 DA3	**warm sunset**	4005176492167	611.25
32 042 AL3	**Brushed Hard Graphite**	4005176454462	715.55






Atrio
Single-lever basin mixer 1/2"
L-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular C-spout with mousseur
stop limiter
Push-open waste set 1 1/4"
flexible connection hoses

32 647 003	**Chrome**	4005176454707	552.05
32 647 DC3	**supersteel**	4005176454714	876.60
32 647 GL3	**cool sunrise**	4005176492280	855.73
32 647 DA3	**warm sunset**	4005176492303	855.73
32 647 AL3	**Brushed Hard Graphite**	4005176454721	1,001.82






Atrio
Basin mixer 1/2"
XL-Size
monobloc installation
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular C-spout with mousseur
stop limiter
Push-open waste set 1 1/4"
flexible connection hoses

19 287 003	**Chrome**	4005176454738	393.64
19 287 DC3	**supersteel**	4005176454745	626.11
19 287 GL3	**cool sunrise**	4005176492358	611.24
19 287 DA3	**warm sunset**	4005176492372	611.24
19 287 AL3	**Brushed Hard Graphite**	4005176454752	715.55






Atrio
Two-hole basin mixer joystick
wall mounted
without concealed body
set for final installation for
23 429 000
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 110 mm
projection 185 mm

GROHE
ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
19 918 003	**Chrome**	**4005176454769**	**446.05**
19 918 DC3	**supersteel**	**4005176454776**	**709.61**
19 918 GL3	**cool sunrise**	**4005176492426**	**692.74**
19 918 DA3	**warm sunset**	**4005176492440**	**692.74**
19 918 AL3	**Brushed Hard Graphite**	**4005176454783**	**810.98**






Atrio
Two-hole basin mixer joystick
wall mounted
without concealed body
set for final installation for
23 429 000
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 110 mm
projection 221 mm

23 429 000		**4005176993695**	**254.60**






Single-lever mixer 1/2", concealed body
for 2 hole basin mixer
without finishing trim set
GROHE FeatherControl Joystick cartridge
wall installation
installation device
DR-brass
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

32 108 003	**Chrome**	**4005176454790**	**446.05**
32 108 DC3	**supersteel**	**4005176454806**	**709.61**
32 108 GL3	**cool sunrise**	**4005176492495**	**692.74**
32 108 DA3	**warm sunset**	**4005176492518**	**692.74**
32 108 AL3	**Brushed Hard Graphite**	**4005176454813**	**810.98**






Atrio
Bidet mixer 1/2"
M-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
rapid installation system
tubular C-spout with ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

32 650 003	**Chrome**	**4005176454820**	**472.83**
32 650 DC3	**supersteel**	**4005176454837**	**751.34**
32 650 GL3	**cool sunrise**	**4005176492563**	**733.48**
32 650 DA3	**warm sunset**	**4005176492587**	**733.48**
32 650 AL3	**Brushed Hard Graphite**	**4005176454844**	**858.67**






Atrio
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with
integrated non return-valve
covered S-unions
protected against backflow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
32 652 003	**Chrome**	**4005176454851**	**552.05**
32 652 DC3	**supersteel**	**4005176454868**	**876.60**
32 652 GL3	**cool sunrise**	**4005176492631**	**855.73**
32 652 DA3	**warm sunset**	**4005176492655**	**855.73**
32 652 AL3	**Brushed Hard Graphite**	**4005176454875**	**1,001.82**






Atrio
Single-lever bath/shower mixer 1/2"
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
cast spout
mousseur
shower bottom outlet 1/2" with
integrated non return-valve
covered S-unions
protected against backflow

24 065 003	**Chrome**	**4005176465741**	**343.62**
24 065 DC3	**supersteel**	**4005176465758**	**479.04**
24 065 GL3	**cool sunrise**	**4005176564574**	**468.06**
24 065 DA3	**warm sunset**	**4005176564550**	**473.57**
24 065 AL3	**Brushed Hard Graphite**	**4005176465765**	**547.46**






Atrio
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 066 003	**Chrome**	**4005176465772**	**377.06**
24 066 DC3	**supersteel**	**4005176465789**	**526.92**
24 066 GL3	**cool sunrise**	**4005176564642**	**515.43**
24 066 DA3	**warm sunset**	**4005176564628**	**520.93**
24 066 AL3	**Brushed Hard Graphite**	**4005176465796**	**602.19**





Atrio
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set


35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 096 003	**Chrome**	**4005176480669**	**403.58**
24 096 DC3	**supersteel**	**4005176480676**	**563.42**
24 096 GL3	**cool sunrise**	**4005176564710**	**550.66**
24 096 DA3	**warm sunset**	**4005176564697**	**557.27**
24 096 AL3	**Brushed Hard Graphite**	**4005176480683**	**643.87**






Atrio
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set

35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 134 003	**Chrome**	**4005176480959**	**648.90**
24 134 DC3	**supersteel**	**4005176480973**	**907.07**
24 134 GL3	**cool sunrise**	**4005176564369**	**886.47**
24 134 DA3	**warm sunset**	**4005176564345**	**546.35**
24 134 AL3	**Brushed Hard Graphite**	**4005176480997**	**1,036.64**





Atrio
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
ceramic stop valve, 120°
metal handles
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000		**4005176698774**	**142.72**


GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 135 003	Chrome	4005176480966	694.12
24 135 DC3	supersteel	4005176480980	970.24
24 135 GL3	cool sunrise	4005176564437	948.01
24 135 DA3	warm sunset	4005176564413	958.81
24 135 AL3	Brushed Hard Graphite	4005176481000	1,108.85






Atrio
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
metal handles
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000		4005176698774	142.72

GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 138 003	Chrome	4005176481017	694.12
24 138 DC3	supersteel	4005176481024	970.24
24 138 GL3	cool sunrise	4005176564505	948.01
24 138 DA3	warm sunset	4005176564482	958.81
24 138 AL3	Brushed Hard Graphite	4005176481031	1,108.85






Atrio
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
metal handles
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000		4005176698774	142.72

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
ATRIO





Ref. No.	Colour	EAN	Retail Guide Price (£)
32 653 003	**Chrome**	**4005176454912**	**1,522.19**
32 653 DC3	**supersteel**	**4005176454929**	**2,421.04**
32 653 GL3	**cool sunrise**	**4005176492709**	**2,363.46**
32 653 DA3	**warm sunset**	**4005176492723**	**2,363.46**
32 653 AL3	**Brushed Hard Graphite**	**4005176454936**	**2,766.88**

Atrio
Single-lever bath mixer, floor mounted
set for final installation for
45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with mousseur
projection 301 mm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
hand shower Sena Stick (26 465)
Silverflex shower hose 1250 mm
protected against backflow

45 984 001		**4005176992056**	**388.61**


Rough-in set 1/2" for floor-mounted mixers/spouts

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
20 021 003	**Chrome**	**4005176455193**	**263.22**
20 021 DC3	**supersteel**	**4005176455209**	**417.45**
20 021 GL3	**cool sunrise**	**4005176493393**	**407.49**
20 021 DA3	**warm sunset**	**4005176493416**	**407.49**
20 021 AL3	**Brushed Hard Graphite**	**4005176455216**	**477.05**






Atrio
Pillar tap 1/2" XS-Size
headpart 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
mousseur
fixed spout
with lever handle

21 022 003	**Chrome**	**4005176454943**	**420.44**
21 022 DC3	**supersteel**	**4005176454950**	**667.87**
21 022 GL3	**cool sunrise**	**4005176492778**	**651.98**
21 022 DA3	**warm sunset**	**4005176492792**	**651.98**
21 022 AL3	**Brushed Hard Graphite**	**4005176454967**	**763.29**






Atrio
Basin mixer, 1/2"
L-Size
ceramic headparts 1/2", 90°
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
swivel tubular spout with mousseur and stop limiter
Push-open waste set 1 1/4"
flexible connection hoses
with lever handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

21 019 003	**Chrome**	**4005176455223**	**420.44**
21 019 DC3	**supersteel**	**4005176455230**	**667.87**
21 019 GL3	**cool sunrise**	**4005176493461**	**651.98**
21 019 DA3	**warm sunset**	**4005176493485**	**651.98**
21 019 AL3	**Brushed Hard Graphite**	**4005176455247**	**763.29**






Atrio
Basin mixer, 1/2"
L-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
swivel tubular spout with mousseur and stop limiter
Push-open waste set 1 1/4"
flexible connection hoses
with cross handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

21 044 003	**Chrome**	**4005176455254**	**577.66**
21 044 DC3	**supersteel**	**4005176455261**	**918.34**
21 044 GL3	**cool sunrise**	**4005176493539**	**896.49**
21 044 DA3	**warm sunset**	**4005176493553**	**896.49**
21 044 AL3	**Brushed Hard Graphite**	**4005176455278**	**1,049.51**






Atrio
Basin mixer, 1/2"
XL-Size
for free-standing basins
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
swivel tubular spout with mousseur and stop limiter
Push-open waste set 1 1/4"
flexible connection hoses
with cross handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

GROHE
ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
20 009 003	**Chrome**	4005176454974	420.42
20 009 DC3	**supersteel**	4005176454981	834.84
20 009 GL3	**cool sunrise**	4005176492839	814.99
20 009 DA3	**warm sunset**	4005176492853	814.99
20 009 AL3	**Brushed Hard Graphite**	4005176454998	954.09






Atrio
Three-hole basin mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular spout with mousseur and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses between spout and side valves
with lever handles
Two different sets of caps included. One set with
„H" and „C" marking, one set without marking.

Ref. No.	Colour	EAN	Retail Guide Price (£)
20 008 003	**Chrome**	4005176455285	525.23
20 008 DC3	**supersteel**	4005176455292	834.84
20 008 GL3	**cool sunrise**	4005176493607	814.99
20 008 DA3	**warm sunset**	4005176493621	814.99
20 008 AL3	**Brushed Hard Graphite**	4005176455308	954.09






Atrio
Three-hole basin mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular spout with mousseur and stop limiter
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
with cross handles
Two different sets of caps included. One set with
„H" and „C" marking, one set without marking.

Ref. No.	Colour	EAN	Retail Guide Price (£)
20 169 003	**Chrome**	4005176455001	446.05
20 169 DC3	**supersteel**	4005176455018	709.61
20 169 GL3	**cool sunrise**	4005176492907	692.74
20 169 DA3	**warm sunset**	4005176492921	692.74
20 169 AL3	**Brushed Hard Graphite**	4005176455025	810.98






Atrio
Three-hole basin mixer 1/2"
S-Size
wall mounted
set for final installation for
29 025 002
without concealed body
valves hot/cold
with headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 200 mm
projection 180 mm
with lever handles
Two different sets of caps included. One set with
„H" and „C" marking, one set without marking.

Ref. No.	Colour	EAN	Retail Guide Price (£)
20 164 003	**Chrome**	4005176455315	446.05
20 164 DC3	**supersteel**	4005176455322	709.61
20 164 GL3	**cool sunrise**	4005176493676	692.74
20 164 DA3	**warm sunset**	4005176493690	692.74
20 164 AL3	**Brushed Hard Graphite**	4005176455339	810.98







Atrio
3-hole basin mixer
wall mounted
set for final installation for
29 025 002
without concealed body
valves hot/cold
with headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 200 mm
projection 180 mm
with cross handles
Two different sets of caps included. One set with
„H" and „C" marking, one set without marking.

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 025 002		**4005176519895**	**247.26**






Two-handle basin mixer
concealed body, 1/2"
for 3-hole basin mixer
wall installation
without finishing trim set
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

24 027 003	**Chrome**	**4005176455346**	**446.05**
24 027 DC3	**supersteel**	**4005176455353**	**709.61**
24 027 GL3	**cool sunrise**	**4005176493744**	**692.74**
24 027 DA3	**warm sunset**	**4005176493768**	**692.74**
24 027 AL3	**Brushed Hard Graphite**	**4005176455360**	**810.98**






Atrio
Bidet mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
rapid installation system
ball-joint mousseur
bow spout
pop-up waste set 1 1/4"
flexible connection hoses
with cross handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

26 003 003	**Chrome**	**4005176455377**	**472.83**
26 003 DC3	**supersteel**	**4005176455384**	**751.34**
26 003 GL3	**cool sunrise**	**4005176493812**	**733.48**
26 003 DA3	**warm sunset**	**4005176493836**	**733.48**
26 003 AL3	**Brushed Hard Graphite**	**4005176455391**	**858.68**






Atrio
Shower mixer 1/2"
wall mounted
ceramic headparts 1/2", 90°
shower outlet 1/2"
integrated non-return valves in the shower outlet 1/2"
covered S-unions
protected against backflow
with cross handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

25 010 003	**Chrome**	**4005176455407**	**630.08**
25 010 DC3	**supersteel**	**4005176455414**	**1,001.82**
25 010 GL3	**cool sunrise**	**4005176493881**	**977.98**
25 010 DA3	**warm sunset**	**4005176493904**	**977.98**
25 010 AL3	**Brushed Hard Graphite**	**4005176455421**	**1,144.92**







Atrio
Bath / shower mixer 1/2"
wall mounted
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
automatic diverter: bath/shower
tubular spout
with stop restriction
mousseur
covered S-unions
protected against backflow
without shower set
with cross handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

GROHE
ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
25 044 003	**Chrome**	**4005176455438**	**1,968.23**
25 044 DC3	**supersteel**	**4005176455445**	**3,130.63**
25 044 GL3	**cool sunrise**	**4005176493959**	**3,056.19**
25 044 DA3	**warm sunset**	**4005176493973**	**3,056.19**
25 044 AL3	**Brushed Hard Graphite**	**4005176455452**	**3,577.89**






Atrio
Bath / shower mixer 1/2"
floor-mounted installation
with high pillar unions (765 mm)
set for final installation for
45 984 001
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
automatic diverter: bath/shower
swivel tubular spout with mousseur and stop limiter
projection 301 mm
integrated non-return valve
in the shower outlet 1/2"
hand shower Sena Stick (26 465)
with shower holder
Silverflex shower hose 1250 mm (28 362)
protected against backflow, with cross handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

---

45 984 001 **4005176992056** **388.61**






Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material

---

19 088 003	**Chrome**	**4005176455162**	**118.78**
19 088 DC3	**supersteel**	**4005176455179**	**153.71**
19 088 GL3	**cool sunrise**	**4005176493324**	**143.18**
19 088 DA3	**warm sunset**	**4005176493348**	**143.18**
19 088 AL3	**Brushed Hard Graphite**	**4005176455186**	**165.37**






Atrio
Concealed stop-valve trim
for concealed valve 35 028 000 or 29 032 000
GROHE StarLight chrome finish
installation depth adjustable
20-80 mm
escutcheon with screwable wall sealing
with lever handle

---

19 069 003	**Chrome**	**4005176455469**	**92.00**
19 069 DC3	**supersteel**	**4005176455476**	**146.07**
19 069 GL3	**cool sunrise**	**4005176494017**	**143.18**
19 069 DA3	**warm sunset**	**4005176494031**	**143.18**
19 069 AL3	**Brushed Hard Graphite**	**4005176455483**	**166.96**







Atrio
Concealed stop-valve trim
for concealed valve 35 028 000 or 29 032 000
GROHE StarLight chrome finish
installation depth adjustable
20-80 mm
escutcheon with screwable wall sealing
with cross handle

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
35 028 000		**4005176908316**	**144.94**






GROHE Rapido C
Rough-in for single volume control
for grid installation of Grohtherm Custom Shower system
built-in box with removable protection cover
waterproof membrane base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
pre-assembled ceramic headpart 3/4"
connection threads 1/2"
installation depth 70 - 95 mm

29 032 000		**4005176845277**	**34.64**






Concealed valve
pre-assembled headpart 1/2"
threaded union 1/2"
installation depth adjustable
43 - 91 mm
DR-brass

19 922 003	**Chrome**	**4005176455568**	**1,344.50**
19 922 DC3	**supersteel**	**4005176455575**	**1,668.52**
19 922 GL3	**cool sunrise**	**4005176494673**	**1,833.71**
19 922 DA3	**warm sunset**	**4005176494697**	**1,833.71**
19 922 AL3	**Brushed Hard Graphite**	**4005176455582**	**1,955.97**






Atrio
5-hole bath/shower combination
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
Consisting of:
pre-assembled spout fixing
with lever handles
bath spout with mousseur and diverter bath/shower
Sena hand shower 6.6 l/min
shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 002
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

19 923 003	**Chrome**	**4005176455537**	**1,344.50**
19 923 DC3	**supersteel**	**4005176455544**	**1,878.36**
19 923 GL3	**cool sunrise**	**4005176494611**	**1,833.71**
19 923 DA3	**warm sunset**	**4005176494635**	**1,833.71**
19 923 AL3	**Brushed Hard Graphite**	**4005176455551**	**1,797.37**






Atrio
5-hole bath/shower combination
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
Consisting of:
pre-assembled spout fixing
with cross handles
bath spout with mousseur and diverter bath/shower
Sena hand shower 6.6 l/min
shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 002
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

GROHE
ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)






29 037 002		**4005176519918**	**781.73**

4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve
caps to cover screw fixations always come in chrome color






13 139 003	**Chrome**	**4005176455131**	**236.41**
13 139 DC3	**supersteel**	**4005176455148**	**375.65**
13 139 GL3	**cool sunrise**	**4005176493263**	**366.74**
13 139 DA3	**warm sunset**	**4005176493287**	**366.74**
13 139 AL3	**Brushed Hard Graphite**	**4005176455155**	**429.35**

Atrio
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
projection 171 mm





29 118 000	**Chrome**	**4005176412240**	**531.78**
29 118 DC0	**supersteel**	**4005176455032**	**654.32**
29 118 GL0	**cool sunrise**	**4005176492976**	**719.10**
29 118 DA0	**warm sunset**	**4005176492990**	**719.10**
29 118 AL0	**Brushed Hard Graphite**	**4005176455049**	**738.18**

Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min

35 604 000		**4005176698774**	**142.72**


GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 119 000	**Chrome**	**4005176412257**	**613.33**
29 119 DC0	**supersteel**	**4005176455056**	**802.09**
29 119 GL0	**cool sunrise**	**4005176493041**	**783.89**
29 119 DA0	**warm sunset**	**4005176493065**	**783.89**
29 119 AL0	**Brushed Hard Graphite**	**4005176455063**	**803.75**






Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min

35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 121 000	**Chrome**	**4005176412271**	**626.35**
29 121 DC0	**supersteel**	**4005176455094**	**770.93**
29 121 GL0	**cool sunrise**	**4005176493188**	**847.59**
29 121 DA0	**warm sunset**	**4005176493201**	**847.59**
29 121 AL0	**Brushed Hard Graphite**	**4005176455100**	**991.53**





Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min


35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 122 000	**Chrome**	**4005176412288**	**381.72**
29 122 DC0	**supersteel**	**4005176455117**	**470.76**
29 122 GL0	**cool sunrise**	**4005176515194**	**517.19**
29 122 DA0	**warm sunset**	**4005176515217**	**517.19**
29 122 AL0	**Brushed Hard Graphite**	**4005176455124**	**506.39**






Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604/35 601
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min

35 604 000	**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

34 705 000	**Chrome**	**4005176413285**	**1,543.90**






Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
Consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 121 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 304 003	**Chrome**	**4005176461576**	**52.81**
40 304 DC3	**supersteel**	**4005176461583**	**74.13**
40 304 GL3	**cool sunrise**	**4005176494130**	**117.89**
40 304 DA3	**warm sunset**	**4005176494154**	**117.89**
40 304 AL3	**Brushed Hard Graphite**	**4005176462399**	**84.79**






Atrio
Glass/soap dish holder
for Atrio glass (40 254 003) or Atrio soap dispenser (40 306 xx3)
material: metal
concealed fastening
GROHE StarLight chrome finish

40 306 003	**Chrome**	**4005176461545**	**52.81**
40 306 DC3	**supersteel**	**4005176461552**	**74.13**
40 306 GL3	**cool sunrise**	**4005176494079**	**117.89**
40 306 DA3	**warm sunset**	**4005176494093**	**117.89**
40 306 AL3	**Brushed Hard Graphite**	**4005176461569**	**84.79**






Soap dispenser
material: glass / metal
filling quantity 160 ml
fits holders Allure 40 278 001 and Atrio 40 304 xx3 (to be ordered separately)
GROHE StarLight chrome finish

40 254 003		**4005176462405**	**43.38**






Glass
material: glass
fits holders Allure 40 278 001 and Atrio 40 304 xx3 (to be ordered separately)

40 305 003	**Chrome**	**4005176462412**	**52.81**
40 305 DC3	**supersteel**	**4005176462429**	**74.13**
40 305 GL3	**cool sunrise**	**4005176494185**	**117.89**
40 305 DA3	**warm sunset**	**4005176494208**	**117.89**
40 305 AL3	**Brushed Hard Graphite**	**4005176462436**	**84.79**






Atrio
Glass/soap dish holder
for Atrio soap dish (40 256 003)
material: metal
concealed fastening
GROHE StarLight chrome finish

40 256 003	**Glass Matt**	**4005176462443**	**40.30**






Soap dish
material: glass
fits holders Allure (40 963 001) and Atrio (40 305 xx3), sold separately

40 307 003	**Chrome**	**4005176462450**	**70.88**
40 307 DC3	**supersteel**	**4005176462467**	**97.29**
40 307 GL3	**cool sunrise**	**4005176494246**	**157.93**
40 307 DA3	**warm sunset**	**4005176494260**	**157.93**
40 307 AL3	**Brushed Hard Graphite**	**4005176462474**	**115.83**







Atrio
Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish

GROHE
ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 308 003	Chrome	4005176462481	120.48
40 308 DC3	supersteel	4005176462498	166.81
40 308 GL3	cool sunrise	4005176494307	262.46
40 308 DA3	warm sunset	4005176494321	262.46
40 308 AL3	Brushed Hard Graphite	4005176462504	184.41






Atrio
Towel bar
material: metal
2 arms, not pivotable
length 489 mm
concealed fastening
GROHE StarLight chrome finish

40 309 003	Chrome	4005176462511	111.20
40 309 DC3	supersteel	4005176462528	157.55
40 309 GL3	cool sunrise	4005176494369	250.23
40 309 DA3	warm sunset	4005176494383	250.23
40 309 AL3	Brushed Hard Graphite	4005176462627	180.70






Atrio
Towel rail
650 mm (drilling length 600 mm)
material: metal
concealed fastening
GROHE StarLight chrome finish

40 312 003	Chrome	4005176462535	36.60
40 312 DC3	supersteel	4005176462542	50.96
40 312 GL3	cool sunrise	4005176494420	81.18
40 312 DA3	warm sunset	4005176494444	81.18
40 312 AL3	Brushed Hard Graphite	4005176462559	58.37






Atrio
Robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish

40 313 003	Chrome	4005176462566	80.16
40 313 DC3	supersteel	4005176462573	111.20
40 313 GL3	cool sunrise	4005176494482	177.94
40 313 DA3	warm sunset	4005176494505	177.94
40 313 AL3	Brushed Hard Graphite	4005176462580	129.74






Atrio
Toilet roll holder
material: metal
concealed fastening
without cover
GROHE StarLight chrome finish

40 314 003	Chrome	4005176462597	157.55
40 314 DC3	supersteel	4005176462603	221.51
40 314 GL3	cool sunrise	4005176494543	353.66
40 314 DA3	warm sunset	4005176494567	353.66
40 314 AL3	Brushed Hard Graphite	4005176462610	258.58





Atrio
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish


40 791 001	white	4005176323409	5.10
40 791 KS1	velvet black	4005176336379	5.10

Spare Brush Head

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE GRANDERA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**23 303 000**	**Chrome**	**4005176924088**	**388.63**
	23 303 IG0	**chrome/gold**	**4005176924095**	**500.40**




Grandera
Basin mixer 1/2“
M-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE FastFixation installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
pop-up waste set 1 1/4“
flexible connection hoses

	**23 310 000**	**Chrome**	**4005176930331**	**388.63**
	23 310 IG0	**chrome/gold**	**4005176930348**	**500.40**




Grandera
Basin mixer 1/2“
M-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE FastFixation installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
smooth body
flexible connection hoses

	**21 107 000**	**Chrome**	**4005176930393**	**461.70**
	21 107 IG0	**chrome/gold**	**4005176930409**	**595.95**







Grandera
Two-handle basin mixer, 1/2“
L-Size
monobloc installation
valves hot/cold
with headparts 1/2“ - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
swivel spout
pop-up waste set 1 1/4“
flexible connection hoses

	**23 313 000**	**Chrome**	**4005176930614**	**510.41**
	23 313 IG0	**chrome/gold**	**4005176930621**	**655.66**







Grandera
Basin mixer 1/2“
XL-Size
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE FastFixation installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
smooth body
flexible connection hoses

GROHE
GRANDERA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**20 417 000**	**Chrome**	**4005176930553**	**546.96**
	20 417 IG0	**chrome/gold**	**4005176930560**	**703.44**
	Grandera **Three-hole basin mixer 1/2"** **S-Size** valves hot/cold with headparts 1/2" - 90° **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow **GROHE AquaGuide** adjustable mousseur 5.7 l/min pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves			
 	**20 389 000**	**Chrome**	**4005176924101**	**607.89**
	20 389 IG0	**chrome/gold**	**4005176924118**	**775.11**
	Grandera **Three-hole basin mixer 1/2"** **M-Size** valves hot/cold with headparts 1/2" - 90° **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow **GROHE AquaGuide** adjustable mousseur 5.7 l/min pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves			
 	**20 414 000**	**Chrome**	**4005176930492**	**449.52**
	20 414 IG0	**chrome/gold**	**4005176930508**	**547.10**
	Grandera **Three-hole basin mixer 1/2"** **S-Size** wall mounted set for final installation for 29 025 002 **without concealed body** valves hot/cold with headparts 1/2" - 90° **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow **GROHE AquaGuide** adjustable mousseur 5.7 l/min centre distance 200 mm projection 177 mm			
	20 415 000	**Chrome**	**4005176930515**	**465.91**
	20 415 IG0	**chrome/gold**	**4005176930522**	**643.73**
	Ditto, projection 234 mm			
 	**29 025 002**		**4005176519895**	**247.26**
	Two-handle basin mixer **concealed body, 1/2"** for 3-hole basin mixer wall installation **without finishing trim set** DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE GRANDERA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**19 929 000** **19 929 IG0**	**Chrome** **chrome/gold**	**4005176930430** **4005176930447**	**432.89** **595.95**
	Grandera **2-hole basin mixer** **S-Size** wall mounted set for final installation for 23 319 000 **without concealed body** **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow **GROHE AquaGuide** adjustable mousseur 5.7 l/min centre distance 110 mm projection 177 mm			
	19 930 000 **19 930 IG0**	**Chrome** **chrome/gold**	**4005176930454** **4005176930461**	**500.40** **655.66**
	Ditto, projection 234 mm			
 	**23 319 000**		**4005176931192**	**249.62**
	Grandera **Single-lever mixer 1/2", concealed body** for 2 hole basin mixer wall installation **without finishing trim set** **GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm installation device			
 	**23 315 000** **23 315 IG0**	**Chrome** **chrome/gold**	**4005176930652** **4005176930669**	**437.34** **560.13**
	Grandera **Bidet mixer 1/2"** **M-Size** monobloc installation 28 mm ceramic cartridge with **GROHE SilkMove** temperature limiter **GROHE StarLight** chrome finish **GROHE FastFixation** installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses			
 	**23 316 000** **23 316 IG0**	**Chrome** **chrome/gold**	**4005176930690** **4005176930706**	**420.85** **547.10**
	Grandera **Single-lever shower mixer 1/2"** wall mounted **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish adjustable flow rate limiter integrated hand shower holder shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow			

GROHE
GRANDERA

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 317 000	**Chrome**	**4005176930799**	**560.12**
23 317 IG0	**chrome/gold**	**4005176930805**	**683.87**






Grandera
Single-lever bath/shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
integrated hand shower holder
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
covered S-unions
protected against backflow

24 067 000	**Chrome**	**4005176465802**	**319.92**
24 067 IG0	**chrome/gold**	**4005176465819**	**384.36**






Grandera
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 604 000	**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 068 000	**Chrome**	**4005176465840**	**359.79**
24 068 IG0	**chrome/gold**	**4005176465857**	**422.79**






Grandera
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 604 000	**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

19 936 000	**Chrome**	**4005176930812**	**1,204.78**
19 936 IG0	**chrome/gold**	**4005176930829**	**1,527.51**






Grandera
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
Consisting of:
pre-assembled spout fixing
single lever mixer operating element
bath spout with mousseur and diverter bath/shower
Grandera hand shower 7.6 l/min
metal shower hose
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 000

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE GRANDERA


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**19 919 000**	**Chrome**	**4005176924125**	**1,252.83**
	19 919 IG0	**chrome/gold**	**4005176924132**	**1,635.00**



Grandera
5-hole bath/shower combination
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
Consisting of:
pre-assembled spout fixing
single lever mixer operating element
bath spout with mousseur and diverter bath/shower
Grandera hand shower 7.6 l/min
metal shower hose
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 000




29 037 000 — **4005176865749** — **839.33**



4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color




23 318 000	**Chrome**	**4005176930874**	**1,826.07**
23 318 IG0	**chrome/gold**	**4005176930881**	**2,315.76**



Grandera
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984 001
without roughing-in set
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with mousseur
projection 320 mm
integrated non-return valves in the
shower outlet 1/2"
with shower holder
Grandera hand shower 7.6 l/min
Silverflex shower hose 1250 mm
protected against backflow




45 984 001 — **4005176992056** — **388.61**



Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material









29 086 000 — **4005176935497** — **249.61**








Rough-in set 1/2"
for floor-mounted tub spouts and mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug

GROHE
GRANDERA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**13 341 000** **13 341 IG0**	**Chrome** **chrome/gold**	**4005176931000** **4005176931017**	**249.61** **333.20**
	Grandera **Bath spout** wall mounted **GROHE StarLight** chrome finish mousseur projection 177 mm			
 	**19 944 000** **19 944 IG0**	**Chrome** **chrome/gold**	**4005176931086** **4005176931093**	**118.21** **142.12**
	Grandera **Volume Control Trim** set for final installation for 35 028 000 29 032 000 (preassembled headpart 1/2") **GROHE StarLight** chrome finish installation depth adjustable 43 - 91 mm			
 	**29 032 000**		**4005176845277**	**34.64**
	Concealed valve pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass			
 	**29 802 000**		**4005176504853**	**55.52**
	Concealed stop valve 3/4" pre-assembled headpart 3/4" short spindle protection sleeve thread union 3/4" DR-brass			
 	**29 811 000**		**4005176062711**	**55.52**
	Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass			
 	**27 974 000** **27 974 IG0**	**Chrome** **chrome/gold**	**4005176932793** **4005176933486**	**480.86** **629.17**
	Grandera 210 **Head shower 1 spray** 221 x 221 mm material: metal with ball joint rotation angle ± 15° connection thread 1/2" **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE GRANDERA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**27 986 000** **27 986 IG0**	**Chrome** **chrome/gold**	**4005176933011** **4005176933547**	**110.01** **147.08**
	Rainshower Grandera **Shower arm 286 mm** projection 286 mm material: metal connection thread 1/2" Grandera escutcheon **GROHE StarLight** chrome finish			
 	**27 978 000**	**Chrome**	**4005176932830**	**85.27**
	Rainshower Grandera **Shower arm ceiling 142 mm** material: metal length 142 mm connection thread 1/2" Grandera escutcheon **GROHE StarLight** chrome finish			
 	**26 037 001**	**Chrome**	**4005176487392**	**117.02**
	Grandera Stick **Hand shower 1 spray** Rain spray pattern material: metal GROHE EcoJoy 6.6 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **Inner WaterGuide** for a longer life **GROHE CoolTouch** prevents scalding on hot surfaces **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system Universal Mounting System. Fits all standard shower hoses			
 	**26 037 IG0**	**chrome/gold**	**4005176936210**	**159.45**
	Grandera Stick **Hand shower 1 spray** Rain spray pattern material: metal **GROHE EcoJoy** 7.6 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **Inner WaterGuide** for a longer life **GROHE CoolTouch** prevents scalding on hot surfaces **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system Universal Mounting System. Fits all standard shower hoses			
 	**27 993 000** **27 993 IG0**	**Chrome** **chrome/gold**	**4005176933080** **4005176933585**	**171.81** **221.24**
	Grandera Stick **Wall holder set 1 spray** Consisting of: Stick hand shower (26 037 000) Wall hand shower holder (27 969) Rotaflex shower hose 1500 mm (28 417 000) **GROHE EcoJoy** 7.6 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **Inner WaterGuide** for a longer life **GROHE CoolTouch** prevents scalding on hot surfaces **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system			

GROHE
GRANDERA

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 038 000	**Chrome**	**4005176935404**	**242.16**

Grandera Stick
Shower rail set 1 spray
Consisting of:
Stick hand shower (26 037 000)
shower rail 900 mm (27 785)
Rotaflex Longlife metal shower hose 1750 mm (28 025)
GROHE EcoJoy 7.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
Inner WaterGuide for a longer life
GROHE CoolTouch prevents scalding on hot surfaces
GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater






27 970 000	**Chrome**	**4005176931154**	**134.74**
27 970 IG0	**chrome/gold**	**4005176931161**	**184.16**

Grandera
Shower outlet elbow, 1/2"
material: metal
male thread
protected against backflow
GROHE StarLight chrome finish






27 969 000	**Chrome**	**4005176931123**	**97.65**
27 969 IG0	**chrome/gold**	**4005176931130**	**122.37**

Grandera
Wall hand Shower holder
material: metal
GROHE StarLight chrome finish





29 708 000		**4005176102653**	**316.13**


5-way diverter
concealed body, 1/2"
without finishing trim set
wall installation
with ceramic sealing disks
connection cold and hot 1/2"
2 outlets 1/2"
bath outlet 3/4"
installation depth adjustable
24-60 mm

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GRANDERA

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 627 000	**Chrome**	**4005176927768**	**171.44**
40 627 IG0	**chrome/gold**	**4005176927775**	**221.51**






Grandera
holder with ceramic soap dispenser
material: ceramic/metal
filling quantity 110 ml
GROHE StarLight chrome finish

40 626 000	**Chrome**	**4005176927737**	**129.74**
40 626 IG0	**chrome/gold**	**4005176927744**	**166.81**






Grandera
holder with ceramic tumbler
material: ceramic/metal
concealed fastening
GROHE StarLight chrome finish

40 628 000	**Chrome**	**4005176927898**	**157.55**
40 628 IG0	**chrome/gold**	**4005176927904**	**202.97**






Grandera
soap dish with holder
material: ceramic/metal
concealed fastening
GROHE StarLight chrome finish

40 630 000	**Chrome**	**4005176927959**	**111.20**
40 630 IG0	**chrome/gold**	**4005176927966**	**143.64**
40 630 EN0	**brushed nickel**	**4005176927973**	**176.09**






Grandera
Towel ring
Ø 205 mm
material: metal
concealed fastening
GROHE StarLight chrome finish

40 629 000	**Chrome**	**4005176927928**	**180.70**
40 629 IG0	**chrome/gold**	**4005176927935**	**230.77**
40 629 EN0	**brushed nickel**	**4005176927942**	**365.89**






Grandera
Towel rail
600 mm
GROHE StarLight chrome finish

40 631 000	**Chrome**	**4005176927980**	**51.89**
40 631 IG0	**chrome/gold**	**4005176927997**	**67.18**






Grandera
Robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish

GROHE
GRANDERA

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 633 000	**Chrome**	**4005176928048**	**120.48**
40 633 IG0	**chrome/gold**	**4005176928055**	**157.55**
40 633 EN0	**brushed nickel**	**4005176928062**	**193.71**






Grandera
Bath grip
material: metal
length 385 mm
concealed fastening
GROHE StarLight chrome finish

40 625 000	**Chrome**	**4005176927706**	**134.38**
40 625 IG0	**chrome/gold**	**4005176927713**	**176.09**
40 625 EN0	**brushed nickel**	**4005176927720**	**212.22**






Grandera
Toilet roll holder
without cover
material: metal
concealed fastening
GROHE StarLight chrome finish

40 632 000	**Chrome**	**4005176928017**	**189.98**
40 632 IG0	**chrome/gold**	**4005176928024**	**249.32**






Grandera
Toilet brush set
material: ceramic
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE LINEARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**32 109 001**	**Chrome**	**4005176408373**	**242.41**
	32 109 DC1	**supersteel**	**4005176412691**	**320.89**
	32 109 AL1	**Brushed Hard Graphite**	**4005176586118**	**339.20**




Lineare
Basin mixer 1/2"
XS-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

	**23 791 001**	**Chrome**	**4005176409097**	**242.41**
	23 791 DC1	**supersteel**	**4005176412707**	**320.89**
	23 791 AL1	**Brushed Hard Graphite**	**4005176586125**	**339.20**




Lineare
Basin mixer 1/2"
XS-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses

	**23 790 001**	**Chrome**	**4005176408380**	**242.41**



Lineare
Basin mixer 1/2"
XS-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

	**32 114 001**	**Chrome**	**4005176409103**	**230.23**
	32 114 DC1	**supersteel**	**4005176412714**	**342.28**




Lineare
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

GROHE
LINEARE

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 106 001	**Chrome**	**4005176409110**	**254.59**
23 106 DC1	**supersteel**	**4005176412721**	**342.28**
23 106 AL1	**Brushed Hard Graphite**	**4005176586149**	**361.23**






Lineare
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses

23 296 001	**Chrome**	**4005176409127**	**327.69**
23 296 DC1	**supersteel**	**4005176412738**	**449.23**






Lineare
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
swivel spout with mousseur
and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses

23 405 001	**Chrome**	**4005176409134**	**303.33**
23 405 DC1	**supersteel**	**4005176412745**	**479.18**
23 405 AL1	**Brushed Hard Graphite**	**4005176586163**	**505.51**






Lineare
Basin mixer 1/2"
XL-Size
monobloc installation
metal lever
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus rapid installation system
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar

20 304 001	**Chrome**	**4005176409141**	**388.61**






Lineare
Three-hole basin mixer 1/2"
M-Size
metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
union nut 1/2" x 10.5 mm

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE LINEARE

Ref. No.	Colour	EAN	Retail Guide Price (£)
19 409 001	**Chrome**	**4005176409158**	**303.33**
19 409 DC1	**supersteel**	**4005176412752**	**388.61**
19 409 AL1	**Brushed Hard Graphite**	**4005176586170**	**411.90**






Lineare
2-hole basin mixer
M-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 149 mm

23 444 001	**Chrome**	**4005176411977**	**303.32**
23 444 DC1	**supersteel**	**4005176412769**	**422.71**
23 444 AL1	**Brushed Hard Graphite**	**4005176586187**	**446.03**






Lineare
2-hole basin mixer
L-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 207 mm

23 571 000		**4005176334276**	**242.40**






Single-lever mixer 1/2", universal concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

33 848 001	**Chrome**	**4005176409172**	**278.97**
33 848 DC1	**supersteel**	**4005176412776**	**374.40**






Lineare
Bidet mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE FastFixation Plus installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

GROHE
LINEARE

Ref. No.	Colour	EAN	Retail Guide Price (£)
33 865 001	**Chrome**	**4005176409202**	**315.51**
33 865 DC1	**supersteel**	**4005176412790**	**406.85**
33 865 AL1	**Brushed Hard Graphite**	**4005176586217**	**406.39**






Lineare
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow

34 719 000	**Chrome**	**4005176457654**	**414.07**






Grohtherm SmartControl
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
built-in non return valve
and dirt strainers
protected against backflow

33 849 001	**Chrome**	**4005176409189**	**315.52**
33 849 DC1	**supersteel**	**4005176412783**	**492.04**
33 849 AL1	**Brushed Hard Graphite**	**4005176586200**	**518.73**






Lineare
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
pillar installation optional with pillar unions 12 030 000

34 718 000	**Chrome**	**4005176457647**	**456.13**






Grohtherm SmartControl
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
bath spout with mousseur
built-in non return valve
and dirt strainers
protected against backflow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE LINEARE

Ref. No.	Colour	EAN	Retail Guide Price (£)






33 850 001	**Chrome**	**4005176409196**	**365.47**

Lineare
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
with shower set
Consisting of:
hand shower Sena Stick (26 465)
wall shower holder Tempesta 100
Cosmopolitan (27 594 000)
Silverflex shower hose 1.500 mm (28 364)






24 063 001	**Chrome**	**4005176465703**	**207.57**
24 063 DC1	**supersteel**	**4005176465727**	**289.34**
24 063 AL1	**Brushed Hard Graphite**	**4005176586248**	**305.07**

Lineare
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation





24 064 001	**Chrome**	**4005176465710**	**228.31**
24 064 DC1	**supersteel**	**4005176465734**	**318.28**
24 064 AL1	**Brushed Hard Graphite**	**4005176586255**	**335.91**

Lineare
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set


35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
LINEARE

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 095 001	**Chrome**	**4005176480645**	**254.84**
24 095 DC1	**supersteel**	**4005176480652**	**354.78**
24 095 AL1	**Brushed Hard Graphite**	**4005176586262**	**374.45**





Lineare
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set


35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

---

25 113 000	**Chrome**	**4005176881862**	**486.06**






Lineare
Two-handled Bath/Shower mixer 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
automatic diverter: bath/shower
integrated non-return valves in the
shower outlet 1/2"
recommended pressure 0.2-5.0 bar
GROHE StarLight chrome finish

---

25 104 000	**Chrome**	**4005176881794**	**449.51**






Lineare
Two-handled Bath filler 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
recommended pressure 0.2-5.0 bar
GROHE StarLight chrome finish

---

19 577 001	**Chrome**	**4005176409233**	**729.69**
19 577 DC1	**supersteel**	**4005176412820**	**1,334.49**
19 577 EN1	**brushed nickel**	**4005176413018**	**1,582.62**
19 577 AL1	**Brushed Hard Graphite**	**4005176586224**	**1,406.39**






Lineare
4-hole single-lever bath combination
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
pre-assembled spout fixing
single lever mixer operating element
metal lever
bath inlet with mousseur
diverter bath/shower
hand shower Sena Stick (26 465)
metal shower hose 2000 mm (always chrome for any colour of the set)
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE LINEARE

Ref. No.	Colour	EAN	Retail Guide Price (£)






19 965 001 | **Chrome** | **4005176409240** | **534.77**

Lineare
3-hole single-lever bath combination
Three hole installation
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
single lever mixer operating element
diverter bath/shower
hand shower Sena Stick (26 465)
metal shower hose 2000 mm (always chrome for any colour of the set)
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000
for combination with 28 990 / 28 991






29 037 000 | **4005176865749** | **839.33**

4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color






23 792 001	**Chrome**	**4005176409257**	**1,801.70**
23 792 DC1	**supersteel**	**4005176412837**	**2,481.52**
23 792 EN1	**brushed nickel**	**4005176413001**	**2,505.53**
23 792 AL1	**Brushed Hard Graphite**	**4005176586231**	**2,615.66**

Lineare
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with mousseur
projection 271 mm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
hand shower Sena Stick (26 465)
Silverflex shower hose 1250 mm (28 362)
protected against backflow






45 984 001 | **4005176992056** | **388.61**

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material

GROHE LINEARE

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 086 000		**4005176935497**	**249.61**






Rough-in set 1/2"
for floor-mounted tub spouts and mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug

13 383 001	**Chrome**	**4005176418167**	**218.06**
13 383 DC1	**supersteel**	**4005176418174**	**363.69**






Lineare
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2"
projection 170 mm

34 705 000	**Chrome**	**4005176413285**	**1,543.90**






Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
Consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 121 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)

19 952 000	**Chrome**	**4005176174230**	**53.08**
19 952 DC0	**supersteel**	**4005176467776**	**66.53**
19 952 AL0	**Brushed Hard Graphite**	**4005176353376**	**143.95**






Talentofill
Inlet-, pop-up and waste-system
set for final installation
escutcheon
supply part
waste plug
fixing set

in combination with Talentofill
28 990 000/28 991 000

19 025 000	**Chrome**	**4005176209154**	**59.09**






Talento
Waste and overflow set for baths
set for final installation
escutcheon
waste plug
fixing set
in combination with Talento 28 939 000/28 943 000
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE LINEARE

Ref. No.	Colour	EAN	Retail Guide Price (£)
28 912 000	**Chrome**	**4005176266751**	**253.36**
28 912 DC0	**supersteel**	**4005176467905**	**234.46**
28 912 AL0	**Brushed Hard Graphite**	**4005176467844**	**265.00**






Bottle trap, 1 1/4“
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE StarLight chrome finish


37 601 000	**Chrome**	**4005176416057**	**81.44**
37 601 DC0	**supersteel**	**4005176416088**	**184.25**
37 601 AL0	**Brushed Hard Graphite**	**4005176529030**	**184.25**






Nova Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)


GROHE
EUROCUBE JOY

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		**23 654 000**	**Chrome**	**4005176342080**	**254.62**


Eurocube Joy
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

		**23 656 000**	**Chrome**	**4005176342103**	**230.23**


Eurocube Joy
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses

		**23 657 000**	**Chrome**	**4005176342110**	**315.51**

Eurocube Joy
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

		**23 658 000**	**Chrome**	**4005176342127**	**242.41**






Eurocube Joy
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses

		**23 661 000**	**Chrome**	**4005176342158**	**327.69**

Eurocube Joy
Basin mixer 1/2"
XL-Size
monobloc installation
metal lever
for free-standing basins
GROHE FeatherControl Joystick cartridge
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
EUROCUBE JOY

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**19 997 000**	**Chrome**	**4005176342189**	**266.77**
	Eurocube Joy **2-hole basin mixer** **M-Size** wall mounted set for final installation for 23 429 000 **without concealed body** **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min centre distance 110 mm projection 170 mm			
	19 998 000	**Chrome**	**4005176342196**	**303.33**
	ditto, projection 230mm			
 	**23 429 000**		**4005176993695**	**254.60**
	Single-lever mixer 1/2", concealed body for 2 hole basin mixer **without finishing trim set** GROHE FeatherControl Joystick cartridge wall installation installation device DR-brass allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve			
 	**23 664 000**	**Chrome**	**4005176342202**	**266.78**
	Eurocube Joy **Bidet mixer 1/2"** monobloc installation metal lever GROHE FeatherControl Joystick cartridge **GROHE EcoJoy ball-joint mousseur 5.7 l/min** **GROHE FastFixation Plus** installation system pop-up waste set 1 1/4" flexible connection hoses			
 	**23 665 000**	**Chrome**	**4005176342219**	**291.14**
	Eurocube Joy **Single-lever shower mixer 1/2"** wall mounted metal lever GROHE FeatherControl Joystick cartridge shower bottom outlet 1/2" with integrated non return-valve protected against backflow			
 	**34 488 000**	**Chrome**	**4005176940620**	**394.33**
	Grohtherm Cube **Thermostatic shower mixer 1/2"** wall mounted **GROHE StarLight** chrome finish **GROHE SafeStop** safety button at 38°C **(calibration required)** **GROHE SafeStop Plus** optional temperature limiter at 43°C included **GROHE TurboStat** compact cartridge with wax thermoelement integrated mixed water shut off volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow covered S-unions **GROHE EcoJoy** technology for less water and perfect flow			

GROHE
EUROCUBE JOY

	Ref. No.	Colour	EAN	Retail Guide Price (£)






23 666 000 **Chrome** **4005176342226** **339.89**

Eurocube Joy
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE FeatherControl Joystick cartridge
GROHE XL Waterfall
integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow






34 497 000 **Chrome** **4005176940675** **497.30**

Grohtherm Cube
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EcoJoy technology for less water and perfect flow






24 061 000 **Chrome** **4005176465680** **199.47**

Eurocube
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 604 000 **4005176698774** **142.72**
GROHE Rapido SmartBox universal rough-in box for concealed installation





24 062 000 **Chrome** **4005176465697** **220.25**

Eurocube
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set


35 604 000 **4005176698774** **142.72**
GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROCUBE JOY

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 094 000	**Chrome**	**4005176480638**	**245.59**





Eurocube
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set


35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

---

24 153 000	**Chrome**	**4005176481178**	**530.04**
24 153 DC0	**supersteel**	**4005176574221**	**660.80**
24 153 AL0	**Brushed Hard Graphite**	**4005176585913**	**754.73**





Grohtherm Cube
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set


35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

---

24 154 000	**Chrome**	**4005176481185**	**590.87**
24 154 DC0	**supersteel**	**4005176574238**	**736.38**
24 154 AL0	**Brushed Hard Graphite**	**4005176585920**	**841.11**





Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set


35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
EUROCUBE JOY

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 155 000	**Chrome**	**4005176481192**	**590.87**
24 155 DC0	**supersteel**	**4005176574245**	**736.38**
24 155 AL0	**Brushed Hard Graphite**	**4005176585937**	**841.11**






Grohtherm Cube
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

34 741 000	**Chrome**	**4005176481208**	**1,399.39**






Grohtherm Cube
Perfect shower set with Rainshower Allure 230
Consisting of:
Grohtherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox 35 600/35 604
Rainshower Allure 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1250 mm (28 362)

23 667 001	**Chrome**	**4005176429019**	**1,779.81**






Eurocube Joy
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984 001
without roughing-in-set
GROHE FeatherControl Joystick cartridge
GROHE StarLight finish
automatic diverter: bath/shower
spout with mousseur
hand shower Euphoria Cube+ 6.6 l/min
Silverflex shower hose 1250 mm (28 362)
projection 298 mm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
protected against backflow

45 984 001		**4005176992056**	**388.61**






Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material





All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROCUBE JOY

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**29 086 000**		**4005176935497**	**249.61**

Rough-in set 1/2“
for floor-mounted tub spouts and mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2“ female connections (hot/cold supplies)
flushing plug


GROHE
EUROCUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**23 137 000**	**Chrome**	**4005176901096**	**181.53**
	Eurocube **Pillar tap** **XS-Size** monobloc installation metal lever ceramic headpart **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min union nut 1/2" x 10.5 mm			
 	**23 127 00E**	**Chrome**	**4005176901591**	**242.42**
	Eurocube **Basin mixer 1/2"** **S-Size** monobloc installation metal lever 28 mm ceramic cartridge with **GROHE SilkMove** temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE FastFixation Plus** installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 127 000	**Chrome**	**4005176900341**	**242.42**
	ditto, with non-restricted flow			
 	**23 132 00E**	**Chrome**	**4005176906725**	**230.25**
	Eurocube **Basin mixer 1/2"** **S-Size** monobloc installation metal lever 28 mm ceramic cartridge with **GROHE SilkMove** temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE FastFixation Plus** installation system smooth body flexible connection hoses			
 	**23 390 00E**	**Chrome**	**4005176938436**	**242.42**
	Eurocube **Basin mixer 1/2"** **S-Size** monobloc installation metal lever **GROHE SilkMove ES** 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE FastFixation Plus** rapid installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 392 00E	**Chrome**	**4005176938450**	**242.41**
	Ditto, smooth body			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE EUROCUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 445 000	Chrome	4005176998706	254.61
	23 445 DC0	supersteel	4005176524974	314.21
	23 445 AL0	Brushed Hard Graphite	4005176584657	359.56




Eurocube
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

	23 446 000	Chrome	4005176998720	242.40



Eurocube
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses

	23 135 00E	Chrome	4005176906732	249.61




Eurocube
Single-lever basin mixer 1/2"
L-Size
monobloc installation, metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
swivel tubular spout with stop limiter
pop-up waste set 1 1/4"
flexible connection hoses

	23 135 000	Chrome	4005176901027	266.77

ditto, with non-restricted flow

	23 406 000	Chrome	4005176941658	303.31
	23 406 DC0	supersteel	4005176524998	414.62
	23 406 AL0	Brushed Hard Graphite	4005176584671	474.00




Eurocube
Basin mixer 1/2"
XL-Size
monobloc installation
metal lever
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses

GROHE EUROCUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 441 000	**Chrome**	**4005176415630**	**822.05**
36 441 DC0	**supersteel**	**4005176686818**	**1,064.15**
36 441 AL0	**Brushed Hard Graphite**	**4005176686825**	**1,227.86**






Eurocube E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
laminar spray regulator 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K

20 351 000	**Chrome**	**4005176901041**	**327.69**
20 351 DC0	**supersteel**	**4005176525001**	**449.17**
20 351 AL0	**Brushed Hard Graphite**	**4005176584688**	**512.88**






Eurocube
Three-hole basin mixer 1/2"
S-Size
metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE FastFixation Plus installation system
spout with mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses between spout and side valves
union nut 1/2" x 10.5 mm

19 895 000	**Chrome**	**4005176901072**	**278.97**
19 895 AL0	**Brushed Hard Graphite**	**4005176585494**	**422.18**






Eurocube
2-hole basin mixer
S-Size
wall mounted
set for final installation for 23 200 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 171 mm

23 447 000	**Chrome**	**4005176998737**	**278.97**

Ditto, projection 231 mm

23 200 000		**4005176908354**	**254.61**






Single-lever mixer 1/2", concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
installation depth 45 to 75 mm
DR-brass
installation device

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROCUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)






23 200 002 — **4005176519901** — **237.55**

Single-lever mixer 1/2", concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve






23 138 000 — **Chrome** — **4005176901133** — **230.26**

Eurocube
Bidet mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE FastFixation Plus installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses






23 145 000 — **Chrome** — **4005176901270** — **261.54**
23 145 DC0 — **supersteel** — **4005176525049** — **337.96**
23 145 AL0 — **Brushed Hard Graphite** — **4005176585524** — **386.55**

Eurocube
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with
integrated non return-valve
covered S-unions
protected against backflow






34 488 000 — **Chrome** — **4005176940620** — **394.33**

Grohtherm Cube
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EcoJoy technology for less water and perfect flow

GROHE
EUROCUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 140 000	**Chrome**	**4005176901157**	**285.44**
23 140 DC0	**supersteel**	**4005176525056**	**394.10**
23 140 AL0	**Brushed Hard Graphite**	**4005176585531**	**450.25**






Eurocube
Single-lever bath/shower mixer 1/2"
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur, integrated non-return valve
in the shower outlet 1/2"
covered S-unions
protected against backflow
optional temperature limiter (46 375 000)

23 141 000	**Chrome**	**4005176901164**	**364.21**






Eurocube
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
covered S-unions
protected against backflow
optional temperature limiter (46 375 000)
Hand shower (27 698 000)
wall shower holder (27 693 000)
shower hose 1500 mm (28 151 000)

34 497 000	**Chrome**	**4005176940675**	**497.30**






Grohtherm Cube
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EcoJoy technology for less water and perfect flow

24 061 000	**Chrome**	**4005176465680**	**199.47**
24 061 AL0	**Brushed Hard Graphite**	**4005176585586**	**288.29**





Eurocube
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 604 000		**4005176698774**	**142.72**


GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROCUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 062 000	**Chrome**	**4005176465697**	**220.25**
24 062 DC0	**supersteel**	**4005176553905**	**277.49**
24 062 AL0	**Brushed Hard Graphite**	**4005176585579**	**317.44**






Eurocube
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 094 000	**Chrome**	**4005176480638**	**245.59**
24 094 DC0	**supersteel**	**4005176574047**	**309.89**
24 094 AL0	**Brushed Hard Graphite**	**4005176585593**	**354.15**






Eurocube
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set

35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 153 000	**Chrome**	**4005176481178**	**530.04**
24 153 DC0	**supersteel**	**4005176574221**	**660.80**
24 153 AL0	**Brushed Hard Graphite**	**4005176585913**	**754.73**





Grohtherm Cube
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set


35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE EUROCUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 154 000	**Chrome**	**4005176481185**	**590.87**
24 154 DC0	**supersteel**	**4005176574238**	**736.38**
24 154 AL0	**Brushed Hard Graphite**	**4005176585920**	**841.11**






Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 155 000	**Chrome**	**4005176481192**	**590.87**
24 155 DC0	**supersteel**	**4005176574245**	**736.38**
24 155 AL0	**Brushed Hard Graphite**	**4005176585937**	**841.11**






Grohtherm Cube
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

34 741 000	**Chrome**	**4005176481208**	**1,399.39**







Grohtherm Cube
Perfect shower set with Rainshower Allure 230
Consisting of:
Grohtherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox 35 600/35 604
Rainshower Allure 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1250 mm (28 362)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE EUROCUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**25 137 000**	**Chrome**	**4005176906770**	**388.61**


Eurocube
Two-handled Bath/Shower mixer 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
automatic diverter: bath/shower
integrated non-return valve
in the shower outlet 1/2"
GROHE StarLight chrome finish
recommended pressure 0.2 - 5.0 bar

 	**25 136 000**	**Chrome**	**4005176906763**	**339.86**


Eurocube
Two-handled Bath filler 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
GROHE StarLight chrome finish
recommended pressure 0.2 - 5.0 bar

 	**19 897 001**	**Chrome**	**4005176429101**	**1,181.65**
	19 897 DC1	**supersteel**	**4005176525087**	**1,455.49**
	19 897 AL1	**Brushed Hard Graphite**	**4005176585548**	**1,662.79**

Eurocube
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
pre-assembled spout fixing
single lever mixer operating element
metal lever
bath inlet with mousseur
diverter bath/shower
hand shower Euphoria Cube+ 6.6 l/min
metal shower hose 2000 mm (always chrome for any colour of the set)
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000

 	**19 966 000**	**Chrome**	**4005176986864**	**734.22**

Eurocube
3-hole bath combination trim set
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
Consisting of:
single lever mixer operating element
diverter bath/shower
without spout
Euphoria Cube hand shower (27 699 000) 9.4 l/min
metal shower hose 2000 mm (always chrome for any colour of the set)
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000
for combination with 28 990 / 28 991


 	**29 037 000**		**4005176865749**	**839.33**

4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color

GROHE EUROCUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 672 001	**Chrome**	**4005176429002**	**1,762.74**
23 672 DC1	**supersteel**	**4005176525094**	**2,235.05**
23 672 AL1	**Brushed Hard Graphite**	**4005176585555**	**2,554.65**






Eurocube
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984 001
29 038 001
29 086 000
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with mousseur
Euphoria Cube+ Stick hand shower 6.6 l/min (26 467)
Silverflex shower hose 1250 mm (28 362)
projection 298 mm
integrated non-return valve
in the shower outlet 1/2"
protected against backflow
with shower holder

---

45 984 001		**4005176992056**	**388.61**






Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material

---

29 086 000		**4005176935497**	**249.61**






Rough-in set 1/2"
for floor-mounted tub spouts and mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug

---

13 303 000	**Chrome**	**4005176906350**	**132.78**
13 303 DC0	**supersteel**	**4005176525100**	**179.52**
13 303 AL0	**Brushed Hard Graphite**	**4005176585562**	**204.85**






Eurocube
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2"
projection 170 mm

---

13 304 000	**Chrome**	**4005176906367**	**144.95**











Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
automatic diverter: bath/shower
male thread 1/2"
projection 170 mm

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE EUROCUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**19 910 000**	**Chrome**	**4005176987014**	**59.67**
	Eurocube **Volume Control Trim** for concealed valves, 1/2", 3/4" **without concealed body** installation depth adjustable 16 - 38 mm metal handle Sliding escutcheon with wall sealing **GROHE StarLight** chrome finish			
 	**29 811 000**		**4005176062711**	**55.52**
	Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass			
 	**35 028 000**		**4005176908316**	**144.94**
	GROHE Rapido C **Rough-in for single volume control** for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm			
 	**29 800 000**		**4005176504839**	**32.85**
	Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve threaded union 1/2" DR-brass			
	29 802 000 **ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"**		**4005176504853**	**55.52**
	29 805 000 **ditto, 1", pre-assembled headpart 1", thread union 1"**		**4005176504884**	**93.25**
 	**29 801 000**		**4005176504846**	**27.07**
	Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve soldered connection Ø15 mm DR-brass			
	29 804 000 **ditto, soldered connection Ø 22 mm**		**4005176504877**	**43.06**

GROHE
EUROCUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
22 012 000	**Chrome**	**4005176906343**	**47.51**
22 012 DC0	**supersteel**	**4005176525742**	**69.38**
22 012 AL0	**Brushed Hard Graphite**	**4005176585944**	**79.29**






Eurocube
Angle valve 1/2"
wall connection 1/2"
outlet thread 3/8"
cartridge headpart
metal handle
marking: neutral
metal push-on escutcheon

22 013 000	**Chrome**	**4005176909689**	**47.51**






Eurocube
Angle valve 1/2"
wall connection 1/2"
outlet 1/2"
cartridge headpart
metal handle
marking: neutral
metal push-on escutcheon

37 535 000	**Chrome**	**4005176416019**	**71.12**
37 535 DC0	**supersteel**	**4005176416040**	**184.17**
37 535 AL0	**Brushed Hard Graphite**	**4005176431357**	**184.17**






Skate Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE PLUS

Ref. No.	Colour	EAN	Retail Guide Price (£)






23 958 003 **Chrome** **4005176605642** **733.14**

GROHE Plus
Single-lever basin mixer 1/2" with LED display
M-size
colour LED water temperature display
infra-red diverter: mousseur / Eco spray
automatic return to mousseur
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
SpeedClean mousseur
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
1.5 V alkaline mono battery, 4 x mono cell
external battery






23 959 003 **Chrome** **4005176605659** **754.73**

GROHE Plus
Single-lever basin mixer 1/2" with LED display
L-Size
colour LED water temperature display
infra-red diverter: mousseur / Eco spray
automatic return to mousseur
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
SpeedClean mousseur
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
1.5 V alkaline mono battery, 4 x mono cell
external battery






32 612 003 **Chrome** **4005176529696** **214.87**
32 612 DC3 **supersteel** **4005176574054** **290.45**
32 612 AL3 **Brushed Hard Graphite** **4005176585609** **331.48**

GROHE Plus
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

GROHE PLUS

Ref. No.	Colour	EAN	Retail Guide Price (£)
32 612 30L	**Chrome**	**4005176529979**	**214.87**






GROHE Plus
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE FastFixation Plus installation system
mousseur
pop-up waste set 1 1/4"
flexible connection hoses
for **low pressure**
min. recommended pressure 0.2 bar

33 163 003	**Chrome**	**4005176529702**	**214.87**






GROHE Plus
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses

23 870 003	**Chrome**	**4005176529719**	**214.87**






GROHE Plus
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

23 871 003	**Chrome**	**4005176529726**	**268.86**
23 871 DC3	**supersteel**	**4005176574061**	**362.79**
23 871 AL3	**Brushed Hard Graphite**	**4005176585616**	**414.62**






GROHE Plus
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
pop-up waste set 1 1/4"
flexible connection hoses

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE PLUS

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 872 003	**Chrome**	4005176529733	268.86






GROHE Plus
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses

23 851 003	**Chrome**	4005176496523	301.24
23 851 DC3	**supersteel**	4005176574078	405.98
23 851 AL3	**Brushed Hard Graphite**	4005176585623	464.29






GROHE Plus
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
pop-up waste set 1 1/4"
flexible connection hoses

23 873 003	**Chrome**	4005176529986	301.24






GROHE Plus
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses

23 843 003	**Chrome**	4005176496547	355.23
23 843 DC3	**supersteel**	4005176574085	470.76






GROHE Plus
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
pull out spout
GROHE EasyDock guarantees easy retraction and
smooth docking back to the starting position
pop-up waste set 1 1/4"
flexible connection hoses

GROHE PLUS

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 844 003	**Chrome**	**4005176496554**	**355.23**






GROHE Plus
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
pull out spout
GROHE EasyDock guarantees easy retraction and
smooth docking back to the starting position
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses

32 618 003	**Chrome**	**4005176529740**	**322.84**
32 618 DC3	**supersteel**	**4005176574092**	**449.17**
32 618 AL3	**Brushed Hard Graphite**	**4005176585647**	**513.96**






GROHE Plus
Basin mixer 1/2"
XL-Size
monobloc installation
metal lever
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
smooth body
flexible connection hoses

20 301 003	**Chrome**	**4005176529757**	**326.07**






GROHE Plus
Three-hole basin mixer 1/2"
M-Size
metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
pop-up waste set 1 1/4"
GROHE FastFixation installation system
pressure-proof, flexible connection hoses
between spout and side valves
union nut 1/2" x 10.5 mm

29 303 003	**Chrome**	**4005176529764**	**268.86**
29 303 DC3	**supersteel**	**4005176574108**	**354.15**
29 303 AL3	**Brushed Hard Graphite**	**4005176585654**	**403.82**





GROHE Plus
2-hole basin mixer
M-Size
wall mounted
set for final installation for
23 200 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 147 mm
min. recommended pressure 1.0 bar

29 306 003	**Chrome**	**4005176529771**	**279.65**


ditto, projection 203 mm

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE PLUS

Ref. No.	Colour	EAN	Retail Guide Price (£)






23 200 002 4005176519901 237.55

Single-lever mixer 1/2", concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve






23 200 000 4005176908354 254.61

Single-lever mixer 1/2", concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
installation depth 45 to 75 mm
DR-brass
installation device






33 241 003	**Chrome**	4005176529849	214.87
33 241 DC3	**supersteel**	4005176574184	290.45
33 241 AL3	**Brushed Hard Graphite**	4005176585739	331.48

GROHE Plus
Bidet mixer 1/2"
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
rapid installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar






33 577 003	**Chrome**	4005176529801	258.05
33 577 DC3	**supersteel**	4005176574139	347.67
33 577 AL3	**Brushed Hard Graphite**	4005176585685	397.34

GROHE Plus
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
min. recommended pressure 1.0 bar

GROHE PLUS

Ref. No.	Colour	EAN	Retail Guide Price (£)
34 719 000	**Chrome**	**4005176457654**	**414.07**






Grohtherm SmartControl
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
built-in non return valve
and dirt strainers
protected against backflow

33 553 003	**Chrome**	**4005176529795**	**322.84**
33 553 DC3	**supersteel**	**4005176574122**	**435.14**
33 553 AL3	**Brushed Hard Graphite**	**4005176585678**	**496.68**






GROHE Plus
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
laminar mousseur
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
min. recommended pressure 1.0 bar

34 718 000	**Chrome**	**4005176457647**	**456.13**






Grohtherm SmartControl
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
bath spout with mousseur
built-in non return valve
and dirt strainers
protected against backflow

33 547 003	**Chrome**	**4005176529818**	**366.03**






GROHE Plus
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
laminar mousseur
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
with shower set
Consisting of:
hand shower Euphoria Cube Stick (27 698 000)
wall shower holder (27 693 000)
Silverflex shower hose 1.500 mm (28 364)
min. recommended pressure 1.0 bar

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE PLUS

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 954 000	**Chrome**	**4005176496844**	**106.89**






GROHE Plus
Tray
suitable for
33 553 003
33 547 003
33 577 003

24 059 003	**Chrome**	**4005176529832**	**204.07**
24 059 DC3	**supersteel**	**4005176574153**	**275.33**
24 059 AL3	**Brushed Hard Graphite**	**4005176585708**	**315.29**






GROHE Plus
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 604 000	**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 060 003	**Chrome**	**4005176529825**	**214.87**
24 060 DC3	**supersteel**	**4005176574146**	**290.45**
24 060 AL3	**Brushed Hard Graphite**	**4005176585692**	**331.48**






GROHE Plus
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 604 000	**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 093 003	**Chrome**	**4005176530050**	**236.47**
24 093 DC3	**supersteel**	**4005176574214**	**326.08**
24 093 AL3	**Brushed Hard Graphite**	**4005176585760**	**372.51**





GROHE Plus
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set


35 604 000	**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE PLUS

Ref. No.	Colour	EAN	Retail Guide Price (£)






25 132 003 **Chrome** **4005176529870** **398.42**

GROHE Plus
Two-handled Bath filler 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
recommended pressure 0.2 - 5.0 bar
GROHE StarLight finish






25 133 003 **Chrome** **4005176529887** **430.81**

GROHE Plus
Two-handled Bath/Shower mixer 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
automatic diverter: bath/shower
integrated non-return valve
in the shower outlet 1/2"
recommended pressure 0.2 - 5.0 bar
GROHE StarLight finish






29 307 003 **Chrome** **4005176529993** **862.71**
29 307 DC3 **supersteel** **4005176574160** **1,195.27**
29 307 AL3 **Brushed Hard Graphite** **4005176585715** **1,365.86**

GROHE Plus
4-hole single-lever bath combination
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
Consisting of:
pre-assembled spout laminar mousseur
single lever mixer operating element
metal lever
diverter bath/shower
hand shower Euphoria Cube 6.6 l/min
metal shower hose 2000 mm (always chrome for any colour of the set)
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 002
min. recommended pressure 1.0 bar






23 845 003 **Chrome** **4005176496677** **733.14**

GROHE Plus
3-hole single-lever bath combination
Three hole installation
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
Consisting of:
single lever mixer operating element
diverter bath/shower
without spout
Euphoria Cube hand shower 7.6 l/min
metal shower hose 2000 mm (always chrome for any colour of the set)
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 002
for combination with 28 990 / 28 991
min. recommended pressure 1.0 bar






29 037 002 **4005176519918** **781.73**

4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve
caps to cover screw fixations always come in chrome color

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE PLUS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**23 846 003**	**Chrome**	**4005176496684**	**1,618.52**
	23 846 DC3	**supersteel**	**4005176574177**	**2,201.58**
	23 846 AL3	**Brushed Hard Graphite**	**4005176585722**	**2,515.79**




GROHE Plus
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with laminar mousseur
projection 282 mm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
hand shower Euphoria Cube 6.6 l/min
Silverflex shower hose 1250 mm (28 362)
protected against backflow
min. recommended pressure 1.0 bar

	**45 984 001**		**4005176992056**	**388.61**




Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material

	**29 086 000**		**4005176935497**	**249.61**



Rough-in set 1/2"
for floor-mounted tub spouts and mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug

	**13 404 003**	**Chrome**	**4005176529788**	**150.08**
	13 404 DC3	**supersteel**	**4005176574115**	**202.99**




GROHE Plus
Bath spout
wall mounted
GROHE StarLight chrome finish
laminar mousseur
male thread 1/2"
projection 168 mm

GROHE PLUS

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 507 000	**Chrome**	**4005176457586**	**1,222.53**
26 507 LS0	**moon white**	**4005176457609**	**1,407.95**
26 507 DC0	**supersteel**	**4005176526374**	**1,645.00**
26 507 AL0	**Brushed Hard Graphite**	**4005176557422**	**1,973.55**






Euphoria SmartControl System 310 Duo
Shower system with thermostat for wall mounting
Consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower SmartActive 310
2 spray patterns:
GROHE PureRain, ActiveRain
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE EcoJoy technology for less water and perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

26 508 000	**Chrome**	**4005176457593**	**1,222.53**
26 508 LS0	**moon white**	**4005176457616**	**1,407.95**
26 508 DC0	**supersteel**	**4005176526367**	**1,645.00**
26 508 AL0	**Brushed Hard Graphite**	**4005176557507**	**1,973.55**






Euphoria SmartControl System 310 Cube Duo
Shower system with thermostat for wall mounting
Consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower SmartActive 310 Cube
2 spray patterns:
GROHE PureRain, ActiveRain
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE EcoJoy technology for less water and perfect flow
GROHE StarLight chrome finish
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE PLUS

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 705 000 **Chrome** **4005176413285** **1,543.90**

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
Consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 121 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)






19 952 000 **Chrome** **4005176174230** **53.08**
19 952 DC0 **supersteel** **4005176467776** **66.53**
19 952 AL0 **Brushed Hard Graphite** **4005176353376** **143.95**

Talentofill
Inlet-, pop-up and waste-system
set for final installation
escutcheon
supply part
waste plug
fixing set

in combination with Talentofill
28 990 000/28 991 000






19 025 000 **Chrome** **4005176209154** **59.09**

Talento
Waste and overflow set for baths
set for final installation
escutcheon
waste plug
fixing set
in combination with Talento 28 939 000/28 943 000
GROHE StarLight chrome finish






40 564 000 **Chrome** **4005176912740** **276.24**
40 564 DC0 **supersteel** **4005176491795** **358.79**
40 564 AL0 **Brushed Hard Graphite** **4005176491788** **410.04**

Bottle trap
for **wash basin**
GROHE StarLight chrome finish
brass body






28 912 000 **Chrome** **4005176266751** **253.36**
28 912 DC0 **supersteel** **4005176467905** **234.46**
28 912 AL0 **Brushed Hard Graphite** **4005176467844** **265.00**

Bottle trap, 1 1/4"
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE StarLight chrome finish

GROHE PLUS

Ref. No.	Colour	EAN	Retail Guide Price (£)
37 535 000	**Chrome**	**4005176416019**	**71.12**
37 535 DC0	**supersteel**	**4005176416040**	**184.17**
37 535 AL0	**Brushed Hard Graphite**	**4005176431357**	**184.17**






Skate Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

37 624 000	**Chrome**	**4005176416095**	**81.44**
37 624 DC0	**supersteel**	**4005176416125**	**184.28**
37 624 AL0	**Brushed Hard Graphite**	**4005176529115**	**184.25**






Arena Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROPLUS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**33 155 002**	**Chrome**	**4005176865947**	**278.96**




Europlus
Basin mixer 1/2“
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
rapid installation system
pull out spout with mousseur
integrated non-return valve
pop-up waste set 1 1/4“
flexible connection hoses

GROHE ESSENCE

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 171 001	Chrome	4005176698309	175.42
24 171 DC1	supersteel	4005176711466	241.55
24 171 GL1	cool sunrise	4005176711497	264.01
24 171 GN1	brushed cool sunrise	4005176712036	276.08
24 171 DA1	warm sunset	4005176711459	258.83
24 171 DL1	brushed warm sunset	4005176711473	276.08
24 171 A01	hard graphite	4005176711428	258.83
24 171 AL1	Brushed Hard Graphite	4005176711435	281.60






Essence
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses
professional edition

24 172 001	Chrome	4005176698316	163.25
24 172 DC1	supersteel	4005176712081	233.71
24 172 GL1	cool sunrise	4005176712111	250.43
24 172 GN1	brushed cool sunrise	4005176712128	267.11
24 172 DA1	warm sunset	4005176712074	250.43
24 172 DL1	brushed warm sunset	4005176712098	267.11
24 172 A01	hard graphite	4005176712043	250.43
24 172 AL1	Brushed Hard Graphite	4005176712050	267.11






Essence
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses
professional edition

23 590 001	Chrome	4005176339189	163.25
23 590 DC1	supersteel	4005176369926	233.71
23 590 GL1	cool sunrise	4005176425851	250.43
23 590 GN1	brushed cool sunrise	4005176425868	267.11
23 590 DA1	warm sunset	4005176425875	250.43
23 590 DL1	brushed warm sunset	4005176425882	267.11
23 590 A01	hard graphite	4005176426001	250.43
23 590 AL1	Brushed Hard Graphite	4005176425998	267.11

will be replaced by 24 172

24 180 001	Chrome	4005176698446	144.95






Essence
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses
professional edition

23 591 001	Chrome	4005176339196	144.95


will be replaced by 24 180 001

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE ESSENCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	24 179 001	Chrome	4005176698439	173.42
	23 797 001	Chrome	4005176415531	173.42
	will be replaced by 24 179b001			


Essence
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
waste set with push-open plug
flexible connection hoses
professional edition

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	24 175 001	Chrome	4005176698347	169.32
	32 898 001	Chrome	4005176306860	169.32
	will be replaced by 24 175 001			

Essence
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses
professional edition

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	34 813 001	Chrome	4005176698392	157.15
	34 294 001	Chrome	4005176306877	157.15
	will be replaced by 34 318 001			

Essence
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses
professional edition


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 379 001	Chrome	4005176306891	181.52

Essence
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

GROHE ESSENCE

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 173 001	**Chrome**	**4005176698323**	**205.87**
24 173 DC1	**supersteel**	**4005176711282**	**282.78**
24 173 GL1	**cool sunrise**	**4005176711312**	**303.00**
24 173 GN1	**brushed cool sunrise**	**4005176711329**	**323.20**
24 173 DA1	**warm sunset**	**4005176711275**	**303.00**
24 173 DL1	**brushed warm sunset**	**4005176711299**	**323.20**
24 173 A01	**hard graphite**	**4005176712005**	**303.00**
24 173 AL1	**Brushed Hard Graphite**	**4005176712012**	**323.20**






Essence
Basin mixer 1/2“
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur
and stop limiter
pop-up waste set 1 1/4“
flexible connection hoses
professional edition

23 462 001	**Chrome**	**4005176306907**	**205.87**
23 462 DC1	**supersteel**	**4005176369933**	**282.78**
23 462 GL1	**cool sunrise**	**4005176426032**	**303.00**
23 462 GN1	**brushed cool sunrise**	**4005176426049**	**323.20**
23 462 DA1	**warm sunset**	**4005176426056**	**303.00**
23 462 DL1	**brushed warm sunset**	**4005176426063**	**323.20**
23 462 A01	**hard graphite**	**4005176425325**	**303.00**
23 462 AL1	**Brushed Hard Graphite**	**4005176426070**	**323.20**

will be replaced by 24 173


23 480 001	**Chrome**	**4005176306921**	**198.67**






Essence
Basin mixer 1/2“
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur
and stop limiter
retractable chain
flexible connection hoses

24 176 001	**Chrome**	**4005176698378**	**193.69**





Essence
Basin mixer 1/2“
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur
and stop limiter
smooth body
flexible connection hoses
professional edition

23 463 001	**Chrome**	**4005176306914**	**193.69**


will be replaced by 24 176 001

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENCE

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 174 001	**Chrome**	**4005176698330**	**218.03**
24 174 DC1	**supersteel**	**4005176711565**	**310.27**
24 174 GL1	**cool sunrise**	**4005176711596**	**332.45**
24 174 GN1	**brushed cool sunrise**	**4005176711602**	**354.60**
24 174 DA1	**warm sunset**	**4005176711558**	**332.45**
24 174 DL1	**brushed warm sunset**	**4005176711572**	**354.60**
24 174 A01	**hard graphite**	**4005176711527**	**332.45**
24 174 AL1	**Brushed Hard Graphite**	**4005176711534**	**354.60**






Essence
Single-lever basin mixer 1/2“
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur
and stop limiter
pop-up waste set 1 1/4“
flexible connection hoses
professional edition

32 628 001	**Chrome**	**4005176306983**	**218.03**
32 628 DC1	**supersteel**	**4005176369940**	**310.27**
32 628 GL1	**cool sunrise**	**4005176407369**	**332.45**
32 628 GN1	**brushed cool sunrise**	**4005176419645**	**354.60**
32 628 DA1	**warm sunset**	**4005176407352**	**332.45**
32 628 DL1	**brushed warm sunset**	**4005176419652**	**354.60**
32 628 A01	**hard graphite**	**4005176407376**	**332.45**
32 628 AL1	**Brushed Hard Graphite**	**4005176407383**	**354.60**

will be replaced by 24 174

24 177 001	**Chrome**	**4005176698408**	**205.87**





Essence
Single-lever basin mixer 1/2“
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur
and stop limiter
smooth body
flexible connection hoses
professional edition


23 541 001	**Chrome**	**4005176313912**	**205.87**

will be replaced by 24 177 001

GROHE ESSENCE

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 170 001	**Chrome**	**4005176698293**	**291.15**
24 170 DC1	**supersteel**	**4005176711657**	**420.27**
24 170 GL1	**cool sunrise**	**4005176711688**	**450.31**
24 170 GN1	**brushed cool sunrise**	**4005176711695**	**480.32**
24 170 DA1	**warm sunset**	**4005176711640**	**450.31**
24 170 DL1	**brushed warm sunset**	**4005176711664**	**480.32**
24 170 A01	**hard graphite**	**4005176711619**	**450.31**
24 170 AL1	**Brushed Hard Graphite**	**4005176711626**	**480.32**






Essence
Basin mixer 1/2“
XL-Size
monobloc installation
metal lever
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus rapid installation system
swivel spout with mousseur
and stop limiter
smooth body
flexible connection hoses
professional edition

32 901 001	**Chrome**	**4005176306969**	**291.15**
32 901 DC1	**supersteel**	**4005176369957**	**420.27**
32 901 GL1	**cool sunrise**	**4005176407505**	**450.31**
32 901 GN1	**brushed cool sunrise**	**4005176426117**	**480.32**
32 901 DA1	**warm sunset**	**4005176407499**	**450.31**
32 901 DL1	**brushed warm sunset**	**4005176426124**	**480.32**
32 901 A01	**hard graphite**	**4005176407512**	**450.31**
32 901 AL1	**Brushed Hard Graphite**	**4005176407529**	**480.32**

will be replaced by 24 170

36 445 000	**Chrome**	**4005176415678**	**669.17**
36 445 DC0	**supersteel**	**4005176686542**	**855.11**
36 445 GL0	**cool sunrise**	**4005176686559**	**920.90**
36 445 GN0	**brushed cool sunrise**	**4005176686566**	**986.69**
36 445 DA0	**warm sunset**	**4005176686573**	**920.90**
36 445 DL0	**brushed warm sunset**	**4005176686788**	**986.69**
36 445 A00	**hard graphite**	**4005176686795**	**920.90**
36 445 AL0	**Brushed Hard Graphite**	**4005176686801**	**986.69**








Essence E
Infra-red electronic basin mixer 1/2“ with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
adjustable swivel area 0° / 150° / 360°
laminar spray regulator 5.0 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE ESSENCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**20 296 001**	**Chrome**	**4005176307072**	**278.97**
	Essence **Three-hole basin mixer 1/2"** **M-Size** metal lever ceramic headparts 1/2", 90° **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE AquaGuide** adjustable mousseur spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves union nut 1/2" x 10.5 mm			
 	**20 299 001**	**Chrome**	**4005176307096**	**345.15**
	Essence **3-hole basin mixer** **L-Size** metal lever ceramic headparts 1/2", 90° **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE FastFixation** installation system **GROHE AquaGuide** adjustable mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves union nut 1/2" x 10.5 mm			
 	**29 192 001**	**Chrome**	**4005176698279**	**205.86**
	29 192 DC1	**supersteel**	**4005176711770**	**310.27**
	29 192 GL1	**cool sunrise**	**4005176711800**	**332.45**
	29 192 GN1	**brushed cool sunrise**	**4005176711817**	**354.60**
	29 192 DA1	**warm sunset**	**4005176711763**	**332.45**
	29 192 DL1	**brushed warm sunset**	**4005176711787**	**361.71**
	29 192 A01	**hard graphite**	**4005176711732**	**339.10**
	29 192 AL1	**Brushed Hard Graphite**	**4005176711749**	**361.71**
	Essence **2-hole basin mixer** **M-Size** wall mounted set for final installation for 23 571 000 **without concealed body** metal escutcheon metal lever **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE AquaGuide** adjustable mousseur centre distance 110 mm projection 183 mm professional edition			
	19 408 001	**Chrome**	**4005176307133**	**205.86**
	19 408 DC1	**supersteel**	**4005176369964**	**310.27**
	19 408 GL1	**cool sunrise**	**4005176426155**	**332.45**
	19 408 GN1	**brushed cool sunrise**	**4005176426162**	**354.60**
	19 408 DA1	**warm sunset**	**4005176426179**	**332.45**
	19 408 DL1	**brushed warm sunset**	**4005176426186**	**361.71**
	19 408 A01	**hard graphite**	**4005176426209**	**339.10**
	19 408 AL1	**Brushed Hard Graphite**	**4005176426193**	**361.71**
	will be replaced by 29 192			

GROHE ESSENCE

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 193 001	**Chrome**	**4005176698286**	**230.25**
29 193 DC1	**supersteel**	**4005176711954**	**349.59**
29 193 GL1	**cool sunrise**	**4005176711985**	**374.55**
29 193 GN1	**brushed cool sunrise**	**4005176711992**	**399.50**
29 193 DA1	**warm sunset**	**4005176711947**	**374.55**
29 193 DL1	**brushed warm sunset**	**4005176711961**	**399.50**
29 193 A01	**hard graphite**	**4005176711916**	**374.55**
29 193 AL1	**Brushed Hard Graphite**	**4005176711923**	**399.50**






Essence
2-hole basin mixer
L-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 230 mm
replaces 19 967 001
professional edition

19 967 001	**Chrome**	**4005176307140**	**230.25**
19 967 DC1	**supersteel**	**4005176369971**	**349.59**
19 967 GL1	**cool sunrise**	**4005176426230**	**374.55**
19 967 GN1	**brushed cool sunrise**	**4005176426247**	**399.50**
19 967 DA1	**warm sunset**	**4005176426254**	**374.55**
19 967 DL1	**brushed warm sunset**	**4005176426261**	**399.50**
19 967 A01	**hard graphite**	**4005176426285**	**374.55**
19 967 AL1	**Brushed Hard Graphite**	**4005176426278**	**399.50**

will be replaced by 29 193

23 571 000		**4005176334276**	**242.40**






Single-lever mixer 1/2", universal concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENCE






Ref. No.	Colour	EAN	Retail Guide Price (£)
24 178 001	Chrome	4005176698415	169.32
24 178 DC1	supersteel	4005176712395	241.55
24 178 GL1	cool sunrise	4005176712425	258.83
24 178 GN1	brushed cool sunrise	4005176712432	276.08
24 178 DA1	warm sunset	4005176712388	258.83
24 178 DL1	brushed warm sunset	4005176712401	276.08
24 178 A01	hard graphite	4005176711701	258.83
24 178 AL1	Brushed Hard Graphite	4005176711718	276.08

Essence
Bidet mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE FastFixation Plus installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses
professional edition

32 935 001	Chrome	4005176307171	169.32
32 935 DC1	supersteel	4005176369988	241.55
32 935 GL1	cool sunrise	4005176426315	258.83
32 935 GN1	brushed cool sunrise	4005176426322	276.08
32 935 DA1	warm sunset	4005176426339	258.83
32 935 DL1	brushed warm sunset	4005176426346	276.08
32 935 A01	hard graphite	4005176426360	258.83
32 935 AL1	Brushed Hard Graphite	4005176426353	276.08

will be replaced by 24 178





Ref. No.	Colour	EAN	Retail Guide Price (£)
25 252 001	Chrome	4005176698385	181.53
25 252 DC1	supersteel	4005176711220	267.09
25 252 GL1	cool sunrise	4005176711251	286.19
25 252 GN1	brushed cool sunrise	4005176711268	305.25
25 252 DA1	warm sunset	4005176711213	286.19
25 252 DL1	brushed warm sunset	4005176711237	305.25
25 252 A01	hard graphite	4005176711183	286.19
25 252 AL1	Brushed Hard Graphite	4005176711190	305.25

Essence
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
shower outlet 1/2"
integrated non-return valve
S-unions
protected against backflow
professional edition


33 636 001	Chrome	4005176307287	181.53
33 636 DC1	supersteel	4005176371141	267.09
33 636 GL1	cool sunrise	4005176426612	286.19
33 636 GN1	brushed cool sunrise	4005176426629	305.25
33 636 DA1	warm sunset	4005176426636	286.19
33 636 DL1	brushed warm sunset	4005176426643	305.25
33 636 A01	hard graphite	4005176426667	286.19
33 636 AL1	Brushed Hard Graphite	4005176426650	305.25

will be replaced by 25 252

GROHE ESSENCE

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 765 000	**Chrome**	**4005176612022**	**207.70**

Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow






25 250 001	**Chrome**	**4005176698354**	**218.08**
25 250 DC1	**supersteel**	**4005176712487**	**327.99**
25 250 GL1	**cool sunrise**	**4005176711169**	**351.40**
25 250 GN1	**brushed cool sunrise**	**4005176711176**	**374.82**
25 250 DA1	**warm sunset**	**4005176712470**	**351.40**
25 250 DL1	**brushed warm sunset**	**4005176712494**	**374.82**
25 250 A01	**hard graphite**	**4005176712449**	**351.40**
25 250 AL1	**Brushed Hard Graphite**	**4005176712456**	**374.82**

Essence
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
S-unions
protected against backflow
professional edition

33 624 001	**Chrome**	**4005176990786**	**218.08**
33 624 DC1	**supersteel**	**4005176371097**	**327.99**
33 624 GL1	**cool sunrise**	**4005176426391**	**351.40**
33 624 GN1	**brushed cool sunrise**	**4005176426407**	**374.82**
33 624 DA1	**warm sunset**	**4005176426414**	**351.40**
33 624 DL1	**brushed warm sunset**	**4005176426421**	**374.82**
33 624 A01	**hard graphite**	**4005176426445**	**351.40**
33 624 AL1	**Brushed Hard Graphite**	**4005176426438**	**374.82**

will be replaced by 25 250





25 249 001	**Chrome**	**4005176698262**	**266.77**

Essence
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
S-unions
protected against backflow
with shower set
Consisting of:
Euphoria Cosmopolitan Stick handshower (27 367)
wall shower holder Tempesta 100
Cosmopolitan (27 594 000)
Silverflex shower hose 1.500 mm (28 364)
professional edition

33 628 001	**Chrome**	**4005176990793**	**266.77**


will be replaced by 25 249 001

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENCE

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 766 000	**Chrome**	**4005176612039**	**270.59**

Grohtherm 800 Cosmopolitan
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow






24 168 001	**Chrome**	**4005176698453**	**181.04**
24 168 DC1	**supersteel**	**4005176712173**	**247.93**
24 168 GL1	**cool sunrise**	**4005176712203**	**265.65**
24 168 GN1	**brushed cool sunrise**	**4005176712210**	**283.35**
24 168 DA1	**warm sunset**	**4005176712166**	**265.65**
24 168 DL1	**brushed warm sunset**	**4005176712180**	**283.35**
24 168 A01	**hard graphite**	**4005176712135**	**265.65**
24 168 AL1	**Brushed Hard Graphite**	**4005176712142**	**283.35**

Essence
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox (35 604)
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set
professional edition

35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation






24 167 001	**Chrome**	**4005176698422**	**199.47**
24 167 DC1	**supersteel**	**4005176712265**	**272.70**
24 167 GL1	**cool sunrise**	**4005176712296**	**292.18**
24 167 GN1	**brushed cool sunrise**	**4005176712302**	**311.67**
24 167 DA1	**warm sunset**	**4005176712258**	**292.18**
24 167 DL1	**brushed warm sunset**	**4005176712272**	**311.67**
24 167 A01	**hard graphite**	**4005176712227**	**298.02**
24 167 AL1	**Brushed Hard Graphite**	**4005176712234**	**311.67**

Essence
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox (35 604)
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set
professional edition

GROHE ESSENCE

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 169 001	Chrome	4005176698477	226.01
24 169 DC1	supersteel	4005176712357	308.47
24 169 GL1	cool sunrise	4005176711503	330.52
24 169 GN1	brushed cool sunrise	4005176711510	352.53
24 169 DA1	warm sunset	4005176712340	330.52
24 169 DL1	brushed warm sunset	4005176712364	352.53
24 169 A01	hard graphite	4005176712319	330.52
24 169 AL1	Brushed Hard Graphite	4005176712326	352.53





Essence
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox (35 604)
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set
professional edition


24 092 001	Chrome	4005176480522	226.01
24 092 DC1	supersteel	4005176480539	308.47
24 092 GL1	cool sunrise	4005176480546	330.52
24 092 GN1	brushed cool sunrise	4005176480553	352.53
24 092 DA1	warm sunset	4005176480560	330.52
24 092 DL1	brushed warm sunset	4005176480577	352.53
24 092 A01	hard graphite	4005176481291	330.52
24 092 AL1	Brushed Hard Graphite	4005176481307	352.53

will be replaced by 24 169

35 604 000		4005176698774	142.72

GROHE Rapido SmartBox universal rough-in box for concealed installation





34 705 000	Chrome	4005176413285	1,543.90


Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
Consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 121 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower 310 head shower set (26 475) including head shower with 2 sprays,
horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENCE

Ref. No.	Colour	EAN	Retail Guide Price (£)
25 251 001	**Chrome**	**4005176698361**	**803.64**
25 251 DC1	**supersteel**	**4005176711862**	**1,125.09**
25 251 GL1	**cool sunrise**	**4005176711893**	**1,205.45**
25 251 DA1	**warm sunset**	**4005176711855**	**1,205.45**
25 251 DL1	**brushed warm sunset**	**4005176711114**	**1,285.81**
25 251 A01	**hard graphite**	**4005176711824**	**1,205.45**
25 251 AL1	**Brushed Hard Graphite**	**4005176711831**	**1,285.81**






Essence
4-hole single-lever bath combination
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
pre-assembled spout fixing
single lever mixer operating element
metal lever
bath inlet with mousseur
diverter bath/shower
for chrome: hand shower 27400000
metal shower hose 2000 mm (always chrome for any colour of the set)
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000
professional edition

19 578 001	**Chrome**	**4005176307195**	**814.98**
19 578 DC1	**supersteel**	**4005176371103**	**1,119.40**
19 578 GL1	**cool sunrise**	**4005176426476**	**1,199.34**
19 578 GN1	**brushed cool sunrise**	**4005176426483**	**1,279.31**
19 578 DA1	**warm sunset**	**4005176426490**	**1,199.34**
19 578 DL1	**brushed warm sunset**	**4005176426506**	**1,279.31**
19 578 A01	**hard graphite**	**4005176426520**	**1,199.34**
19 578 AL1	**Brushed Hard Graphite**	**4005176426513**	**1,279.31**

will be replaced by 25 251






19 976 001	**Chrome**	**4005176307218**	**486.04**

Essence
3-hole single-lever bath combination
Three hole installation
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
single lever mixer operating element
diverter bath/shower
hand shower 27 400 000
metal shower hose 2000 mm (always chrome for any colour of the set)
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000
for combination with 28 990 / 28 991







29 037 000		**4005176865749**	**839.33**

4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color

GROHE ESSENCE

Ref. No.	Colour	EAN	Retail Guide Price (£)






23 741 001	**Chrome**	**4005176371509**	**1,887.00**
23 741 DC1	**supersteel**	**4005176371516**	**3,313.76**

Essence
Single-lever free-standing shower system
floor-mounted
set for final installation for
45 984 001
29 038 001
29 086 000
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter
head shower/hand shower
360° horizontal swivable shower arm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
Rainshower Cosmopolitan 310 head shower 9.5 l/min (27 477 000)
with ball joint
rotation angle ± 15°
GROHE DreamSpray perfect spray pattern
SpeedClean anti-limescale system
for chrome: hand shower 27400000
Silverflex shower hose 1750 mm (28 388 000)
protected against backflow






25 248 001	**Chrome**	**4005176698255**	**1,253.53**
25 248 DC1	**supersteel**	**4005176711374**	**1,767.46**
25 248 GL1	**cool sunrise**	**4005176711404**	**1,893.72**
25 248 GN1	**brushed cool sunrise**	**4005176711411**	**2,019.94**
25 248 DA1	**warm sunset**	**4005176711367**	**1,893.72**
25 248 DL1	**brushed warm sunset**	**4005176711381**	**2,019.94**
25 248 A01	**hard graphite**	**4005176711336**	**1,893.72**
25 248 AL1	**Brushed Hard Graphite**	**4005176711343**	**2,019.94**

Essence
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
swivel spout with mousseur
and stop limiter
projection 277 mm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
for chrome: hand shower 27400000
Silverflex shower hose 1250 mm (28 362)
protected against backflow
professional edition

23 491 001	**Chrome**	**4005176307263**	**1,253.53**
23 491 DC1	**supersteel**	**4005176371127**	**1,767.46**
23 491 GL1	**cool sunrise**	**4005176407581**	**1,893.72**
23 491 GN1	**brushed cool sunrise**	**4005176426582**	**2,019.94**
23 491 DA1	**warm sunset**	**4005176407574**	**1,893.72**
23 491 DL1	**brushed warm sunset**	**4005176426599**	**2,019.94**
23 491 A01	**hard graphite**	**4005176407598**	**1,893.72**
23 491 AL1	**Brushed Hard Graphite**	**4005176407604**	**2,019.94**

will be replaced by 25 248





45 984 001		**4005176992056**	**388.61**


Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENCE

Ref. No.	Colour	EAN	Retail Guide Price (£)






29 086 000		**4005176935497**	**249.61**

Rough-in set 1/2"
for floor-mounted tub spouts and mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug







37 601 000	**Chrome**	**4005176416057**	**81.44**
37 601 DC0	**supersteel**	**4005176416088**	**184.25**
37 601 GL0	**cool sunrise**	**4005176524271**	**184.25**
37 601 GN0	**brushed cool sunrise**	**4005176529016**	**184.25**
37 601 DA0	**warm sunset**	**4005176524288**	**184.25**
37 601 DL0	**brushed warm sunset**	**4005176529023**	**184.25**
37 601 A00	**hard graphite**	**4005176528996**	**184.25**
37 601 AL0	**Brushed Hard Graphite**	**4005176529030**	**184.25**

Nova Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)


GROHE
EURODISC JOY

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		**23 425 000**	**Chrome**	**4005176993596**	**193.69**


Eurodisc Joy
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

		**23 427 000**	**Chrome**	**4005176993619**	**218.06**


Eurodisc Joy
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

		**23 428 000**	**Chrome**	**4005176993633**	**327.69**

Eurodisc Joy
Basin mixer 1/2"
XL-Size
monobloc installation
metal lever
for free-standing basins
GROHE FeatherControl Joystick cartridge
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE StarLight chrome finish
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses

		**19 968 000**	**Chrome**	**4005176993657**	**230.23**

Eurodisc Joy
2-hole basin mixer
M-Size
wall mounted
set for final installation for
23 429 000
without concealed body
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
centre distance 110 mm
projection 171 mm

		**19 969 000**	**Chrome**	**4005176993671**	**249.62**


Eurodisc Joy
2-hole basin mixer
L-Size
wall mounted
set for final installation for
23 429 000
without concealed body
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
centre distance 110 mm
projection 226 mm

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EURODISC JOY

	Ref. No.	Colour	EAN	Retail Guide Price (£)






23 429 000		4005176993695	254.60

Single-lever mixer 1/2", concealed body
for 2 hole basin mixer
without finishing trim set
GROHE FeatherControl Joystick cartridge
wall installation
installation device
DR-brass
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve






24 036 000	Chrome	4005176993701	230.23


Eurodisc Joy
Bidet mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy ball-joint mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 430 000	Chrome	4005176993725	237.67

Eurodisc Joy
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
shower bottom outlet 1/2" with
integrated non return-valve
S-unions
protected against backflow






23 431 000	Chrome	4005176993749	242.41

Eurodisc Joy
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove Joystick cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow





24 055 002	Chrome	4005176465420	167.31

Eurodisc Cosmopolitan
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set


35 604 000		4005176698774	142.72

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
EURODISC JOY

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 056 002	**Chrome**	**4005176465437**	**183.13**





Eurodisc Cosmopolitan
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 604 000	**4005176698774**	**142.72**


GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EURODISC COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






23 051 002 **Chrome** **4005176887567** **108.41**

Eurodisc Cosmopolitan
Pillar tap
XS-Size
monobloc installation
metal lever
ceramic headpart
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
union nut 1/2" x 10.5 mm






23 049 002 **Chrome** **4005176887536** **201.85**

Eurodisc Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
GROHE StarLight chrome finish
GROHE FastFixation Plus installation
system with centering support
mousseur
pop-up waste set 1 1/4"
flexible connection hoses






33 190 20E **Chrome** **4005176887482** **205.89**

Eurodisc Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation
system with centering support
pop-up waste set 1 1/4"
flexible connection hoses






33 183 002 **Chrome** **4005176887499** **191.10**

Eurodisc Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE FastFixation Plus installation
system with centering support
mousseur
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter (46 375 000)
noise classification 1 in accordance
with DIN4109

GROHE
EURODISC COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






32 469 20E **Chrome** **4005176908835** **193.72**

Eurodisc Cosmopolitan
Basin mixer 1/2"
S-Size
metal lever
monobloc installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation
system with centering support
smooth body
flexible connection hoses
noise classification 1 in accordance
with DIN4109






32 469 20L **Chrome** **4005176917110** **183.76**

Eurodisc Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE FastFixation Plus installation
system with centering support
GROHE StarLight chrome finish
mousseur
smooth body
flexible connection hoses
for **low pressure**
min. recommended pressure 0.2 bar
optional temperature limiter (46 375 000)
noise classification 1 in accordance
with DIN4109






23 389 20E **Chrome** **4005176938412** **201.86**

Eurodisc Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation Plus rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar






23 384 20E **Chrome** **4005176936722** **225.73**

Eurodisc Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES
35 mm ceramic cartridge with energy
saving function via cold start
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation Plus installation
system with centering support
pop-up waste set 1 1/4"
flexible connection hoses


23 382 20E **Chrome** **4005176936708** **193.72**
Ditto, with GROHE SilkMove ES

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**23 448 002**	**Chrome**	**4005176998744**	**205.89**


Eurodisc Cosmopolitan
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

 	**23 449 002**	**Chrome**	**4005176998768**	**193.69**

Eurodisc Cosmopolitan
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body
flexible connection hoses

 	**23 054 003**	**Chrome**	**4005176472596**	**199.84**


Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation Plus installation system
mousseur
swivel tubular spout
with stop restriction
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar
optional temperature limiter (46 375 000)


 	**23 432 000**	**Chrome**	**4005176993763**	**315.51**

Eurodisc Cosmopolitan
Basin mixer 1/2"
XL-Size
monobloc installation
metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses
optional temperature limiter (46 375 000)

GROHE
EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)






23 055 002 **Chrome** **4005176887680** **254.58**

Eurodisc Cosmopolitan
Basin mixer 1/2"
XL-Size
monobloc installation
metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE FastFixation Plus installation system with centering support
mousseur
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter (46 375 000)






19 573 002 **Chrome** **4005176887659** **230.26**

Eurodisc Cosmopolitan
2-hole basin mixer
M-Size
wall mounted
set for final installation for 23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE AquaGuide NEW
centre distance 110 mm
projection 170 mm

19 974 002 **Chrome** **4005176305948** **242.41**
ditto, projection 225 mm






23 571 000 **4005176334276** **242.40**

Single-lever mixer 1/2", universal concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve






33 244 002 **Chrome** **4005176888779** **189.89**


Eurodisc Cosmopolitan
Bidet mixer 1/2"
S-Size
metal lever
monobloc installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE FastFixation Plus installation system with centering support
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter (46 375 000)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**33 569 002**	**Chrome**	**4005176887734**	**205.89**


Eurodisc Cosmopolitan
Single-lever shower mixer 1/2"
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
shower bottom outlet 1/2"
integrated non-return valve, S-unions
protected against backflow
optional temperature limiter (46 308 000)

 	**34 719 000**	**Chrome**	**4005176457654**	**414.07**

Grohtherm SmartControl
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
built-in non return valve
and dirt strainers
protected against backflow

 	**33 192 002**	**Chrome**	**4005176887864**	**230.26**

Eurodisc Cosmopolitan
Single-lever bath/shower mixer 1/2"
monobloc installation
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
flexible connection hoses
protected against backflow
optional temperature limiter (46 308 000)


 	**33 390 002**	**Chrome**	**4005176887796**	**230.26**

Eurodisc Cosmopolitan
Single-lever bath/shower mixer 1/2"
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
mousseur, integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)

GROHE
EURODISC COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 718 000 **Chrome** **4005176457647** **456.13**

Grohtherm SmartControl
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
bath spout with mousseur
built-in non return valve
and dirt strainers
protected against backflow






33 395 002 **Chrome** **4005176887802** **297.36**

Eurodisc Cosmopolitan
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)
noise classification 1 in accordance with DIN4109
with shower set
Consisting of:
hand shower euphoria 110 Champagne (27 222)
wall shower holder (27 056)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)





24 055 002 **Chrome** **4005176465420** **167.31**

Eurodisc Cosmopolitan
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set


35 604 000 **4005176698774** **142.72**
GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EURODISC COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 056 002	**Chrome**	**4005176465437**	**183.13**






Eurodisc Cosmopolitan
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

34 705 000	**Chrome**	**4005176413285**	**1,543.90**






Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
Consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 121 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower 310 head shower set (26 475) including head shower with 2 sprays,
horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)

13 278 002	**Chrome**	**4005176887871**	**108.39**






Eurodisc Cosmopolitan
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2"
projection 170 mm


37 624 000	**Chrome**	**4005176416095**	**81.44**






Arena Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000
(sold separately)


GROHE
CONCETTO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**32 207 001**	**Chrome**	**4005176888878**	**107.96**


Concetto
Pillar tap
XS-Size
monobloc installation
metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
union nut 1/2" x 10.5 mm
noise classification 1 in accordance
with DIN4109

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**32 204 10E**	**Chrome**	**4005176887345**	**154.62**

Concetto
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**23 931 001**	**Chrome**	**4005176584015**	**140.68**

Concetto
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar
noise classification 1 in accordance
with DIN4109

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**23 060 001**	**Chrome**	**4005176888021**	**140.68**


Concetto
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
flow straightener
pop-up waste set 1 1/4"
flexible connection hoses
for use with displacement water heater
optional temperature limiter (46 375 000)
noise classification 1 in accordance
with DIN4109

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE CONCETTO

	Ref. No.	Colour	EAN	Retail Guide Price (£)






32 202 10L **Chrome** **4005176903960** **143.49**

Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE FastFixation installation system
mousseur
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter (46 375 000)
min. recommended pressure 0.2 bar






32 240 10E **Chrome** **4005176906794** **143.49**

Concetto
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
smooth body
flexible connection hoses






32 240 10L **Chrome** **4005176903977** **132.36**

Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE FastFixation installation system
mousseur
smooth body
flexible connection hoses
min. recommended pressure 0.2 bar
optional temperature limiter (46 375 000)






23 380 10E **Chrome** **4005176938245** **154.62**


Concetto
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

23 385 10E **Chrome** **4005176938269** **143.49**
Ditto, with GROHE SilkMove ES


GROHE
CONCETTO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 450 001	Chrome	4005176998775	165.74


Concetto
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

 	23 932 001	Chrome	4005176584022	151.58

Concetto
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation rapid installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar

 	23 451 001	Chrome	4005176998799	154.62

Concetto
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation rapid installation system
smooth body
flexible connection hoses

 	23 739 002	Chrome	4005176472602	219.17


Concetto
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
swivel tubular spout
with stop restriction
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter (46 375 000)
min. recommended pressure 1.0 bar

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE CONCETTO

Ref. No.	Colour	EAN	Retail Guide Price (£)
32 629 002	Chrome	4005176472619	187.99






Concetto
Single-lever basin mixer 1/2“
L-Size
monobloc installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
mousseur
swivel tubular spout
with stop restriction
pop-up waste set 1 1/4“
flexible connection hoses
optional temperature limiter (46 375 000)
min. recommended pressure 1.0 bar

23 920 001	Chrome	4005176583421	214.87






Concetto
Basin mixer 1/2“
XL-Size
monobloc installation
metal lever
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar

20 216 001	Chrome	4005176888373	243.60






Concetto
Three-hole basin mixer 1/2“
L-Size
ceramic headpart
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
spout with mousseur
pop-up waste set 1 1/4“
pressure-proof, flexible connection hoses
pressure-proof, flexible connection hoses between middle-body and side valves


19 575 001	Chrome	4005176888366	199.11






Concetto
2-hole basin mixer
S-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
GROHE StarLight chrome finish
centre distance 110 mm
projection 147 mm


GROHE CONCETTO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**23 571 000**		**4005176334276**	**242.40**


Single-lever mixer 1/2", universal concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

 	**32 208 001**	**Chrome**	**4005176888908**	**143.49**

Concetto
Bidet mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

 	**32 210 001**	**Chrome**	**4005176888939**	**162.49**

Concetto
Single-lever shower mixer 1/2"
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with
integrated non return-valve, S-unions
protected against backflow
optional temperature limiter (46 308 000)
noise classification 1 in accordance
with DIN4109

 	**34 765 000**	**Chrome**	**4005176612022**	**207.70**


Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE CONCETTO

Ref. No.	Colour	EAN	Retail Guide Price (£)






32 211 001 **Chrome** **4005176889028** **187.99**

Concetto
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)






34 766 000 **Chrome** **4005176612039** **270.59**

Grohtherm 800 Cosmopolitan
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow






32 212 001 **Chrome** **4005176889035** **221.36**

Concetto
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur, integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)
with shower set
Consisting of:
Euphoria Cosmopolitan hand shower (27 400)
wall shower holder (27 056)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)

GROHE CONCETTO

Ref. No.	Colour	EAN	Retail Guide Price (£)






32 700 001 **Chrome** **4005176887994** **173.40**

Concetto
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
46 mm ceramic cartridge with
Eco-Override-Stop, with **GROHE SilkMove**
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)
noise classification 1 in accordance
with DIN4109






24 053 001 **Chrome** **4005176465406** **155.48**

Concetto
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 604 000 **4005176698774** **142.72**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 054 001 **Chrome** **4005176465413** **170.60**

Concetto
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 604 000 **4005176698774** **142.72**
GROHE Rapido SmartBox universal rough-in box for concealed installation






19 345 001 **Chrome** **4005176888953** **162.49**


Concetto
Single-lever shower mixer trim
set for final installation for
33 961 000, 33 962 000, 33 963 000, 33 964 000,
33 965 000, 33 966 000, 35 501 000
without concealed body
metal lever
GROHE StarLight chrome finish
escutcheon- and shaft-sealing
wall escutcheon
covered fixing

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE CONCETTO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	32 213 001	Chrome	4005176888960	162.49


Concetto
Single-lever shower mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
Consisting of:
set for final installation
concealed body
33 964 000
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
metal lever
escutcheon- and shaft-sealing
metal escutcheon
screwed
optional temperature limiter
min. recommended pressure 1.0 bar

 	19 346 001	Chrome	4005176889080	176.86


Concetto
Single-lever bath/shower mixer trim
set for final installation for
33 961 000, 33 963 000, 33 965 000
without concealed body
metal lever
GROHE StarLight chrome finish
automatic diverter: bath/shower
escutcheon- and shaft-sealing
wall escutcheon
covered coupling

 	32 214 001	Chrome	4005176889097	184.30

Concetto
Single-lever bath/shower mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
Consisting of:
set for final installation
concealed body
33 963 000
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
metal lever
escutcheon- and shaft-sealing
metal escutcheon
screwed
optional temperature limiter
min. recommended pressure 1.0 bar

 	25 102 000	Chrome	4005176881671	254.73

Concetto
Two-handled Bath filler 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
GROHE StarLight chrome finish
recommended pressure 0.2-5.0 bar


 	25 109 000	Chrome	4005176881848	288.10

Concetto
Two-handled Bath/Shower mixer 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
automatic diverter: bath/shower
integrated non-return valve
in the shower outlet 1/2"
GROHE StarLight chrome finish

GROHE
CONCETTO

	Ref. No.	Colour	EAN	Retail Guide Price (£)






19 576 002 **Chrome** **4005176429088** **764.19**

Concetto
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
pre-assembled spout fixing
single lever mixer operating element
diverter bath/shower
Euphoria Cosmopolitan hand shower 6.6 l/min
metal shower hose 2000 mm (always chrome for any colour of the set)
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 000






29 037 000 **4005176865749** **839.33**

4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color






13 280 001 **Chrome** **4005176888687** **99.00**

Concetto
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2“





13 281 001 **Chrome** **4005176888694** **129.77**


Concetto
Bath spout with diverter
wall mounted
GROHE StarLight chrome finish
mousseur
automatic diverter: bath/shower
male thread 1/2“

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSTYLE COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






23 039 002 **Chrome** **4005176886881** **96.25**

Eurostyle Cosmopolitan
Pillar tap
XS-Size
monobloc installation
metal lever
ceramic headpart
GROHE StarLight chrome finish
mousseur






23 037 002 **Chrome** **4005176886355** **157.12**

Eurostyle Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
mousseur
pop-up waste set 1 1/4"
flexible connection hoses






23 387 20E **Chrome** **4005176938382** **132.76**

Eurostyle Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses






33 552 20E **Chrome** **4005176886300** **132.76**

Eurostyle Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses
noise classification 1 in accordance
with DIN4109

GROHE
EUROSTYLE COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






33 561 002 **Chrome** **4005176886379** **154.07**

Eurostyle Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
flow straightener
pop-up waste set 1 1/4"
flexible connection hoses
for use with displacement water heater
optional temperature limiter (46 375 000)
noise classification 1 in accordance
with DIN4109






32 468 20E **Chrome** **4005176906886** **132.75**

Eurostyle Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
smooth body
flexible connection hoses
noise classification 1 in accordance
with DIN4109






32 468 20L **Chrome** **4005176917097** **126.96**

Eurostyle Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
mousseur, smooth body
flexible connection hoses
for **low pressure**
min. recommended pressure 0.2 bar
optional temperature limiter (46 375 000)





23 374 20E **Chrome** **4005176936678** **132.76**

Eurostyle Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES
35 mm ceramic cartridge with energy saving function via cold start
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar


23 373 20E **Chrome** **4005176936661** **132.75**
Ditto, with GROHE SilkMove ES

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSTYLE COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 043 003	Chrome	4005176472732	203.82






Eurostyle Cosmopolitan
Single-lever basin mixer 1/2“
L-Size
monobloc installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
mousseur
swivel tubular spout
with stop restriction
pop-up waste set 1 1/4“
flexible connection hoses
min. recommended pressure 1.0 bar

20 208 002	Chrome	4005176886980	278.97






Eurostyle Cosmopolitan
3-hole basin mixer
S-Size
metal lever
ceramic headparts 1/2“, 90°
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
spout with mousseur
pop-up waste set 1 1/4“
pressure-proof, flexible connection hoses
pressure-proof, flexible connection hoses between middle-body and side valves

19 571 002	Chrome	4005176886973	242.42






Eurostyle Cosmopolitan
2-hole basin mixer
S-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 171 mm

23 571 000		4005176334276	242.40






Single-lever mixer 1/2“, universal concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

GROHE
EUROSTYLE COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






33 565 002 **Chrome** **4005176887000** **132.76**

Eurostyle Cosmopolitan
Bidet mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter (46 375 000)






33 590 002 **Chrome** **4005176887048** **144.94**

Eurostyle Cosmopolitan
Single-lever shower mixer 1/2"
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2"
integrated non-return valve, S-unions
protected against backflow
optional temperature limiter (46 308 000)






32 229 002 **Chrome** **4005176887055** **144.51**

Eurostyle Cosmopolitan
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
shower bottom outlet 1/2"
integrated non-return valve
S-unions
protected against backflow
optional temperature limiter ref. no. 08 791
noise classification 1 in accordance
with DIN4109





34 765 000 **Chrome** **4005176612022** **207.70**


Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSTYLE COSMOPOLITAN


Ref. No.	Colour	EAN	Retail Guide Price (£)






33 614 002 **Chrome** **4005176887208** **214.14**

Eurostyle Cosmopolitan
Single-lever bath/shower mixer 1/2"
monobloc installation
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
flexible connection hoses
protected against backflow
optional temperature limiter (46 308 000)






33 591 002 **Chrome** **4005176887123** **166.00**

Eurostyle Cosmopolitan
Single-lever bath/shower mixer 1/2"
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur, integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)






34 766 000 **Chrome** **4005176612039** **270.59**

Grohtherm 800 Cosmopolitan
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow






33 592 20A **Chrome** **4005176454288** **224.13**

Eurostyle Cosmopolitan
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)
with shower set
hand shower Tempesta Cosmopolitan 100, 2 sprays (27 571)
wall shower holder (27 056)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)

GROHE
EUROSTYLE COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






24 051 002 **Chrome** **4005176465383** **163.73**

Eurostyle Cosmopolitan
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 604 000 **4005176698774** **142.72**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 052 002 **Chrome** **4005176465390** **179.88**

Eurostyle Cosmopolitan
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 604 000 **4005176698774** **142.72**
GROHE Rapido SmartBox universal rough-in box for concealed installation






19 507 002 **Chrome** **4005176887079** **169.30**

Eurostyle Cosmopolitan
Single-lever shower mixer trim
set for final installation for
33 961 000, 33 962 000, 33 963 000, 33 964 000,
33 965 000, 33 966 000, 35 501 000
without concealed body
metal lever
GROHE StarLight chrome finish
escutcheon- and shaft-sealing
wall escutcheon
covered fixing






19 506 002 **Chrome** **4005176887185** **169.31**

Eurostyle Cosmopolitan
Single-lever bath/shower mixer trim
set for final installation for
33 961 000, 33 963 000, 33 965 000
without concealed body
metal lever
GROHE StarLight chrome finish
automatic diverter: bath/shower
escutcheon- and shaft-sealing
wall escutcheon
covered fixing







23 048 003 **Chrome** **4005176429132** **912.43**

Eurostyle Cosmopolitan
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
pre-assembled spout fixing, single lever mixer operating element
diverter bath/shower
Euphoria Cosmopolitan hand shower 6.6 l/min
metal shower hose 2000 mm (always chrome for any colour of the set)
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 000


All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**29 037 000**		**4005176865749**	**839.33**
	4/5-hole bath combination (optional) **baseframe for installation** **under tiled surround** base frame drainage box with integrated outlet for splash water caps to cover screw fixations always come in chrome color			
 	**13 276 002**	**Chrome**	**4005176887246**	**108.41**
	Eurostyle Cosmopolitan **Bath spout** wall mounted **GROHE StarLight** chrome finish mousseur male thread 1/2" projection 170 mm			


GROHE
EUROSTYLE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**33 558 003** **33 558 LS3**	**Chrome** **moon white**	**4005176334139** **4005176335686**	**132.78** **180.30**




Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

	**23 929 003**	**Chrome**	**4005176583995**	**126.81**




Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses

	**23 707 003** **23 707 LS3**	**Chrome** **moon white**	**4005176364778** **4005176364785**	**120.59** **169.31**




Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

	**23 564 003**	**Chrome**	**4005176334146**	**131.06**



Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses


	**23 708 003**	**Chrome**	**4005176364990**	**114.51**




Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE EUROSTYLE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**23 374 003** **23 374 LS3**	**Chrome** **moon white**	**4005176334153** **4005176334450**	**132.78** **181.52**


Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove ES
35 mm ceramic cartridge with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**23 709 003** **23 709 LS3**	**Chrome** **moon white**	**4005176365003** **4005176365010**	**120.59** **157.12**

Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
solid metal lever
GROHE SilkMove ES
35 mm ceramic cartridge with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**23 930 003**	**Chrome**	**4005176584008**	**126.81**

Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove ES
35 mm ceramic cartridge with energy saving function via cold start
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**33 561 003**	**Chrome**	**4005176334160**	**132.78**

Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE FastFixation rapid installation system
flow straightener
pop-up waste set 1 1/4"
flexible connection hoses

GROHE EUROSTYLE

	Ref. No.	Colour	EAN	Retail Guide Price (£)






33 557 003 **Chrome** **4005176334184** **120.59**

Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
retractable chain
flexible connection hoses






32 468 003 **Chrome** **4005176334207** **120.59**

Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
smooth body
flexible connection hoses






23 715 003 **Chrome** **4005176365065** **108.42**

Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
smooth body
flexible connection hoses






23 567 003 **Chrome** **4005176334214** **132.78**

Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation rapid installation system
smooth body
flexible connection hoses





23 716 003 **Chrome** **4005176365072** **157.13**


Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation rapid installation system
smooth body
flexible connection hoses

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROSTYLE

Ref. No.	Colour	EAN	Retail Guide Price (£)






23 717 30L	**Chrome**	**4005176365089**	**108.42**

Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE FastFixation rapid installation system
mousseur for low pressure
smooth body
flexible connection hoses
min. recommended pressure 0.2 bar






23 569 003	**Chrome**	**4005176334238**	**230.25**
23 569 LS3	**moon white**	**4005176334467**	**254.40**

Eurostyle
Single-lever basin mixer 1/2"
L-Size
monobloc installation
loop metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
swivel cast spout
swivel area 360°
pop-up waste set 1 1/4"
flexible connection hoses






23 718 003	**Chrome**	**4005176365096**	**205.89**
23 718 LS3	**moon white**	**4005176365102**	**242.41**

Eurostyle
Single-lever basin mixer 1/2"
L-Size
monobloc installation
solid metal lever
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
swivel cast spout
swivel area 360°
pop-up waste set 1 1/4"









23 570 003	**Chrome**	**4005176334245**	**254.60**
23 570 LS3	**moon white**	**4005176334474**	**303.34**

Eurostyle
Basin mixer 1/2"
XL-Size
monobloc installation
loop metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
smooth body
flexible connection hoses


GROHE EUROSTYLE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**23 719 003** **23 719 LS3**	**Chrome** **moon white**	**4005176365119** **4005176365126**	**242.43** **278.97**
	Eurostyle **Basin mixer 1/2“** **XL-Size** monobloc installation solid metal lever **for free-standing basins** **GROHE SilkMove** 35 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE FastFixation** rapid installation system smooth body flexible connection hoses			
 	**19 571 003** **19 571 LS3**	**Chrome** **moon white**	**4005176334269** **4005176334498**	**242.43** **303.34**
	Eurostyle **2-hole basin mixer** **M-Size** wall mounted **without concealed body** set for final installation for 23 571 000 metal escutcheon loop metal lever **GROHE StarLight** chrome finish **GROHE AquaGuide** adjustable mousseur centre distance 110 mm projection 203 mm			
 	**29 097 003** **29 097 LS3**	**Chrome** **moon white**	**4005176365133** **4005176365140**	**224.67** **296.26**
	Eurostyle **2-hole basin mixer** **M-Size** wall mounted **without concealed body** set for final installation for 23 571 000 metal escutcheon solid metal lever **GROHE StarLight** chrome finish **GROHE AquaGuide** adjustable mousseur centre distance 110 mm projection 203 mm			
 	**23 571 000**		**4005176334276**	**242.40**
	Single-lever mixer 1/2“, universal concealed body for 2 hole basin mixer wall installation **without finishing trim set** **GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE EUROSTYLE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**33 565 003**	**Chrome**	**4005176334283**	**108.41**
	33 565 LS3	**moon white**	**4005176334504**	**182.74**




Eurostyle
Bidet mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses

	**23 720 003**	**Chrome**	**4005176365157**	**120.59**
	23 720 LS3	**moon white**	**4005176365164**	**169.30**




Eurostyle
Bidet mixer 1/2"
S-Size
monobloc installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses

	**33 590 003**	**Chrome**	**4005176334306**	**181.53**
	33 590 LS3	**moon white**	**4005176334511**	**193.69**



Eurostyle
Single-lever shower mixer 1/2"
wall mounted
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
shower outlet 1/2" with integrated non-return valve
covered S-unions
metal wall escutcheons
protected against backflow

	**23 722 003**	**Chrome**	**4005176365188**	**181.55**
	23 722 LS3	**moon white**	**4005176365195**	**181.52**




Eurostyle
Single-lever shower mixer 1/2"
wall mounted
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
shower outlet 1/2" with integrated non-return valve
covered S-unions
metal wall escutcheons
protected against backflow

GROHE
EUROSTYLE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 814 003	Chrome	4005176695728	243.18






Grohtherm 1000
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow
professional edition

34 143 003	Chrome	4005176309618	243.18






Grohtherm 1000
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

33 591 003	Chrome	4005176334351	193.69
33 591 LS3	moon white	4005176334535	242.41






Eurostyle
Single-lever bath/shower mixer 1/2"
wall mounted
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower outlet 1/2" with integrated non-return valve
covered S-unions
metal wall escutcheons
protected against backflow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROSTYLE

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 726 003	**Chrome**	**4005176365256**	**181.53**
23 726 LS3	**moon white**	**4005176365263**	**242.39**






Eurostyle
Single-lever bath/shower mixer 1/2"
wall mounted
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower outlet 1/2" with integrated non-return valve
covered S-unions
protected against backflow

---

34 816 003	**Chrome**	**4005176695742**	**301.35**






Grohtherm 1000
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow
professional edition

---

34 155 003	**Chrome**	**4005176310027**	**301.35**






Grohtherm 1000
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

GROHE EUROSTYLE

Ref. No.	Colour	EAN	Retail Guide Price (£)
33 592 30A	**Chrome**	**4005176456497**	**209.87**






Eurostyle
Single-lever bath/shower mixer 1/2"
wall mounted
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower outlet 1/2" with integrated non-return valve
covered S-unions
metal wall escutcheons
protected against backflow
with shower set Tempesta
Consisting of:
hand shower Tempesta 100, 2 sprays, 9.5 l/min (26 161)
wall shower holder (28 605)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)

24 048 003	**Chrome**	**4005176465345**	**149.90**
24 048 LS3	**moon white**	**4005176465352**	**194.86**






Eurostyle
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 604 000	**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 046 003	**Chrome**	**4005176465307**	**142.98**
24 046 LS3	**moon white**	**4005176465314**	**185.65**






Eurostyle
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 604 000	**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 049 003	**Chrome**	**4005176465369**	**164.89**
24 049 LS3	**moon white**	**4005176465376**	**214.49**





Eurostyle
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 604 000	**4005176698774**	**142.72**


GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROSTYLE

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 047 003	**Chrome**	**4005176465321**	**157.97**
24 047 LS3	**moon white**	**4005176465338**	**204.09**






Eurostyle
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

19 507 003	**Chrome**	**4005176334337**	**132.77**
19 507 LS3	**moon white**	**4005176334528**	**185.02**






Eurostyle
Single-lever shower mixer trim
set for final installation for
33 961 000, 33 962 000, 33 963 000, 33 964 000,
33 965 000, 33 966 000, 35 501 000
without concealed body
loop metal lever
GROHE StarLight chrome finish
GROHE FastFixation covered fixing
escutcheon- and shaft-sealing
metal wall escutcheon

29 098 003	**Chrome**	**4005176365225**	**132.76**
29 098 LS3	**moon white**	**4005176365232**	**178.41**






Eurostyle
Single-lever shower mixer trim
set for final installation for
33 961 000, 33 962 000, 33 963 000, 33 964 000,
33 965 000, 33 966 000, 35 501 000
without concealed body
solid metal lever
GROHE StarLight chrome finish
GROHE FastFixation covered fixing
escutcheon- and shaft-sealing
metal wall escutcheon

33 635 003	**Chrome**	**4005176334344**	**161.89**






Eurostyle
Single-lever shower mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE FastFixation covered fixing
Consisting of:
compatible with
(19 507 003)
with concealed body
adjustable flow rate limiter
loop metal lever
escutcheon- and shaft-sealing
metal wall escutcheon
optional temperature limiter (46 308 000)

GROHE EUROSTYLE

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 725 003	**Chrome**	**4005176365249**	**169.34**






Eurostyle
Single-lever shower mixer 1/2"
wall installation
Consisting of:
compatible with
(19 507 003)
with concealed body
solid metal lever
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
metal wall escutcheon
escutcheon- and shaft-sealing
GROHE FastFixation covered fixing
optional temperature limiter (46 308 000)

19 506 003	**Chrome**	**4005176334399**	**157.14**
19 506 LS3	**moon white**	**4005176334542**	**205.88**






Eurostyle
Single-lever bath/shower mixer trim
set for final installation for
33 961 000, 33 963 000, 33 965 000
without concealed body
GROHE StarLight chrome finish
GROHE FastFixation covered fixing
automatic diverter: bath/shower
escutcheon- and shaft-sealing
metal wall escutcheon

29 099 003	**Chrome**	**4005176365300**	**157.13**
29 099 LS3	**moon white**	**4005176365317**	**193.44**






Eurostyle
Single-lever bath/shower mixer trim
set for final installation for
33 961 000, 33 963 000, 33 965 000
without concealed body
solid metal lever
GROHE StarLight chrome finish
GROHE FastFixation covered fixing
automatic diverter: bath/shower
escutcheon- and shaft-sealing

Ref. No.	Colour	EAN	Retail Guide Price (£)
33 637 003	**Chrome**	**4005176334405**	**215.61**






Eurostyle
Single-lever bath/shower mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE FastFixation covered fixing
Consisting of:
compatible with
(19 506 003)
with concealed body
adjustable flow rate limiter
automatic diverter: bath/shower
loop metal lever
escutcheon- and shaft-sealing
metal wall escutcheon
optional temperature limiter (46 308 000)

23 730 003	**Chrome**	**4005176365324**	**181.52**






Eurostyle
Single-lever bath/shower mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE FastFixation covered fixing
Consisting of:
compatible with
(19 506 003)
with concealed body
adjustable flow rate limiter
automatic diverter: bath/shower
solid metal lever
optional temperature limiter (46 308 000)
metal wall escutcheons

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)
32 825 00E	Chrome	4005176874628	126.81






Eurosmart Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation, metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar

Ref. No.	Colour	EAN	Retail Guide Price (£)
32 955 000	Chrome	4005176880117	115.19






Eurosmart Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
flow straightener
pop-up waste set 1 1/4"
flexible connection hoses
for use with displacement water heater
optional temperature limiter (46 375 000)
noise classification 1 in accordance
with DIN4109

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 925 000	Chrome	4005176583353	118.87






Eurosmart Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
GROHE EcoJoy mousseur 5.7 l/min
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter (46 375 000)
noise classification 1 in accordance
with DIN4109

Ref. No.	Colour	EAN	Retail Guide Price (£)
32 825 00L	Chrome	4005176917028	125.97






Eurosmart Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
mousseur
pop-up waste set 1 1/4"
flexible connection hoses
for **low pressure**
recommended pressure 0.2 - 5.0 bar
optional temperature limiter (46 375 000)

GROHE
EUROSMART COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






32 827 00E **Chrome** **4005176906565** **126.81**

Eurosmart Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
retractable chain
flexible connection hoses
noise classification 1 in accordance
with DIN4109






32 824 000 **Chrome** **4005176874604** **115.19**

Eurosmart Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
mousseur
smooth body
flexible connection hoses
optional temperature limiter (46 375 000)






32 824 00L **Chrome** **4005176917035** **115.19**

Eurosmart Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
adjustable minimum flow rate 2.5 l/min
GROHE FastFixation installation system
with centering support
mousseur
smooth body
flexible connection hoses
for **low pressure**
recommended pressure 0.2 - 5.0 bar
optional temperature limiter (46 375 000)





23 377 00E **Chrome** **4005176936630** **126.81**


Eurosmart Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES
35 mm ceramic cartridge with energy
saving function via cold start
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






23 378 00E **Chrome** **4005176936647** **112.92**

Eurosmart Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES
35 mm ceramic cartridge with energy saving function via cold start
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system with centering support
retractable chain
flexible connection hoses






23 376 00E **Chrome** **4005176936623** **121.00**

Eurosmart Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES
35 mm ceramic cartridge with energy saving function via cold start
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system with centering support
smooth body
flexible connection hoses






23 927 000 **Chrome** **4005176583377** **135.73**

Eurosmart Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES
35 mm ceramic cartridge with energy saving function via cold start
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system with centering support
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses






23 325 000 **Chrome** **4005176933974** **138.45**

Eurosmart Cosmopolitan
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter (46 375 000)

GROHE
EUROSMART COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 926 000	**Chrome**	**4005176583360**	**135.73**






Eurosmart Cosmopolitan
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar
optional temperature limiter (46 375 000)

23 327 000	**Chrome**	**4005176934094**	**126.81**
23 327 KW0	**supermatt black**	**4005176565205**	**165.74**






Eurosmart Cosmopolitan
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
smooth body
flexible connection hoses
optional temperature limiter (46 375 000)

23 396 00E	**Chrome**	**4005176938504**	**138.46**






Eurosmart Cosmopolitan
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE SilkMove ES
35 mm ceramic cartridge with energy saving function via cold start
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
temperature limiter
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar

23 928 000	**Chrome**	**4005176583384**	**124.33**






Eurosmart Cosmopolitan
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE SilkMove ES
35 mm ceramic cartridge with energy saving function via cold start
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)
32 830 001	Chrome	4005176472749	160.13






Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
mousseur
swivel tubular spout with stop limiter
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter (46 375 000)

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 933 001	Chrome	4005176584039	156.98






Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
mousseur
swivel tubular spout with stop limiter
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter (46 375 000)

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 921 000	Chrome	4005176583438	182.47






Eurosmart Cosmopolitan
Basin mixer 1/2"
XL-Size
monobloc installation
metal lever
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar

GROHE
EUROSMART COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






36 327 001 **Chrome** **4005176305771** **367.81**

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K






20 187 000 **Chrome** **4005176874680** **219.90**

Eurosmart Cosmopolitan
Three-hole basin mixer 1/2"
S-Size
metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
spout with mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
union nut with 10.5-mm drilling






19 381 000 **Chrome** **4005176874673** **196.64**

Eurosmart Cosmopolitan
2-hole basin mixer
S-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 170 mm








23 571 000 **4005176334276** **242.40**

Single-lever mixer 1/2", universal concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	32 839 000	Chrome	4005176874802	115.19
	Eurosmart Cosmopolitan **Bidet mixer 1/2"** **S-Size** monobloc installation metal lever **GROHE SilkMove** 35 mm ceramic cartridge **GROHE StarLight** chrome finish **GROHE FastFixation** installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)			
	32 840 000	Chrome	4005176874819	102.67
	ditto, with retractable chain			
 	32 837 000	Chrome	4005176874772	135.73
	Eurosmart Cosmopolitan **Single-lever shower mixer 1/2"** wall mounted, metal lever **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions optional temperature limiter (46 308 000) protected against backflow			
 	18 349 000		4005176874796	28.51
	Eurosmart Cosmopolitan **Plastic tray** for 32 837 000			
 	34 765 000	Chrome	4005176612022	207.70
	Grohtherm 800 Cosmopolitan **Thermostatic shower mixer 1/2"** wall mounted **GROHE StarLight** chrome finish **GROHE MetalGrip** ergonomically shaped metal handles **GROHE SafeStop** safety button at 38°C **(calibration required)** **GROHE SafeStop Plus** optional temperature limiter at 43°C included **GROHE TurboStat** compact cartridge with wax thermoelement integrated mixed water shut off volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon **GROHE EcoJoy** technology for less water and perfect flow			

GROHE
EUROSMART COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






32 836 000 **Chrome** **4005176874758** **158.55**

Eurosmart Cosmopolitan
Single-lever bath/shower mixer 1/2"
monobloc installation
metal lever
46 mm ceramic cartridge with
Eco-Override-Stop, with **GROHE SilkMove**
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
flexible connection hoses
protected against backflow
optional temperature limiter (46 308 000)
Qualitel E1/E3C2A2U3 applied for






32 831 000 **Chrome** **4005176874703** **161.72**

Eurosmart Cosmopolitan
Single-lever bath/shower mixer 1/2"
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur, integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)





34 766 000 **Chrome** **4005176612039** **270.59**


Grohtherm 800 Cosmopolitan
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 767 000 **Chrome** **4005176612046** **202.43**

Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
built-in non return valves
shower bottom outlet 1/2"
dirt strainers
protected against backflow
without connection unions for wall mounting
GROHE EcoJoy technology for less water and perfect flow






32 833 000 **Chrome** **4005176874727** **130.03**

Eurosmart Cosmopolitan
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
46 mm ceramic cartridge with
Eco-Override-Stop, with **GROHE SilkMove**
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter ref. no. 08 791






32 832 000 **Chrome** **4005176874710** **184.99**

Eurosmart Cosmopolitan
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)
with shower set
Euphoria Cosmopolitan hand shower (27 367)
wall shower holder (27 056)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)






25 128 000 **Chrome** **4005176905209** **219.90**

Eurosmart Cosmopolitan
Two-handled Bath filler 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
GROHE StarLight chrome finish
min. recommended pressure 0.2 bar

GROHE
EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)






25 129 000 **Chrome** **4005176905216** **266.45**

Eurosmart Cosmopolitan
Two-handled Bath/Shower mixer 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
automatic diverter: bath/shower
integrated non-return valve
in the shower outlet 1/2"
GROHE StarLight chrome finish
min. recommended pressure 0.2 bar






24 044 000 **Chrome** **4005176465185** **142.08**

Eurosmart Cosmopolitan
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 604 000 **4005176698774** **142.72**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---






24 045 000 **Chrome** **4005176465291** **156.38**

Eurosmart Cosmopolitan
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 604 000 **4005176698774** **142.72**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---






25 219 001 **Chrome** **4005176466373** **449.34**

Eurosmart Cosmopolitan
Perfect shower set with Tempesta 210
Consisting of:
Eurosmart Cosmopolitan set for final installation with
automatic diverter bath / shower (24 045)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
head shower Tempesta 210 9.5 l/min (26 410)
Shower arm Rainshower 286 mm (28 576 000)
hand shower Tempesta 100 II 9.5 l/min (27 597)
Shower outlet elbow (28 628 000)
Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)





19 383 000 **Chrome** **4005176874765** **115.19**


Eurosmart Cosmopolitan
Single-lever shower mixer trim
set for final installation for
33 961 000, 33 962 000, 33 963 000, 33 964 000,
33 965 000, 33 966 000, 35 501 000
without concealed body
metal lever
GROHE StarLight chrome finish
escutcheon- and shaft-sealing
wall escutcheon
covered fixing

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)
32 880 000	**Chrome**	**4005176877360**	**150.09**






Eurosmart Cosmopolitan
Single-lever shower mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
Consisting of:
set for final installation
concealed body
33 962 000
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
metal lever
escutcheon- and shaft-sealing
metal escutcheon
screwed
optional temperature limiter

19 382 000	**Chrome**	**4005176874697**	**138.45**






Eurosmart Cosmopolitan
Single-lever bath/shower mixer trim
set for final installation for
33 961 000, 33 963 000, 33 965 000
without concealed body
metal lever
GROHE StarLight chrome finish
automatic diverter: bath/shower
escutcheon- and shaft-sealing
wall escutcheon
covered fixing

32 879 000	**Chrome**	**4005176877353**	**147.14**






Eurosmart Cosmopolitan
Single-lever bath/shower mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
Consisting of:
set for final installation
concealed body
33 961 000
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
metal lever
metal wall escutcheon
screwed
optional temperature limiter (46 308 000)

13 261 000	**Chrome**	**4005176877384**	**91.91**






Eurosmart Cosmopolitan
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2"
projection 170 mm

13 262 000	**Chrome**	**4005176877391**	**101.51**






Eurosmart Cosmopolitan
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
automatic diverter: bath/shower
male thread 1/2"
projection 170 mm

GROHE
EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)






23 965 003 **Chrome** **4005176611544** **104.71**

Eurosmart
Basin mixer 1/2“
S-Size
angled version
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
adjustable flow rate limiter
monobloc installation
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
pop-up waste set 1 1/4“
flexible connection hoses
professional edition






23 968 003 **Chrome** **4005176611575** **91.91**

Eurosmart
Basin mixer 1/2“
S-Size
angled version
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
flexible connection hoses
smooth body with push-open pop-up waste set 1 1/4“
professional edition






23 967 003 **Chrome** **4005176611568** **91.91**

Eurosmart
Basin mixer 1/2“
S-Size
angled version
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
flexible connection hoses
smooth body
professional edition





23 969 003 **Chrome** **4005176613180** **91.91**


Eurosmart
Basin mixer 1/2“
S-Size
angled version
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
pop-up waste set 1 1/4“
flexible connection hoses
professional edition

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)
PROFESSIONAL GROHE	**23 975 003**	**Chrome**	**4005176644153**	**347.11**






Eurosmart
Basin mixer 1/2“
M-Size
monobloc installation
2-in-1 hybrid with touchless or manual operation
manual lever operation having priority
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
infra-red electronic
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
non-return valve
dirt strainer
with integrated solenoid valve
external battery
multistage battery status display
7 pre-set programs
auto flush
cleaning mode
additional functions and precise settings
by remote control 36 407
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
rapid installation system
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar
CE approved
professional edition

PROFESSIONAL GROHE	**33 265 003**	**Chrome**	**4005176613197**	**103.55**





Eurosmart
Basin mixer 1/2“
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
flexible connection hoses
pop-up waste set 1 1/4“
professional edition

PROFESSIONAL GROHE	**23 922 003**	**Chrome**	**4005176613227**	**103.53**


ditto, smooth body with push-open pop-up waste set 1 1/4“

PROFESSIONAL GROHE	**32 467 003**	**Chrome**	**4005176613210**	**91.91**

ditto, smooth body

PROFESSIONAL GROHE	**33 265 30L**	**Chrome**	**4005176644269**	**103.55**






Eurosmart
Basin mixer 1/2“
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
pop-up waste set 1 1/4“
flexible connection hoses
mousseur
for **low pressure**
min. recommended pressure 0.2 bar
professional edition

GROHE
EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)






23 456 003 **Chrome** **4005176613272** **101.23**

Eurosmart
Basin mixer 1/2“
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
flexible connection hoses
hybrid pop-up waste set 1 1/4“
professional edition






33 188 003 **Chrome** **4005176613203** **91.91**

Eurosmart
Basin mixer 1/2“
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
retractable chain
flexible connection hoses
professional edition






32 467 30L **Chrome** **4005176644276** **91.91**

Eurosmart
Basin mixer 1/2“
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
with temperature limiter
mousseur
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
smooth body
flexible connection hoses
min. recommended pressure 0.2 bar
for **low pressure**
professional edition





32 926 003 **Chrome** **4005176613234** **103.55**


Eurosmart
Basin mixer 1/2“
S-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
pop-up waste set 1 1/4“
lift rod in lateral position
flexible connection hoses
professional edition

23 924 003 **Chrome** **4005176613265** **104.71**
ditto, smooth body with push-open pop-up waste set 1 1/4“


32 154 003 **Chrome** **4005176613258** **104.71**
ditto, smooth body

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**24 192 003**	**Chrome**	**4005176723964**	**128.55**

Eurosmart
Basin mixer 1/2"
S-Size
Cradle to Cradle Certified Gold
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body
flexible connection hoses
professional edition

 	**23 322 003**	**Chrome**	**4005176613302**	**115.19**


Eurosmart
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
pop-up waste set 1 1/4"
flexible connection hoses
professional edition

	23 923 003	**Chrome**	**4005176613333**	**115.19**

ditto, smooth body with push-open pop-up waste set 1 1/4"

	23 324 003	**Chrome**	**4005176613326**	**103.55**

ditto, smooth body

 	**23 393 30E**	**Chrome**	**4005176613340**	**115.19**

Eurosmart
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
pop-up waste set 1 1/4"
flexible connection hoses
professional edition


	23 395 30E	**Chrome**	**4005176613357**	**103.55**

ditto, smooth body

GROHE
EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)






23 976 003 **Chrome** **4005176644160** **219.93**

Eurosmart
Basin mixer 1/2“
M-Size
pull out spout
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
with temperature limiter
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
professional edition






23 537 003 **Chrome** **4005176613395** **138.46**

Eurosmart
Single-lever basin mixer 1/2“
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
swivel tubular spout
pop-up waste set 1 1/4“
flexible connection hoses
professional edition

23 970 003 **Chrome** **4005176613418** **138.46**
ditto, smooth body with push-open pop-up waste set 1 1/4“






23 372 003 **Chrome** **4005176613241** **101.23**

Eurosmart
Basin mixer 1/2“
S-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
retractable chain
flexible connection hoses
professional edition





23 323 003 **Chrome** **4005176613319** **115.19**


Eurosmart
Basin mixer 1/2“
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
with temperature limiter
GROHE EcoJoy mousseur 5.7 l/min
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
retractable chain
flexible connection hoses
professional edition

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)






23 394 30E	Chrome	4005176613364	103.55

Eurosmart
Basin mixer 1/2“
M-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
retractable chain
flexible connection hoses
professional edition






23 743 003	Chrome	4005176613401	138.46

Eurosmart
Single-lever basin mixer 1/2“
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
swivel tubular spout
retractable chain
flexible connection hoses
professional edition






23 971 003	Chrome	4005176613425	196.15

Eurosmart
Basin mixer 1/2“
XL-Size
for free-standing basins
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation installation system
smooth body
flexible connection hoses
professional edition






29 337 003	Chrome	4005176613432	182.17

Eurosmart
2-hole basin mixer
S-Size
wall mounted
metal lever
without concealed body
set for final installation for
23 571 000
metal escutcheon
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 171 mm
professional edition

GROHE
EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)






PROFESSIONAL GROHE

29 338 003 **Chrome** **4005176613449** **198.55**

Eurosmart
2-hole basin mixer
M-Size
wall mounted
metal lever
without concealed body
set for final installation for
23 571 000
metal escutcheon
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 211 mm
professional edition






23 571 000 **4005176334276** **242.40**

Single-lever mixer 1/2", universal concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve






PROFESSIONAL GROHE

32 929 003 **Chrome** **4005176613623** **91.91**

Eurosmart
Bidet mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses
professional edition





PROFESSIONAL GROHE


33 555 003 **Chrome** **4005176613562** **103.55**

Eurosmart
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
shower bottom outlet 1/2" with
integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow
professional edition

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**34 558 000**	**Chrome**	**4005176310089**	**208.26**




Grohtherm 800
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
dirt strainers
built-in non return valves
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**33 300 003**	**Chrome**	**4005176613456**	**115.19**



Eurosmart
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
metal wall escutcheons
protected against backflow
professional edition

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**34 567 000**	**Chrome**	**4005176310157**	**266.45**




Grohtherm 800
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

GROHE
EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)






33 302 003	Chrome	4005176613470	150.09

Eurosmart
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
metal wall escutcheons
protected against backflow
with shower set
Consisting of:
hand shower Tempesta 100, 1 spray, 9.5 l/min (27 923)
wall shower holder (28 605)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)
professional edition






33 303 003	Chrome	4005176613524	208.26

Eurosmart
Single-lever bath/shower mixer 1/2"
deck mounted
metal lever
35 mm ceramic cartridge with
Eco-Override-Stop, with **GROHE SilkMove**
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
in the shower outlet 1/2"
pillar unions
protected against backflow
professional edition






25 098 003	Chrome	4005176644290	209.79

Eurosmart
Two-handled Bath filler 1/2"
deck mounted
metal lever
Ceramic valves 3/4", 90°
GROHE StarLight chrome finish
Min. recommended pressure 0.5 bar
professional edition





25 105 003	Chrome	4005176644306	241.26


Eurosmart
Two-handled Bath/Shower mixer 1/2"
deck mounted
metal lever
Ceramic valves 3/4", 90°
automatic diverter, lockable: bath/shower
integrated non-return valve
GROHE StarLight chrome finish
Min. recommended pressure 0.5 bar
professional edition

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	24 042 003	Chrome	4005176613616	129.96






Eurosmart
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set
professional edition

35 604 000		4005176698774	142.72

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 043 003	Chrome	4005176613548	143.18






Eurosmart
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set
metal lever
professional edition

35 604 000		4005176698774	142.72

GROHE Rapido SmartBox universal rough-in box for concealed installation

33 556 003	Chrome	4005176613609	143.18






Eurosmart
Single-lever shower mixer 1/2"
wall installation
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE FastFixation escutcheon with covered fixation
Consisting of:
set for final installation (19 451 003)
with concealed body
adjustable flow rate limiter
escutcheon- and shaft-sealing
metal wall escutcheon
optional temperature limiter (46 308 000)
professional edition

33 305 003	Chrome	4005176613531	143.18






Eurosmart
Single-lever bath/shower mixer 1/2"
wall installation
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE FastFixation escutcheon with covered fixation
Consisting of:
set for final installation (19 450 003)
with concealed body
adjustable flow rate limiter
automatic diverter: bath/shower
metal escutcheon
escutcheon- and shaft-sealing
optional temperature limiter (46 308 000)
professional edition

GROHE
EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	13 448 003	**Chrome**	4005176613555	94.40






Eurosmart
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2“
projection 171 mm
min. recommended pressure 1.0 bar
professional edition

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART CARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 988 003	Chrome	4005176644351	131.90






Eurosmart
Basin mixer 1/2“
S-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection not possible
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
built-in non return valves
dirt strainers
GROHE EcoJoy mousseur 4.2 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
max. pressure differential 5:1
professional edition

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 989 003	Chrome	4005176644368	144.95






Eurosmart
Basin mixer 1/2“
M-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection not possible
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
GROHE Zero isolated inner water ways - lead and nickel free within the tap
built-in non return valves
dirt strainers
GROHE EcoJoy mousseur 4.2 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
max. pressure differential 5:1
professional edition

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 986 003	Chrome	4005176643859	171.89






Eurosmart
Basin mixer 1/2“
S-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection without re-adjustment of temperature
tool for thermal disinfection included
monobloc installation
loop metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
built-in non return valves
dirt strainers
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy 4.2 l/min laminar flow straigthener
GROHE FastFixation installation system
smooth body
flexible connection hoses
max. pressure differential 5:1
professional edition

GROHE
EUROSMART CARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)






23 987 003 **Chrome** **4005176644344** **184.94**

Eurosmart
Basin mixer 1/2"
M-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection without re-adjustment of temperature
tool for thermal disinfection included
monobloc installation
loop metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
built-in non return valves
dirt strainers
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy 4.2 l/min laminar flow straigthener
GROHE FastFixation installation system
smooth body
flexible connection hoses
max. pressure differential 5:1
professional edition






23 980 003 **Chrome** **4005176644207** **105.52**

Eurosmart
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
laminar flow straightener 9 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
professional edition






23 981 003 **Chrome** **4005176644214** **118.58**

Eurosmart
Basin mixer 1/2"
M-Size
monobloc installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
laminar flow straightener 9 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
professional edition






25 241 003 **Chrome** **4005176644221** **131.07**


Eurosmart
Single-lever bath/shower mixer 1/2"
wall mounted
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
metal wall escutcheons
protected against backflow
professional edition

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
EUROSMART CARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**25 242 003**	**Chrome**	**4005176644238**	**114.13**


Eurosmart
Single-lever shower mixer 1/2“
wall mounted
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
shower bottom outlet 1/2“ with
integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow
professional edition

 	**23 984 003**	**Chrome**	**4005176643835**	**171.89**

Eurosmart
Basin mixer 1/2“
S-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection without re-adjustment of temperature
tool for thermal disinfection included
monobloc installation
long metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
GROHE Zero isolated inner water ways - lead and nickel free within the tap
built-in non return valves
dirt strainers
GROHE EcoJoy 4.2 l/min laminar flow straigthener
GROHE FastFixation installation system
smooth body
flexible connection hoses
max. pressure differential 5:1
professional edition

 	**23 985 003**	**Chrome**	**4005176643842**	**184.94**

Eurosmart
Basin mixer 1/2“
M-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection without re-adjustment of temperature
tool for thermal disinfection included
monobloc installation
long metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
GROHE Zero isolated inner water ways - lead and nickel free within the tap
built-in non return valves
dirt strainers
GROHE EcoJoy 4.2 l/min laminar flow straigthener
GROHE FastFixation installation system
smooth body
flexible connection hoses
max. pressure differential 5:1
professional edition


 	**23 982 003**	**Chrome**	**4005176644245**	**105.52**

Eurosmart
Basin mixer 1/2“
S-Size
monobloc installation
long metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
laminar flow straightener 9 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
professional edition

GROHE
EUROSMART CARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)






23 983 003 **Chrome** **4005176644313** **118.58**

Eurosmart
Basin mixer 1/2“
M-Size
monobloc installation
long metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
laminar flow straightener 9 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
professional edition






25 243 003 **Chrome** **4005176644320** **131.07**

Eurosmart
Single-lever bath/shower mixer 1/2“
wall mounted
long metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2“
S-unions
metal wall escutcheons
protected against backflow
professional edition






34 665 000 **Chrome** **4005176351556** **382.08**

Grohtherm Special
Thermostatic bath/shower mixer 1/2“
wall mounted
ergonomic metal wing handles
Aquadimmer handle with multiple function
flow control
integrated mixed water shut off
diverter bath/shower
GROHE TurboStat compact cartridge
with wax thermoelement
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
shower bottom outlet 1/2“ with
integrated non return-valve
metal temperature safety stop
laminar mousseur
dirt strainers
GROHE FastFixation for fast exchange of non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish





25 244 003 **Chrome** **4005176644337** **114.13**


Eurosmart
Single-lever shower mixer 1/2“
wall mounted
long metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
shower bottom outlet 1/2“ with
integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow
professional edition

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART CARE






Ref. No.	Colour	EAN	Retail Guide Price (£)
34 667 000	**Chrome**	**4005176351570**	**305.16**






Grohtherm Special
Thermostatic shower mixer 1/2"
wall mounted
ergonomic metal wing handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge
with wax thermoelement
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
integrated mixed water shut off
shower bottom outlet 1/2" with
integrated non return-valve
metal temperature safety stop
dirt strainers
GROHE FastFixation for fast exchange of non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish

GROHE
BAUEDGE


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**20 421 001**	**Chrome**	**4005176556173**	**54.51**
	BauEdge **Pillar tap 1/2" XS-Size** monobloc installation ceramic headpart **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min fixation nut G 1/2" professional edition			
 	**20 421 10M**	**Chrome**	**4005176556180**	**108.92**
	BauEdge **Basin tap 1/2"** monobloc installation metal lever ceramic headpart **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **2 pieces** fixation nut G 1/2" min. recommended pressure 1.0 bar			
 	**23 328 001**	**Chrome**	**4005176556241**	**75.64**
	BauEdge **Basin mixer 1/2"** **S-Size** monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish **GROHE Zero** isolated inner water ways - lead and nickel free within the tap **GROHE EcoJoy** mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses professional edition			
 	**23 895 001**	**Chrome**	**4005176554902**	**75.64**
	BauEdge **Basin mixer 1/2"** **S-Size** monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish **GROHE Zero** isolated inner water ways - lead and nickel free within the tap **GROHE EcoJoy** mousseur 5.7 l/min rapid installation system smooth body with plastic push open waste set 1 1/4" flexible connection hoses professional edition			
	23 330 001	**Chrome**	**4005176556302**	**71.20**
	dito, smooth body			
 	**23 559 001**	**Chrome**	**4005176556326**	**78.90**
	BauEdge **Basin mixer 1/2"** **S-Size** monobloc installation metal lever **GROHE Longlife ES** 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter **GROHE StarLight** chrome finish **GROHE Zero** isolated inner water ways - lead and nickel free within the tap **GROHE EcoJoy** mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses professional edition			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE BAUEDGE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**23 899 001**	**Chrome**	**4005176555022**	**78.90**


BauEdge
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition

 	**23 894 001**	**Chrome**	**4005176554896**	**75.64**

BauEdge
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE LowFlow mousseur 3.5 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition

 	**23 896 001**	**Chrome**	**4005176554919**	**75.64**

BauEdge
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE LowFlow mousseur 3.5 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition


 	**23 972 001**	**Chrome**	**4005176634451**	**72.37**

BauEdge
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
mousseur
for **low pressure**
GROHE Zero isolated inner water ways - lead and nickel free within the tap
rapid installation system
flexible connection hoses
crimp unions included

GROHE
BAUEDGE

Ref. No.	Colour	EAN	Retail Guide Price (£)






24 193 001 **Chrome** **4005176723971** **96.31**

BauEdge
Basin mixer 1/2"
S-Size
Cradle to Cradle Certified Gold
monobloc installation
GROHE Longlife ES 28 mm ceramic cartridge with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses
professional edition






23 757 001 **Chrome** **4005176556340** **105.93**

BauEdge
Basin mixer 1/2"
S-Size
monobloc installation
GROHE Longlife 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses
with shower set consisting of
hand shower with integrated diverter
wall shower holder
shower hose
shower hose 1500 mm
professional edition






23 758 001 **Chrome** **4005176556364** **95.67**

BauEdge
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition






23 901 001 **Chrome** **4005176555084** **95.67**

BauEdge
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition


23 904 001 **Chrome** **4005176555114** **95.67**
ditto, without plastic push open waste set 1 1/4"

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
BAUEDGE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**23 759 001**	**Chrome**	**4005176556388**	**95.67**


BauEdge
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition

 	**23 908 001**	**Chrome**	**4005176555176**	**95.67**

BauEdge
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition

 	**23 902 001**	**Chrome**	**4005176555091**	**95.67**

BauEdge
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE LowFlow mousseur 3.5 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition


 	**23 760 001**	**Chrome**	**4005176556418**	**109.02**

BauEdge
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
swivel tubular spout
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition

GROHE
BAUEDGE

Ref. No.	Colour	EAN	Retail Guide Price (£)






23 911 001 **Chrome** **4005176555237** **109.02**

BauEdge
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
swivel tubular spout
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition






23 761 001 **Chrome** **4005176556449** **129.05**

BauEdge
Basin mixer 1/2"
XL-Size
for free-standing basins
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses
professional edition






36 451 000 **Chrome** **4005176473678** **255.20**

Bau Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with mixing device and temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
body made of composite polymer
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59






23 331 001 **Chrome** **4005176556494** **75.64**


BauEdge
Bidet mixer 1/2"
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
with ball joint
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE BAUEDGE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**23 635 001**	**Chrome**	**4005176556524**	**76.04**


BauEdge
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE Longlife 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with
integrated non return-valve
protected against backflow
S-unions
metal wall escutcheon
professional edition

 	**29 078 001**	**Chrome**	**4005176556555**	**125.87**

BauEdge
Single-lever shower mixer 1/2"
concealed installation
Consisting of:
set for final installation
metal lever
concealed body
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
escutcheon- and shaft-sealing
optional temperature limiter (46 375 000)
professional edition

 	**34 793 000**	**Chrome**	**4005176632433**	**161.67**

Grohtherm 500
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE thermostatic cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
headpart 90°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow


 	**23 604 001**	**Chrome**	**4005176556593**	**99.64**

BauEdge
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE Longlife 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
spout with mousseur
shower bottom outlet 1/2" with
integrated non return-valve
protected against backflow
S-unions
metal wall escutcheon
professional edition

GROHE
BAUEDGE

	Ref. No.	Colour	EAN	Retail Guide Price (£)






25 246 001 **Chrome** **4005176674228** **209.79**

BauEdge
Two-handled Bath/Shower mixer 1/2"
deck mounted
Ceramic valves 3/4", 90°
automatic diverter, lockable: bath/shower
integrated non-return valve
GROHE StarLight chrome finish
Min. recommended pressure 0.5 bar
with shower set
Tempesta Cosmopolitan hand shower (26 130)
Tempesta shower holder (27 595)
Relexaflex shower hose 1500 mm (28 161)






29 079 001 **Chrome** **4005176556692** **138.33**

BauEdge
Single-lever bath/shower mixer 1/2"
concealed installation
Consisting of:
set for final installation
metal lever
concealed body
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
escutcheon- and shaft-sealing
optional temperature limiter (46 375 000)
professional edition






25 216 001 **Chrome** **4005176556654** **146.85**

BauEdge
Two-handled Bath filler 1/2"
deck mounted
metal lever
Ceramic valves 3/4", 90°
GROHE StarLight chrome finish
Min. recommended pressure 0.5 bar






25 217 001 **Chrome** **4005176556661** **178.32**

BauEdge
Two-handled Bath/Shower mixer 1/2"
deck mounted
Ceramic valves 3/4", 90°
automatic diverter, lockable: bath/shower
integrated non-return valve
GROHE StarLight chrome finish
Min. recommended pressure 0.5 bar






13 255 001 **Chrome** **4005176556722** **75.49**


BauCosmopolitan
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
projection 171 mm
male thread 1/2"

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE BAULOOP

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	20 422 001	Chrome	4005176529504	54.52

BauLoop
Pillar tap 1/2" XS-Size
monobloc installation
ceramic headpart
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
fixation nut G 1/2"
professional edition

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 335 001	Chrome	4005176529566	87.89


BauLoop
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 878 001	Chrome	4005176554032	87.89

BauLoop
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition

	23 337 001	Chrome	4005176555725	71.20


ditto, without plastic push open waste set 1 1/4"

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	22 054 001	Chrome	4005176554162	76.37

BauLoop
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition


GROHE
BAULOOP

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**23 883 001**	**Chrome**	**4005176554179**	**76.37**




BauLoop
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition

	**23 877 001**	**Chrome**	**4005176554025**	**87.89**




BauLoop
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE LowFlow mousseur 3.5 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition

	**23 879 001**	**Chrome**	**4005176554049**	**87.89**



BauLoop
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE LowFlow mousseur 3.5 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition


	**23 762 001**	**Chrome**	**4005176555763**	**95.67**



BauLoop
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE BAULOOP

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 886 001	**Chrome**	4005176554247	95.67


BauLoop
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition

23 917 001	**Chrome**	4005176555787	95.67


ditto, without pplastic push open waste set 1 1/4"

 	23 887 001	**Chrome**	4005176554254	95.67

BauLoop
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition

 	23 885 001	**Chrome**	4005176554216	95.67

BauLoop
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE LowFlow mousseur 3.5 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition


 	23 763 001	**Chrome**	4005176555800	109.02

BauLoop
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
swivel tubular spout
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition

GROHE
BAULOOP


	Ref. No.	Colour	EAN	Retail Guide Price (£)






23 891 001 **Chrome** **4005176554322** **109.02**

BauLoop
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
swivel tubular spout
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition






23 764 001 **Chrome** **4005176555848** **129.05**

BauLoop
Basin mixer 1/2"
XL-Size
for free-standing basins
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses
professional edition






23 338 001 **Chrome** **4005176555893** **99.00**

BauLoop
Bidet mixer 1/2"
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
with ball joint
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition





23 633 001 **Chrome** **4005176555923** **76.04**


BauLoop
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE Longlife 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with
integrated non return-valve
protected against backflow
S-unions
metal wall escutcheon
professional edition

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE BAULOOP

	Ref. No.	Colour	EAN	Retail Guide Price (£)






29 080 001 **Chrome** **4005176555961** **125.87**

BauLoop
Single-lever shower mixer 1/2"
concealed installation
Consisting of:
set for final installation
metal lever
concealed body
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
escutcheon- and shaft-sealing
optional temperature limiter (46 375 000)
professional edition






34 793 000 **Chrome** **4005176632433** **161.67**

Grohtherm 500
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE thermostatic cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
headpart 90°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow






23 602 001 **Chrome** **4005176556029** **99.64**

BauLoop
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE Longlife 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
spout with mousseur
shower bottom outlet 1/2" with
integrated non return-valve
protected against backflow
S-unions
metal wall escutcheon
professional edition








29 081 001 **Chrome** **4005176556081** **138.33**


BauLoop
Single-lever bath/shower mixer 1/2"
concealed installation
Consisting of:
set for final installation
metal lever
concealed body
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
escutcheon- and shaft-sealing
optional temperature limiter (46 375 000)
professional edition

GROHE
BAULOOP


		Ref. No.	Colour	EAN	Retail Guide Price (£)
		25 231 001	**Chrome** **BauLoop** **Two-handled Bath filler 1/2"** deck mounted Ceramic valves 3/4", 90° **GROHE StarLight** chrome finish	4005176554599	146.85
		25 232 001	**Chrome** **BauLoop** **Two-handled Bath/Shower mixer 1/2"** deck mounted metal lever Ceramic valves 3/4", 90° automatic diverter, lockable: bath/shower integrated non-return valve **GROHE StarLight** chrome finish **Min. recommended pressure 0.5 bar**	4005176554605	178.32
		13 255 001	**Chrome** **BauCosmopolitan** **Bath spout** wall mounted **GROHE StarLight** chrome finish mousseur projection 171 mm male thread 1/2"	4005176556722	75.49

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE BAUFLOW

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**20 575 000**	**Chrome**	**4005176388422**	**58.68**


BauFlow
Pillar tap 1/2" XS-Size
monobloc installation
metal lever
ceramic headpart
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
fixation nut G 1/2"

 	**23 751 000**	**Chrome**	**4005176388149**	**81.44**


BauFlow
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses

 	**23 752 000**	**Chrome**	**4005176388156**	**76.65**

BauFlow
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses

 	**23 753 000**	**Chrome**	**4005176388163**	**117.39**

BauFlow
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
swivel tubular spout
plastic pop-up waste set 1 1/4"
flexible connection hoses


 	**23 754 000**	**Chrome**	**4005176388170**	**106.59**

BauFlow
Bidet mixer 1/2"
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses

GROHE
BAUFLOW

	Ref. No.	Colour	EAN	Retail Guide Price (£)






23 755 000 **Chrome** **4005176388187** **82.64**

BauFlow
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with
integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow






23 756 000 **Chrome** **4005176388392** **94.62**

BauFlow
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
spout with mousseur
shower bottom outlet 1/2" with
integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow






34 558 000 **Chrome** **4005176310089** **208.26**

Grohtherm 800
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
dirt strainers
built-in non return valves
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow





34 793 000 **Chrome** **4005176632433** **161.67**


Grohtherm 500
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE thermostatic cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
headpart 90°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
COSTA L

	Ref. No.	Colour	EAN	Retail Guide Price (£)






20 404 001 **Chrome** **4005176842986** **58.50**

Costa L
Basin tap 1/2"
metal handle
heat-insulated
screwable
marking: blue (cold)
Longlife-headpart
cast spout with mousseur
union nut 1/2" with 10.5 mm drilling
GROHE StarLight chrome finish






20 186 001 **Chrome** **4005176874437** **70.46**

Costa L
Basin tap 1/2"
metal handle
heat-insulated
screwable
marking: blue (cold)
Longlife-headpart
cast spout with mousseur
union nut 1/2" with 10.5 mm drilling
GROHE StarLight chrome finish






20 393 001 **Chrome** **4005176842993** **77.64**

Costa L
Basin tap 1/2"
metal handle
heat-insulated
screwable
marking: blue (cold)
Longlife-headpart
swivel tubular spout with mousseur
union nut 1/2" with 10.5 mm drilling
GROHE StarLight chrome finish






21 390 001 **Chrome** **4005176843006** **157.14**

Costa L
Basin mixer, 1/2"
metal handles
heat-insulated
screwable
Longlife-headpart
cast spout with mousseur
pop-up waste set 1 1/4"
flexible connection hoses
GROHE StarLight chrome finish






21 375 001 **Chrome** **4005176843037** **106.28**

Costa L
Basin mixer, 1/2"
metal handles
heat-insulated
screwable
Longlife-headpart
swivel tubular spout with mousseur
pop-up waste set 1 1/4"
flexible connection hoses
GROHE StarLight chrome finish

GROHE
COSTA L

	Ref. No.	Colour	EAN	Retail Guide Price (£)






26 330 001 **Chrome** **4005176843112** **89.57**

Costa L
Shower mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Longlife-headpart
shower connection 1/2"
S-unions
GROHE StarLight chrome finish






26 308 001 **Chrome** **4005176843129** **106.30**

Costa L
Shower mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Longlife-headpart
shower connection 1/2"
without connection unions for wall mounting
GROHE StarLight chrome finish






25 450 001 **Chrome** **4005176843372** **142.11**

Costa L
Bath / shower mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Longlife-headpart
automatic diverter: bath/shower
mousseur
S-unions
GROHE StarLight chrome finish






25 452 001 **Chrome** **4005176843075** **133.03**

Costa L
Bath / shower mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Longlife-headpart
shower top outlet 3/4"
automatic diverter: bath/shower
mousseur
S-unions
GROHE StarLight chrome finish





25 460 10A **Chrome** **4005176456541** **165.99**


Costa L
Bath / shower mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Longlife-headpart
automatic diverter: bath/shower
mousseur
S-unions
with shower set
Consisting of:
hand shower Tempesta 100, 1 spray, 9.5 l/min (27 923)
wall shower holder (28 605)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
COSTA L

Ref. No.	Colour	EAN	Retail Guide Price (£)
13 540 000	**Chrome**	**4005176005411**	**112.17**






Bath spout 3/4“
wall mounted
flow straightener
female thread 3/4“
projection 140 mm
GROHE StarLight chrome finish

30 098 001	**Chrome**	**4005176843266**	**34.63**






Costa L
Bibtap 1/2“
wall mounted
metal handle
heat-insulated
screwable
marking: blue (cold)
GROHE StarLight finish
mousseur
Longlife-headparts

30 008 001	**Chrome**	**4005176843242**	**34.63**






Costa L
Stop cock
wall mounted
heat-insulated
metal handle
screwable
marking: blue (cold)
Longlife-headpart
GROHE StarLight chrome finish
pipe-ventilating valve

19 808 001	**Chrome**	**4005176843204**	**22.69**







Costa L
Concealed stop-valve trim
set for final installation for
35 028 000
for concealed valves, 1/2“, 3/4“
installation depth adjustable
20-80 mm
escutcheon with wall sealing
screwable
metal handle
heat-insulated
marking: blue (cold)
GROHE StarLight chrome finish

19 809 001	**Chrome**	**4005176853876**	**23.14**

ditto, marking red



35 028 000		**4005176908316**	**144.94**






GROHE Rapido C
Rough-in for single volume control
for grid installation of Grohtherm Custom Shower system
built-in box with removable protection cover
waterproof membrane base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
pre-assembled ceramic headpart 3/4“
connection threads 1/2“
installation depth 70 - 95 mm

GROHE
COSTA L


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**29 800 000**		**4005176504839**	**32.85**
	Concealed stop-valve, 1/2“ pre-assembled headpart 1/2“ short spindle protection sleeve threaded union 1/2“ DR-brass			
	29 802 000 **ditto, 3/4“, pre-assembled headpart 3/4“, thread union 3/4“**		**4005176504853**	**55.52**
	29 805 000 **ditto, 1“, pre-assembled headpart 1“, thread union 1“**		**4005176504884**	**93.25**
 	**29 801 000**		**4005176504846**	**27.07**
	Concealed stop-valve, 1/2“ pre-assembled headpart 1/2“ short spindle protection sleeve soldered connection Ø15 mm DR-brass			
	29 804 000 **ditto, soldered connection Ø 22 mm**		**4005176504877**	**43.06**

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE UNIVERSAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	20 201 000	Chrome	4005176883354	115.72

Universal pillar tap 1/2"
C-spout
flow rate: 6 l/min at 3 bar flow pressure
flow-stop mousseur
ceramic disk headpart
union nut 1/2"
with 10.5 mm drilling
GROHE StarLight chrome finish
projection 113 mm

 	20 205 000	Chrome	4005176883682	84.07

Universal wall-mounted tap DN15
flow rate: 6 l/min at 3 bar flow pressure
flow-stop mousseur
ceramic disk headpart
connection thread 1/2"
GROHE StarLight chrome finish
projection 106 mm


 	20 203 000	Chrome	4005176883378	102.31

Universal wall-mounted tap DN15
flow rate: 6 l/min at 3 bar flow pressure
flow-stop mousseur
ceramic disk headpart
connection thread 1/2"
GROHE StarLight chrome finish
projection 185 mm

GROHE
TALENTOFILL

Ref. No.	Colour	EAN	Retail Guide Price (£)
19 952 000	Chrome	4005176174230	53.08
19 952 DC0	supersteel	4005176467776	66.53
19 952 BE0	polished nickel	4005176468094	price on request
19 952 EN0	brushed nickel	4005176468100	273.73
19 952 GL0	cool sunrise	4005176352423	104.69
19 952 GN0	brushed cool sunrise	4005176468117	208.93
19 952 DA0	warm sunset	4005176351945	price on request
19 952 DL0	brushed warm sunset	4005176468124	119.96
19 952 A00	hard graphite	4005176352874	130.86
19 952 AL0	Brushed Hard Graphite	4005176353376	143.95






Talentofill
Inlet-, pop-up and waste-system
set for final installation
escutcheon
supply part
waste plug
fixing set

in combination with Talentofill
28 990 000/28 991 000






28 990 000 — Chrome — 4005176174025 — 144.24

Talentofill
Inlet-, pop-up and waste-system
for normal baths
without finishing trim set
with bottle trap and 45°-outlet-bend






28 991 000 — 4005176174032 — 205.35

Talentofill
Inlet-, pop-up and waste-system
for baths with waste up to 370 mm reach
without finishing trim set






28 993 000 — 4005176174056 — 101.54

Talentofill
Connection set 3/4"
with 1.5 m-flexible connection pipe
without finishing trim set






28 995 000 — 4005176175725 — 287.78


Talentofill
Connection set 3/4"
with concealed anti-vacuum device
Consisting of:
-concealed-pipe-interrupter ref.-no. 28 994 (A2 type, DIN 1988, part IV)
- 3.5 m-flexible connection pipe (in 2 parts)
without escutcheon (19 954)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE TALENTOFILL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	19 954 000	Chrome	4005176175732	22.54


Talentofill
Escutcheon
for connection set 28 995
GROHE StarLight chrome finish

 	14 055 000		4005176413520	174.39


Backflow protection combination (DIN-EN1717)
retrofit set for protection against backflow in combination
with integrated inlet-, pop-up and waste systems
replaces separate pipe interrupter for residential use
fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox:
Grohtherm SmartControl, SmartControl Mixer, Grohtherm 2-handle thermostats,
single-lever mixers

 	19 025 000	Chrome	4005176209154	59.09

Talento
Waste and overflow set for baths
set for final installation
escutcheon
waste plug
fixing set
in combination with Talento 28 939 000/28 943 000
GROHE StarLight chrome finish

 	28 939 000		4005176209161	90.63

Talento
Pop-up bath waste and overflow
set for normal bath
and deep shower trays
with bowden cable
without finishing trim set
bottle trap
45° waste elbow


 	28 943 000		4005176209178	102.11

Talento
Pop-up bath waste and overflow
with bowden cable
without finishing trim set
bottle trap
45° waste elbow

GROHE SELECTION

Ref. No.	Colour	EAN	Retail Guide Price (£)
41 027 000	Chrome	4005176576836	54.50
41 027 DC0	supersteel	4005176576843	76.73
41 027 BE0	polished nickel	4005176576850	82.29
41 027 EN0	brushed nickel	4005176576867	87.85
41 027 GL0	cool sunrise	4005176576874	82.29
41 027 GN0	brushed cool sunrise	4005176576881	87.85
41 027 DA0	warm sunset	4005176576898	82.29
41 027 DL0	brushed warm sunset	4005176576904	87.85
41 027 A00	hard graphite	4005176576911	82.29
41 027 AL0	Brushed Hard Graphite	4005176576928	87.85






Selection
Glass/soap dish holder
material: metal
for Selection soap dispenser (41 028) or Selection glass (41 029 000)
concealed fastening
GROHE StarLight chrome finish

41 028 000	Chrome	4005176576942	54.50
41 028 DC0	supersteel	4005176576959	76.73
41 028 BE0	polished nickel	4005176576966	82.29
41 028 EN0	brushed nickel	4005176576973	87.85
41 028 GL0	cool sunrise	4005176576980	82.29
41 028 GN0	brushed cool sunrise	4005176576997	87.85
41 028 DA0	warm sunset	4005176577000	82.29
41 028 DL0	brushed warm sunset	4005176577017	87.85
41 028 A00	hard graphite	4005176577024	82.29
41 028 AL0	Brushed Hard Graphite	4005176577031	87.85






Selection
Soap dispenser
material: glass / metal
filling quantity 120 ml
fits in the following holder:
41 027
GROHE StarLight chrome finish

41 029 000	Chrome	4005176577055	26.69






Selection
White glass
material: glass
fits in the following holder:
41 027

41 035 000	Chrome	4005176577062	61.17
41 035 DC0	supersteel	4005176577079	85.63
41 035 BE0	polished nickel	4005176577086	92.30
41 035 EN0	brushed nickel	4005176577093	97.87
41 035 GL0	cool sunrise	4005176577109	92.30
41 035 GN0	brushed cool sunrise	4005176577116	97.87
41 035 DA0	warm sunset	4005176577123	92.30
41 035 DL0	brushed warm sunset	4005176577130	97.87
41 035 A00	hard graphite	4005176577147	92.30
41 035 AL0	Brushed Hard Graphite	4005176577154	97.87






Selection
Towel ring
material: metal
holder for soap dish (41 036) and shower tray (41 037)
length 200 mm
concealed fastening
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE SELECTION

Ref. No.	Colour	EAN	Retail Guide Price (£)
41 036 000	glass clear	4005176577178	35.59






Selection
Soap dish without holder
material: glass
for use with towel ring (41 035)

41 037 000		4005176577185	15.57






Selection
Shower tray without holder
material: plastic
for use with towel ring (41 035)

41 038 000	Chrome	4005176577192	72.29
41 038 DC0	supersteel	4005176577208	101.21
41 038 BE0	polished nickel	4005176577215	107.88
41 038 EN0	brushed nickel	4005176577222	115.66
41 038 GL0	cool sunrise	4005176577239	107.88
41 038 GN0	brushed cool sunrise	4005176577246	115.66
41 038 DA0	warm sunset	4005176577253	107.88
41 038 DL0	brushed warm sunset	4005176577260	115.66
41 038 A00	hard graphite	4005176577277	107.88
41 038 AL0	Brushed Hard Graphite	4005176577284	115.66






Selection
Corner shower tray with holder
material: metal/plastic
concealed fastening
GROHE StarLight chrome finish

41 039 000	Chrome	4005176577307	20.01
41 039 DC0	supersteel	4005176577314	27.80
41 039 BE0	polished nickel	4005176577321	30.02
41 039 EN0	brushed nickel	4005176577338	32.26
41 039 GL0	cool sunrise	4005176577345	30.02
41 039 GN0	brushed cool sunrise	4005176577352	32.26
41 039 DA0	warm sunset	4005176577369	30.02
41 039 DL0	brushed warm sunset	4005176577376	32.26
41 039 A00	hard graphite	4005176577383	30.02
41 039 AL0	Brushed Hard Graphite	4005176577390	32.26






Selection
Single robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish

41 049 000	Chrome	4005176577413	33.37
41 049 DC0	supersteel	4005176577420	46.71
41 049 BE0	polished nickel	4005176577437	48.94
41 049 EN0	brushed nickel	4005176577444	52.27
41 049 GL0	cool sunrise	4005176577451	48.94
41 049 GN0	brushed cool sunrise	4005176577468	52.27
41 049 DA0	warm sunset	4005176577475	48.94
41 049 DL0	brushed warm sunset	4005176577482	52.27
41 049 A00	hard graphite	4005176577499	48.94
41 049 AL0	Brushed Hard Graphite	4005176577505	52.27






Selection
Double robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish

GROHE SELECTION

Ref. No.	Colour	EAN	Retail Guide Price (£)
41 056 000	Chrome	4005176577529	87.85
41 056 DC0	supersteel	4005176577536	122.33
41 056 BE0	polished nickel	4005176577543	131.23
41 056 EN0	brushed nickel	4005176577550	140.13
41 056 GL0	cool sunrise	4005176577567	131.23
41 056 GN0	brushed cool sunrise	4005176577574	140.13
41 056 DA0	warm sunset	4005176577581	131.23
41 056 DL0	brushed warm sunset	4005176577598	140.13
41 056 A00	hard graphite	4005176577604	131.23
41 056 AL0	Brushed Hard Graphite	4005176577611	140.13






Selection
Towel rail
material: metal
length 600 mm
concealed fastening
for use with glass shelf (41 057)
GROHE StarLight chrome finish

41 057 000	Chrome	4005176577635	102.32






Selection
Glass shelf
material: glass
for use with towel rail (41 056)

41 058 000	Chrome	4005176577642	113.44
41 058 DC0	supersteel	4005176577659	159.04
41 058 BE0	polished nickel	4005176577666	170.16
41 058 EN0	brushed nickel	4005176577673	181.28
41 058 GL0	cool sunrise	4005176577680	170.16
41 058 GN0	brushed cool sunrise	4005176577697	181.28
41 058 DA0	warm sunset	4005176577703	170.16
41 058 DL0	brushed warm sunset	4005176577710	181.28
41 058 A00	hard graphite	4005176577727	170.16
41 058 AL0	Brushed Hard Graphite	4005176577734	181.28






Selection
Towel rail
material: metal
length 800 mm
concealed fastening
GROHE StarLight chrome finish

41 059 000	Chrome	4005176577758	120.11
41 059 DC0	supersteel	4005176577765	167.93
41 059 BE0	polished nickel	4005176577772	180.17
41 059 EN0	brushed nickel	4005176577789	192.40
41 059 GL0	cool sunrise	4005176577796	180.17
41 059 GN0	brushed cool sunrise	4005176577802	192.40
41 059 DA0	warm sunset	4005176577819	180.17
41 059 DL0	brushed warm sunset	4005176577826	192.40
41 059 A00	hard graphite	4005176577833	180.17
41 059 AL0	Brushed Hard Graphite	4005176577840	192.40






Selection
Towel holder, non pivotable
material: metal
depth 411 mm (functional depth 360 mm)
two arms
concealed fastening
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE SELECTION






Ref. No.	Colour	EAN	Retail Guide Price (£)
41 063 000	Chrome	4005176577864	97.87
41 063 DC0	supersteel	4005176577871	137.90
41 063 BE0	polished nickel	4005176577888	146.80
41 063 EN0	brushed nickel	4005176577895	156.82
41 063 GL0	cool sunrise	4005176577901	146.80
41 063 GN0	brushed cool sunrise	4005176577918	156.82
41 063 DA0	warm sunset	4005176577925	146.80
41 063 DL0	brushed warm sunset	4005176577932	156.82
41 063 A00	hard graphite	4005176577949	146.80
41 063 AL0	Brushed Hard Graphite	4005176577956	156.82

Selection
Towel holder, pivotable
material: metal
depth 441 mm (functional depth 400 mm)
two arms
concealed fastening
GROHE StarLight chrome finish






Ref. No.	Colour	EAN	Retail Guide Price (£)
41 064 000	Chrome	4005176577970	67.84
41 064 DC0	supersteel	4005176577987	94.54
41 064 BE0	polished nickel	4005176577994	101.21
41 064 EN0	brushed nickel	4005176578007	107.88
41 064 GL0	cool sunrise	4005176578014	101.21
41 064 GN0	brushed cool sunrise	4005176578021	107.88
41 064 DA0	warm sunset	4005176578038	101.21
41 064 DL0	brushed warm sunset	4005176578045	107.88
41 064 A00	hard graphite	4005176578052	101.21
41 064 AL0	Brushed Hard Graphite	4005176578069	107.88

Selection
Grip bar
material: metal
length 336 mm (functional length 300 mm)
concealed fastening
GROHE StarLight chrome finish






Ref. No.	Colour	EAN	Retail Guide Price (£)
41 066 000	Chrome	4005176578083	240.22
41 066 DC0	supersteel	4005176578090	335.86
41 066 BE0	polished nickel	4005176578106	359.22
41 066 EN0	brushed nickel	4005176578113	383.68
41 066 GL0	cool sunrise	4005176578120	359.22
41 066 GN0	brushed cool sunrise	4005176578137	383.68
41 066 DA0	warm sunset	4005176578144	359.22
41 066 DL0	brushed warm sunset	4005176578151	383.68
41 066 A00	hard graphite	4005176578168	359.22
41 066 AL0	Brushed Hard Graphite	4005176578175	383.68

Selection
Multi-towel rack
material: metal
length 596 mm
concealed fastening
GROHE StarLight chrome finish






Ref. No.	Colour	EAN	Retail Guide Price (£)
41 067 000	Chrome	4005176578199	54.50
41 067 DC0	supersteel	4005176578205	76.73
41 067 BE0	polished nickel	4005176578212	82.29
41 067 EN0	brushed nickel	4005176578229	87.85
41 067 GL0	cool sunrise	4005176578236	82.29
41 067 GN0	brushed cool sunrise	4005176578243	87.85
41 067 DA0	warm sunset	4005176578250	82.29
41 067 DL0	brushed warm sunset	4005176578267	87.85
41 067 A00	hard graphite	4005176578274	82.29
41 067 AL0	Brushed Hard Graphite	4005176578281	87.85

Selection
Spare toilet paper holder (2 rolls)
material: metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

GROHE SELECTION

Ref. No.	Colour	EAN	Retail Guide Price (£)
41 068 000	Chrome	4005176578304	44.49
41 068 DC0	supersteel	4005176578311	61.17
41 068 BE0	polished nickel	4005176578328	65.61
41 068 EN0	brushed nickel	4005176578335	70.06
41 068 GL0	cool sunrise	4005176578342	65.61
41 068 GN0	brushed cool sunrise	4005176578359	70.06
41 068 DA0	warm sunset	4005176578366	65.61
41 068 DL0	brushed warm sunset	4005176578373	70.06
41 068 A00	hard graphite	4005176578380	65.61
41 068 AL0	Brushed Hard Graphite	4005176578397	70.06






Selection
Toilet roll holder
without cover
material: metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

Ref. No.	Colour	EAN	Retail Guide Price (£)
41 069 000	Chrome	4005176578410	87.85
41 069 DC0	supersteel	4005176578427	122.33
41 069 BE0	polished nickel	4005176578434	131.23
41 069 EN0	brushed nickel	4005176578441	140.13
41 069 GL0	cool sunrise	4005176578458	131.23
41 069 GN0	brushed cool sunrise	4005176578465	140.13
41 069 DA0	warm sunset	4005176578472	131.23
41 069 DL0	brushed warm sunset	4005176578489	140.13
41 069 A00	hard graphite	4005176578496	131.23
41 069 AL0	Brushed Hard Graphite	4005176578502	140.13






Selection
Toilet roll holder
with cover
material: metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

Ref. No.	Colour	EAN	Retail Guide Price (£)
41 076 000	Chrome	4005176578526	108.99
41 076 DC0	supersteel	4005176578533	152.36
41 076 BE0	polished nickel	4005176578540	163.49
41 076 EN0	brushed nickel	4005176578557	174.61
41 076 GL0	cool sunrise	4005176578564	163.49
41 076 GN0	brushed cool sunrise	4005176578571	174.61
41 076 DA0	warm sunset	4005176578588	163.49
41 076 DL0	brushed warm sunset	4005176578595	174.61
41 076 A00	hard graphite	4005176578601	163.49
41 076 AL0	Brushed Hard Graphite	4005176578618	174.61






Selection
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 791 001	white	4005176323409	5.10
40 791 KS1	velvet black	4005176336379	5.10

Spare Brush Head

Ref. No.	Colour	EAN	Retail Guide Price (£)
41 077 000	Chrome	4005176578632	163.49
41 077 DC0	supersteel	4005176578649	229.10
41 077 BE0	polished nickel	4005176578656	244.67
41 077 EN0	brushed nickel	4005176578663	261.35
41 077 GL0	cool sunrise	4005176578670	244.67
41 077 GN0	brushed cool sunrise	4005176578687	261.35
41 077 DA0	warm sunset	4005176575587	244.67
41 077 DL0	brushed warm sunset	4005176578694	261.35
41 077 A00	hard graphite	4005176578700	244.67
41 077 AL0	Brushed Hard Graphite	4005176578717	261.35






Selection
Shaving mirror
material: glass / metal
without lights
magnification: x 7
concealed fastening
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SELECTION CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)






40 865 000 **Chrome** **4005176378140** **36.13**

Selection Cube
Glass/soap dish holder
material: metal
for Selection Cube glass (40 783 000), Selection Cube soap dish (40 806 000) or Selection Cube soap dispenser (40 805 000)
concealed fastening
GROHE StarLight chrome finish






40 805 000 **Chrome** **4005176347924** **44.94**

Selection Cube
Soap dispenser
material: glass / metal
filling quantity 300 ml
fits in the following holder:
Selection Cube (40 865 000)
GROHE StarLight finish






40 806 000 **Glass Matt** **4005176347931** **30.12**

Selection Cube
Soap dish
material: glass
fits in the following holder:
Selection Cube (40 865 000)






40 783 000 **4005176347894** **24.09**

Selection Cube
Glass
material: glass
fits in the following holder:
Selection Cube (40 865 000)






40 766 000 **Chrome** **4005176347849** **50.96**

Selection Cube
Towel ring
material: metal
concealed fastening
GROHE StarLight finish






40 768 000 **Chrome** **4005176347863** **143.64**

Selection Cube
Double towel bar
material: metal
2 arms, pivotable
400 mm
concealed fastening
GROHE StarLight finish

GROHE
SELECTION CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)






40 767 000 **Chrome** **4005176347856** **97.29**

Selection Cube
Towel rail
500 mm (functional length 459 mm)
material: metal
concealed fastening
GROHE StarLight chrome finish






40 804 000 **Chrome** **4005176347917** **267.83**

Selection Cube
Multi bath towel rack
material: metal
600 mm (functional length 575 mm)
concealed fastening
GROHE StarLight finish






40 782 000 **Chrome** **4005176347887** **26.86**

Selection Cube
Robe hook
material: metal
concealed fastening
GROHE StarLight finish






40 807 000 **Chrome** **4005176347948** **148.28**

Selection Cube
Grip bar/towel bar
material: metal
600 mm (functional length 548 mm)
concealed fastening
GROHE StarLight finish






40 781 000 **Chrome** **4005176347870** **78.30**

Selection Cube
Toilet roll holder
material: metal
concealed fastening
with cover
GROHE StarLight finish






40 784 000 **Chrome** **4005176347900** **36.13**


Selection Cube
Spare toilet paper holder
material: metal
wall mounted
concealed fastening
GROHE StarLight finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
SELECTION CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 857 000	Chrome	4005176378393	106.57

Selection Cube
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight finish

 	40 809 000	Chrome	4005176347962	106.57

Selection Cube
Soap wire basket
material: metal
for corner installation
GROHE StarLight finish


 	40 808 000	Chrome	4005176347955	134.38

Selection Cube
Shaving mirror
material: glass / metal
wall mounted
concealed fastening
magnification: x 3
GROHE StarLight finish

GROHE ESSENTIALS

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 369 001	Chrome	4005176326196	20.38
40 369 DC1	supersteel	4005176412462	28.72
40 369 BE1	polished nickel	4005176430176	30.57
40 369 EN1	brushed nickel	4005176326202	32.90
40 369 GL1	cool sunrise	4005176429422	30.57
40 369 GN1	brushed cool sunrise	4005176429873	32.90
40 369 DA1	warm sunset	4005176428975	30.57
40 369 DL1	brushed warm sunset	4005176430022	32.90
40 369 A01	hard graphite	4005176429576	30.57
40 369 AL1	Brushed Hard Graphite	4005176429729	32.90






Essentials
Glass/soap dish holder
material: metal
for crystal glass (40 372 001)
soap dish (40 368 001) or soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 394 001	Chrome	4005176326233	16.67
40 394 DC1	supersteel	4005176421532	23.62
40 394 BE1	polished nickel	4005176430183	25.01
40 394 EN1	brushed nickel	4005176412646	26.86
40 394 GL1	cool sunrise	4005176429439	25.01
40 394 GN1	brushed cool sunrise	4005176429880	26.86
40 394 DA1	warm sunset	4005176428982	25.01
40 394 DL1	brushed warm sunset	4005176430039	26.86
40 394 A01	hard graphite	4005176429583	25.01
40 394 AL1	Brushed Hard Graphite	4005176429736	26.86






Essentials
Soap dispenser
material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish

40 368 001	glass clear	4005176326219	5.64






Essentials
Soap dish
material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)

40 372 001		4005176326226	6.76






Essentials
Crystal glass
material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENTIALS

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 448 001	**Chrome**	**4005176328343**	**37.98**
40 448 DC1	**supersteel**	**4005176413155**	**53.29**
40 448 EN1	**brushed nickel**	**4005176335525**	**60.71**






Essentials
Soap dispenser with holder
material: glass / metal
filling quantity 160 ml
Consisting of:
holder (40 369 001)
soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 444 001	**Chrome**	**4005176328336**	**25.94**
40 444 DC1	**supersteel**	**4005176413148**	**36.60**
40 444 EN1	**brushed nickel**	**4005176335501**	**41.69**






Essentials
Soap dish with holder
material: glass / metal
Consisting of:
holder (40 369 001)
soap dish (40 368 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 447 001	**Chrome**	**4005176328701**	**25.48**
40 447 DC1	**supersteel**	**4005176413162**	**35.68**
40 447 EN1	**brushed nickel**	**4005176335518**	**40.30**






Essentials
Crystal glass with holder
material: glass / metal
Consisting of:
holder (40 369 001)
Glass cup (40 372 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 365 001	**Chrome**	**4005176326240**	**20.38**
40 365 DC1	**supersteel**	**4005176412431**	**28.72**
40 365 BE1	**polished nickel**	**4005176430121**	**30.57**
40 365 EN1	**brushed nickel**	**4005176326257**	**32.90**
40 365 GL1	**cool sunrise**	**4005176429378**	**30.57**
40 365 GN1	**brushed cool sunrise**	**4005176429828**	**32.90**
40 365 DA1	**warm sunset**	**4005176428920**	**30.57**
40 365 DL1	**brushed warm sunset**	**4005176429972**	**32.90**
40 365 A01	**hard graphite**	**4005176429521**	**30.57**
40 365 AL1	**Brushed Hard Graphite**	**4005176429675**	**32.90**






Essentials
Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

GROHE ESSENTIALS






Ref. No.	Colour	EAN	Retail Guide Price (£)
40 371 001	Chrome	4005176326318	36.13
40 371 DC1	supersteel	4005176412479	50.96
40 371 BE1	polished nickel	4005176430138	54.20
40 371 EN1	brushed nickel	4005176430268	57.92
40 371 GL1	cool sunrise	4005176429385	54.20
40 371 GN1	brushed cool sunrise	4005176429835	57.92
40 371 DA1	warm sunset	4005176428937	54.20
40 371 DL1	brushed warm sunset	4005176429989	57.92
40 371 A01	hard graphite	4005176429538	54.20
40 371 AL1	Brushed Hard Graphite	4005176429682	57.92

Essentials
Towel bar
material: metal
2 arms, pivotable
439 mm
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)






Ref. No.	Colour	EAN	Retail Guide Price (£)
40 688 001	Chrome	4005176326288	29.64
40 688 DC1	supersteel	4005176413124	41.69
40 688 BE1	polished nickel	4005176430145	44.48
40 688 EN1	brushed nickel	4005176326295	47.73
40 688 GL1	cool sunrise	4005176429392	44.48
40 688 GN1	brushed cool sunrise	4005176429842	47.73
40 688 DA1	warm sunset	4005176428944	44.48
40 688 DL1	brushed warm sunset	4005176429996	47.73
40 688 A01	hard graphite	4005176429545	44.48
40 688 AL1	Brushed Hard Graphite	4005176429699	47.73

Essentials
Towel rail
material: metal
504 mm (useable length 450 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)






Ref. No.	Colour	EAN	Retail Guide Price (£)
40 366 001	Chrome	4005176326264	32.42
40 366 DC1	supersteel	4005176412448	45.40
40 366 BE1	polished nickel	4005176430152	48.64
40 366 EN1	brushed nickel	4005176326271	51.89
40 366 GL1	cool sunrise	4005176429408	48.64
40 366 GN1	brushed cool sunrise	4005176429859	51.89
40 366 DA1	warm sunset	4005176428951	48.64
40 366 DL1	brushed warm sunset	4005176430008	51.89
40 366 A01	hard graphite	4005176429552	48.64
40 366 AL1	Brushed Hard Graphite	4005176429705	51.89

Essentials
Towel rail
material: metal
654 mm (useable length 600 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)






Ref. No.	Colour	EAN	Retail Guide Price (£)
40 386 001	Chrome	4005176326301	40.77
40 386 BE1	polished nickel	4005176430169	61.16
40 386 EN1	brushed nickel	4005176430275	65.32
40 386 GL1	cool sunrise	4005176429415	61.16
40 386 GN1	brushed cool sunrise	4005176429866	65.32
40 386 DA1	warm sunset	4005176428968	61.16
40 386 DL1	brushed warm sunset	4005176430015	65.32
40 386 A01	hard graphite	4005176429569	61.16
40 386 AL1	Brushed Hard Graphite	4005176429712	65.32

Essentials
Towel rail
material: metal
854 mm (useable length 800 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENTIALS






Ref. No.	Colour	EAN	Retail Guide Price (£)
40 802 001	Chrome	4005176328107	55.60
40 802 BE1	polished nickel	4005176430251	83.87
40 802 EN1	brushed nickel	4005176430329	89.43
40 802 GL1	cool sunrise	4005176429507	83.87
40 802 GN1	brushed cool sunrise	4005176429958	89.43
40 802 DA1	warm sunset	4005176429354	83.87
40 802 DL1	brushed warm sunset	4005176430107	89.43
40 802 A01	hard graphite	4005176429651	83.87
40 802 AL1	Brushed Hard Graphite	4005176429804	89.43

Essentials
Double towel rail
material: metal
654 mm (useable length 600 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)






Ref. No.	Colour	EAN	Retail Guide Price (£)
40 800 001	Chrome	4005176327988	111.20
40 800 DC1	supersteel	4005176413223	152.90
40 800 BE1	polished nickel	4005176430244	162.18
40 800 EN1	brushed nickel	4005176430312	176.09
40 800 GL1	cool sunrise	4005176429491	162.18
40 800 GN1	brushed cool sunrise	4005176429941	176.09
40 800 DA1	warm sunset	4005176429347	162.18
40 800 DL1	brushed warm sunset	4005176430091	176.09
40 800 A01	hard graphite	4005176429644	162.18
40 800 AL1	Brushed Hard Graphite	4005176429798	176.09

Essentials
Multi bath towel rack
material: metal
604 mm (useable length 550 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)






Ref. No.	Colour	EAN	Retail Guide Price (£)
40 364 001	Chrome	4005176326332	11.11
40 364 BE1	polished nickel	4005176430114	16.67
40 364 EN1	brushed nickel	4005176326349	18.06
40 364 GL1	cool sunrise	4005176429361	16.67
40 364 GN1	brushed cool sunrise	4005176429811	18.06
40 364 DA1	warm sunset	4005176428913	16.67
40 364 DL1	brushed warm sunset	4005176429965	18.06
40 364 A01	hard graphite	4005176429514	16.67
40 364 AL1	Brushed Hard Graphite	4005176429668	18.06

Essentials
Robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)






Ref. No.	Colour	EAN	Retail Guide Price (£)
40 421 001	Chrome	4005176326325	32.42
40 421 DC1	supersteel	4005176413117	45.40
40 421 BE1	polished nickel	4005176430237	48.64
40 421 EN1	brushed nickel	4005176430305	51.89
40 421 GL1	cool sunrise	4005176429484	48.64
40 421 GN1	brushed cool sunrise	4005176429934	51.89
40 421 DA1	warm sunset	4005176429330	48.64
40 421 DL1	brushed warm sunset	4005176430084	51.89
40 421 A01	hard graphite	4005176429637	48.64
40 421 AL1	Brushed Hard Graphite	4005176429781	51.89

Essentials
Grip bar
material: metal
349 mm (useable length 295 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)

GROHE ESSENTIALS

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 793 001	**Chrome**	**4005176327599**	**46.33**
40 793 DC1	**supersteel**	**4005176413230**	**64.87**






Essentials
Grip bar
material: metal
507 mm (useable length 450 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)

40 794 001	**Chrome**	**4005176327605**	**55.60**
40 794 DC1	**supersteel**	**4005176413247**	**77.84**






Essentials
Grip bar
material: metal
657 mm (useable length 600 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)

40 797 001	**Chrome**	**4005176327636**	**143.64**






Essentials
Grip bar
material: metal
737 x 997 mm (useable length 680 x 940 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)

40 799 001	**Chrome**	**4005176327971**	**37.07**
40 799 DC1	**supersteel**	**4005176413216**	**51.89**






Essentials
Glass shelf
material: glass / metal
530 mm (useable length 380 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 689 001	**Chrome**	**4005176326363**	**24.09**
40 689 DC1	**supersteel**	**4005176413131**	**33.82**
40 689 BE1	**polished nickel**	**4005176430213**	**36.13**
40 689 EN1	**brushed nickel**	**4005176326370**	**38.46**
40 689 GL1	**cool sunrise**	**4005176429460**	**36.13**
40 689 GN1	**brushed cool sunrise**	**4005176429910**	**38.46**
40 689 DA1	**warm sunset**	**4005176429316**	**36.13**
40 689 DL1	**brushed warm sunset**	**4005176430060**	**38.46**
40 689 A01	**hard graphite**	**4005176429613**	**36.13**
40 689 AL1	**Brushed Hard Graphite**	**4005176429767**	**38.46**






Essentials
Toilet roll holder
material: metal
without cover
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENTIALS






Ref. No.	Colour	EAN	Retail Guide Price (£)
40 367 001	Chrome	4005176326387	26.86
40 367 DC1	supersteel	4005176412455	37.52
40 367 BE1	polished nickel	4005176430220	40.30
40 367 EN1	brushed nickel	4005176326394	43.08
40 367 GL1	cool sunrise	4005176429477	40.30
40 367 GN1	brushed cool sunrise	4005176429927	43.08
40 367 DA1	warm sunset	4005176429323	40.30
40 367 DL1	brushed warm sunset	4005176430077	43.08
40 367 A01	hard graphite	4005176429620	40.30
40 367 AL1	Brushed Hard Graphite	4005176429774	43.08

Essentials
Toilet roll holder
material: metal
with cover
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)






Ref. No.	Colour	EAN	Retail Guide Price (£)
40 385 001	Chrome	4005176326356	20.38
40 385 DC1	supersteel	4005176413094	28.72
40 385 BE1	polished nickel	4005176430206	30.57
40 385 EN1	brushed nickel	4005176430299	32.90
40 385 GL1	cool sunrise	4005176429453	30.57
40 385 GN1	brushed cool sunrise	4005176429903	32.90
40 385 DA1	warm sunset	4005176429309	30.57
40 385 DL1	brushed warm sunset	4005176430053	32.90
40 385 A01	hard graphite	4005176429606	30.57
40 385 AL1	Brushed Hard Graphite	4005176429750	32.90

Essentials
Spare toilet paper holder
material: metal
wall mounted
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)






Ref. No.	Colour	EAN	Retail Guide Price (£)
40 374 001	Chrome	4005176326400	33.36
40 374 DC1	supersteel	4005176412486	46.80
40 374 BE1	polished nickel	4005176430190	50.04
40 374 EN1	brushed nickel	4005176430282	53.75
40 374 GL1	cool sunrise	4005176429446	50.04
40 374 GN1	brushed cool sunrise	4005176429897	53.75
40 374 DA1	warm sunset	4005176429293	50.04
40 374 DL1	brushed warm sunset	4005176430046	53.75
40 374 A01	hard graphite	4005176429590	50.04
40 374 AL1	Brushed Hard Graphite	4005176429743	53.75

Essentials
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 791 001	white	4005176323409	5.10
40 791 KS1	velvet black	4005176336379	5.10

Spare Brush Head






Ref. No.	Colour	EAN	Retail Guide Price (£)
40 663 001	Chrome	4005176327834	46.29

BauCosmopolitan
Soap wire basket
material: metal
for corner installation
large
suitable for screwing (including screws and dowels)

GROHE ESSENTIALS

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 664 001	**Chrome**	**4005176327841**	**37.31**






BauCosmopolitan
Soap wire basket
material: metal
for corner installation
small
suitable for screwing (including screws and dowels)

40 407 001	**Chrome**	**4005176328350**	**64.41**
40 407 DC1	**supersteel**	**4005176413179**	**90.35**






Essentials
3-in-1 WC set
material: glass / metal
Consisting of:
toilet brush set (40 374 001)
robe hook (40 364 001)
toilet paper holder (40 367 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 775 001	**Chrome**	**4005176328626**	**63.47**
40 775 DC1	**supersteel**	**4005176413186**	**88.96**
40 775 EN1	**brushed nickel**	**4005176324765**	**101.94**






Essentials
3-in-1 Guest bathroom accessories set
material: metal
Consisting of:
towel rail, 600 mm (40 366 001)
robe hook (40 364 001)
toilet paper holder (40 367 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 776 001	**Chrome**	**4005176328633**	**82.01**
40 776 DC1	**supersteel**	**4005176413193**	**115.83**






Essentials
4-in-1 Master bathroom accessories set
material: metal
Consisting of:
towel ring (40 365 001)
robe hook (40 364 001)
toilet paper holder (40 367 001)
towel rail, 600 mm (40 366 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 846 001	**Chrome**	**4005176344091**	**101.94**






Essentials
4-in-1 Master bathroom accessories set
material: metal
Consisting of:
soap dispenser with holder (40 448 001)
crystal glass with holder (40 447 001)
double towel bar (40 371 001), suitable for screwing only (including screws and dowels)
robe hook (40 364 001)
concealed fastening
GROHE StarLight finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENTIALS







Ref. No.	Colour	EAN	Retail Guide Price (£)
40 344 001	**Chrome**	**4005176323461**	**101.94**
40 344 DC1	**supersteel**	**4005176413209**	**143.64**

Essentials
Master bathroom accessories set 5-in-1
material: glass / metal
Consisting of:
towel ring (40 365 001)
towel rail, 600 mm (40 366 001)
robe hook (40 364 001)
paper holder with cover (40 367 001)
soap dish with holder (40 444 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

GROHE
ESSENTIALS CUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 508 001	Chrome	4005176324413	26.86
40 508 DC1	supersteel	4005176636554	48.94
40 508 AL1	Brushed Hard Graphite	4005176636653	55.61






Essentials Cube
Glass/soap dish holder
material: metal
for crystal glass (40 372 001)
soap dish (40 368 001) or soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish

40 394 001	Chrome	4005176326233	16.67
40 394 DC1	supersteel	4005176421532	23.62
40 394 AL1	Brushed Hard Graphite	4005176429736	26.86






Essentials
Soap dispenser
material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish

40 368 001	glass clear	4005176326219	5.64






Essentials
Soap dish
material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)

40 372 001		4005176326226	6.76






Essentials
Crystal glass
material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)

40 756 001	Chrome	4005176328381	43.54






Essentials Cube
Soap dispenser with holder
material: glass / metal
filling quantity 160 ml
Consisting of:
holder (40 508 001)
soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish

40 755 001	Chrome	4005176328374	32.42






Essentials Cube
Crystal glass with holder
material: glass / metal
Consisting of:
holder (40 508 001)
crystal glass (40 372 001)
concealed fastening
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ESSENTIALS CUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 754 001	**Chrome**	**4005176328367**	**32.90**






Essentials Cube
Soap dish with holder
material: glass / metal
Consisting of:
holder (40 508 001)
soap dish (40 368 001)
concealed fastening
GROHE StarLight chrome finish

40 510 001	**Chrome**	**4005176324420**	**37.07**
40 510 DC1	**supersteel**	**4005176636172**	**66.73**
40 510 AL1	**Brushed Hard Graphite**	**4005176636578**	**76.73**






Essentials Cube
Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish

40 624 001	**Chrome**	**4005176324444**	**52.36**
40 624 DC1	**supersteel**	**4005176636486**	**93.42**
40 624 AL1	**Brushed Hard Graphite**	**4005176636585**	**106.77**






Essentials Cube
Towel bar
material: metal
2 arms, pivotable
439 mm
concealed fastening
GROHE StarLight chrome finish

40 509 001	**Chrome**	**4005176324437**	**41.24**
40 509 DC1	**supersteel**	**4005176636493**	**74.51**






Essentials Cube
Towel rail
material: metal
600 mm (useable length 558 mm)
concealed fastening
GROHE StarLight chrome finish

40 512 001	**Chrome**	**4005176324451**	**134.38**
40 512 AL1	**Brushed Hard Graphite**	**4005176636608**	**276.92**






Essentials Cube
Multi-towel rack
material: metal
600 mm (useable length 558 mm)
concealed fastening
GROHE StarLight chrome finish

40 511 001	**Chrome**	**4005176324475**	**15.75**
40 511 DC1	**supersteel**	**4005176636516**	**28.91**
40 511 AL1	**Brushed Hard Graphite**	**4005176636615**	**32.26**






Essentials Cube
Robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish

GROHE
ESSENTIALS CUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 514 001	**Chrome**	**4005176324468**	**55.60**
40 514 DC1	**supersteel**	**4005176636523**	**100.10**
40 514 AL1	**Brushed Hard Graphite**	**4005176636622**	**114.55**






Essentials Cube
Grip bar
material: metal
392 mm (useable length 340 mm)
concealed fastening
GROHE StarLight chrome finish

40 507 001	**Chrome**	**4005176324598**	**31.04**
40 507 DC1	**supersteel**	**4005176636530**	**56.72**
40 507 AL1	**Brushed Hard Graphite**	**4005176636639**	**64.50**






Essentials Cube
Toilet roll holder
material: metal
without cover
concealed fastening
GROHE StarLight chrome finish

40 623 001	**Chrome**	**4005176324482**	**25.94**
40 623 DC1	**supersteel**	**4005176636547**	**46.71**
40 623 AL1	**Brushed Hard Graphite**	**4005176636646**	**53.38**






Essentials Cube
Spare toilet paper holder
material: metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

40 513 001	**Chrome**	**4005176324604**	**54.20**
40 513 DC1	**supersteel**	**4005176636165**	**96.76**
40 513 AL1	**Brushed Hard Graphite**	**4005176636561**	**110.10**






Essentials Cube
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

40 791 001	**white**	**4005176323409**	**5.10**
40 791 KS1	**velvet black**	**4005176336379**	**5.10**

Spare Brush Head

40 757 001	**Chrome**	**4005176328497**	**90.81**






Essentials Cube
3-in-1 WC set
material: glass / metal
Consisting of:
robe hook (40 511 001)
toilet paper holder (40 507 001)
toilet brush (40 513 001)
concealed fastening
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ESSENTIALS CUBE


	Ref. No.	Colour	EAN	Retail Guide Price (£)






40 777 001 **Chrome** **4005176328640** **79.23**

Essentials Cube
3-in-1 Guest bathroom accessories set
material: metal
Consisting of:
robe hook (40 511 001)
toilet paper holder (40 507 001)
towel rail, 558 mm (40 509 001)
concealed fastening
GROHE StarLight chrome finish






40 778 001 **Chrome** **4005176328657** **111.20**

Essentials Cube
4-in-1 Master bathroom accessories set
material: metal
Consisting of:
robe hook (40 511 001)
towel ring (40 510 001)
toilet paper holder (40 507 001)
towel rail, 558 mm (40 509 001)
concealed fastening
GROHE StarLight chrome finish






40 847 001 **Chrome** **4005176344107** **129.74**

Essentials Cube
4-in-1 Bathroom accessories set
material: glass / metal
Consisting of:
soap dispenser with holder (40 756 001)
crystal glass with holder (40 755 001)
double towel bar (40 624 001)
robe hook (40 511 001)
concealed fastening
GROHE StarLight finish






40 758 001 **Chrome** **4005176328503** **139.00**

Essentials Cube
Master bathroom accessories set 5-in-1
material: glass / metal
Consisting of:
soap dish with holder (40 754 001)
towel rail, 558 mm (40 509 001)
toilet paper holder (40 507 001)
robe hook (40 511 001)
towel ring (40 510 001)
concealed fastening
GROHE StarLight chrome finish

GROHE
BAUCOSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






40 585 001 **Chrome** **4005176327797** **16.53**

BauCosmopolitan
Glass/soap dish holder
material: metal
for crystal glass (40 372 001), soap dish (40 368 001), or soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)






40 394 001 **Chrome** **4005176326233** **16.67**

Essentials
Soap dispenser
material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish






40 368 001 **glass clear** **4005176326219** **5.64**

Essentials
Soap dish
material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)






40 372 001 **4005176326226** **6.76**

Essentials
Crystal glass
material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)






40 460 001 **Chrome** **4005176327803** **16.53**

BauCosmopolitan
Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)





40 459 001 **Chrome** **4005176327810** **23.61**


BauCosmopolitan
Towel rail
material: metal
522 mm (useable length 430 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BAUCOSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






40 462 001	**Chrome**	**4005176327827**	**87.38**

BauCosmopolitan
Multi-towel rack
material: metal
564 mm (useable length 510 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)






40 461 001	**Chrome**	**4005176327858**	**9.91**

BauCosmopolitan
Robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)






40 457 001	**Chrome**	**4005176327865**	**20.78**

BauCosmopolitan
Toilet Roll Holder
material: metal
without cover
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)






40 463 001	**Chrome**	**4005176327872**	**26.92**

BauCosmopolitan
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 791 001	**white**	**4005176323409**	**5.10**
40 791 KS1	**velvet black**	**4005176336379**	**5.10**

Spare Brush Head






40 663 001	**Chrome**	**4005176327834**	**46.29**

BauCosmopolitan
Soap wire basket
material: metal
for corner installation
large
suitable for screwing (including screws and dowels)

GROHE
BAUCOSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 664 001	Chrome	4005176327841	37.31






BauCosmopolitan
Soap wire basket
material: metal
for corner installation
small
suitable for screwing (including screws and dowels)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ESSENTIALS AUTHENTIC

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 652 001	**Chrome**	**4005176324321**	**20.38**
40 652 EN1	**brushed nickel**	**4005176324239**	**32.90**






Essentials Authentic
Glass/soap dish holder
material: metal
for crystal glass (40 372 001), soap dish (40 368 001), or soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish

40 394 001	**Chrome**	**4005176326233**	**16.67**
40 394 EN1	**brushed nickel**	**4005176412646**	**26.86**






Essentials
Soap dispenser
material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish

40 368 001	**glass clear**	**4005176326219**	**5.64**






Essentials
Soap dish
material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)

40 372 001		**4005176326226**	**6.76**






Essentials
Crystal glass
material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)

40 655 001	**Chrome**	**4005176324338**	**20.38**
40 655 EN1	**brushed nickel**	**4005176324246**	**32.90**






Essentials Authentic
Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish

40 653 001	**Chrome**	**4005176324345**	**32.42**
40 653 EN1	**brushed nickel**	**4005176324253**	**51.89**







Essentials Authentic
Towel rail
material: metal
626 mm (useable length 582 mm)
concealed fastening
GROHE StarLight chrome finish

GROHE
ESSENTIALS AUTHENTIC

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 654 001	Chrome	4005176324352	55.60
40 654 EN1	brushed nickel	4005176324260	89.43






Essentials Authentic
Double towel rail
material: metal
626 mm (useable length 582 mm)
concealed fastening
GROHE StarLight chrome finish

40 660 001	Chrome	4005176324369	111.20
40 660 EN1	brushed nickel	4005176324277	176.09






Essentials Authentic
Multi-towel rack
material: metal
586 mm (useable length 542 mm)
concealed fastening
GROHE StarLight chrome finish

40 656 001	Chrome	4005176324383	11.11
40 656 EN1	brushed nickel	4005176324291	18.06






Essentials Authentic
Robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish

40 657 001	Chrome	4005176324390	24.09
40 657 EN1	brushed nickel	4005176324307	38.46






Essentials Authentic
Toilet roll holder
material: metal
without cover
concealed fastening
GROHE StarLight chrome finish

40 658 001	Chrome	4005176324406	33.36
40 658 EN1	brushed nickel	4005176324314	53.75






Essentials Authentic
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish


40 791 001	white	4005176323409	5.10
40 791 KS1	velvet black	4005176336379	5.10

Spare Brush Head

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ESSENTIALS AUTHENTIC





Ref. No.	Colour	EAN	Retail Guide Price (£)
40 659 001	**Chrome**	**4005176324376**	**36.60**
40 659 EN1	**brushed nickel**	**4005176324284**	**58.37**

Essentials Authentic
Corner Basket, small
material: metal
concealed fastening
GROHE StarLight chrome finish

GROHTHERM
THERMOSTATS





CONTENTS

Grohtherm SmartControl	257
Grohtherm 2 handle trim sets	269
Grohtherm 2000	276
Grohtherm Cube	282
Grohtherm 1000 Cosmopolitan 3/4“	286
Grohtherm 1000	288
Grohtherm 1000 Performance	292
Grohtherm 800 Cosmopolitan	296
Grohtherm 800	299
Grohtherm 500	301

SAFETY NOTE

Avoiding scalding
For a relaxing and comfortable shower and to avoid scalding, GROHE recommends the use of a thermostat. For particular environments, (hospitals, schools, care and nursing homes) it is extremly important that the outlet temperature of the water can be limited to a maximum of 43 °C. The Grohtherm thermostats for shower and bath are delivered with an appropriate temperature stop to limit the temperature.

In shower facilities in kindergartens and special areas like nursing homes, it is recommended, that the temperature should not exceed 38 °C. In these cases we recommend the Grohtherm Special with a specific ergonomic handle for better grip and additionally it enables easy thermal disinfection.

Applicable standards (e.g. EN 806-2) and technical rules for drinking water are to be taken in account.


GROHE
TURBOSTAT



ALWAYS THE RIGHT TEMPERATURE, FOR ULTIMATE CONVENIENCE AND SAFETY.


GROHE TurboStat technology lies at the heart of our Grohtherm thermostats. The thermo-element's unrivaled sensitivity means it delivers water at the desired temperature within a fraction of a second – and keeps it constant for the duration of your shower. No more time and water wasted getting the temperature right. And if the cold water supply fails, it reacts instantly: hot water will shut off automatically to avoid the risk of scalding.

Compensating precisely for fluctuations in temperature and pressure results in a consistent and comfortable shower throughout.





Exceptionally swift reaction to water-pressure fluctuations.



The GROHE TurboStat thermo-element at the heart of GROHE thermostats.



GROHE
COOLTOUCH




SAFETY FIRST WITH 100 % GROHE COOLTOUCH.

GROHE's CoolTouch technology ensures that the entire outer surface never exceeds your preferred shower temperature. By designing our thermostats to include an innovative cooling channel, we have created a barrier between the hot water and the chrome surface – so it's never too hot to handle. This safety measure is especially useful for children, who can not always judge whether something they touch is dangerously hot.







Safety surround = 100% GROHE CoolTouch
No risk of scalding



Safety housing with water cooling



Thermal image
without GROHE CoolTouch



Thermal image
with GROHE CoolTouch

THE NOT-SO-HIDDEN BENEFITS:
GROHE SMARTCONTROL CONCEALED

Space – we'd all like to have more of it, especially in the shower area where it is often in short supply. So when you have the luxury of planning your shower from scratch, GROHE SmartControl Concealed is a wonderful option. With its concealed installation and exceedingly slim design, GROHE SmartControl Concealed offers more space under the shower and an uncluttered, clean look.

Of course, GROHE SmartControl Concealed also offers the many features shared by GROHE SmartControl Exposed and the GROHE Combi shower system: from precise and intuitive volume and temperature control to your choice of shower sprays at the touch of a button.





NEW GROHE TWO-HANDLE THERMOSTATS: **ROUND, SQUARE OR CUBE?**

Our new thermostats with conventional operation are anything but conventional. We have designed them to be as user-friendly and intuitive as possible. Turn on the hand shower by rotating the upper control button slightly to the left. To switch over to the head shower, turn the control button towards the right. Also available as 1-function model to operate a single shower. The exceedingly narrow plates, with a height of just 10 mm and the slim design of the controls, ensure that the overall outreach is a mere 43 mm. Offering the choice between round, square and cube shapes, our thermostats appeal not only to lovers of geometry. Representing the perfect balance between form and function, our two-handle thermostats provide a beautiful centrepiece for every shower.

All Grohtherm Concealed thermostats are made to fit our new universal solution: the GROHE Rapido SmartBox system.





THE BEST OF BOTH WORLDS: **GROHE SMARTCONTROL COMBI** SHOWER SYSTEM

Flexibility best describes the reason for choosing the GROHE SmartControl Combi shower system, which offers a range of different installation options and possible combinations. This means for example, that you are free to position the thermostat either vertically under the shower head or, if you choose, away from the central axis – or even on one of the side walls of the shower. Flexibility also extends to the way you can combine the thermostat with other GROHE head, hand or body showers, creating your own personal shower experience. You also have the option of turning your bath into a shower – by combining the SmartControl thermostat with a bathtub inlet and a hand shower.





DISCOVER THE NEW STANDARD IN EXPOSED THERMOSTATS: **GROHTHERM SMARTCONTROL EXPOSED**

We are proud to present our Grohtherm SmartControl: a major new development in exposed thermostats. Available as separate units, Grohtherm SmartControl exposed thermostats combine the design of GROHE and the comfort of SmartControl. We've given it a compact shape to offer more space under the shower and its EasyReach tray makes plenty of room on top for shower accessories. A forward-facing thermostat button makes operation from the front most convenient. And like all GROHE thermostats, Grohtherm SmartControl comes equipped with TurboStat for precise temperature control and 100 % CoolTouch to keep thermostat surfaces at a safe temperature and avoid scalding.






GROHTHERM
3000 COSMOPOLITAN

MINIMALIST & 100 % GROHE COOLTOUCH.

Grohtherm 3000 Cosmopolitan thermostats are based on an aesthetic philosophy based on simple cylinders in perfect proportions, creating balance and harmony enhanced by GROHE StarLight chrome, a deep luxurious finish.

While GROHE TurboStat maintains your perfect water temperature, GROHE CoolTouch eliminates the risk of scalding from hot chrome surfaces, while the EcoButton enables you to reduce your water consumption up to 50 %.





GROHTHERM **2000**

100 % GROHE COOLTOUCH, ADVANCED ERGONOMICS & EASYREACH TRAY.

The elegant design of Grohtherm 2000 ensures it will complement any bathroom design. Experience the beauty of the XL Waterfall from our exposed bath/shower thermostat. Enjoy the convenience of the GROHE EasyReach shower tray, with easy-to-clean integrated storage for your shampoo or soap.

Featuring 100 % GROHE CoolTouch, the solid metal housing of Grohtherm 2000 remains cool and safe at all times. With GROHE TurboStat you will always enjoy your perfect water temperature, independent of any fluctuations in water pressure. Grohtherm 2000 thermostats are available with and without the metal made GROHE EasyReach storage.





GROHTHERM
CUBE

100 % CUBE.

For years, GROHE has been synonymous with thermostats for the bathroom, with over 30 million sold worldwide. With the launch of this pure Cubist thermostat range, GROHE offers innovative design combined with the highest quality standards. From it's Cubist design and its water-saving options to the smart EasyReach soap tray – Grohtherm Cube thermostats and shower systems offer full enjoyment to the last detail, perfectly matching several GROHE cubic tap and shower designs.






GROHTHERM
1000

ULTIMATE COMFORT WITH GROHE COOLTOUCH.

Enjoy taking a refreshing shower more then ever before. The Grohtherm 1000 with contemporary design offers a GROHE CoolTouch compact body, ergonomically shaped metal handles, GROHE TurboStat technology and water-saving eco functions.





GROHTHERM
1000 PERFORMANCE

COOLTOUCH THERMOSTAT WITH PROGRIP.

Transform your shower into a smart comfort zone. GROHE TurboStat provides you with a constant water temperature without the hot or cold surprises during your shower. The smart designed ProGrip gives you precise control on waterflow and temperature and thanks to the internal cooling channel of GROHE CoolTouch, the complete shower body never exceeds your showering temperature.





GROHTHERM
800 COSMOPOLITAN

MINIMALISTIC DESIGN WITH ERGONOMIC METAL HANDLE.

Offering quality, technology and design at a competitive price, Grohtherm 800 Cosmopolitan is our most compact thermostat. Crafted from a series of perfect cylinders, its slender design is the preferred choice for modern, architectural-style spaces.





GROHTHERM
800

SAFE AND ERGONOMIC.

Experience the benefits of a thermostatically controlled shower at an attractive price. Finished in sparkling GROHE StarLight chrome, Grohtherm 800 benefits from GROHE TurboStat technology, ensuring luxurious showering at a constant temperature. The SafeStop button, set at 38 °C, prevents children from turning up the temperature, while the EcoButton allows you to reduce water usage.






GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 123 000	**Chrome**	**4005176413292**	**556.24**
29 123 GN0	**brushed cool sunrise**	**4005176558122**	**776.33**
29 123 DL0	**brushed warm sunset**	**4005176558092**	**776.33**
29 123 A00	**hard graphite**	**4005176558054**	**727.74**
29 123 AL0	**Brushed Hard Graphite**	**4005176558061**	**776.33**






Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min

35 604 000		**4005176698774**	**142.72**
GROHE Rapido SmartBox universal rough-in box for concealed installation			

29 124 000	**Chrome**	**4005176413308**	**605.70**
29 124 DC0	**supersteel**	**4005176526329**	**739.62**
29 124 GN0	**brushed cool sunrise**	**4005176558207**	**845.43**
29 124 DL0	**brushed warm sunset**	**4005176558177**	**845.43**
29 124 A00	**hard graphite**	**4005176558139**	**792.53**
29 124 AL0	**Brushed Hard Graphite**	**4005176558146**	**845.43**






Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min

35 604 000		**4005176698774**	**142.72**
GROHE Rapido SmartBox universal rough-in box for concealed installation			

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 125 000	**Chrome**	**4005176413315**	**726.82**






Grohtherm SmartControl
Thermostat for concealed installation with
2 valves and integrated shower holder
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
integrated shower union with shower outlet 1/2"
without roughing-in-set
flow performance:
outlet B = 24 l/min
hand shower = 12 l/min
outlet B + hand shower = 27 l/min

35 604 000	**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 126 000	**Chrome**	**4005176413322**	**655.15**
29 126 DC0	**supersteel**	**4005176526343**	**800.08**
29 126 GN0	**brushed cool sunrise**	**4005176558368**	**914.54**
29 126 DL0	**brushed warm sunset**	**4005176558337**	**914.54**
29 126 A00	**hard graphite**	**4005176558290**	**857.31**
29 126 AL0	**Brushed Hard Graphite**	**4005176558306**	**914.54**





Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min

35 604 000	**4005176698774**	**142.72**


GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 127 000	**Chrome**	**4005176413339**	**399.27**
29 127 DC0	**supersteel**	**4005176526350**	**489.12**
29 127 GN0	**brushed cool sunrise**	**4005176558443**	**558.23**
29 127 DL0	**brushed warm sunset**	**4005176558412**	**558.23**
29 127 A00	**hard graphite**	**4005176558375**	**523.67**
29 127 AL0	**Brushed Hard Graphite**	**4005176558382**	**558.23**






Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604/35 601
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min
optional flow reducer for CALGreen compliance included

35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 153 LS0	**moon white**	**4005176413582**	**715.73**





Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min


35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)






29 156 LS0 **moon white** **4005176413599** **765.17**

Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min

35 604 000 **4005176698774** **142.72**
GROHE Rapido SmartBox universal rough-in box for concealed installation





29 157 LS0 **moon white** **4005176413605** **814.58**

Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min


35 604 000 **4005176698774** **142.72**
GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 158 LS0	**moon white**	**4005176413612**	**505.56**






Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604/35 601
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min
optional flow reducer for CALGreen compliance included

35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 118 000	**Chrome**	**4005176412240**	**531.78**
29 118 DC0	**supersteel**	**4005176455032**	**654.32**
29 118 GL0	**cool sunrise**	**4005176492976**	**719.10**
29 118 GN0	**brushed cool sunrise**	**4005176492983**	**767.69**
29 118 DA0	**warm sunset**	**4005176492990**	**719.10**
29 118 DL0	**brushed warm sunset**	**4005176493003**	**767.69**
29 118 A00	**hard graphite**	**4005176493010**	**719.10**
29 118 AL0	**Brushed Hard Graphite**	**4005176455049**	**738.18**





Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min


35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 119 000	**Chrome**	**4005176412257**	**613.33**
29 119 DC0	**supersteel**	**4005176455056**	**802.09**
29 119 GL0	**cool sunrise**	**4005176493041**	**783.89**
29 119 GN0	**brushed cool sunrise**	**4005176493058**	**835.72**
29 119 DA0	**warm sunset**	**4005176493065**	**783.89**
29 119 DL0	**brushed warm sunset**	**4005176493072**	**835.72**
29 119 A00	**hard graphite**	**4005176493089**	**783.89**
29 119 AL0	**Brushed Hard Graphite**	**4005176455063**	**803.75**






Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min

35 604 000	**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 120 000	**Chrome**	**4005176412264**	**694.86**





Grohtherm SmartControl
Thermostat for concealed installation with
2 valves and integrated shower holder
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
integrated shower union with shower outlet 1/2"
without roughing-in-set
flow performance:
outlet B = 24 l/min
hand shower = 12 l/min
outlet B + hand shower = 27 l/min

35 604 000	**4005176698774**	**142.72**


GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 121 000	**Chrome**	**4005176412271**	**626.35**
29 121 DC0	**supersteel**	**4005176455094**	**770.93**
29 121 GL0	**cool sunrise**	**4005176493188**	**847.59**
29 121 GN0	**brushed cool sunrise**	**4005176493195**	**914.54**
29 121 DA0	**warm sunset**	**4005176493201**	**847.59**
29 121 DL0	**brushed warm sunset**	**4005176493218**	**903.73**
29 121 A00	**hard graphite**	**4005176493225**	**847.59**
29 121 AL0	**Brushed Hard Graphite**	**4005176455100**	**991.53**






Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min

35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 122 000	**Chrome**	**4005176412288**	**381.72**
29 122 DC0	**supersteel**	**4005176455117**	**470.76**
29 122 BE0	**polished nickel**	**4005176493232**	**517.19**
29 122 EN0	**brushed nickel**	**4005176413728**	**506.39**
29 122 GL0	**cool sunrise**	**4005176515194**	**517.19**
29 122 GN0	**brushed cool sunrise**	**4005176515200**	**551.74**
29 122 DA0	**warm sunset**	**4005176515217**	**517.19**
29 122 DL0	**brushed warm sunset**	**4005176515224**	**551.74**
29 122 A00	**hard graphite**	**4005176515231**	**517.19**
29 122 AL0	**Brushed Hard Graphite**	**4005176455124**	**506.39**





Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604/35 601
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min


35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)






29 150 LS0 **moon white** **4005176413544** **715.72**

Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min

35 604 000 **4005176698774** **142.72**
GROHE Rapido SmartBox universal rough-in box for concealed installation





29 151 LS0 **moon white** **4005176413551** **765.17**

Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min


35 604 000 **4005176698774** **142.72**
GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)






29 904 LS0 **moon white** **4005176413568** **814.58**

Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min

35 604 000 **4005176698774** **142.72**
GROHE Rapido SmartBox universal rough-in box for concealed installation






29 152 LS0 **moon white** **4005176413575** **505.56**

Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604/35 601
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min
optional flow reducer for CALGreen compliance included

35 604 000 **4005176698774** **142.72**
GROHE Rapido SmartBox universal rough-in box for concealed installation






34 742 000 **Chrome** **4005176484094** **1,445.05**

Grohtherm SmartControl
Perfect shower set
Consisting of:
concealed thermostat with 2 valves and integrated hand shower holder
Grohtherm SmartControl set for final installation
(29 125 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower F-Series 10" head shower set (26 070 000)
including horizontal shower arm 286 mm
hand shower Power&Soul Cosmopolitan 115 (27 661 000)
Silverflex shower hose 1250 mm (28 362)

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 743 000 **Chrome** **4005176484100** **1,346.15**

Grohtherm SmartControl
Perfect shower set
Consisting of:
concealed thermostat with 2 valves and integrated hand shower holder
Grohtherm SmartControl set for final installation
(29 120 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower Cosmopolitan 210 head shower set (26 062 000)
including horizontal shower arm 286 mm
hand shower Power&Soul Cosmopolitan 115 (27 661 000)
Silverflex shower hose 1250 mm (28 362)






34 744 000 **Chrome** **4005176484117** **1,131.04**

Grohtherm SmartControl
Perfect shower set
Consisting of:
concealed thermostat with 2 valves and integrated hand shower holder
Grohtherm SmartControl set for final installation
(29 120 000)
GROHE Rapido SmartBox 35 600/35 604
Euphoria 260 head shower set 3 sprays (26 458 000)
including horizontal shower arm 380 mm
hand shower Euphoria Cosmopolitan Stick (27 400)
Silverflex shower hose 1250 mm (28 362)






34 705 000 **Chrome** **4005176413285** **1,543.90**


Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
Consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 121 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
GROHTHERM SMARTCONTROL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**34 713 000**	**Chrome**	**4005176409776**	**987.68**

Grohtherm SmartControl
Combi thermostatic shower mixer
with 3 valves, exposed/concealed
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE EcoJoy technology for less water and perfect flow
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE EasyReach shower tray
shower bottom outlet 1/2"
multiple outlets can be run simultaneously
protected against backflow
requires concealed body 26 449 000 – to be ordered separately

 	**34 714 000**	**Chrome**	**4005176409783**	**925.85**

Grohtherm SmartControl
Combi thermostatic shower mixer
with 2 valves, exposed/concealed
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE EcoJoy technology for less water and perfect flow
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE EasyReach shower tray
shower bottom outlet 1/2"
multiple outlets can be run simultaneously
protected against backflow
requires concealed body 26 449 000 – to be ordered separately


 	**26 449 000**		**4005176409790**	**307.77**

Concealed body for exposed/concealed variants
wall mounted
2 outlets 1/2"
installation depth 75-105 mm
flushing plug
wall sealing
installation device

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 719 000 **Chrome** **4005176457654** **414.07**

Grohtherm SmartControl
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
built-in non return valve
and dirt strainers
protected against backflow






34 718 000 **Chrome** **4005176457647** **456.13**

Grohtherm SmartControl
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
bath spout with mousseur
built-in non return valve
and dirt strainers
protected against backflow






34 721 000 **Chrome** **4005176457678** **537.72**

Grohtherm SmartControl
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm SmartControl thermostatic shower mixer (34 719 000)
Euphoria 110 Massage shower set, 900 mm (27 226 001)





34 720 000 **Chrome** **4005176457661** **530.30**


Grohtherm SmartControl
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm SmartControl thermostatic shower mixer (34 719 000)
Euphoria 110 Massage shower set, 600 mm (27 231 001)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 2 HANDLE TRIM SETS

Ref. No.	Colour	EAN	Retail Guide Price (£)






24 078 000 **Chrome** **4005176466038** **402.42**

Grohtherm
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000 **4005176698774** **142.72**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 079 000 **Chrome** **4005176466045** **448.54**

Grohtherm
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000 **4005176698774** **142.72**
GROHE Rapido SmartBox universal rough-in box for concealed installation





24 080 000 **Chrome** **4005176466052** **448.54**


Grohtherm
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000 **4005176698774** **142.72**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)






34 728 000 **Chrome** **4005176466069** **620.37**

Grohtherm
Perfect shower set with Tempesta 210
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox 35 600/35 604
head shower Tempesta 210 9.5 l/min (26 410)
Shower arm Rainshower 286 mm (28 576 000)
hand shower, wall holder, wall elbow connection and shower hose to be ordered separately






34 729 000 **Chrome** **4005176466076** **696.48**

Grohtherm
Perfect shower set with Tempesta 210
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox 35 600/35 604
head shower Tempesta 210 9.5 l/min (26 410)
Shower arm Rainshower 286 mm (28 576 000)
hand shower Tempesta 100 II (27 597)
Shower outlet elbow (28 628 000)
Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)






34 730 000 **Chrome** **4005176466342** **1,507.11**

Grohtherm
Perfect shower set with Rainshower Cosmopolitan 310
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox 35 600/35 604
metal head shower Rainshower Cosmopolitan 310 (27 477 000)
Rainshower shower arm 422 mm (26 145 000)
hand shower (28 034 000)
Rainshower wall holder (27 075 000)
Rainshower wall elbow connection (27 076 000)
Silverflex shower hose 1250 mm (28 362)





34 734 000 **Chrome** **4005176466403** **1,063.16**


Grohtherm
Perfect shower set with Rainshower Cosmopolitan 210
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox 35 600/35 604
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
shower arm Rainshower 422 mm (26 146 000)
Euphoria Hand shower (27 265)
Shower outlet elbow (28 628 000)
Silverflex shower hose 1250 mm (28 362)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 2 HANDLE TRIM SETS

Ref. No.	Colour	EAN	Retail Guide Price (£)






24 075 000 **Chrome** **4005176465987** **402.42**

Grohtherm
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000 **4005176698774** **142.72**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 076 000 **Chrome** **4005176465994** **448.54**

Grohtherm
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000 **4005176698774** **142.72**
GROHE Rapido SmartBox universal rough-in box for concealed installation





24 077 000 **Chrome** **4005176466007** **448.54**


Grohtherm
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000 **4005176698774** **142.72**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)






34 726 000 **Chrome** **4005176466014** **608.84**

Grohtherm
Perfect shower set with Tempesta 210
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox 35 600/35 604
head shower Tempesta 210 9.5 l/min (26 410)
Shower arm Rainshower 286 mm (28 576 000)
hand shower, wall holder, wall elbow connection and shower hose to be ordered separately






34 727 000 **Chrome** **4005176466021** **681.48**

Grohtherm
Perfect shower set with Tempesta 210
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox 35 600/35 604
head shower Tempesta 210 9.5 l/min (26 410)
Shower arm Rainshower 286 mm (28 576 000)
hand shower Tempesta 100 II (27 597)
Shower outlet elbow (28 628 000)
Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)






34 731 000 **Chrome** **4005176466359** **1,507.11**

Grohtherm
Perfect shower set with Rainshower Cosmopolitan 310
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox 35 600/35 604
metal head shower Rainshower Cosmopolitan 310 (27 477 000)
shower arm Rainshower 422 mm (26 146 000)
hand shower (28 034 000)
Rainshower wall holder (27 074 000)
Rainshower wall elbow connection (27 057 000)
Silverflex shower hose 1250 mm (28 362)





34 732 000 **Chrome** **4005176466366** **1,034.32**


Grohtherm
Perfect shower set with Rainshower Cosmopolitan 210
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox 35 600/35 604
Rainshower Cosmopolitan 210 metal head shower (28 373)
Rainshower shower arm 286 mm (28 576)
hand shower (28 034 000)
Rainshower wall holder (27 074 000)
Rainshower wall elbow connection (27 057 000)
Silverflex shower hose 1250 mm (28 362)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 2 HANDLE TRIM SETS

Ref. No.	Colour	EAN	Retail Guide Price (£)
34 735 000	**Chrome**	**4005176466410**	**848.67**






Grohtherm
Perfect shower set with Rainshower Cosmopolitan 160
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox 35 600/35 604
Rainshower Cosmopolitan Headshower 160 mm (27 134)
Rainshower shower arm 286 mm (28 576)
Euphoria Hand shower (27 265)
Shower outlet elbow (28 628 000)
Silverflex shower hose 1250 mm (28 362)

GROHE
GROHTHERM 2 HANDLE TRIM SETS

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 153 000	**Chrome**	**4005176481178**	**530.04**
24 153 DC0	**supersteel**	**4005176574221**	**660.80**
24 153 AL0	**Brushed Hard Graphite**	**4005176585913**	**754.73**





Grohtherm Cube
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set


35 604 000	**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

---

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 154 000	**Chrome**	**4005176481185**	**590.87**
24 154 DC0	**supersteel**	**4005176574238**	**736.38**
24 154 AL0	**Brushed Hard Graphite**	**4005176585920**	**841.11**





Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set


35 604 000	**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

---

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 155 000	**Chrome**	**4005176481192**	**590.87**
24 155 DC0	**supersteel**	**4005176574245**	**736.38**
24 155 AL0	**Brushed Hard Graphite**	**4005176585937**	**841.11**





Grohtherm Cube
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000	**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 2 HANDLE TRIM SETS

Ref. No.	Colour	EAN	Retail Guide Price (£)
34 741 000	**Chrome**	**4005176481208**	**1,399.39**




Grohtherm Cube
Perfect shower set with Rainshower Allure 230
Consisting of:
Grohtherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox 35 600/35 604
Rainshower Allure 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1250 mm (28 362)

GROHE
GROHTHERM 2000

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 469 001 **Chrome** **4005176926396** **369.60**

Grohtherm 2000
Thermostatic shower mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
temperature scale handle with
GROHE SafeStop safety stop at 38°C
(**calibration required**)
GROHE SafeStop Plus optional temperature limiter at 43°C included
integrated mixed water shut off
GROHE TurboStat compact cartridge
with wax thermoelement
volume handle with **GROHE EcoButton**
(economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
GROHE EasyReach shower tray
removable for easy cleaning
chrome
GROHE EcoJoy technology for less water and perfect flow





34 463 001 **Chrome** **4005176926419** **407.90**


Grohtherm 2000
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop Plus integrated temperature limiter at max 50°C
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
integrated flow limiter 14 l/min in the shower outlet
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EasyReach shower tray
removable for easy cleaning
chrome
GROHE EcoJoy technology for less water and perfect flow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 2000

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 169 001 **Chrome** **4005176926518** **344.87**

Grohtherm 2000
Thermostatic shower mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
optional upgrade: GROHE EasyReach shower tray (18 608 001)
GROHE EcoJoy technology for less water and perfect flow






34 446 001 **Chrome** **4005176926402** **344.87**

Grohtherm 2000
Thermostatic shower mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
optional upgrade: GROHE EasyReach shower tray (18 608 001)
GROHE EcoJoy technology for less water and perfect flow
integrated flow limiter 14 l/min in the shower outlet






34 170 001 **Chrome** **4005176926471** **320.14**

Grohtherm 2000
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
without connection unions for wall mounting
chrome plated union nuts
GROHE EcoJoy technology for less water and perfect flow

GROHE
GROHTHERM 2000

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 464 001 **Chrome** **4005176926433** **419.03**

Grohtherm 2000
Thermostatic bath/shower mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated (economy button
  with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
GROHE EasyReach shower tray
removable for easy cleaning
GROHE EcoJoy technology for less water and perfect flow





34 174 001 **Chrome** **4005176926426** **419.07**


Grohtherm 2000
Thermostatic bath/shower mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated (economy button
  with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
optional upgrade: GROHE EasyReach shower tray (18 608 001)
GROHE EcoJoy technology for less water and perfect flow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 2000

Ref. No.	Colour	EAN	Retail Guide Price (£)
34 466 001	**Chrome**	**4005176926440**	**431.43**






Grohtherm 2000
Thermostatic bath/shower mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated (economy button with economy stop for shower)
- flow control
shower bottom outlet 1/2"
- diverter: bath/shower
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
optional upgrade: GROHE EasyReach shower tray (18 608 001)
integrated flow limiter 14 l/min in the shower outlet
GROHE EcoJoy technology for less water and perfect flow

34 484 001	**Chrome**	**4005176932519**	**443.76**






Grohtherm 2000
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated (economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
integrated flow limiter 14 l/min in the shower outlet
GROHE EcoJoy technology for less water and perfect flow

GROHE
GROHTHERM 2000

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 176 001 **Chrome** **4005176926488** **777.54**

Grohtherm 2000
Thermostatic bath/shower mixer 1/2"
deck mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- flow control
- diverter: bath/shower
- integrated (economy button
  with economy stop for shower)

shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
pillar unions with covered fixing
GROHE EcoJoy technology for less water and perfect flow






34 281 001 **Chrome** **4005176926501** **542.65**

Grohtherm 2000
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 2000 thermostat shower mixer (34 469)
Power&Soul Cosmopolitan shower set 130/600 mm rail (27 731 000)






34 195 001 **Chrome** **4005176926631** **369.62**

Grohtherm 2000
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 2000 thermostat shower mixer (34 469)
Euphoria 110 Massage shower set, 600 mm (27 231 001)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 2000

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**18 608 001**	**Chrome**	**4005176985140**	**48.21**

Grohtherm 2000
GROHE EasyReach shower tray
metal tray
removable for easy cleaning
GROHE StarLight chrome finish
suitable for Grohtherm 2000
- exposed thermostatic shower mixer with centre distance 150 mm
- exposed thermostatic bath mixer with centre distance 150 mm


	**47 175 000**	**4005176803895**	**168.83**

GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings

GROHE
GROHTHERM CUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 491 000 **Chrome** **4005176940644** **443.75**

Grohtherm Cube
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EasyReach shower tray (18 700 000)
removable for easy cleaning
Da Vinci satin white finish
GROHE EcoJoy technology for less water and perfect flow






34 488 000 **Chrome** **4005176940620** **394.33**

Grohtherm Cube
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EcoJoy technology for less water and perfect flow





34 509 000 **Chrome** **4005176941801** **406.69**


Grohtherm Cube
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
shower bottom outlet 1/2"
ceramic headpart 1/2", 180°
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
integrated flow limiter 14 l/min in the shower outlet
GROHE EcoJoy technology for less water and perfect flow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM CUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 502 000 **Chrome** **4005176940798** **554.99**

Grohtherm Cube
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EasyReach shower tray (18 700 000)
removable for easy cleaning
Da Vinci satin white finish
GROHE EcoJoy technology for less water and perfect flow






34 497 000 **Chrome** **4005176940675** **497.30**

Grohtherm Cube
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EcoJoy technology for less water and perfect flow






34 508 000 **Chrome** **4005176941795** **530.30**

Grohtherm Cube
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EcoJoy technology for less water and perfect flow

GROHE
GROHTHERM CUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)





18 700 000	**daVinci satin white**	**4005176940811**	**48.20**


Grohtherm Cube
GROHE EasyReach tray
for Grohtherm Cube
removable for easy cleaning
Da Vinci satin white finish
suitable for Grohterm Cube
- exposed thermostatic shower mixer with centre distance 150 mm
- exposed thermostatic bath mixer with centre distance 150 mm



47 175 000		**4005176803895**	**168.83**

GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings






24 153 000	**Chrome**	**4005176481178**	**530.04**
24 153 DC0	**supersteel**	**4005176574221**	**660.80**
24 153 AL0	**Brushed Hard Graphite**	**4005176585913**	**754.73**

Grohtherm Cube
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000		**4005176698774**	**142.72**

GROHE Rapido SmartBox universal rough-in box for concealed installation





24 154 000	**Chrome**	**4005176481185**	**590.87**
24 154 DC0	**supersteel**	**4005176574238**	**736.38**
24 154 AL0	**Brushed Hard Graphite**	**4005176585920**	**841.11**

Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000		**4005176698774**	**142.72**


GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM CUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 155 000	**Chrome**	**4005176481192**	**590.87**
24 155 DC0	**supersteel**	**4005176574245**	**736.38**
24 155 AL0	**Brushed Hard Graphite**	**4005176585937**	**841.11**





Grohtherm Cube
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000	**4005176698774**	**142.72**


GROHE Rapido SmartBox universal rough-in box for concealed installation

34 741 000	**Chrome**	**4005176481208**	**1,399.39**




Grohtherm Cube
Perfect shower set with Rainshower Allure 230
Consisting of:
Grohtherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox 35 600/35 604
Rainshower Allure 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1250 mm (28 362)


GROHE
GROHTHERM 1000 COSMOPOLITAN 3/4“

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**34 430 000**	**Chrome**	**4005176917981**	**266.45**


Grohtherm 1000 Cosmopolitan
Thermostat shower mixer 3/4“
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
shower bottom outlet 1/2“
built-in non return valves
dirt strainers
S-unions
recommended pressure 0.1 - 1.0 bar
max. pressure differential 5:1

 	**34 437 000**	**Chrome**	**4005176918025**	**312.97**

Grohtherm 1000 Cosmopolitan
Thermostatic shower mixer 3/4“
with shower set
Consisting of:
Grohtherm 1000 Cosmopolitan M thermostatic shower mixer 3/4“ (34 430 000)
Euphoria Mono shower set (27 256 001) with
GROHE DreamSpray
recommended pressure 0.1 - 1.0 bar
max. pressure differential 5:1
Euphoria Shower set (27 256 001)

 	**34 448 000**	**Chrome**	**4005176919183**	**394.42**

Grohtherm 1000 Cosmopolitan
Thermostatic bath/shower mixer ¾“
GROHE StarLight chrome finish
chromed scale rings
GROHE SafeStop Plus, removable max. temperature stop at 46° C
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
shower bottom outlet 1/2“
built-in non return valve
dirt strainers
protected against backflow
without connection unions for wall mounting
recommended pressure 0.1 - 1.0 bar
max. pressure differential 5:1

 	**34 519 000**	**Chrome**	**4005176998515**	**299.22**

Grohtherm 1000 Cosmopolitan
Thermostatic bath/shower mixer 1/2“
GROHE StarLight finish
chromed scale rings
GROHE SafeStop Plus, removable max. temperature stop at 46° C
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
shower bottom outlet 1/2“
built-in non return valve
dirt strainers
protected against backflow
without connection unions for wall mounting
recommended pressure 0.1 - 1.0 bar
max. pressure differential 5:1

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 1000 COSMOPOLITAN 3/4“




Ref. No.	Colour	EAN	Retail Guide Price (£)
47 175 000		**4005176803895**	**168.83**

GROHE TurboStat cartridge 1/2“
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings

GROHE
GROHTHERM 1000

	Ref. No.	Colour	EAN	Retail Guide Price (£)






34 814 003 **Chrome** **4005176695728** **243.18**

Grohtherm 1000
Thermostatic shower mixer 1/2“
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2“, 180°
shower bottom outlet 1/2“
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow
professional edition

34 143 003 **Chrome** **4005176309618** **243.18**
replaced by 34 814 003





34 818 003 **Chrome** **4005176695766** **243.18**


Grohtherm 1000
Thermostatic shower mixer 1/2“
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2“, 180°
shower bottom outlet 1/2“
built-in non return valves
dirt strainers
S-unions
protected against backflow
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow
professional edition

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 1000

	Ref. No.	Colour	EAN	Retail Guide Price (£)






34 817 003 **Chrome** **4005176695759** **231.52**

Grohtherm 1000
Thermostatic shower mixer 1/2“
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2“, 180°
shower bottom outlet 1/2“
built-in non return valves
dirt strainers
protected against backflow
without connection unions for wall mounting
GROHE EcoJoy technology for less water and perfect flow
professional edition

34 146 003 **Chrome** **4005176309625** **231.52**
ditto, w/o connection unions for wall mounting





34 816 003 **Chrome** **4005176695742** **301.35**


Grohtherm 1000
Thermostatic bath/shower mixer 1/2“
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2“
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow
professional edition

34 155 003 **Chrome** **4005176310027** **301.35**
replaced by 34 816 003

GROHE
GROHTHERM 1000

	Ref. No.	Colour	EAN	Retail Guide Price (£)






34 821 003 **Chrome** **4005176698590** **312.97**

Grohtherm 1000
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow
professional edition






34 823 003 **Chrome** **4005176698613** **312.97**

Grohtherm 1000
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
built-in non return valves
mousseur
dirt strainers
protected against backflow
without connection unions for wall mounting
GROHE EcoJoy technology for less water and perfect flow
professional edition

34 156 003 **Chrome** **4005176310034** **312.97**
replaced by 34 823 003





34 824 004 **Chrome** **4005176698620** **301.35**

Grohtherm 1000
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 1000 NEW thermostatic shower mixer 1/2"
(34 814)
Tempesta shower set II, 900 mm (27 646)
professional edition


34 256 004 **Chrome** **4005176456671** **301.35**
replaced by 34 824 004

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 1000

	Ref. No.	Colour	EAN	Retail Guide Price (£)






34 820 004	**Chrome**	**4005176698583**	**296.70**

Grohtherm 1000
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 1000 NEW thermostatic shower mixer 1/2"
(34 814)
Tempesta shower rail set 2 sprays, 600 mm (27 598)
professional edition

34 151 004	**Chrome**	**4005176456664**	**296.70**

replaced by 34 820 004






34 825 001	**Chrome**	**4005176698637**	**266.45**

Grohtherm 1000
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 1000 NEW thermostatic shower mixer 1/2"
(34 818)
Tempesta shower rail set 2 sprays, 600 mm (27 598)
professional edition

34 557 001	**Chrome**	**4005176456688**	**266.45**

replaced by 34 825 001





34 819 004	**Chrome**	**4005176695773**	**318.80**

Grohtherm 1000
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 1000 NEW thermostatic shower mixer 1/2"
(34 817)
Tempesta shower rail set 2 sprays, 600 mm (27 598)
professional edition

34 152 004	**Chrome**	**4005176456640**	**318.80**

replaced by professional version 34 819 004




47 175 000		**4005176803895**	**168.83**

GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings

GROHE
GROHTHERM 1000 PERFORMANCE

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 827 000 **Chrome** **4005176698651** **219.24**

Grohtherm 1000 Performance
Thermostatic shower mixer 1/2“
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2“, 180°
shower bottom outlet 1/2“
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow
professional edition

34 776 000 **Chrome** **4005176612930** **219.24**
replaced by professional version 34 827 000





34 830 000 **Chrome** **4005176698682** **285.63**

Grohtherm 1000 Performance
Thermostatic bath/shower mixer 1/2“
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2“
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow
professional edition


34 779 000 **Chrome** **4005176612961** **285.63**
replaced by professional version 34 830 000


All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 1000 PERFORMANCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)









34 831 000 **Chrome** **4005176698699** **280.36**

Grohtherm 1000 Performance
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
built-in non return valves
mousseur
dirt strainers
protected against backflow
without connection unions for wall mounting
GROHE EcoJoy technology for less water and perfect flow
professional edition

34 780 000 **Chrome** **4005176612978** **280.36**
replaced by professional version 34 831 000







34 832 000 **Chrome** **4005176698705** **223.73**


Grohtherm 1000 Performance
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
S-unions
protected against backflow
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow
professional edition

34 781 000 **Chrome** **4005176612985** **223.73**
replaced by professional version 34 832 000

GROHE
GROHTHERM 1000 PERFORMANCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)






34 833 000	**Chrome**	4005176698712	**290.11**

Grohtherm 1000 Performance
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow
professional edition

34 782 000	**Chrome**	4005176612992	**290.11**

replaced by professional version 34 833 000






34 834 000	**Chrome**	4005176698729	**253.07**

Grohtherm 1000 Performance
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 1000 Performance thermostatic shower mixer 1/2" (34 827)
Tempesta Cosmopolitan 100 shower set, 2 sprays, 600 mm (27 578 002)
optional **GROHE EcoJoy** 5.7 l/min flow limiter included
professional edition

34 783 000	**Chrome**	4005176613005	**253.07**

replaced by professional version 34 834 000





34 835 000	**Chrome**	4005176698736	**256.83**

Grohtherm 1000 Performance
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 1000 Performance thermostatic shower mixer 1/2" (34 827)
Tempesta Cosmopolitan 100 shower set, 2 sprays, 900 mm (27 788 002)
optional **GROHE EcoJoy** 5.7 l/min flow limiter included
professional edition

34 784 000	**Chrome**	4005176613012	**256.83**


replaced by professional version 34 835 000

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 1000 PERFORMANCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)





Ref. No.	Colour	EAN	Retail Guide Price (£)
34 838 000	**Chrome**	**4005176698767**	**257.55**

Grohtherm 1000 Performance
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 1000 Performance thermostatic shower mixer 1/2" (34 832)
Tempesta Cosmopolitan 100 shower set, 2 sprays, 600 mm (27 578 002)
professional edition

34 787 000	**Chrome**	**4005176613043**	**257.55**

replaced by professional version 34 838 000




47 175 000		**4005176803895**	**168.83**

GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings

GROHE
GROHTHERM 800 COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 765 000 **Chrome** **4005176612022** **207.70**

Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow






34 767 000 **Chrome** **4005176612046** **202.43**

Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
built-in non return valves
shower bottom outlet 1/2"
dirt strainers
protected against backflow
without connection unions for wall mounting
GROHE EcoJoy technology for less water and perfect flow





34 771 000 **Chrome** **4005176612886** **212.18**


Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 800 COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 766 000 **Chrome** **4005176612039** **270.59**

Grohtherm 800 Cosmopolitan
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow






34 770 000 **Chrome** **4005176612077** **265.32**

Grohtherm 800 Cosmopolitan
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
without connection unions for wall mounting
GROHE EcoJoy technology for less water and perfect flow






34 772 000 **Chrome** **4005176612893** **275.08**

Grohtherm 800 Cosmopolitan
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

GROHE
GROHTHERM 800 COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 768 000 **Chrome** **4005176612053** **241.29**

Grohtherm 800 Cosmopolitan
Thermostatic shower set 1/2"
Consisting of:
Grohtherm 800 Cosmopolitan thermostatic shower mixer 1/2" (34 765 000)
Tempesta Cosmopolitan 100 shower set, 2 sprays, 600 mm (27 578 002)
optional **GROHE EcoJoy** 5.7 l/min flow limiter included





34 769 000 **Chrome** **4005176612060** **247.23**

Grohtherm 800 Cosmopolitan
Thermostatic shower set 1/2"
Consisting of:
Grohtherm 800 Cosmopolitan thermostatic shower mixer 1/2" (34 765 000)
Tempesta Cosmopolitan 100 shower set, 2 sprays, 900 mm (27 788 002)
optional **GROHE EcoJoy** 5.7 l/min flow limiter included



47 175 000 **4005176803895** **168.83**


GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 800

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 558 000 **Chrome** **4005176310089** **208.26**

Grohtherm 800
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
dirt strainers
built-in non return valves
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow






34 562 000 **Chrome** **4005176310102** **219.90**

Grohtherm 800
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow






34 567 000 **Chrome** **4005176310157** **266.45**

Grohtherm 800
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

GROHE
GROHTHERM 800

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 569 000 **Chrome** **4005176310171** **266.45**

Grohtherm 800
Thermostatic bath mixer 1/2", 160cc
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow






34 566 001 **Chrome** **4005176456701** **253.65**

Grohtherm 800
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 800 thermostatic shower mixer 1/2"
(34 558 000)
Tempesta shower set II, 900 mm (27 646)





34 565 001 **Chrome** **4005176456718** **231.52**

Grohtherm 800
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 800 thermostatic shower mixer 1/2"
(34 558 000)
Tempesta shower rail set 2 sprays, 600 mm (27 598)



47 175 000 **4005176803895** **168.83**


GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after
being installed in exposed fittings

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 500

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 793 000	Chrome	4005176632433	161.67






Grohtherm 500
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE thermostatic cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
headpart 90°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 796 000	Chrome	4005176632464	198.26






Grohtherm 500
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 500 thermostatic shower mixer 1/2" (34 793)
Tempesta 100 shower rail set 1 spray 620 mm (27 853)

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 806 000	Chrome	4005176684432	202.82





Grohtherm 500
Thermostatic shower mixer 1/2" with shower set for low pressure
Consisting of:
Grohtherm 500 thermostatic shower mixer 1/2" (34 793)
Tempesta 100 shower rail set 1 spray for low pressure, 620 mm rail (27 214 + 28 161 + 27 523)
min. recommended pressure 0.5 bar to comply with EN1111

GROHE
CONCEALED SOLUTIONS






CONTENTS

GROHE Rapido SmartBox	312
GROHE Rapido	314
GROHE Rapido C / stop valves	315

MASTERPIECE OF **TECHNOLOGY**
GROHE RAPIDO SMARTBOX SYSTEM

With it's universal solutions, our GROHE Rapido SmartBox System is the answer for everything. Never before has a rough-in from GROHE offered so many different options and so much flexibility and freedom. A wide selection of suitable trim sets and showers ensures that the style chosen for the bathroom exteds seamlessly into the shower area. And seen from a practical angle, the slim, streamlined design makes cleaning faster and more convenient. GROHE SmartControl Concealed promises perfect shower control and is remarkable for its exceedingly flat design and clean, uncluttered look. Our two-handle thermostats, too, are compact and space-saving, blending precise performance with a sleek, minimalistic apprearance. Or take our single-lever mixers: a choice of models offering control of one, two or three functions and a range of stylish designs.







GROHE SMARTCONTROL

- Control up to three shower functions for a better shower experience
- Intuitive operation and perfect control of water volume through SmartControl
- Concealed technology and elegant super slim design – 43 mm – for more space under the shower



TWO-HANDLE THERMOSTATS

- New trim range in round, square and cube style
- Concealed technology and elegant super slim design – 43 mm – for more space under the shower
- 1-function and 2-function models available with GROHE AquaDimmer



SINGLE-LEVER MIXERS




- New trims in coordinated design for all GROHE bath lines
- 1-, 2- and 3-function models
- Slim wall plates with GROHE QuickFix system and slim diverters

GROHE RAPIDO SMARTBOX
OVERVIEW SINGLE-LEVER MIXER TRIM SETS


	1 function	2 functions	3 functions
Allure Brilliant	 24 071 000	 24 072 000	 24 099 000
Allure	 24 069 000	 24 070 000	
Atrio	 24 065 003	 24 066 003	 24 096 003
Grandera	 24 067 000	 24 068 000	
Lineare	 24 063 001	 24 064 001	 24 095 001
Eurocube	 24 061 000	 24 062 000	 24 094 000
GROHE Plus	 24 059 003	 24 060 003	 24 093 003

	1 function	2 functions	3 functions
Essence	 24 057 001	 24 058 001	 24 092 001
Eurodisc Cosmopolitan	 24 055 002	 24 056 002	
Concetto	 24 053 001	 24 054 001	
Eurostyle Cosmopolitan	 24 051 002	 24 052 002	
Eurostyle	 24 046 003	 24 047 003	
	 24 048 003	 24 049 003	
Eurosmart Cosmopolitan	 24 044 000	 24 045 000	
Eurosmart	 24 042 002	 24 043 002	

GROHE RAPIDO SMARTBOX
OVERVIEW TWO-HANDLE THERMOSTAT TRIM SETS

	1 function	2 functions shower/shower	2 functions bathtub/shower
Atrio	 24 134 003	 24 135 003	 24 138 003
Grohtherm Cube	 24 153 000	 24 154 000	 24 155 000
Grohtherm (square)	 24 078 000	 24 079 000	 24 080 000
Grohtherm (round)	 24 075 000	 24 076 000	 24 077 000


GROHE RAPIDO SMARTBOX
OVERVIEW SMARTCONTROL TRIM SETS

	1 function	2 functions		3 functions	4 functions	
Grohtherm SmartControl round	 29 118 000	 29 119 000	 29 120 000	 29 121 000	 29 118 000 + 29 122 000	
Grohtherm SmartControl square	 29 123 000	 29 124 000	 29 125 000	 29 126 000	 29 123 000 + 29 127 000	
Grohtherm SmartControl glass round	 29 150 LS0	 29 151 LS0		 29 904 LS0	 29 150 LS0 + 29 152 LS0	
Grohtherm SmartControl glass square	 29 153 LS0	 29 156 LS0		 29 157 LS0	 29 153 LS0 + 29 158 LS0	
SmartControl Mixer round	 29 144 000	 29 145 000		 29 146 000		
SmartControl Mixer square	 29 147 000	 29 148 000		 29 149 000		

GROHE RAPIDO C / CONCEALED VALVES OVERVIEW

	Rapido C stop-valve with pre-assambled ceramic headpart 35 028	Concealed stop-valves ½", ¾", 1" with screw connection and pre-assembled longlife headpart 29 800 / 29 802 / 29 805	Concealed stop-valves ½", ¾", 1" with soldered connection and pre-assembled longlife headpart 29 801 / 29 803 / 29 804 / 29 806	Concealed stop-valves ½", ¾" with screw connection and pre-assembled ceramic headpart 29 811 / 29 813
Allure	 19 334 000	 19 334 000	 19 334 000	 19 334 000
Allure*	 19 384 000			
Allure Brilliant*	 19 796 000			
Atlanta	 19 841 000	 19 841 000	 19 841 000	 19 841 000
Atrio	 19 088 003	 19 088 003	 19 088 003	 19 088 003
	 19 069 003	 19 069 003	 19 069 003	 19 069 003


* Concealed valve 29 032 000 with longlife headpart can also be used

	Rapido C stop-valve with pre-assambled ceramic headpart 35 028	Concealed stop-valves ½", ¾", 1" with screw connection and pre-assembled longlife headpart 29 800 / 29 802 / 29 805	Concealed stop-valves ½", ¾", 1" with soldered connection and pre-assembled longlife headpart 29 801 / 29 803 / 29 804 / 29 806	Concealed stop-valves ½", ¾" with screw connection and pre-assembled ceramic headpart 29 811 / 29 813
Brilliant	 19 830 000 / 19 831 000	 19 830 000 / 19 831 000	 19 830 000 / 19 831 000	 19 830 000 / 19 831 000
Costa	 19 808 001 19 809 001	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001
Eurocube	 19 910 000	 19 910 000	 19 910 000	 19 910 000
Grandera	 19 944 000			
Grohtherm 3000 Cosmopolitan	 19 470 000	 19 470 000	 19 470 000	 19 470 000

GROHE
RAPIDO SMARTBOX

	Ref. No.	Colour	EAN	Retail Guide Price (£)






35 604 000 4005176698774 142.72

GROHE Rapido SmartBox
Universal rough-in box, 1/2"
3 outlets 1/2"
2 inlets below, 1/2"
installation depth 75-105 mm
connection unit in DR brass
pre-mounted flushing plug
stable build-in box and protective cover
fixing options for solid walls and dry cladding
gasket
without set for final installation
professional edition






14 055 000 4005176413520 174.39

Backflow protection combination (DIN-EN1717)
retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems
replaces separate pipe interrupter for residential use
fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox: Grohtherm SmartControl, SmartControl Mixer, Grohtherm 2-handle thermostats, single-lever mixers





14 053 00M 4005176413513 54.94


Service stops
fits Grohtherm SmartControl, SmartControl mixer and Grohtherm 2-handle thermostatic trim sets in combination with GROHE Rapido SmartBox
packaging unit: 2 pieces



47 790 000 4005176841491 64.48

Rapido connection set
fits to Rapido T (35 050), Rapido E (35 501) and Rapido SmartBox (35 600/35 604)
VA approved
2 pcs./unit






14 048 000 4005176413483 166.90

GROHE Rapido SmartBox
Universal extension set single-lever mixers, 25 mm
fits Grohtherm SmartControl and SmartControl Mixer sets for final installation with up to three functions in combination with GROHE Rapido SmartBox







14 056 000 4005176466298 123.23







Universal extension set single-lever mixers, 25 mm
fits for concealed single-lever mixers in combination with **GROHE Rapido SmartBox**

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPIDO SMARTBOX

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	14 057 000		4005176466304	159.40
Universal extension set single-lever mixers, 50 mm fits for concealed single-lever mixers in combination with **GROHE Rapido SmartBox**				
 	14 058 000		4005176466311	159.41
Universal extension set 2-handle thermostats, 25 mm fits for concealed 2-handle thermostats in combination with **GROHE Rapido SmartBox**				
	49 003 000	**Chrome**	4005176413537	224.92
GROHE TurboStat cartridge 3/4“ for reversed inlets (hot water right) fits Grohtherm SmartControl and Grohtherm 2-handle thermostatic trim sets in combination with GROHE Rapido SmartBox service solution, does not comply with EN1111				


GROHE RAPIDO


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	33 961 000		4005176119972	334.00
		Single-lever mixer 1/2", concealed body **for bath and shower** **without finishing trim set** wall installation **GROHE SilkMove** 46 mm ceramic cartridge adjustable flow rate limiter outlet above and below 1/2" cap included diverter in set for final installation clockwise closing fastening loops		
 	33 962 000		4005176119989	225.48
		Single-lever mixer 1/2", concealed body for shower **without finishing trim set** wall installation **GROHE SilkMove** 46 mm ceramic cartridge adjustable flow rate limiter top outlet 1/2" clockwise closing fastening loops		
 	33 963 000		4005176128387	99.72
		Single-lever mixer 1/2", concealed body **for bath and shower** **without finishing trim set** wall installation **GROHE SilkMove** 46 mm ceramic cartridge adjustable flow rate limiter outlet above and below 1/2" cap included diverter in set for final installation clockwise closing		
 	33 964 000		4005176128394	100.85
		Single-lever mixer 1/2", concealed body for shower **without finishing trim set** wall installation **GROHE SilkMove** 46 mm ceramic cartridge adjustable flow rate limiter top outlet 1/2" clockwise closing		

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPIDO C / STOP VALVES

Ref. No.	Colour	EAN	Retail Guide Price (£)
35 028 000		**4005176908316**	**144.94**






GROHE Rapido C
Rough-in for single volume control
for grid installation of Grohtherm Custom Shower system
built-in box with removable protection cover
waterproof membrane base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
pre-assembled ceramic headpart 3/4"
connection threads 1/2"
installation depth 70 - 95 mm

---

29 800 000	**4005176504839**	**32.85**






Concealed stop-valve, 1/2"
pre-assembled headpart 1/2"
short spindle
protection sleeve
threaded union 1/2"
DR-brass

29 802 000	**4005176504853**	**55.52**
ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"		
29 805 000	**4005176504884**	**93.25**
ditto, 1", pre-assembled headpart 1", thread union 1"		

---

29 801 000	**4005176504846**	**27.07**






Concealed stop-valve, 1/2"
pre-assembled headpart 1/2"
short spindle
protection sleeve
soldered connection Ø15 mm
DR-brass

29 804 000	**4005176504877**	**43.06**
ditto, soldered connection Ø 22 mm		

---

29 811 000	**4005176062711**	**55.52**





Concealed stop valve 1/2"
preassembled ceramic headpart 1/2"
180°
threaded union 1/2"
installation depth adjustable
25 - 80 mm
DR-brass

29 813 000	**4005176062735**	**89.51**
ditto, 3/4"		

GROHE
SHOWERS





CONTENTS

GROHE Digital	F-digital Deluxe	330
	F-digital Controllers	337
Shower Systems	Rainshower System SmartControl	338
	Rainshower SmartActive System	342
	Rainshower System	345
	Euphoria SmartControl System	348
	Euphoria Shower System	350
	Tempesta System	360
	Shower System Accessories	365
Head Showers	Head Showers	367
Showers	Sena	395
	Rainshower SmartActive	397
	Rainshower	404
	Relexa	407
	Euphoria	410
	Tempesta	420
	Sena Trigger Sprays	436
	Tempesta-F Trigger Sprays	437
	Shower Hoses	439
	Shower Accessories	443

GROHE SHOWERS
INNOVATIVE SPRAY TECHNOLOGY

GROHE's DreamSpray technology is at the heart of every GROHE shower. Boasting the finest quality materials and engineering, it incorporates innovation that helps you to enjoy an unparalleled showering experience.

The advanced shower engine inside the shower heads delivers the ultimate in precise and consistent water distribution to each individual nozzle. Whatever spray pattern you choose, for whatever your mood, you can be assured of sheer joy under the shower.

GETTING THE BEST SHOWER EXPERIENCE WITH JUST ONE SHOWER

While some types of shower gently caress the skin like summer rain, others give an invigorating massage. The new GROHE Rainshower 310 SmartActive showers combine the best of both worlds for a thoroughly satisfying shower every time.

DOUBLE THE PLEASURE

GROHE Rainshower 310 SmartActive showers use a special spray face to double the pleasure of showering. Oval water outlets arranged in a star-shaped pattern at the center of the spray face generate the vigorous GROHE ActiveRain. They are surrounded by an arrangement of nozzles producing the much more gentle PureRain spray. This means users can choose between a concentrated jet to loosen up tense muscles or rinse shampoo out of their hair and a rain shower softly enveloping their body. The shower can be energizing and invigorating or soothing and relaxing – or it can combine the two modes into a deeply satisfying shower session. To simplify switching between the different shower functions and combining them, GROHE offers the new SmartControl Concealed units, featuring intuitive push-and-turn button technology.

Discover all our other spray patterns here:







DRIZZLE SPRAYS
Revitalizing cool water mist acts like a fresh sea breeze.



AQUACURTAIN
A wrap-around curtain of pure water invites you to dive into a different world.



NORMAL SPRAY
A great all-encompassing spray pattern with a refreshing and relaxing effect. Its universal appeal makes it a great all-rounder.



RAIN SPRAY
Wide and luxurious – a soft, delicate pattern to soothe the skin. Mimicking warm summer rain, the spray provides a full and even coverage.



GROHE PURERAIN SPRAY
The new and improved Rain Spray with larger and softer droplets for a more luxurious showering experience.



SMARTRAIN SPRAY
All the features and benefits of our authentic Rain Spray but with a reduced flow. A smart pattern that uses less water to deliver full showering enjoyment.



GROHE RAIN O² SPRAY
A soft, smooth spray based on our original Rain Spray. Water drops are infused with air for a wide and fuller spray.



GROHE BOKOMA SPRAY
Eight dynamic spray nozzles create a 'breathing' effect, recreating the tension-relieving sensation of a fingertip massage.



WATERFALL XL SPRAYS
An extra wide spout creates the sensual pleasure of a waterfall in your own bathroom.



PURE SPRAY
The name says it all. A soft stream of pure water delivered from the centre of the shower head – reminiscent of a fresh, mountain spring.



JET SPRAY
A focussed circular spray, which delivers a refreshing burst of water. Ideal for stimulating the skin or simply cleaning the bathtub or shower.



ACTIVERAIN SPRAY
Innovative Spray to loosen up tense muscles or rinse shampoo out of your hair.



MASSAGE SPRAY
A pulsating spray pattern for a stimulating massage. Gives a unique and invigorating all-over massage.



CHAMPAGNE SPRAY
Enriched with air for bigger and softer water droplets. More air means that less water is required when using this fulfilling and gentle spray pattern.



DELUXE CHAMPAGNE SPRAY
An extra-rich spray bursting with soft water droplets.



GROHE TRIOMASSAGE SPRAY
The combination of the renowned GROHE Bokoma Spray and two GROHE Massage sprays gives you a head and shoulder massage in one combined spray.

GROHE RAINSHOWER SMARTACTIVE
SPREAD HAPPINESS – DESIGNED TO MAKE YOU SMILE

LIFE IS FUN. AND SO IS SHOWERING.

Start or end your day with a great shower experience, one that leaves you refreshed, relaxed and smiling. The new premium Rainshower SmartActive hand shower offers three great spray patterns. It comes in a choice of sleek, minimalist shapes in round and square and two sizes – 130 mm and 150 mm – and with either a chrome-plated or white moulded spray face as well as a host of colour options.

Every aspect of the **GROHE Rainshower SmartActive** is designed to make you smile. From its fresh design to the colourful range and the one-touch switching between the three spray modes.



RIGHT IS JUST ONE CLICK AWAY.

The GROHE SmartTip controller on the back of the shower head lets you switch between spray patterns with just one click.

GROHE Rain
A soft and refreshing shower.

GROHE ActiveMassage
A moving spray reducing stress and tension.

GROHE Jet
The power shower after sports.





EUPHORIA SMARTCONTROL
YOUR TURN – YOUR SHOWER

We've put a lot of thought into our new GROHE Euphoria SmartControl shower system: the result is a range of features that make the Euphoria more convenient and more enjoyable to use. The shower arm has a swivel function that allows you to rotate the showerhead through 180° to achieve the perfect angle. And the fully adjustable shower holder allows the hand shower to be positioned individually at the ideal height.

We have made the sleek Grohtherm SmartControl body smaller and more compact to offer more space in the shower. And because we want you to enjoy your shower as quickly as possible, we came up with the GROHE QuickFix. This allows the position of the upper bracket to be altered during installation of the shower rail. The advantage: the upper bracket can be installed easily and quickly by utilising existing drilled holes.















Push the button
to start the shower.



Turn to adjust
the water volume gradually
from Eco to Full Flow.



Push again to stop or
pause the shower. The volume
is now preset when you restart.

GROHE RAINSHOWER SMARTCONTROL
3D SHOWERING – PUSH, TURN, SHOWER


Rainshower SmartControl – choose the spray, control the volume, save the settings. All with one control. Showering has just become an even more fluid experience. GROHE's unique SmartControl push-and-turn button technology takes the idea of comfortable showering to a new level and requires very little effort. The spray jet type can be directly selected by pressing the push button, meaning adjusting the jet disc is no longer necessary. In addition, personalised jet strength settings can be selected and saved for the desired spray jet type just by turning the button. Everything in one button = an innovative all-in-one solution.

What is more, GROHE SmartControl allows you to combine the different spray jet types in just a few steps. Try GROHE PureRain + TrioMassage, for example. Prefer to switch to hand shower? Not a problem! All it takes to activate it is pressing the push button. In short, just three buttons are enough to offer you a vast array of showering options. The new user-friendliness of GROHE SmartControl makes using water even more efficient and utterly convenient.


Additional features include: GROHE TurboStat technology, which ensures that the chosen temperature is reached and maintained within fractions of a second; the SafeStop button, which prevents the water temperature from being turned up beyond 38 degrees; GROHE CoolTouch, which keeps the outer surface of the thermostat at a temperature that is safe to touch; the GROHE Rainshower 360 XXL head shower; and last but not least an elegant organic design. Thanks to the the clearly labelled EasyLogic design operating the thermostat becomes child's play and the EasyReach tray provides enough space for all your shower utensils.








Push the button
to start the shower.



Turn to adjust the water volume
gradually from Eco to Full Flow.



Push again to stop or pause the shower.
The volume is now preset when you restart.


GROHE SPA F-DIGITAL DELUXE
ALL OF THE SENSES IN **PERFECT HARMONY**

F-DIGITAL DELUXE: TIME TO CREATE YOUR OWN PERSONAL SPA.

Create your own personal tailor-made spa experience with GROHE F-digital Deluxe. This cosmopolitan, multisensory shower will stimulate all your senses and transform your bathroom into an indulgent space for physical, emotional and spiritual well-being. The intuitive GROHE F-digital Deluxe App* lets you design your own personal combination of lighting, sound and fsteam – by wireless Bluetooth® connection – for a unique spa sanctuary in your own home.




A UNIQUE EXPERIENCE
FOR ALL THE SENSES




TOUCH

With just one touch you can transform your shower into your own personal spa. Soft lighting, relaxing steam and your favourite music. You can stimulate all of your senses with just a single movement of the hand.




LIGHT

Colour has a positive effect on our sense of well-being. But we all perceive colours differently. With the GROHE light modules**, you can change the colours to suit your mood and enjoy a personalised chromotherapy experience while showering.



SOUND

There's nothing on this earth that moves us more than music. The perfect song or sound can fill us with joy, make us feel relaxed, recharge our batteries or help us forget our troubles. With the GROHE sound modules, you can now enjoy your favourite music while showering.



STEAM

Experience regeneration in its purest form with the GROHE steam modules. Gentle steam not only enhances our sense of emotional well-being, but also has a positive effect on the entire body. It opens the pores, detoxifies the body, hydrates the skin and helps the muscles to relax.

A small niche at the top of the steam outlet close to the source of the steam can be topped up with pure essential oils that enriches the mist to give an all-embracing aroma and a truly relaxing experience.

Download on the App Store

GET IT ON Google play


* Available for free via iTunes app or Google Play store.
** This luminare contains built-in LED lamps, which cannot be changed: Energy efficiency class LED: A – A++


GROHE

INGENIOUS: A TOTAL WATER EXPERIENCE AT YOUR FINGERTIPS.

Compose your own water music. With AquaSymphony you can create your perfect shower moment. The intelligent control systems let you select and adjust a different shower experience for every day, to be completely in tune with your wishes. Choose your favourite!

GROHTHERM SMARTCONTROL CONFIGURATION
3 x 29 126 000, 3 x 35 600 000, 26 370 000, 27 698 000, 28 143 000




SPRAYS

① Waterfall	④ Pure	⑦ Drizzle
② Rain	⑤ Rain	⑧ AquaCurtain
③ Bokoma	⑥ Waterfall	⑨ Hand shower

GROHE
F-DIGITAL DELUXE

Ref. No.	Colour	EAN	Retail Guide Price (£)





26 373 001 **Chrome** **4005176415593** **23,176.74**

Rainshower F-Series 40" AquaSymphony
Ceiling shower 6+ sprays with light
1016 mm x 762 mm x 145 mm
material: metal
minimum flow rate 25 l/min
min. recommended pressure 3.0 bar
1 x AquaCurtain
1 x Pure XL spray
1 x 2 mist spray
2 x GROHE PureRain spray 400 x 190 mm
2 x XL Waterfall (separately controlled)
1 x 4 Bokoma Spray with adjustment angle 20° and combinations
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
power supply for light 12 V DC
CE approved
SpeedClean anti-limescale system
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish


requires rough-in set (26 376 001), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to individualised installation

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

recommendation: configuration with Grohtherm SmartControl
3 x Grohtherm SmartControl (29 126 000)
3 x GROHE Rapido SmartBox (35 604 000)
1 x Euphoria Cube Stick wall holder set 1 spray (26 405 000)

this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A++





26 376 001 **Chrome** **4005176415609** **2,206.49**

Rainshower F-Series 40"
Roughing-in set
for use with Rainshower F-Series 40" AquaSymphony ceiling shower
1000 mm x 745 mm x 152 mm
min. installation depth: 167 mm
Waterways: Brass
1/2" connections


The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
F-DIGITAL DELUXE

Ref. No.	Colour	EAN	Retail Guide Price (£)







29 126 000 **Chrome** **4005176413322** **655.15**

Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min

35 604 000 **4005176698774** **142.72**
GROHE Rapido SmartBox universal rough-in box for concealed installation





26 370 000 **Chrome** **4005176341380** **35.83**

Euphoria Cube
Shower outlet elbow, 1/2"
with wall shower holder
male thread
protected against backflow
GROHE StarLight chrome finish






27 888 000 **Chrome** **4005176921179** **97.66**

Euphoria Cube+ Stick
Hand shower 1 spray
Normal spray
material: metal
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses






28 143 000 **Chrome** **4005176601347** **24.37**

Relexaflex Metal Longlife
Metal shower hose 1500
1500 mm
material: metal
Longlife
strengthened model
tensile strength 750 N
pressure resistance up to 16 bar
heat resistance 75°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
GROHE StarLight chrome finish
blister packaging

GROHE
F-DIGITAL DELUXE

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 865 000 **Chrome** **4005176918179** **4,712.44**

Rainshower F-Series 20"
Ceiling shower with light, 1 spray
Rain
508 x 508 x 59 mm
material: metal
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
power supply for light 12 V DC
CE approved
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater
requires rough-in set (29 069 000), F-digital Deluxe base unit box (36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation.
this product contains built-in LED lamps, which
cannot be changed: energy efficiency class: A+
For detailed planning and product information please contact your local GROHE Customer Service.






29 069 000 **4005176918384** **147.09**

Rainshower F-Series
Cable connection
for ceiling shower with light (27 865 000)
Consisting of:
2 cable extensions (5 m each)






36 359 000 **Chrome** **4005176918414** **1,395.61**

Rainshower F-Series
Light set
127 x 127 mm per module
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
Consisting of:
- 1 light module with two plug connections
- 1 light module with one plug connection
waterproof & corrosion protected
supply voltage: 12 V DC
CE approved
GROHE StarLight chrome finish
requires rough-in set (29 072 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation
this product contains built-in LED lamps, which
cannot be changed: energy efficiency class: A+
For detailed planning and product information please contact your local GROHE Customer Service.





29 072 000 **4005176918421** **270.72**


Rainshower F-Series
Rough-in set light set
for use with double light modules (36 359 000)
Consisting of:
- 2 rough-in sets (115 x 115 x 62-87 mm)
- 2 cable extensions (5 m each)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
F-DIGITAL DELUXE

Ref. No.	Colour	EAN	Retail Guide Price (£)






36 360 000 **Chrome** **4005176918438** **1,197.82**

Rainshower F-Series
Sound set
127 x 127 mm per module
full range stereo speaker
Consisting of:
2 speakers with plug connections
waterproof & corrosion protected
GROHE StarLight chrome finish
requires rough-in set (29 073 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation
For detailed planning and product information please contact your local GROHE Customer Service.






29 073 000 **4005176918445** **270.72**

Rainshower F-Series
Rough-in set sound set
for use with double sound modules (36 360 000)
Consisting of:
- 2 rough-in sets (115 x 115 x 62-87 mm)
- 2 cable extensions (5 m each)
- 1 Y-piece






27 934 000 **Chrome** **4005176927157** **3,657.71**

GROHE F-digital Deluxe
Steam generator 6.6 kW
with steam outlet and temperature sensor
Consisting of:
steam generator
415 x 445 x 130 mm
suitable for rooms up to 12.5 m^3
supply voltage 400 V 3L+N+PE AC, 50 Hz
power 6.6 kW
water inlet ¾"
operating pressure 1 - 5 bar (above pressure reducer)
automatic emptying
water outlet 1/2"
steam temperature: max. 55°C
steam outlet 1/2"
type of protection IP 23
CE approved
with connection plug
steam outlet module with indentation for fragranced oil
127 x 127 mm
connection thread 1/2"
temperature sensor module
60 x 60 x 12 mm
SpeedClean anti-limescale system
GROHE StarLight chrome finish
requires rough-in set (29 074 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation
For detailed planning and product information please contact your local GROHE Customer Service.





29 074 000 **4005176918469** **431.41**

GROHE F-digital Deluxe
Rough-in set steam generator
for use with steam module (36 362 000 or 27 934 000)
Consisting of:
- 1 rough-in box for steam outlet (115 x 115 x 49-77 mm)
- 1 rough-in box for temperature sensor (58 x 83 x 80-105 mm)
- 1 cable extension temperature sensor, 5 m
- 1 cable extension steam generator, 5 m


GROHE
F-DIGITAL DELUXE


Ref. No.	Colour	EAN	Retail Guide Price (£)



14 015 000 **Chrome** **4005176932748** **151.29**

GROHE F-digital Deluxe
Descaler 6 x 80 g
to remove limescale from the water tank of the steam generator
absolutely odorless and harmless to human beings
and the natural environment
2 bags sufficient for one time descaling
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/






26 374 000 **4005176350825** **1,000.02**

GROHE F-digital Deluxe
Base unit box 4.0 Bluetooth F-Series 40" (BCU V4.0)
to control LightCurtain of Rainshower F-Series 40" AquaSymphony ceiling shower
additional light, sound and steam modules can be connected and controlled
Consisting of:
- 2 plug connections, each for one pair of sound modules (36 360 000)
- 1 plug connection for one pair of light modules (36 359 000)
- 1 plug connection LightCurtain for Rainshower F-Series 40" AquaSymphony (26 373 000)
- 2 plug connections for steam module (36 362 000 or 36 368 000), including 1 connection for steam generator and 1 connection for temperature sensor
- 2 plug connections for power supply (per power supply max. 4 devices light/sound)
- 2 plug connections for Bluetooth unit (supply voltage and data line)
CE approved
must be accessible for service
optional the base unit box can be placed into extra equipment 36 367 000
component to be ordered separately






36 397 000 **4005176999413** **1,197.80**

GROHE F-digital Deluxe
Base unit box 2.0 Bluetooth (BCU V2.0)
for connecting light, sound and steam modules
Consisting of:
- 2 plug connections, each for one pair of sound modules (36 360 000)
- 2 plug connections, each for one pair of light modules (36 359 000) **or** 1 ceiling shower (27 865 000) with integrated light
- 2 plug connections for steam module (36 362 000 or 36 368 000), including 1 connection for steam generator and 1 connection for temperature sensor
- 2 plug connections for power supply (per power supply max. 4 devices light/sound)
- 2 plug connections for Bluetooth unit (supply voltage and data line)
CE approved
must be accessible for service
optional the base unit box can be placed into extra equipment 36 367 000





42 429 000 **4005176918520** **122.39**


GROHE F-digital Deluxe
Power supply base unit box
power supply for base unit box (26 374 000 or 36 397 000)
each power supply for 2 light/sound modules (36 359 000)
or 1 celing shower with integrated light (27 865 000)
total 2 power supplies max (8 devices max.) can be connected to the base unit box
with one power supply 4 devices (light/sound modules) can be driven
- ceiling shower with integrated light (27 865 000): 4 devices
- per light module: 1 device
- per sound module: 1 device
input voltage: 90-240 V AC, 50-60Hz
output voltage: 12 V DC
CE approved

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
F-DIGITAL DELUXE

Ref. No.	Colour	EAN	Retail Guide Price (£)






36 371 000 **4005176928970** **678.62**

GROHE F-digital Deluxe
Bluetooth unit BT-01A for Apple and Android devices
with integrated electronic for wireless data communication
combinable with existing 36 365 000 docking station
wall mounted
86 x 73 x 42 mm
Features:
reset switch
status indicatior (LED)
stand alone/maximum configuration
one-to-one connection
with safety cut-off mechanism (1 user)
safety shutdown in case of connection loss
connection cable set for data communication and power supply (5 m each)
CE approved
Bluetooth transmitter power supply: 12 V
Bluetooth transmitter frequency: 2.4 GHz
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
requires Base Unit Box 2.0 (36 397 000) or Base Unit Box 4.0 (26 374 000) – to be ordered separately
Bluetooth-enabled device (Bluetooth V2.1 or higher) necessary

System requirements
Androidoperating system: as of release 2.3.3
pixel density: 160 dpi minimum
display resolution: 320 x 470 pixels per inch
System requirements
Apple
iPod touch 4/5, iPhone 4/5, iPad/ iPad mini**
Apple operating system: as of release iOS 6.0 and above
Mobile devices and GROHE SPA F-digital deluxe App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/ iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.






36 367 000 **4005176923203** **320.15**

GROHE F-digital Deluxe
Rough-in set base unit box
for use with base unit box (26 374 000 or 36 397 000)
550 x 700 x 110 mm
height (100 mm) and depth (50 mm) adjustable
with adjustable front frame for installation in wall niches
with adjustable front frame for installation in wall niches
galvanized and powder coated (RAL 9010, pure white) steel plate
1 mm thick steel plate
with two mounting rails and elbow for power outlets and mounting materials








47 837 000 **4005176918490** **85.28**


GROHE F-digital Deluxe
Cable extension steam generator, 5 m
extension between base unit box (26 374 000 or 36 397 000) and steam generator (36 362 000 or 27 934 000)
cable extension up to 10 m

GROHE
F-DIGITAL DELUXE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**47 867 000** **GROHE F-digital Deluxe** **Cable extension light set, 5 m** connection between base unit box (26 374 000 or 36 397 000) and light modules (27 865 000) each light module needs a separate extension cable cable extension up to 10 m		4005176923227	85.28
	47 910 000 **ditto, length 1.65 m**		4005176938887	60.56
 	**47 868 000** **GROHE F-digital Deluxe** **Cable extension for power supply, 5 m** connection between power supply (42 429 000) and base unit box (26 374 000 or 36 397 000) each power supply needs a separate extension cable cable extension up to 5 m		4005176923234	85.28
 	**47 877 000** **GROHE F-digital Deluxe** **Cable extension temperature sensor, 5 m** extension between base unit box (26 374 000 or 36 397 000) and temperature sensor cable extension up to 5 m		4005176923241	85.28


All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
F-DIGITAL CONTROLLERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**36 309 000**	**Chrome**	**4005176894794**	**285.45**

F-digital
Digital Controller
Remote Controller for bath or shower
additional multifunctional operating unit
- Wireless technology
- Temperature and flow control
- Pause-function
- Memory function
- LED ring

GROHE StarLight chrome finish
energy efficiency class illumination of control unit: not applicable


 	**36 078 000**		**4005176856532**	**118.24**

Plug power supply 110-240 V
operating voltage 6V
cable length 400 mm

GROHE
RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 250 000 **Chrome** **4005176316999** **1,568.64**

Rainshower System SmartControl Duo 360
Shower system with thermostat for wall mounting
Consisting of:
horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower Duo 360, spray plate chrome
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
Twistfree preventing the hose from twisting
* to be decided during initial installation; factory default setting: GROHE PureRain

26 250 LS0 **moon white** **4005176317002** **1,543.92**
ditto, head shower with white spray plate





26 361 000 **Chrome** **4005176347580** **1,432.64**

Rainshower System SmartControl Mono 360
Shower system with thermostat for wall mounting
Consisting of:
horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower Mono 360, spray plate chrome
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
Twistfree preventing the hose from twisting
* to be decided during initial installation; factory default setting: GROHE PureRain

26 361 LS0 **moon white** **4005176409707** **1,420.30**
ditto, head shower with white spray plate


All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)








26 443 000 **Chrome** **4005176409875** **1,432.67**

Rainshower System SmartControl Duo 360
Combi shower system with thermostat, exposed/concealed
Consisting of:
exposed/concealed SmartControl thermostat
allows change between:
head shower Rainshower Duo 360 with horizontal 450 mm shower arm, spray plate chrome
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be ordered separately
* to be decided during initial installation; factory default setting: GROHE PureRain

26 443 LS0 **moon white** **4005176409882** **1,420.30**
ditto, head shower with white spray plate







26 446 000 **Chrome** **4005176409905** **1,534.01**


Rainshower System SmartControl Mono 360
Combi shower system with thermostat, exposed/concealed
Consisting of:
exposed/concealed SmartControl thermostat
allows change between:
head shower Rainshower Mono 360 with horizontal 450 mm shower arm, spray plate chrome
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be ordered separately
* to be decided during initial installation; factory default setting: GROHE PureRain

26 446 LS0 **moon white** **4005176409912** **1,534.04**
ditto, head shower with white spray plate

GROHE
RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 254 000 **Chrome** **4005176317026** **653.89**

Rainshower Duo 360
Head shower set 450 mm, 2 sprays
Consisting of:
head shower Rainshower Duo 360, spray plate chrome
2 spray patterns:
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain






26 254 LS0 **moon white** **4005176409806** **777.51**

Rainshower Duo 360
Head shower set 450 mm, 2 sprays
Consisting of:
head shower Rainshower Duo 360, spray plate white
2 spray patterns:
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain






26 450 000 **Chrome** **4005176409813** **606.96**

Rainshower Mono 360
Head shower set 450 mm, 1 spray
Consisting of:
head shower Rainshower Mono 360, spray plate chrome
1 spray pattern:
GROHE PureRain/GROHE Rain O² spray*
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain






26 450 LS0 **moon white** **4005176409820** **606.95**

Rainshower Mono 360
Head shower set 450 mm, 1 spray
Consisting of:
head shower Rainshower Mono 360, spray plate white
1 spray pattern:
GROHE PureRain/GROHE Rain O² spray*
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain





26 264 001 **4005176417108** **221.27**


Rainshower 360
Rough-in box for head shower set 26 254 / 26 450
inlets and outlets 1/2"
fixing points for back wall
leakproof housing
removable protection cover with installation information

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 449 000		**4005176409790**	**307.77**






Concealed body for exposed/concealed variants
wall mounted
2 outlets 1/2"
installation depth 75-105 mm
flushing plug
wall sealing
installation device

---

48 349 000	**Chrome**	**4005176409851**	**123.59**






Rainshower SmartControl
Shower system pipe for retrofitting
metal
shower pipe for retrofitting - 15 cm shorter
than original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE StarLight chrome finish

---

48 350 000	**Chrome**	**4005176409868**	**154.52**




Rainshower SmartControl
Shower system pipe for retrofitting
metal
shower pipe for retrofitting
15 cm longer than original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE StarLight chrome finish

Note: longer pipe cannot be installed afterwards or rather
a mounted system cannot be modified to a longer pipe
useable with systems as of production date 04/2017, see TPI

---

26 385 000	**Chrome**	**4005176375057**	**22.28**






Rainshower SmartControl
Spacer
for Rainshower SmartControl systems
26 250, 26 361, 26 379
stackable

GROHE
RAINSHOWER SMARTACTIVE SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 647 000 **Chrome** **4005176533013** **955.49**

Rainshower SmartActive 310
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 561)
with ball joint
rotation angle ± 15°
hand shower Rainshower SmartActive 130 (26 544)
adjustable height via gliding element
including performance grip
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
with one click
GROHE StarLight chrome finish
GROHE FastFixation upper bracket adjustable
SpeedClean anti-limescale system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

26 647 LS0 **moon white** **4005176533051** **1,099.65**
ditto, head shower with white spray plate





26 648 000 **Chrome** **4005176533020** **955.49**

Rainshower SmartActive 310
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 562)
with ball joint
rotation angle ± 15°
hand shower Rainshower SmartActive 130 (26 574)
adjustable height via gliding element
including performance grip
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
with one click
GROHE StarLight chrome finish
GROHE EcoJoy 9.5 l/min flow limiter
GROHE FastFixation upper bracket adjustable
SpeedClean anti-limescale system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.


26 648 LS0 **moon white** **4005176533068** **1,099.65**
ditto, head shower with white spray plate

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER SMARTACTIVE SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)







26 649 000 **Chrome** **4005176533037** **955.49**

Rainshower SmartActive 310
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 Cube (26 567)
with ball joint
rotation angle ± 15°
hand shower Rainshower SmartActive 130 Cube (26 550)
adjustable height via gliding element
including performance grip
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
with one click
GROHE StarLight chrome finish
GROHE FastFixation upper bracket adjustable
SpeedClean anti-limescale system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

26 652 000 **Chrome** **4005176533044** **955.49**
ditto, with GROHE EcoJoy 9.5 l/min flow limiter






26 657 000 **Chrome** **4005176533075** **1,099.65**

Rainshower SmartActive 310
Shower system with bath thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 562)
with ball joint
rotation angle ± 15°
bath inlet
separate diverter for hand shower
hand shower Rainshower SmartActive 130 (26 574)
adjustable height via gliding element
including performance grip
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE EcoJoy 9.5 l/min flow limiter
GROHE FastFixation (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

GROHE
RAINSHOWER SMARTACTIVE SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)





27 966 001 **Chrome** **4005176532993** **1,162.23**

Rainshower SmartActive 310
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 310 head shower (27 477 000)
material: metal
with ball joint
rotation angle ± 15°
hand shower Rainshower SmartActive 130 (26 544)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
with one click
GROHE StarLight chrome finish
GROHE FastFixation upper bracket adjustable
SpeedClean anti-limescale system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.


27 968 001 **Chrome** **4005176533006** **1,162.23**
ditto, with GROHE EcoJoy 9.5 l/min flow limiter

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER® SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 174 001 **Chrome** **4005176877162** **1,407.96**

Rainshower System 400
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 400 head shower (28 778 000)
material: metal
with ball joint
rotation angle ± 20°
hand shower Sena Stick (28 034 000)
adjustable height via gliding element
(12 140 000)
shower hose 1.750 mm (28 025 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life






27 966 000 **Chrome** **4005176929250** **1,247.25**

Rainshower System 310
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 310 head shower (27 477 000)
material: metal
with ball joint
rotation angle ± 15°
hand shower Sena Stick (28 034 000)
adjustable height via gliding element
(12 140 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
minimum flow rate 7 l/min.






27 968 000 **Chrome** **4005176929687** **1,247.25**

Rainshower System 310
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 310 head shower (27 477 000)
material: metal
with ball joint
rotation angle ± 15°
hand shower Power&Soul Cosmopolitan 130 (27 664 000)
adjustable height via gliding element
(12 140 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
with one click
GROHE StarLight chrome finish
SpeedClean anti-limescale system
minimum flow rate 7 l/min.

GROHE
RAINSHOWER® SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 469 000 **Chrome** **4005176882593** **1,247.25**

Rainshower F-Series System 254
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower F-Series 254 (27 285 000)
material: metal
with ball joint, rotation angle ± 20°
hand shower Sena (28 341 000)
adjustable height via gliding element
(12 140 000)
metal shower hose 1750 mm
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect flow
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

27 569 000 **Chrome** **4005176894275** **1,247.23**
ditto, with non-restricted flow






27 032 001 **Chrome** **4005176877155** **1,098.91**

Rainshower System 210
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
with ball joint, rotation angle ± 15°
hand shower Sena Stick (28 034 000)
adjustable height via gliding element
(12 140 000)
metal shower hose 1750 mm (27 178)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life





27 967 000 **Chrome** **4005176929670** **1,098.91**


Rainshower System 210
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 210 head shower (28 368 000)
material: metal
with ball joint
rotation angle ± 15°
hand shower Power&Soul Cosmopolitan 130 (27 664 000)
adjustable height via gliding element
(12 140 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
with one click
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
minimum flow rate 7 l/min.

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER® SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 641 000 **Chrome** **4005176901645** **1,247.25**

Rainshower System 210
Shower system with bath thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Head shower Rainshower Cosmopolitan 210 (28 373 000)
material: metal
with ball joint, rotation angle ± 15°
bath inlet
separate diverter for hand shower Sena (28 341 000)
adjustable height via gliding element
(12 140 000)
metal shower hose 1750 mm (27 178)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life






27 058 000 **Chrome** **4005176830464** **777.51**

Rainshower System 210
Shower system with diverter
for wall mounting
horizontal swivable 450 mm projection shower arm
change between hand and head shower
by using the diverter
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
with ball joint
rotation angle ± 15°
hand shower (28 034 000)
adjustable height via gliding element
(12 140 000)
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

GROHE
EUPHORIA SMARTCONTROL SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 507 000	**Chrome**	**4005176457586**	**1,222.53**
26 507 LS0	**moon white**	**4005176457609**	**1,407.95**
26 507 DC0	**supersteel**	**4005176526374**	**1,645.00**
26 507 GL0	**cool sunrise**	**4005176557477**	**1,864.03**
26 507 GN0	**brushed cool sunrise**	**4005176557484**	**1,973.55**
26 507 DA0	**warm sunset**	**4005176557446**	**1,864.03**
26 507 DL0	**brushed warm sunset**	**4005176557453**	**1,973.55**
26 507 A00	**hard graphite**	**4005176557415**	**1,864.03**
26 507 AL0	**Brushed Hard Graphite**	**4005176557422**	**1,973.55**






Euphoria SmartControl System 310 Duo
Shower system with thermostat for wall mounting
Consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower SmartActive 310
2 spray patterns:
GROHE PureRain, ActiveRain
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE EcoJoy technology for less water and perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

26 508 000	**Chrome**	**4005176457593**	**1,222.53**
26 508 LS0	**moon white**	**4005176457616**	**1,407.95**
26 508 DC0	**supersteel**	**4005176526367**	**1,645.00**
26 508 GN0	**brushed cool sunrise**	**4005176557569**	**1,973.55**
26 508 DL0	**brushed warm sunset**	**4005176557538**	**1,973.55**
26 508 A00	**hard graphite**	**4005176557491**	**1,864.03**
26 508 AL0	**Brushed Hard Graphite**	**4005176557507**	**1,973.55**






Euphoria SmartControl System 310 Cube Duo
Shower system with thermostat for wall mounting
Consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower SmartActive 310 Cube
2 spray patterns:
GROHE PureRain, ActiveRain
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE EcoJoy technology for less water and perfect flow
GROHE StarLight chrome finish
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA SMARTCONTROL SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 509 000	**Chrome**	**4005176457623**	**1,061.82**






Euphoria SmartControl System 260 Mono
Shower system with thermostat for wall mounting
Consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Euphoria 260 (26 455)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE EcoJoy technology for less water and perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 510 000	**Chrome**	**4005176457630**	**1,234.89**






Euphoria SmartControl System 260 Mono
Shower system with bath thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl bath thermostat
allows change between:
head shower Euphoria 260 (26 455)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
bath inlet
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE EcoJoy technology for less water and perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 075 001 **Chrome** **4005176648014** **771.74**

Euphoria System 310
Shower system with thermostatic mixer for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 561)
spray pattern:
GROHE PureRain
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 221 000)
3 spray patterns:
Rain, Massage, SmartRain
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE MetalGrip ergonomically shaped metal handles
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
GROHE FastFixation upper bracket adjustable
Inner WaterGuide for a longer life
SpeedClean anti-limescale system
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)
professional edition





26 723 000 **Chrome** **4005176648021** **822.90**


Euphoria System 310
Shower system with thermostatic mixer for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 562)
spray pattern:
GROHE PureRain
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 239 000)
3 spray patterns:
Rain, Massage, SmartRain
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE MetalGrip ergonomically shaped metal handles
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE FastFixation upper bracket adjustable
Inner WaterGuide for a longer life
SpeedClean anti-limescale system
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)
professional edition

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
27 296 003	Chrome	4005176647963	651.48






Euphoria System 260
Shower system with thermostatic mixer for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 455)
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 221 000)
3 spray patterns:
Rain, Massage, SmartRain
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE ProGrip with knurl structure
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
GROHE FastFixation upper bracket adjustable
Inner WaterGuide for a longer life
SpeedClean anti-limescale system
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)
professional edition

Ref. No.	Colour	EAN	Retail Guide Price (£)
27 615 002	Chrome	4005176647970	651.48






Euphoria System 260
Shower system with thermostatic mixer for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 457)
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 239 000)
3 spray patterns:
Rain, Massage, SmartRain
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE ProGrip with knurl structure
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE FastFixation upper bracket adjustable
Inner WaterGuide for a longer life
SpeedClean anti-limescale system
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)
professional edition

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 475 002	**Chrome**	**4005176647840**	**822.19**

Euphoria System 260
Shower system with bath thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 457)
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
bath inlet
separate diverter for hand shower
hand shower Euphoria 110 Massage
(27 239 000)
3 spray patterns:
Rain, Massage, SmartRain
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE FastFixation upper bracket adjustable
Inner WaterGuide for a longer life
SpeedClean anti-limescale system
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
professional edition






26 075 DC0	**supersteel**	**4005176371219**	**1,350.52**
26 075 GL0	**cool sunrise**	**4005176425332**	**1,852.93**
26 075 GN0	**brushed cool sunrise**	**4005176425349**	**1,852.92**
26 075 DA0	**warm sunset**	**4005176425356**	**1,852.93**
26 075 DL0	**brushed warm sunset**	**4005176425363**	**1,852.92**
26 075 A00	**hard graphite**	**4005176425387**	**1,852.93**
26 075 AL0	**Brushed Hard Graphite**	**4005176425370**	**2,475.93**


Euphoria System 310
Shower system with thermostatic mixer for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
metal head shower Rainshower Cosmopolitan 310 (27 477 000)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 221 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
Inner WaterGuide for a longer life
SpeedClean anti-limescale system
Twistfree preventing the hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 087 000	Chrome	4005176940828	1,358.49






Euphoria Cube System 230
Shower system with thermostatic mixer for wall mounting
shower arm
projection 400 mm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Allure head shower (27 479 000)
material: metal
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Euphoria Cube (27 699)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy technology for less water and perfect flow
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Twistfree preventing the hose from twisting
minimum flow rate 7 l/min.

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 187 000	Chrome	4005176310744	1,049.47






Euphoria System 230
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Allure 230 (27 479 000)
material: metal
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Euphoria Cube Stick (27 698 000)
adjustable height via gliding element
(12 140 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 363 000 **Chrome** **4005176339264** **777.53**

Euphoria System 210
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 221 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (26 362 LN0)
minimum flow rate 7 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting





27 964 000 **Chrome** **4005176929595** **802.24**


Euphoria System 210
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 221 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 383 000 **Chrome** **4005176369025** **812.11**

Euphoria System 210
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
GROHE MetalGrip ergonomically shaped metal handles
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 210 metal head shower
Rain spray pattern
GROHE EcoJoy 12 l/min flow limiter
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
GROHE EcoJoy 9.5 l/min flow limiter
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
minimum flow rate 7 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE TurboStat compact cartridge
with wax thermoelement
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
optional upgrade: **GROHE EasyReach** tray (26 362)






26 249 000 **Chrome** **4005176317156** **653.89**

Euphoria System 190
Shower system with thermostat for wall mounting
horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower 190 1 spray (27 370)
Rain
with ball joint
rotation angle ± 15°
hand shower 100 3 sprays: GROHE Rain O^2, Rain, Massage (27 574001)
adjustable height via gliding element
GROHE EasyReach shower tray
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow rate
GROHE EcoJoy technology for less water and perfect flow
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 296 001 **Chrome** **4005176896293** **648.17**

Euphoria System 180
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Euphoria Cosmopolitan 180 (27 491 000), Rain spray pattern
with ball joint, rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 221 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)





26 418 000 **Chrome** **4005176407666** **526.36**


Euphoria System 180 E
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
with ergonomic handles
allows change between:
head shower Euphoria Cosmopolitan 180 (27 491 000)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 221 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA SHOWER SYSTEM


Ref. No.	Colour	EAN	Retail Guide Price (£)






27 932 000 **Chrome** **4005176924231** **616.84**

Euphoria System 150
Shower system with thermostatic mixer for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Euphoria Cube 150 (27 705 000)
Rain spray pattern
with ball joint
rotation angle ± 12°
hand shower Euphoria Cube Stick (27 698 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)






27 475 001 **Chrome** **4005176417863** **799.77**

Euphoria System 260
Shower system with bath thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
bath inlet
separate diverter for hand shower
hand shower Euphoria 110 Massage
(27 239 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 243 000 **Chrome** **4005176316326** **648.98**

Euphoria Shower System
Shower system with bath thermostat for wall mounting
with short shower rail for installation in showers
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
separate diverter for hand shower
gliding element
Silverflex shower hose 1750 mm (28 388 000)
distance between thermostat and upper bracket: 1016 mm
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE StarLight chrome finish
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.






23 058 003 **Chrome** **4005176313790** **737.39**

Euphoria Eurodisc Cosmopolitan System 210
Shower system with single lever for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed single-lever shower mixer
with diverter
allows change between:
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Euphoria Cosmopolitan Stick (27 400)
Rain spray pattern
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.





23 147 001 **Chrome** **4005176313271** **1,309.05**


Euphoria Cube System 230
Shower system with single lever for wall mounting
Consisting of:
shower arm
projection 400 mm
exposed single-lever shower mixer
with diverter
allows change between:
Rainshower Allure 230 metal head shower (27 479)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Euphoria Cube Stick (27 698 000)
Rain spray pattern
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE SilkMove 35 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
27 421 002	**Chrome**	**4005176417924**	**510.52**






Euphoria System 260
Shower system with diverter
for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
change between hand and head shower
by using the diverter
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 239 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
Silverflex shower hose 800 mm
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar

27 696 000	**Chrome**	**4005176907074**	**765.16**







Euphoria Cube System 150
Shower system with diverter
for wall mounting
Consisting of:
shower arm
projection 400 mm
change between hand and head shower
by using the diverter
head shower Euphoria Cube 152 mm x 152 mm
Rain spray pattern
with ball joint
rotation angle ± 20°
hand shower Euphoria Cube Stick (27 698 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
Silverflex shower hose 800 mm
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

GROHE
TEMPESTA SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 670 000	Chrome	4005176580574	558.75






Tempesta Cosmopolitan System 250
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Tempesta 250 (26 666)
spray pattern:
Rain
head shower with white rear cover
with ball joint
rotation angle ± 10°
GROHE EcoJoy 9.5 l/min flow limiter
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
GROHE EcoJoy 5.7 l/min. flow limiter
adjustable height via gliding element
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE EcoJoy technology for less water and perfect flow
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)
professional edition

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 689 000	Chrome	4005176580765	558.75






Tempesta Cosmopolitan System 250 Cube
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Tempesta 250 Cube (26 685)
spray pattern:
Rain
head shower with white rear cover
with ball joint
rotation angle ± 10°
GROHE EcoJoy 9.5 l/min flow limiter
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
GROHE EcoJoy 5.7 l/min. flow limiter
adjustable height via gliding element
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE EcoJoy technology for less water and perfect flow
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)
professional edition

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
TEMPESTA SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 690 000	Chrome	4005176580772	670.51






Tempesta Cosmopolitan System 250 Cube
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 390 mm projection shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Tempesta 250 Cube (26 685)
spray pattern:
Rain
head shower with white rear cover
with ball joint
rotation angle ± 10°
GROHE EcoJoy 9.5 l/min flow limiter
hand shower Tempesta Cosmopolitan 100
2 spray patterns:
Rain, Jet
GROHE EcoJoy 9.5 l/min flow limiter
adjustable height via gliding element
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE EcoJoy technology for less water and perfect flow
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 50°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)
professional edition

26 514 000	Chrome	4005176476099	631.63






Tempesta Cosmopolitan System 210
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Tempesta 210 9.5 l/min (26 410)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Tempesta Cosmopolitan 100
2 spray patterns:
Rain, Jet
adjustable height via gliding element
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE
TEMPESTA SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 302 001	**Chrome**	**4005176408137**	**548.99**






Tempesta Cosmopolitan System 210
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Tempesta 210 (26 408)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
adjustable height via gliding element
Relexaflex shower hose 1500 mm (28 161)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)

Ref. No.	Colour	EAN	Retail Guide Price (£)
27 922 000	**Chrome**	**4005176923364**	**530.00**







Tempesta Cosmopolitan 160
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower 1 spray (28 232 000)
Rain
with ball joint
rotation angle ± 15°
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
optional upgrade: **GROHE EasyReach** tray (26 362)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
TEMPESTA SYSTEM


Ref. No.	Colour	EAN	Retail Guide Price (£)
26 691 000	Chrome	4005176580789	726.38






Tempesta Cosmopolitan System 250 Cube
Shower system with bath thermostat for wall mounting
Consisting of:
horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Tempesta 250 Cube (26 685)
spray pattern:
Rain
head shower with white rear cover
with ball joint
rotation angle ± 10°
GROHE EcoJoy 9.5 l/min flow limiter
bath inlet
separate diverter for hand shower
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
GROHE EcoJoy 5.7 l/min. flow limiter
adjustable height via gliding element
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE EcoJoy technology for less water and perfect flow
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
professional edition

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 223 001	Chrome	4005176408144	702.46






Tempesta Cosmopolitan System 210
Shower system with bath thermostat for wall mounting
Consisting of:
horizontal swivable 390 mm projection shower arm
exposed thermostat Grohtherm 1000 Cosmopolitan with Aquadimmer function
allows change between:
head shower Tempesta 210 (26 408)
Rain spray pattern
with ball joint
rotation angle ± 15°
bath inlet
separate diverter for hand shower
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
adjustable height via gliding element
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

GROHE
TEMPESTA SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 224 001 **Chrome** **4005176408168** **487.60**

Tempesta Cosmopolitan System 210
Shower system with single lever for wall mounting
Consisting of:
horizontal swivable 390 mm projection shower arm
exposed single-lever shower mixer
with diverter
allows change between:
head shower Tempesta 210 (26 408)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
adjustable height via gliding element
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.






26 381 001 **Chrome** **4005176451980** **266.45**


Tempesta System 210
Flex shower system with diverter for wall mounting
Consisting of:
horizontal 390 mm shower arm, adjustable before installation
change by diverter between hand shower, head shower or head shower Eco setting
head shower Tempesta 210 (26 408)
2 spray patterns (via diverter):
chrome plated spray face
with ball joint
rotation angle ± 15°
hand shower Tempesta 100 (27 852)
Rain spray pattern
adjustable height via gliding element
distance between diverter and upper bracket: 620 mm
shower hose Relexaflex 1500 mm (28 151)
shower hose Relexaflex 1250 mm (28 150)
flexible installation: connection to tap / wall union for water supply with 1/2" thread of the 1250 mm shower hose
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SHOWER SYSTEM ACCESSORIES


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	48 349 000	Chrome	4005176409851	123.59

Rainshower SmartControl
Shower system pipe for retrofitting
metal
shower pipe for retrofitting - 15 cm shorter
than original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE StarLight chrome finish


	48 350 000	Chrome	4005176409868	154.52

Rainshower SmartControl
Shower system pipe for retrofitting
metal
shower pipe for retrofitting
15 cm longer than original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE StarLight chrome finish


Note: longer pipe cannot be installed afterwards or rather
a mounted system cannot be modified to a longer pipe
useable with systems as of production date 04/2017, see TPI

 	48 053 000	Chrome	4005176890031	104.38

Shower system pipe for retrofitting
for shower systems with metal or plastic inner water guide
shower pipe for retrofitting
15 cm longer than original shower system pipe
for bath/shower systems: 30 cm shorter than original pipe
suitable for all Rainshower, Euphoria and Tempesta shower systems except SmartControl shower systems
not suitable for shower systems with side sprays
not suitable for Flex shower systems with diverter
GROHE StarLight chrome finish


 	48 054 000	Chrome	4005176890048	80.92

Shower system pipe for retrofitting
for shower systems with metal or plastic inner water guide
shower pipe for retrofitting - 15 cm shorter
than original shower system pipe
for bath/shower systems: 60 cm shorter than original pipe
suitable for all Rainshower, Euphoria and Tempesta shower systems except SmartControl shower systems
not suitable for shower systems with side sprays
not suitable for Flex shower systems with diverter
GROHE StarLight chrome finish


 	14 014 000	Chrome	4005176929274	60.56

Rainshower
Shower arm for shower systems
material: metal
projection 340 mm
distance from wall 390 mm
connection thread 1/2"
GROHE StarLight chrome finish
suitable for all GROHE shower systems except SmartControl
suitable for all GROHE shower systems

GROHE
SHOWER SYSTEM ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**27 180 000**	**Chrome**	**4005176839306**	**48.19**

Rainshower
Spacer
for Rainshower systems 27 174, 27 175, 27 032, 27 058, 27 030, 27 038, 27 089, 27 031
GROHE StarLight chrome finish

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**26 385 000**	**Chrome**	**4005176375057**	**22.28**


Rainshower SmartControl
Spacer
for Rainshower SmartControl systems 26 250, 26 361, 26 379
stackable

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 801 000	Chrome	4005176722769	123.07
26 801 DC0	supersteel	4005176722837	172.29
26 801 BE0	polished nickel	4005176722813	196.91
26 801 EN0	brushed nickel	4005176722783	209.22
26 801 GL0	cool sunrise	4005176722790	196.91
26 801 GN0	brushed cool sunrise	4005176722820	209.22
26 801 DA0	warm sunset	4005176722851	196.91
26 801 DL0	brushed warm sunset	4005176722868	209.22
26 801 A00	hard graphite	4005176722806	196.91
26 801 AL0	Brushed Hard Graphite	4005176722844	209.22






Rainshower Aqua
Body spray round 2 spray
spray pattern:
PureRain, ActiveJet
including concealed body and compound seal
Ø 75 mm
pivoting range ± 15° rotatable
connection thread 1/2"
throw distance 600 mm
GROHE EcoJoy 3.3 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
min. recommended pressure 1.0 bar
not suitable for instantaneous heater

26 802 000	Chrome	4005176722776	123.07
26 802 DC0	supersteel	4005176722899	172.29
26 802 GN0	brushed cool sunrise	4005176722882	209.22
26 802 DL0	brushed warm sunset	4005176722912	209.22
26 802 A00	hard graphite	4005176722875	196.91
26 802 AL0	Brushed Hard Graphite	4005176722905	209.22






Rainshower Aqua
Body spray cube 2 spray
spray pattern:
PureRain, ActiveJet
including concealed body and compound seal
75 x 75 mm
pivoting range ± 15° rotatable
connection thread 1/2"
throw distance 600 mm
GROHE EcoJoy 3.3 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
min. recommended pressure 1.0 bar
not suitable for instantaneous heater

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)





26 254 000	**Chrome**	**4005176317026**	**653.89**


Rainshower Duo 360
Head shower set 450 mm, 2 sprays
Consisting of:
head shower Rainshower Duo 360, spray plate chrome
2 spray patterns:
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain

26 254 LS0	**moon white**	**4005176409806**	**777.51**

ditto, head shower with white spray plate





26 450 000	**Chrome**	**4005176409813**	**606.96**


Rainshower Mono 360
Head shower set 450 mm, 1 spray
Consisting of:
head shower Rainshower Mono 360, spray plate chrome
1 spray pattern:
GROHE PureRain/GROHE Rain O² spray*
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain

26 450 LS0	**moon white**	**4005176409820**	**606.95**

ditto, head shower with white spray plate






26 264 001		**4005176417108**	**221.27**

Rainshower 360
Rough-in box for head shower set 26 254 / 26 450
inlets and outlets 1/2"
fixing points for back wall
leakproof housing
removable protection cover with installation information

26 475 000	**Chrome**	**4005176423758**	**580.98**
26 475 DC0	**supersteel**	**4005176526237**	**734.22**
26 475 GL0	**cool sunrise**	**4005176557156**	**839.26**
26 475 GN0	**brushed cool sunrise**	**4005176557163**	**891.79**
26 475 DA0	**warm sunset**	**4005176557125**	**839.26**
26 475 DL0	**brushed warm sunset**	**4005176557132**	**891.79**
26 475 A00	**hard graphite**	**4005176557095**	**839.26**
26 475 AL0	**Brushed Hard Graphite**	**4005176557101**	**891.79**





Rainshower SmartActive 310
Head shower set 430 mm, 2 sprays
Consisting of:
head shower Rainshower SmartActive 310
2 spray patterns:
GROHE PureRain, ActiveRain
horizontal 430 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately

26 475 LS0	**moon white**	**4005176425899**	**762.68**


ditto, head shower with white spray plate

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 477 000	**Chrome**	**4005176423772**	**580.98**
26 477 DC0	**supersteel**	**4005176526244**	**734.22**
26 477 GL0	**cool sunrise**	**4005176557231**	**839.26**
26 477 GN0	**brushed cool sunrise**	**4005176557248**	**891.79**
26 477 DA0	**warm sunset**	**4005176557200**	**839.26**
26 477 DL0	**brushed warm sunset**	**4005176557217**	**891.79**
26 477 A00	**hard graphite**	**4005176557170**	**839.26**
26 477 AL0	**Brushed Hard Graphite**	**4005176557187**	**891.79**






Rainshower SmartActive 310
Head shower set ceiling 142 mm, 2 sprays
Consisting of:
head shower Rainshower SmartActive 310
2 spray patterns:
GROHE PureRain, ActiveRain
142 mm ceiling shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately

26 477 LS0	**moon white**	**4005176425912**	**762.68**

ditto, head shower with white spray plate

26 479 000	**Chrome**	**4005176425196**	**611.88**
26 479 DC0	**supersteel**	**4005176526251**	**773.33**
26 479 GN0	**brushed cool sunrise**	**4005176557323**	**939.84**
26 479 DL0	**brushed warm sunset**	**4005176557293**	**939.84**
26 479 A00	**hard graphite**	**4005176557255**	**883.97**
26 479 AL0	**Brushed Hard Graphite**	**4005176557262**	**939.84**






Rainshower SmartActive 310 Cube
Head shower set 430 mm, 2 sprays
Consisting of:
head shower Rainshower SmartActive 310 Cube
2 spray patterns:
GROHE PureRain, ActiveRain
horizontal 430 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately

26 479 LS0	**moon white**	**4005176425936**	**793.60**

ditto, head shower with white spray plate

26 481 000	**Chrome**	**4005176425219**	**611.89**
26 481 DC0	**supersteel**	**4005176526268**	**773.33**
26 481 GN0	**brushed cool sunrise**	**4005176557408**	**939.84**
26 481 DL0	**brushed warm sunset**	**4005176557378**	**939.84**
26 481 A00	**hard graphite**	**4005176557330**	**883.97**
26 481 AL0	**Brushed Hard Graphite**	**4005176557347**	**939.84**





Rainshower SmartActive 310 Cube
Head shower set ceiling 142 mm, 2 sprays
Consisting of:
head shower Rainshower SmartActive 310 Cube
2 spray patterns:
GROHE PureRain, ActiveRain
142 mm ceiling shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately


26 481 LS0	**moon white**	**4005176425950**	**793.60**

ditto, head shower with white spray plate

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 484 000 — **4005176425110** — **121.14**

Rainshower
Universal rough-in box, 1/2"
for head shower set
26 475 / 26 477 / 26 479 / 26 481
2 inlets, 1/2"
installation depth 75-105 mm
connection unit in DR brass
stable build-in box and protective cover
leakproof housing
gasket
integrated flushing plug
GROHE EcoJoy 9.5 l/min flow limiter per each water way
without set for final installation

26 483 000 — **4005176425103** — **121.14**
ditto, with non-restricted flow






26 640 000 — **Chrome** — **4005176530203** — **632.52**

Rainshower SmartConnect 310
Head shower set 422 mm, 2 sprays
Consisting of:
head shower Rainshower SmartConnect 310 (26 641)
spray plate chrome
2 spray patterns:
GROHE PureRain, ActiveRain
default spray type programmable
horizontal 422 mm shower arm (26 146)
with round escutcheon
with wireless remote control to change or combine spray patterns
screw or glue holder to wall
battery powered
including 3 x AAA batteries and 1 x CR 2032 button cell
LED indicator for pairing and battery change
water resistant remote control rated IP57
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.5 bar





26 642 000 — **Chrome** — **4005176530227** — **658.23**


Rainshower SmartConnect 310 Cube
Head shower set 422 mm, 2 sprays
Consisting of:
head shower Rainshower SmartConnect 310 Cube (26 643)
spray plate chrome
2 spray patterns:
GROHE PureRain, ActiveRain
default spray type programmable
horizontal 422 mm shower arm (26 146)
with square escutcheon
with wireless remote control to change or combine spray patterns
screw or glue holder to wall
battery powered
including 3 x AAA batteries and 1 x CR 2032 button cell
LED indicator for pairing and battery change
water resistant remote control rated IP57
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.5 bar

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 558 000	**Chrome**	**4005176481727**	**409.53**

Rainshower Mono 310
Head shower set 422 mm, 1 spray
Consisting of:
head shower Rainshower 310, spray plate chrome (26 562)
1 spray pattern:
GROHE PureRain
shower arm Rainshower 422 mm (26 146 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 557 000	**Chrome**	**4005176481710**	**409.53**

ditto, with non-restricted flow






26 560 000	**Chrome**	**4005176481741**	**409.53**

Rainshower Mono 310
Head shower set ceiling 142 mm, 1 spray
Consisting of:
head shower Rainshower 310, spray plate chrome (26 562)
1 spray pattern:
GROHE PureRain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 559 000	**Chrome**	**4005176481734**	**409.53**

ditto, with non-restricted flow






26 564 000	**Chrome**	**4005176481789**	**438.79**
26 564 GN0	**brushed cool sunrise**	**4005176557804**	**807.98**
26 564 DL0	**brushed warm sunset**	**4005176557774**	**807.98**
26 564 A00	**hard graphite**	**4005176557736**	**767.74**
26 564 AL0	**Brushed Hard Graphite**	**4005176557743**	**807.98**

Rainshower Mono 310 Cube
Head shower set 422 mm, 1 spray
Consisting of:
head shower Rainshower 310
1 spray pattern:
GROHE PureRain
Rainshower shower arm 422 mm (26 145 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 563 000	**Chrome**	**4005176481772**	**438.79**

ditto, with non-restricted flow





26 566 000	**Chrome**	**4005176482106**	**438.79**
26 566 DC0	**supersteel**	**4005176526282**	**779.78**
26 566 GN0	**brushed cool sunrise**	**4005176557880**	**807.98**
26 566 DL0	**brushed warm sunset**	**4005176557859**	**807.98**
26 566 A00	**hard graphite**	**4005176557811**	**767.74**
26 566 AL0	**Brushed Hard Graphite**	**4005176557828**	**807.98**

Rainshower Mono 310 Cube
Head shower set ceiling 142 mm, 1 spray
Consisting of:
head shower Rainshower 310
1 spray pattern:
GROHE PureRain
Rainshower shower arm ceiling 142 mm (27 485 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater


26 565 000	**Chrome**	**4005176482090**	**438.79**

ditto, with non-restricted flow

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 256 000	**Chrome**	**4005176318597**	**851.66**

Rainshower Cosmopolitan 400
Head shower set ceiling 142 mm, 1 spray
Consisting of:
head shower Rainshower Cosmopolitan 400 (28 778 000)
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater






26 257 000	**Chrome**	**4005176317927**	**616.83**

Rainshower 310
Head shower set 422 mm, 1 spray
Consisting of:
Rainshower Cosmopolitan 310 head shower (27 477 000)
1 spray pattern:
Rain
shower arm Rainshower 422 mm (26 146 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater






26 066 000	**Chrome**	**4005176937200**	**579.73**
26 066 DC0	**supersteel**	**4005176371172**	**836.85**
26 066 GL0	**cool sunrise**	**4005176427183**	**956.36**
26 066 GN0	**brushed cool sunrise**	**4005176427190**	**1,016.13**
26 066 DA0	**warm sunset**	**4005176427206**	**956.36**
26 066 DL0	**brushed warm sunset**	**4005176427213**	**1,016.16**
26 066 A00	**hard graphite**	**4005176427237**	**956.35**
26 066 AL0	**Brushed Hard Graphite**	**4005176427220**	**1,016.16**

Rainshower Cosmopolitan 310
Head shower set 380 mm, 1 spray
Consisting of:
Head shower Rainshower Cosmopolitan 310 (27 478 000)
material: metal
1 spray pattern:
Rain
shower arm Rainshower 380 mm (28 361 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

26 056 000	**Chrome**	**4005176937101**	**579.73**

ditto, with non-restricted flow





26 067 000	**Chrome**	**4005176937217**	**579.73**
26 067 DC0	**supersteel**	**4005176371189**	**836.85**
26 067 GL0	**cool sunrise**	**4005176427268**	**956.36**
26 067 GN0	**brushed cool sunrise**	**4005176427275**	**1,016.13**
26 067 DA0	**warm sunset**	**4005176427282**	**956.35**
26 067 DL0	**brushed warm sunset**	**4005176427299**	**1,016.16**
26 067 A00	**hard graphite**	**4005176427312**	**956.36**
26 067 AL0	**Brushed Hard Graphite**	**4005176427305**	**1,016.16**


Rainshower Cosmopolitan 310
Head shower set ceiling 142 mm, 1 spray
Consisting of:
Head shower Rainshower Cosmopolitan 310 (27 478 000)
material: metal
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 070 000 **Chrome** **4005176937248** **517.93**

Rainshower F-Series 10" 254 x 254
Head shower set 275 mm, 1 spray
Consisting of:
head shower Rainshower F-Series 254 (27 285 000)
material: metal
1 spray pattern:
Rain
Shower arm Rainshower 275 mm (27 488 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

26 060 000 **Chrome** **4005176937149** **517.93**
ditto, with non-restricted flow






26 071 000 **Chrome** **4005176937255** **517.93**

Rainshower F-Series 10"
Head shower set ceiling 142 mm, 1 spray
Consisting of:
head shower Rainshower F-Series 254 (27 285 000)
material: metal
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (27 485 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system






26 064 000 **Chrome** **4005176937187** **592.10**

Rainshower Allure 230
Head shower set 286 mm, 1 spray
Consisting of:
Head shower Rainshower Allure 230 (27 480 000)
material: metal
1 spray pattern:
Rain
Shower arm Rainshower 286 mm (27 709 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

26 054 000 **Chrome** **4005176937088** **592.10**
ditto, with non-restricted flow






26 065 000 **Chrome** **4005176937194** **542.65**

Rainshower Allure 230
Head shower set ceiling 154 mm, 1 spray
Consisting of:
Head shower Rainshower Allure 230 (27 480 000)
material: metal
1 spray pattern:
Rain
shower arm Rainshower ceiling 154 mm (27 711 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 171 000 **Chrome** **4005176997310** **443.76**

Rainshower Cosmopolitan 210
Head shower set 422 mm, 1 spray
Consisting of:
Rainshower Cosmopolitan 210 metal head shower,
spray plate chrome (28 368 000)
1 spray pattern:
Rain
Rainshower shower arm 422 mm, escutcheon chrome (26 146)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater
starting at 0.5 bar flow pressure






26 062 000 **Chrome** **4005176937163** **419.04**

Rainshower Cosmopolitan 210
Head shower set 286 mm, 1 spray
Consisting of:
Head shower Rainshower Cosmopolitan 210 (28 373 000)
material: metal
1 spray pattern:
Rain
Shower arm Rainshower 286 mm (28 576 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
starting at 0.5 bar flow pressure

26 052 000 **Chrome** **4005176937064** **419.04**
ditto, with non-restricted flow






26 063 000 **Chrome** **4005176937170** **419.04**

Rainshower Cosmopolitan 210
Head shower set ceiling 142 mm, 1 spray
Consisting of:
Head shower Rainshower Cosmopolitan 210 (28 373 000)
material: metal
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
starting at 0.5 bar flow pressure





26 459 000 **Chrome** **4005176416965** **247.24**

Euphoria 260
Head shower set 380 mm, 3 sprays
Consisting of:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
shower arm Rainshower 380 mm (28 361 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater


26 458 000 **Chrome** **4005176416958** **247.24**
ditto, with non-restricted flow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 461 000	**Chrome**	**4005176416989**	**196.55**

Euphoria 260
Head shower set ceiling 142 mm, 3 sprays
Consisting of:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 460 000	**Chrome**	**4005176416972**	**196.55**

ditto, with non-restricted flow






26 073 000	**Chrome**	**4005176937279**	**258.36**

Euphoria Cube 150
Head shower set 286 mm, 1 spray
head shower Euphoria Cube 150 (27 705 000)
1 spray pattern:
Rain
Shower arm Rainshower 286 mm (27 709 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life






26 663 000	**Chrome**	**4005176580505**	**204.45**

Tempesta 250
Head shower set 380 mm, 1 spray
Consisting of:
head shower Tempesta 250 (26 662)
Rain
fully chrome plated surfaces
shower arm 380 mm (28 361)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition

26 668 000	**Chrome**	**4005176580550**	**191.53**

ditto, but head shower with white rear cover





26 664 000	**Chrome**	**4005176580512**	**165.07**

Tempesta 250
Head shower set ceiling 142 mm, 1 spray
Consisting of:
head shower Tempesta 250 (26 662)
Rain
fully chrome plated surfaces
shower arm ceiling 142 mm (28 724)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition


26 669 000	**Chrome**	**4005176580567**	**152.15**

ditto, but head shower with white rear cover

GROHE
HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 682 000	Chrome	4005176580697	211.60






Tempesta 250 Cube
Head shower set 380 mm, 1 spray
Consisting of:
head shower Tempesta 250 Cube (26 681)
1 spray pattern:
Rain
fully chrome plated surfaces
shower arm 380 mm
with square escutcheon
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition

26 687 000	Chrome	4005176580741	198.23

ditto, but head shower with white rear cover

26 683 000	Chrome	4005176580703	170.85






Tempesta 250 Cube
Head shower set ceiling 142 mm, 1 spray
Consisting of:
head shower Tempesta 250 Cube (26 681)
1 spray pattern:
Rain
fully chrome plated surfaces
shower arm ceiling 142 mm (27 485)
with square escutcheon
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition

26 688 000	Chrome	4005176580758	157.47

ditto, but head shower with white rear cover

26 412 000	Chrome	4005176390173	179.25






Tempesta 210
Head shower set 286 mm, 1 spray
Consisting of:
head shower Tempesta 210 9.5 l/min (26 410)
1 spray pattern:
Rain
Shower arm Rainshower 286 mm (28 576 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 267 001	Chrome	4005176444197	64.25







Tempesta 100
Head shower 1 spray
Rain
Ball joint +/- 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
for **low pressure**

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 869 001	Chrome	4005176444005	86.55

Tempesta Cosmopolitan 100
Head shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
Ball joint +/- 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater

 	26 090 001	Chrome	4005176443992	80.33

Tempesta Cosmopolitan 100
Head shower set 3 sprays
GROHE Rain O², Rain, Massage
Ball joint +/- 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater


 	26 089 001	Chrome	4005176444067	76.62

Tempesta Rustic 100
Head shower set 4 sprays
GROHE Rain O², Rain, Massage, Jet
Ball joint +/- 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)





26 373 001 **Chrome** **4005176415593** **23,176.74**

Rainshower F-Series 40" AquaSymphony
Ceiling shower 6+ sprays with light
1016 mm x 762 mm x 145 mm
material: metal
minimum flow rate 25 l/min
min. recommended pressure 3.0 bar
1 x AquaCurtain
1 x Pure XL spray
1 x 2 mist spray
2 x GROHE PureRain spray 400 x 190 mm
2 x XL Waterfall (separately controlled)
1 x 4 Bokoma Spray with adjustment angle 20° and combinations
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
power supply for light 12 V DC
CE approved
SpeedClean anti-limescale system
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish


requires rough-in set (26 376 001), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to individualised installation

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

recommendation: configuration with Grohtherm SmartControl
3 x Grohtherm SmartControl (29 126 000)
3 x GROHE Rapido SmartBox (35 604 000)
1 x Euphoria Cube Stick wall holder set 1 spray (26 405 000)

this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A++






26 376 001 **Chrome** **4005176415609** **2,206.49**

Rainshower F-Series 40"
Roughing-in set
for use with Rainshower F-Series 40" AquaSymphony ceiling shower
1000 mm x 745 mm x 152 mm
min. installation depth: 167 mm
Waterways: Brass
1/2" connections

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.





27 865 000 **Chrome** **4005176918179** **4,712.44**


Rainshower F-Series 20"
Ceiling shower with light, 1 spray
Rain
508 x 508 x 59 mm
material: metal
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
power supply for light 12 V DC
CE approved
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater
requires rough-in set (29 069 000), F-digital Deluxe base unit box (36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation.
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+
For detailed planning and product information please contact your local GROHE Customer Service.

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 286 000 **Chrome** **4005176860737** **1,976.57**

Rainshower F-Series 20"
Ceiling shower 1 spray
Rain
508 x 508 mm
material: metal
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system






27 939 001 **Chrome** **4005176927287** **3,385.77**


Rainshower F-Series 15"
Ceiling shower 3 sprays
Rain, Bokoma Spray, Waterfall and combinations
381 mm (width) x 17 mm (height) x 456 mm (depth)
material: metal
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE XL Waterfall extra wide waterfall spray
SpeedClean anti-limescale system
flow of single spray at 3 bar:
1 x Rain spray 300 mm: ca. 20 l/min
2 x XL Waterfall: 1 Waterfall: 20 l, 2 Waterfall: 32 l/min
4 x Bokoma Spray with adjustment angle 20°: 20 l/min
head shower has to be controlled by 4 outlets






27 938 001 **Chrome** **4005176927072** **3,385.72**

Rainshower F-Series 15"
Head shower 3 sprays
Rain, Bokoma Spray, Waterfall and combinations
381 mm (width) x 60 mm (height) x 677 mm (depth)
material: metal
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE XL Waterfall extra wide waterfall spray
SpeedClean anti-limescale system
flow of single spray at 3 bar:
1 x Rain spray 300 mm: ca. 20 l/min
2 x XL Waterfall: 1 Waterfall: 20 l, 2 Waterfall: 32 l/min
4 x Bokoma Spray with adjustment angle 20°: 20 l/min
Requires Rough-in (26 042) - to be ordered separately
head shower has to be controlled by 4 outlets






26 042 000 **4005176935954** **219.92**

Rainshower F-Series 15"
Roughing-in set
for use with Rainshower F-Series 15" Multi Spray head shower
295 mm (width) x 121 mm (height) x 181 mm (depth)
Max. installation depth: 91 mm
Min. wall thickness: not less that 200 mm
Minimum screw-in depth of stud bolts: 14 mm
Full metal construction
Waterways: Brass
1/2" connections






27 467 000 **Chrome** **4005176882609** **678.63**

Rainshower F-Series 10" 254 x 254
Ceiling shower 1 spray
Rain
254 x 254 mm
material: metal
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)





27 285 000	**Chrome**	**4005176860713**	**493.20**

Rainshower F-Series 10"
Head shower 1 spray
Rain
254 x 254 mm
material: metal
Ball joint +/- 20° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

27 271 000	**Chrome**	**4005176860690**	**493.20**


ditto, with non-restricted flow



27 252 000	**Chrome**	**4005176856334**	**122.36**

Rainshower F-Series 5"
Side shower 1 spray
Normal spray
including concealed body
also to be used as head shower
127 x 127 mm
flow straightener with ball joint (± 12.5° rotatable)
female thread 1/2" NPT
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FlowBalance flow regulating screw
SpeedClean anti-limescale system
suitable for instantaneous heater





27 251 000	**Chrome**	**4005176856327**	**122.36**
27 251 DC0	**supersteel**	**4005176431586**	**163.16**
27 251 GL0	**cool sunrise**	**4005176338861**	**186.63**
27 251 GN0	**brushed cool sunrise**	**4005176431555**	**197.81**
27 251 DA0	**warm sunset**	**4005176338854**	**186.63**
27 251 DL0	**brushed warm sunset**	**4005176431579**	**197.81**
27 251 A00	**hard graphite**	**4005176338878**	**201.84**
27 251 AL0	**Brushed Hard Graphite**	**4005176338885**	**214.44**

Rainshower F-Series 5"
Side shower 1 spray
Normal spray
including concealed body
127 x 127 mm
flow straightener with ball joint (± 12.5° rotatable)
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FlowBalance flow regulating screw
SpeedClean anti-limescale system



27 254 000	**Chrome**	**4005176856372**	**184.17**


Rainshower F-Series 5"
Head shower 1 spray
Normal spray
wall mounted
127 x 127 mm
flow straightener with ball joint (± 12.5° rotatable)
female thread 1/2" NPT
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FlowBalance flow regulating screw
SpeedClean anti-limescale system
suitable for instantaneous heater

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 253 000	**Chrome**	**4005176856365**	**184.17**

Rainshower F-Series 5"
Head shower 1 spray
wall mounted
127 x 127 mm
flow straightener with ball joint (± 12.5° rotatable)
connection thread with pre-assembled
sealing
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FlowBalance flow regulating screw
SpeedClean anti-limescale system










26 641 000	**Chrome**	**4005176530210**	**583.35**

Rainshower SmartConnect 310
Head shower 2 sprays
GROHE PureRain, ActiveRain
default spray type programmable
spray plate chrome
ball joint with turning angle ± 10°
connection thread 1/2"
with wireless remote control to change or combine spray patterns
screw or glue holder to wall
battery powered
including 3 x AAA batteries and 1 x CR 2032 button cell
LED indicator for pairing and battery change
water resistant remote control rated IP57
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.5 bar









26 643 000	**Chrome**	**4005176530234**	**610.17**

Rainshower SmartConnect 310 Cube
Head shower 2 sprays
GROHE PureRain, ActiveRain
default spray type programmable
spray plate chrome
ball joint with turning angle ± 10°
connection thread 1/2"
with wireless remote control to change or combine spray patterns
screw or glue holder to wall
battery powered
including 3 x AAA batteries and 1 x CR 2032 button cell
LED indicator for pairing and battery change
water resistant remote control rated IP57
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.5 bar



26 569 000	**Chrome**	**4005176482175**	**320.73**
26 569 EN0	**brushed nickel**	**4005176482182**	**480.54**

Rainshower Mono 310
Head shower 1 spray
GROHE PureRain
spray plate chrome
ball joint with turning angle ± 10°
connection thread 1/2"
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar


26 562 000	**Chrome**	**4005176481765**	**335.81**
26 562 LS0	**moon white**	**4005176482144**	**436.44**

ditto, with GROHE EcoJoy 9.5 l/min flow limiter

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 561 000	**Chrome**	**4005176481758**	**335.81**
26 561 LS0	**moon white**	**4005176482137**	**436.44**





Rainshower Mono 310
Head shower 1 spray
GROHE PureRain
spray plate chrome
ball joint with turning angle ± 10°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 570 000	**Chrome**	**4005176482199**	**348.68**
26 570 EN0	**brushed nickel**	**4005176482205**	**523.00**




Rainshower Mono 310 Cube
Head shower 1 spray
GROHE PureRain
spray plate chrome
ball joint with turning angle ± 10°
connection thread 1/2"
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 568 000	**Chrome**	**4005176482120**	**365.07**
26 568 LS0	**moon white**	**4005176482168**	**475.03**

ditto, with GROHE EcoJoy 9.5 l/min flow limiter

26 567 000	**Chrome**	**4005176482113**	**365.07**
26 567 LS0	**moon white**	**4005176482151**	**475.03**






Rainshower Mono 310 Cube
Head shower 1 spray
GROHE PureRain
spray plate chrome
ball joint with turning angle ± 10°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater

27 470 000	**Chrome**	**4005176882531**	**517.93**






Rainshower Veris 300
Head shower 1 spray
Rain
300 x 150 mm
material: metal
ball joint with turning angle ± 15°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

27 470 LS0	**moon white**	**4005176997235**	**619.22**








Rainshower Veris 300
Head shower 1 spray
Rain
spray plate white
300 x 150 mm
material: metal
ball joint with turning angle ± 15°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**27 863 000**	**Chrome**	**4005176918155**	**740.43**
	Rainshower Allure 230 **Ceiling shower 1 spray** Rain 230 x 230 mm material: metal connection thread 1/2" **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system			
	**26 469 000**	**Chrome**	**4005176423970**	**524.12**
	Rainshower Allure 230 **Head shower 1 spray** Rain 230 x 230 mm material: metal ball joint with turning angle ± 15° connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **suitable for instantaneous heater**			
 	**27 480 000**	**Chrome**	**4005176883316**	**530.30**
	Rainshower Allure 230 **Head shower 1 spray** Rain 230 x 230 mm material: metal ball joint with turning angle ± 15° connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **suitable for instantaneous heater**			
	27 479 000	**Chrome**	**4005176883309**	**530.31**
	ditto, with non-restricted flow			
 	**28 778 000**	**Chrome**	**4005176820526**	**715.72**
	Rainshower Cosmopolitan 400 **Head shower 1 spray** diameter 400 mm material: metal ball joint with turning angle 20° ± 20° connection thread 1/2" **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system this head shower should only be used in conjunction with shower arm 26 146, 28 982 or 28 497			
	**26 472 000**	**Chrome**	**4005176424908**	**540.90**
	Rainshower Cosmopolitan 310 **Head shower 1 spray** Rain Ø 310 mm material: metal ball joint with turning angle 20° ± 20° connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **suitable for instantaneous heater**			

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)
27 478 000	**Chrome**	**4005176883293**	**542.66**






Rainshower Cosmopolitan 310
Head shower 1 spray
Rain
Ø 310 mm
material: metal
ball joint with turning angle 20° ± 20°
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater


27 477 000	**Chrome**	**4005176883286**	**542.66**

ditto, with non-restricted flow

---

28 368 00E	**Chrome**	**4005176867385**	**369.59**





Rainshower Cosmopolitan 210
Head shower 1 spray
Rain
starting at 0.5 bar flow pressure
Ø 210 mm
material: metal
with ball joint
rotation angle ± 15°
connection thread 1/2"
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE StarLight chrome finish
SpeedClean anti-limescale system

28 368 000	**Chrome**	**4005176267253**	**251.93**

ditto, with non-restricted flow


28 373 000	**Chrome**	**4005176267277**	**381.95**

ditto, with 9.5 l/min flow limiter

---

28 368 LS0	**moon white**	**4005176997242**	**468.47**





Rainshower Cosmopolitan 210
Head shower 1 spray
Rain
starting at 0.5 bar flow pressure
spray plate white
Ø 210 mm
material: metal
with ball joint
rotation angle ± 15°
connection thread 1/2"
GROHE DreamSpray perfect flow
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater
this headshower should only be used in conjunction with shower arm 28 384 000, 28 497 000, 28 576 000 or 28 724 000

---

27 135 000	**Chrome**	**4005176836077**	**133.37**
27 135 EN0	**brushed nickel**	**4005176836084**	**247.00**




Rainshower Cosmopolitan 160
Head shower 4 sprays
Rain / Jet / Pure / Champagne spray
Ø 160 mm
ball joint wih turning angle 15° ± 15°
GROHE EcoJoy 9.5 l/min flow limiter
SpeedClean anti-limescale system
suitable for instantaneous heater
Min. recommended pressure 0.5 bar
The head shower is suitable for minimum flow rate of 7.5 l/min and a maximum of 9.5 l/min (ASME A112.18.1M). Minimum pressure > 1 bar, maximum 6 bar (ASME A112.18.1M).
recommended for use with Rainshower shower arms

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)





27 134 000	**Chrome**	**4005176836060**	**134.73**


Rainshower Cosmopolitan 160
Head shower 4 sprays
Rain / Jet / Pure / Champagne spray
Ø 160 mm
ball joint with turning angle ± 15°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system



26 474 000	**Chrome**	**4005176424939**	**391.13**
26 474 BE0	**polished nickel**	**4005176424953**	**508.48**
26 474 EN0	**brushed nickel**	**4005176424946**	**508.48**
26 474 ZB0	**antique bronze**	**4005176424960**	**508.48**

Rainshower Rustic 210
Head shower 1 spray
Rain spray pattern
normal (wide) spray **starting at 0.5** bar
flow pressure
Ø 210 mm
120 spray nozzles
brass
ball joint with turning angle 20° ± 20°
connection thread 1/2"
GROHE EcoJoy 6.6 l/min flow limiter
GROHE StarLight chrome finish
SpeedClean anti-limescale system






28 369 000	**Chrome**	**4005176267260**	**394.33**

Rainshower Rustic 210
Head shower 1 spray
material: metal
ball joint with turning angle 20° ± 20°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system






27 974 000	**Chrome**	**4005176932793**	**480.86**
27 974 IG0	**chrome/gold**	**4005176933486**	**629.17**

Grandera 210
Head shower 1 spray
221 x 221 mm
material: metal
with ball joint
rotation angle ± 15°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system





28 308 000	**Chrome**	**4005176254949**	**139.56**

Sena 75
Head shower 1 spray
Normal spray
sprayface: metal
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

GROHE
HEAD SHOWERS


Ref. No.	Colour	EAN	Retail Guide Price (£)



28 448 000 **Chrome** **4005176265167** **189.09**

Movario 100 Five
Head shower 5 sprays
Wide spray / Needle Jet / Rain / Massage / Champagne spray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE StarLight chrome finish
SpeedClean anti-limescale system






27 530 000 **Chrome** **4005176889219** **517.92**

Relexa Deluxe 130
Head shower 4 sprays
Normal, Rain, Champagne spray, Champagne spray Deluxe
Ball joint +/- 15° rotatable
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
Inner WaterGuide for a longer life






27 062 000 **Chrome** **4005176831669** **221.24**

Relexa 100 Five
Head shower 5 sprays
Wide spray / Needle Jet / Rain / Massage / Champagne spray
ball-joint
connection thread with pre-assembled sealing
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
minimum flow rate 7.5 l/min.






27 067 000 **Chrome** **4005176832123** **147.08**

Relexa 65
Side shower 2 sprays
Wide spray/Massage
ball-joint
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life








26 457 000 **Chrome** **4005176416934** **148.36**

Euphoria 260
Head shower 3 sprays
Rain, SmartRain, Jet
Ø 260 mm
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 455 000 **Chrome** **4005176416903** **148.36**
ditto, with non-restricted flow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**27 492 000**	**Chrome**	**4005176885556**	**147.09**
	Euphoria Cosmopolitan 180 **Head shower 1 spray** Rain Ø 180 mm Ball joint +/- 15° rotatable connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system			
 	**28 233 000**	**Chrome**	**4005176868016**	**97.67**
	Euphoria Cosmopolitan 160 **Head shower 1 spray** Rain Ball joint +/- 15° rotatable connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **suitable for instantaneous heater**			
 	**27 237 000**	**Chrome**	**4005176854286**	**85.28**
	Euphoria 110 Mono **Head shower 1 spray** Rain connection thread 1/2" bellows **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **suitable for instantaneous heater**			
	**28 737 000**	**Chrome**	**4005176872983**	**60.56**
	Euphoria Rustic 130 **Head shower 1 spray** Rain Ball joint +/- 20° rotatable connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system			
	**26 468 000**	**Chrome**	**4005176423963**	**164.99**
	Euphoria Cube 150 **Head shower 1 spray** Rain 152 x 152 mm ball-joint rotation angle ± 12° connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life			

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)
27 705 000	**Chrome**	**4005176907166**	**159.46**






Euphoria Cube 150
Head shower 1 spray
Rain
152 x 152 mm
ball-joint
rotation angle ± 12°
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

26 662 000	**Chrome**	**4005176580499**	**124.12**






Tempesta 250
Head shower 1 spray
Rain
Ø 250 mm
fully chrome plated surfaces
ball joint with turning angle ± 10°
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition

26 666 000	**Chrome**	**4005176580536**	**111.18**

ditto, but with white rear cover

26 681 000	**Chrome**	**4005176580680**	**128.46**





Tempesta 250 Cube
Head shower 1 spray
Rain
250 mm x 250 mm
fully chrome plated surfaces
ball joint with turning angle ± 10°
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition

26 685 000	**Chrome**	**4005176580727**	**115.06**

ditto, but with white rear cover

26 409 000	**Chrome**	**4005176390128**	**101.39**



Tempesta 210
Head shower 1 spray
Rain
Ø 210 mm
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 410 000	**Chrome**	**4005176390142**	**101.39**






ditto, with 9.5 l/min flow limiter

26 408 000	**Chrome**	**4005176390111**	**101.39**


ditto, with non-restricted flow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**27 606 001**	**Chrome**	**4005176444180**	**65.51**
	Tempesta 100 **Head shower 4 sprays** GROHE Rain O², Rain, Massage, Jet connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life			
 	**26 050 001**	**Chrome**	**4005176444166**	**51.94**
	Tempesta 100 **Head shower 1 spray** Rain Ball joint +/- 15° rotatable **GROHE EcoJoy** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **suitable for instantaneous heater**			
 	**27 591 001**	**Chrome**	**4005176443985**	**72.94**
	Tempesta Cosmopolitan 100 **Head shower 4 sprays** GROHE Rain O², Rain, Massage, Jet connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life			
	**26 051 001**	**Chrome**	**4005176443954**	**58.09**
	Tempesta Cosmopolitan 100 **Head shower 1 spray** Rain Ball joint +/- 15° rotatable connection thread 1/2" **GROHE EcoJoy** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **suitable for instantaneous heater**			
 	**27 541 001**	**Chrome**	**4005176451676**	**92.69**
	Tempesta Cosmopolitan 200 **Head shower 1 spray** Rain spray pattern Ball joint +/- 20° rotatable connection thread 1/2" **suitable for instantaneous heater**			
 	**27 610 001**	**Chrome**	**4005176444050**	**66.74**
	Tempesta Rustic 100 **Head shower 4 sprays** GROHE Rain O², Rain, Massage, Jet Ball joint +/- 15° rotatable connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life			


GROHE
HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 404 000	Chrome	4005176601736	22.40


Relexa Basic 85
Head shower 1 spray
Rain
brass tin plate
50 mm high
connection thread 1/2"

 	28 094 000	Chrome	4005176601132	57.46


Relexa Plus 50
Head shower 1 spray
with ball joint
1/2" connection
GROHE StarLight chrome finish
adjustable flow rate
without shower arm

 	28 002 000	Chrome	4005176858796	208.89

Relexa 70
Sports head shower 1 spray
low aerosol emission
heavy, cast model
theft proof
connection thread 1/2"
projection 57 mm
flow limiter 9 l/min. and 12 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suicide resistant design
pipe union plug-in for wall connection

 	28 948 000	Chrome	4005176209871	151.29

Relexa Plus 60
Sports head shower 1 spray
heavy, cast model
connection thread 1/2"
projection 148 mm
GROHE StarLight chrome finish
SpeedClean anti-limescale system

 	28 286 000	Chrome	4005176198526	110.01


Relexa 50
Side shower 2 sprays
Wide Spray/ Needle Jet
ball-joint
GROHE StarLight chrome finish
SpeedClean anti-limescale system

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)
28 198 000	**Chrome**	**4005176038686**	**139.56**






Relexa 50
Side shower 1 spray
Normal spray
ball-joint
GROHE StarLight chrome finish
SpeedClean anti-limescale system
pre-adjustment for the flow rate
pre-adjustable flow rate from 5-11 l/min.
minimum flow rate 4.5 l/min

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 146 000 **Chrome** **4005176986017** **122.39**

Rainshower
Shower arm 422 mm
material: metal
connection thread 1/2"
with round escutcheon, can be used for all Rainshower head showers
GROHE StarLight chrome finish






26 146 LS0 **moon white** **4005176997266** **122.37**

Rainshower
Shower arm 422 mm
material: metal
connection thread 1/2"
with round escutcheon, white
can be used for all Rainshower head showers
GROHE StarLight chrome finish






28 982 000 **Chrome** **4005176829987** **147.11**

Rainshower
Shower arm 378 mm
material: metal
connection thread 1/2"
GROHE StarLight chrome finish






28 361 000 **Chrome** **4005176295157** **110.01**

Rainshower
Shower arm, 380 mm
material: metal
connection thread 1/2"
can be used for all Rainshower head showers except Rainshower 400 mm
GROHE StarLight chrome finish

28 576 000 **Chrome** **4005176274022** **85.28**

Ditto, projection 286 mm






26 145 000 **Chrome** **4005176986000** **147.11**

Rainshower
Shower arm 422 mm
material: metal
connection thread 1/2"
with square escutcheon
can be used for all Rainshower head showers
GROHE StarLight chrome finish










27 488 000 **Chrome** **4005176885525** **85.28**





Rainshower
Shower arm 275 mm
material: metal
connection thread 1/2"
with square escutcheon
can be used for all Rainshower head showers except Rainshower 400 mm
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**27 709 000** **Rainshower** **Shower arm 286 mm** material: metal connection thread 1/2" with square escutcheon and rectangular arm suitable for square Rainshower Allure and Euphoria Cube head shower **GROHE StarLight** chrome finish	**Chrome**	**4005176909092**	**122.37**
 	**28 497 000** **Rainshower** **Shower ceiling arm 292 mm** material: metal connection thread 1/2" can be used for all Rainshower head showers **GROHE StarLight** chrome finish	**Chrome**	**4005176270338**	**72.95**
	28 724 000 **ditto, length 142 mm**	**Chrome**	**4005176812644**	**60.57**
 	**27 484 000** **Rainshower** **Shower ceiling arm 292 mm** material: metal connection thread 1/2" with square escutcheon can be used for all Rainshower head showers **GROHE StarLight** chrome finish	**Chrome**	**4005176885488**	**72.94**
	27 485 000 **ditto, 142 mm length**	**Chrome**	**4005176885495**	**60.58**
 	**27 711 000** **Rainshower** **Shower arm ceiling 154 mm** material: metal connection thread 1/2" **GROHE StarLight** chrome finish	**Chrome**	**4005176909115**	**97.65**
 	**27 986 000** **27 986 IG0** **Rainshower Grandera** **Shower arm 286 mm** projection 286 mm material: metal connection thread 1/2" Grandera escutcheon **GROHE StarLight** chrome finish	**Chrome** **chrome/gold**	**4005176933011** **4005176933547**	**110.01** **147.08**

GROHE
HEAD SHOWERS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**27 978 000**	**Chrome**	**4005176932830**	**85.27**
	Rainshower Grandera **Shower arm ceiling 142 mm** material: metal length 142 mm connection thread 1/2" Grandera escutcheon **GROHE StarLight** chrome finish			
 	**27 406 000**	**Chrome**	**4005176600166**	**57.46**
	Relexa **Shower arm 218 mm** connection thread 1/2" projection 218 mm escutcheon **GROHE StarLight** chrome finish			
 	**28 541 000**	**Chrome**	**4005176040528**	**45.74**
	Relexa **Shower arm 147 mm** connection thread 1/2" escutcheon **GROHE StarLight** chrome finish			
 	**28 429 000**	**Chrome**	**4005176601910**	**57.46**
	Relexa **Shower arm 55 mm** connection thread 1/2" **GROHE StarLight** chrome finish			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SENA

Ref. No.	Colour	EAN	Retail Guide Price (£)






28 341 000	**Chrome**	**4005176259463**	**159.46**

Sena Stick
Hand shower 1 spray
Normal spray
material: metal
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses

28 034 000	**Chrome**	**4005176231810**	**159.46**

ditto, with non-restricted flow






26 465 000	**Chrome**	**4005176423918**	**162.66**
26 465 DC0	**supersteel**	**4005176459092**	**227.52**
26 465 BE0	**polished nickel**	**4005176459160**	**260.01**
26 465 EN0	**brushed nickel**	**4005176423925**	**276.24**
26 465 GL0	**cool sunrise**	**4005176459108**	**260.01**
26 465 GN0	**brushed cool sunrise**	**4005176459115**	**276.24**
26 465 DA0	**warm sunset**	**4005176459122**	**260.01**
26 465 DL0	**brushed warm sunset**	**4005176459139**	**276.24**
26 465 A00	**hard graphite**	**4005176459146**	**260.01**
26 465 AL0	**Brushed Hard Graphite**	**4005176459153**	**276.25**


Sena Stick
Hand shower 1 spray
Normal spray
material: metal
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses






28 348 000	**Chrome**	**4005176263262**	**151.29**

Sena
Wall holder set 1 spray
material: metal
hand shower Sena Stick (28 034 000)
wall shower holder (28 690)
shower hose (28 151 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life






28 308 000	**Chrome**	**4005176254949**	**139.56**

Sena 75
Head shower 1 spray
Normal spray
sprayface: metal
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system






28 690 000	**Chrome**	**4005176256196**	**104.38**

Sena
Wall hand Shower holder
non-adjustable
material: metal
GROHE StarLight chrome finish

GROHE
SENA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**28 389 000**	**Chrome**	**4005176269837**	**13.96**


Sena
Adapter 1/2“ x 1/2“
material: metal
for use with hand shower holder or shower rail
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER SMARTACTIVE

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 574 000	**Chrome**	**4005176485916**	**80.46**
26 574 DC0	**supersteel**	**4005176526459**	**143.04**
26 574 GL0	**cool sunrise**	**4005176558511**	**137.46**
26 574 GN0	**brushed cool sunrise**	**4005176558528**	**145.28**
26 574 DA0	**warm sunset**	**4005176558481**	**137.46**
26 574 DL0	**brushed warm sunset**	**4005176558498**	**145.28**
26 574 A00	**hard graphite**	**4005176558450**	**137.46**
26 574 AL0	**Brushed Hard Graphite**	**4005176558467**	**145.28**





Rainshower SmartActive 130
Hand shower 3 sprays
spray plate chrome
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses
suitable for instantaneous heater


26 544 000	**Chrome**	**4005176478888**	**80.46**

ditto, with non-restricted flow

---

26 574 LS0	**moon white**	**4005176485923**	**80.46**






Rainshower SmartActive 130
Hand shower 3 sprays
spray plate moon white
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses
suitable for instantaneous heater

---

26 575 000	**Chrome**	**4005176485947**	**172.10**





Rainshower SmartActive 130
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 (26 574)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater


26 546 000	**Chrome**	**4005176479816**	**172.10**

ditto, with non-restricted flow

GROHE
RAINSHOWER SMARTACTIVE

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 578 000 **Chrome** **4005176485985** **176.57**

Rainshower SmartActive 130
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 (26 544)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater






26 579 LS0 **moon white** **4005176486203** **177.69**

Rainshower SmartActive 130
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 (26 574)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater

26 578 LS0 **moon white** **4005176486197** **176.57**
ditto, with non-restricted flow






26 581 000 **Chrome** **4005176486234** **112.87**

Rainshower SmartActive 130
Wall holder set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 (26 574)
wall shower holder (27 056)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater





26 581 LS0 **moon white** **4005176486241** **112.87**


Rainshower SmartActive 130
Wall holder set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 (26 574)
wall shower holder (27 056)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER SMARTACTIVE

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 580 000 **Chrome** **4005176486210** **132.99**

Rainshower SmartActive 130
Wall holder set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 (26 574)
wall shower holder, adjustable (27 055)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater






26 580 LS0 **moon white** **4005176486227** **132.99**

Rainshower SmartActive 130
Wall holder set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 (26 574)
wall shower holder, adjustable (27 055)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater






26 582 000	**Chrome**	**4005176486258**	**80.46**
26 582 DC0	**supersteel**	**4005176526466**	**124.96**
26 582 GN0	**brushed cool sunrise**	**4005176558603**	**145.28**
26 582 DL0	**brushed warm sunset**	**4005176558573**	**145.28**
26 582 A00	**hard graphite**	**4005176558535**	**137.46**
26 582 AL0	**Brushed Hard Graphite**	**4005176558542**	**145.28**

Rainshower SmartActive 130 Cube
Hand shower 3 sprays
spray plate chrome
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all
standard shower hoses
suitable for instantaneous heater

26 552 000 **Chrome** **4005176486272** **80.46**
ditto, with GROHE EcoJoy 6.8 l/min flow limiter

26 550 000 **Chrome** **4005176479854** **80.46**
ditto, with non-restricted flow






26 582 LS0 **moon white** **4005176486265** **80.46**

Rainshower SmartActive 130 Cube
Hand shower 3 sprays
spray plate moon white
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all
standard shower hoses
suitable for instantaneous heater

GROHE
RAINSHOWER SMARTACTIVE

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 584 000 **Chrome** **4005176486296** **172.10**

Rainshower SmartActive 130 Cube
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater

26 585 000 **Chrome** **4005176486319** **172.10**
ditto, with GROHE EcoJoy 6.8 l/min flow limiter

26 583 000 **Chrome** **4005176486289** **172.10**
ditto, with non-restricted flow






26 584 LS0 **moon white** **4005176486302** **172.10**

Rainshower SmartActive 130 Cube
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater









26 586 000 **Chrome** **4005176486333** **176.57**

Rainshower SmartActive 130 Cube
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 Cube (26 550)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater

26 587 000 **Chrome** **4005176486340** **177.69**
ditto, with GROHE EcoJoy 9.5 l/min flow limiter

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
RAINSHOWER SMARTACTIVE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**26 586 LS0**	**moon white**	**4005176486357**	**176.57**
	Rainshower SmartActive 130 Cube **Shower rail set 3 sprays** Consisting of: hand shower Rainshower SmartActive 130 Cube (26 550) shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) **GROHE EasyReach** tray **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** finish **GROHE FastFixation Plus** adjustable distance between brackets, to adapt to existing holes **GROHE TileFix** adjustable depth on upper and lower bracket **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **Twistfree** preventing the hose from twisting **suitable for instantaneous heater**			
	26 587 LS0	**moon white**	**4005176486364**	**177.69**
	ditto, with GROHE EcoJoy 9.5 l/min flow limiter			
 	**26 589 000**	**Chrome**	**4005176486395**	**112.87**
	Rainshower SmartActive 130 Cube **Wall holder set 3 sprays** Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) wall shower holder (27 056) Silverflex shower hose 1.500 mm (28 364) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **Twistfree** preventing the hose from twisting **suitable for instantaneous heater**			
 	**26 589 LS0**	**moon white**	**4005176486401**	**112.87**
	Rainshower SmartActive 130 Cube **Wall holder set 3 sprays** Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) wall shower holder (27 056) Silverflex shower hose 1.500 mm (28 364) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **Twistfree** preventing the hose from twisting **suitable for instantaneous heater**			
 	**26 588 000**	**Chrome**	**4005176486371**	**132.99**
	Rainshower SmartActive 130 Cube **Wall holder set 3 sprays** Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) wall shower holder, adjustable (27 055) Silverflex shower hose 1.500 mm (28 364) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **Twistfree** preventing the hose from twisting **suitable for instantaneous heater**			

GROHE
RAINSHOWER SMARTACTIVE

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 588 LS0 **moon white** **4005176486388** **132.99**

Rainshower SmartActive 130 Cube
Wall holder set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
wall shower holder, adjustable (27 055)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater






26 590 000 **Chrome** **4005176486418** **100.58**

Rainshower SmartActive 150
Hand shower 3 sprays
spray plate chrome
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all
standard shower hoses
suitable for instantaneous heater

26 553 000 **Chrome** **4005176479885** **100.58**
ditto, with non-restricted flow






26 592 000 **Chrome** **4005176486449** **203.39**

Rainshower SmartActive 150
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 150 (26 590)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation Plus adjustable distance
between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater

26 591 000 **Chrome** **4005176486425** **203.39**
ditto, with non-restricted flow





26 592 LS0 **moon white** **4005176486432** **204.51**


Rainshower SmartActive 150
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 150 (26 554)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE FastFixation Plus adjustable distance
between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER SMARTACTIVE

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 594 000	**Chrome**	**4005176486470**	**210.09**

Rainshower SmartActive 150
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 150 (26 590)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater

26 593 000	**Chrome**	**4005176486456**	**208.98**

ditto, with non-restricted flow






26 594 LS0	**moon white**	**4005176486463**	**210.09**

Rainshower SmartActive 150
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 150 (26 554)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater






26 602 000	**Chrome**	**4005176486531**	**103.93**

Rainshower SmartActive
Shower rail, 600 mm
with wall holders made of metal
glide element and swivel holder
GROHE FastFixation (variable distance between wall shower holders to adapt to existing holes)
GROHE TileFix adjustable depth on upper and lower bracket
GROHE EasyReach tray
GROHE StarLight chrome finish






26 603 000	**Chrome**	**4005176486548**	**109.52**
26 603 BE0	**polished nickel**	**4005176558719**	**219.03**
26 603 EN0	**brushed nickel**	**4005176558740**	**240.27**
26 603 GL0	**cool sunrise**	**4005176558757**	**219.03**
26 603 GN0	**brushed cool sunrise**	**4005176558764**	**240.27**
26 603 DA0	**warm sunset**	**4005176558726**	**219.03**
26 603 DL0	**brushed warm sunset**	**4005176558733**	**240.27**
26 603 A00	**hard graphite**	**4005176558696**	**219.03**
26 603 AL0	**Brushed Hard Graphite**	**4005176558702**	**240.27**

Rainshower SmartActive
Shower rail, 900 mm
with wall holders made of metal
glide element and swivel holder
GROHE FastFixation (variable distance between wall shower holders to adapt to existing holes)
GROHE TileFix adjustable depth on upper and lower bracket
GROHE EasyReach tray
GROHE StarLight chrome finish

GROHE
RAINSHOWER

Ref. No.	Colour	EAN	Retail Guide Price (£)
27 134 000	**Chrome**	**4005176836060**	**134.73**






Rainshower Cosmopolitan 160
Head shower 4 sprays
Rain / Jet / Pure / Champagne spray
Ø 160 mm
ball joint with turning angle ± 15°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

28 369 000	**Chrome**	**4005176267260**	**394.33**






Rainshower Rustic 210
Head shower 1 spray
material: metal
ball joint with turning angle 20° ± 20°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

27 276 000	**Chrome**	**4005176861437**	**97.66**
27 276 LS0	**moon white**	**4005176861451**	**97.66**






Rainshower Icon 150
Hand shower 2 sprays
Rain, SmartRain
Eco function (reduction of flow rate)
GROHE EcoJoy technology for less water and perfect flow
metal elbow adapter for the combination of
hand showers with shower hoses
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all
standard shower hoses

27 277 001	**Chrome**	**4005176875489**	**233.63**






Rainshower Icon 150
Shower rail set 2 sprays
hand shower Icon 150 (27 276 000)
shower rail 900 mm (28 819 001)
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
Elbow adapter for the combination of
handshowers with shower sets
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation Plus adjustable distance
between brackets, to adapt to existing holes
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER

Ref. No.	Colour	EAN	Retail Guide Price (£)
27 272 000	**Chrome**	**4005176860836**	**122.38**






Rainshower Solo 150
Hand shower 2 sprays
Rain, SmartRain
Eco function (reduction of flow rate)
Elbow adapter for the combination of handshowers with shower sets
GROHE EcoJoy technology for less water and perfect flow
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses


27 273 001	**Chrome**	**4005176875502**	**270.70**






Rainshower Solo 150
Shower rail set 2 sprays
hand shower Solo 150 (27 272 000)
shower rail 900 mm (28 819 001)
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
Elbow adapter for the combination of handshowers with shower sets
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting

GROHE
RAINSHOWER

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**27 274 000**	**Chrome**	**4005176861383**	**122.38**


Rainshower Eco 120
Hand shower 2 sprays
Rain, SmartRain
Eco function (reduction of flow rate)
Elbow adapter for the combination of handshowers with shower sets
GROHE StarLight chrome finish
GROHE DreamSpray perfect spray pattern
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses

 	**45 914 XE0**	**gray night time**	**4005176842054**	**27.26**


Spacer
for Relexa / Rainshower shower bars
28 819 / 28 797 / 27 136

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
RELEXA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 530 000	Chrome	4005176889219	517.92


Relexa Deluxe 130
Head shower 4 sprays
Normal, Rain, Champagne spray, Champagne spray Deluxe
Ball joint +/- 15° rotatable
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
Inner WaterGuide for a longer life

 	28 796 000	Chrome	4005176824296	147.08


Relexa 100 Five
Hand shower 5 sprays
Wide spray / Needle Jet / Rain / Massage / Champagne spray
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
minimum flow rate 7.5 l/min.

 	28 964 001	Chrome	4005176877254	246.00

Relexa 100 Five
Shower rail set 5 sprays
Consisting of:
Hand shower Relexa Five (28 796 000)
shower rail, 600 mm (28 797)
with wall holders made of metal
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting

 	27 062 000	Chrome	4005176831669	221.24

Relexa 100 Five
Head shower 5 sprays
Wide spray / Needle Jet / Rain / Massage / Champagne spray
ball-joint
connection thread with pre-assembled sealing
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
minimum flow rate 7.5 l/min.


 	27 067 000	Chrome	4005176832123	147.08

Relexa 65
Side shower 2 sprays
Wide spray/Massage
ball-joint
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

GROHE
RELEXA

	Ref. No.	Colour	EAN	Retail Guide Price (£)






28 537 000 **Chrome** **4005176040443** **116.10**

Relexa Low Aerosol 46
Hand shower 1 spray
metal spray plate
GROHE StarLight chrome finish
flow limiter
Universal Mounting System. Fits all standard shower hoses
9.5 l/min. maximum flow rate at 1 - 6 bar






28 404 000 **Chrome** **4005176601736** **22.40**

Relexa Basic 85
Head shower 1 spray
Rain
brass tin plate
50 mm high
connection thread 1/2"






28 094 000 **Chrome** **4005176601132** **57.46**

Relexa Plus 50
Head shower 1 spray
with ball joint
1/2" connection
GROHE StarLight chrome finish
adjustable flow rate
without shower arm






28 002 000 **Chrome** **4005176858796** **208.89**

Relexa 70
Sports head shower 1 spray
low aerosol emission
heavy, cast model
theft proof
connection thread 1/2"
projection 57 mm
flow limiter 9 l/min. and 12 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suicide resistant design
pipe union plug-in for wall connection





28 948 000 **Chrome** **4005176209871** **151.29**


Relexa Plus 60
Sports head shower 1 spray
heavy, cast model
connection thread 1/2"
projection 148 mm
GROHE StarLight chrome finish
SpeedClean anti-limescale system

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RELEXA





Ref. No.	Colour	EAN	Retail Guide Price (£)
28 286 000	**Chrome**	**4005176198526**	**110.01**





Relexa 50
Side shower 2 sprays
Wide Spray/ Needle Jet
ball-joint
GROHE StarLight chrome finish
SpeedClean anti-limescale system

GROHE
EUPHORIA


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**27 222 000**	**Chrome**	**4005176854132**	**72.92**
	Euphoria 110 Champagne **Hand shower 3 sprays** Rain, Champagne spray, SmartRain **GROHE DreamSpray** perfect spray pattern **GROHE SprayDimmer** (Stepless flow rate reduction) **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life Universal Mounting System. Fits all standard shower hoses **suitable for instantaneous heater**			
 	**26 513 000**	**Chrome**	**4005176457722**	**75.41**
	Euphoria 110 Massage **Hand shower 3 sprays** spray face Ø 110 mm Rain, Massage, SmartRain GROHE EcoJoy 6.6 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE SprayDimmer** (Stepless flow rate reduction) **GROHE StarLight** chrome finish spray plate white **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life Universal Mounting System. Fits all standard shower hoses **suitable for instantaneous heater** min. recommended pressure 1.0 bar			
 	**27 239 001**	**Chrome**	**4005176457715**	**75.41**
	Euphoria 110 Massage **Hand shower 3 sprays** spray face Ø 110 mm Rain, Massage, SmartRain **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE SprayDimmer** (Stepless flow rate reduction) **GROHE StarLight** chrome finish spray plate white **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life Universal Mounting System. Fits all standard shower hoses **suitable for instantaneous heater** min. recommended pressure 1.0 bar			
	27 221 001	**Chrome**	**4005176457708**	**69.23**
	ditto, with non-rectricted flow			
 	**27 239 000**	**Chrome**	**4005176854323**	**66.73**
	Euphoria 110 Massage **Hand shower 3 sprays** Rain, Massage, SmartRain **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE SprayDimmer** (Stepless flow rate reduction) **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life Universal Mounting System. Fits all standard shower hoses			
	27 221 000	**Chrome**	**4005176854125**	**60.57**
	ditto, with non-restricted flow			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUPHORIA

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 238 000 **Chrome** **4005176854293** **47.15**

Euphoria 110 Duo
Hand shower 2 sprays
Rain, SmartRain
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 220 000 **Chrome** **4005176854118** **48.19**
ditto, with non-restricted flow






27 265 00E **Chrome** **4005176885693** **35.82**

Euphoria 110 Mono
Hand shower 1 spray
Rain
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 265 000 **Chrome** **4005176856983** **35.82**
ditto, with non-restricted flow






27 224 000 **Chrome** **4005176854156** **35.82**

Euphoria 110 Mono
Hand shower 1 spray
Rain
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
min. recommended pressure 1.0 bar






27 232 001 **Chrome** **4005176899560** **122.38**

Euphoria 110 Champagne
Shower rail set 3 sprays
Consisting of:
hand shower Champagne (27 222)
shower rail, 600 mm (27 499)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar

GROHE
EUPHORIA

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 243 001 **Chrome** **4005176899799** **110.02**

Euphoria 110 Massage
Shower rail set 3 sprays
hand shower Massage (27 239 000)
shower rail, 600 mm (27 499)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
GROHE FastFixation (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater

27 231 001 **Chrome** **4005176899553** **110.02**
ditto, with non-restricted flow






27 242 001 **Chrome** **4005176899782** **109.98**

Euphoria 110 Duo
Shower rail set 2 sprays
Consisting of:
hand shower Euphoria 110 Duo (27 238)
shower rail, 600 mm (27 499)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
GROHE FastFixation (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 230 001 **Chrome** **4005176899546** **103.81**
ditto, with non-restricted flow






27 266 00E **Chrome** **4005176890710** **88.25**

Euphoria 110 Mono
Shower rail set 1 spray
Consisting of:
hand shower Euphoria Mono (27 265 000)
shower rail, 600 mm (27 499)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 266 001 **Chrome** **4005176899812** **97.65**
ditto, with non-restricted flow





27 256 001 **Chrome** **4005176899805** **91.46**


Euphoria 110 Mono
Shower rail set 1 spray
hand shower Mono (27 224 000)
shower rail, 600 mm (27 499)
shower hose 1500 mm (28 161)
soap dish
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUPHORIA

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 227 001 **Chrome** **4005176899522** **122.37**

Euphoria 110 Champagne
Shower rail set 3 sprays
Consisting of:
hand shower Champagne (27 222)
shower rail 900 mm (27 500)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
GROHE FastFixation (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar






27 226 001 **Chrome** **4005176899515** **122.37**

Euphoria 110 Massage
Shower rail set 3 sprays
Consisting of:
hand shower Massage (27 221 000)
shower rail 900 mm (27 500)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE FastFixation (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater






27 225 001 **Chrome** **4005176899508** **110.02**

Euphoria 110 Duo
Shower rail set 2 sprays
hand shower Duo (27 220 000)
shower rail 900 mm (27 500)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
GROHE FastFixation (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater









27 267 001 **Chrome** **4005176899829** **106.28**






Euphoria 110 Mono
Shower rail set 1 spray
Consisting of:
Handshower mono (27 265 000)
shower rail 900 mm (27 500)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar

GROHE
EUPHORIA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**27 355 000**	**Chrome**	**4005176874451**	**110.01**
	Euphoria 110 Champagne **Wall holder set 3 sprays** Wall shower holder 28 401 Silverflex shower hose 1750 mm (28 388 000) **GROHE DreamSpray** perfect spray pattern **GROHE SprayDimmer** (Stepless flow rate reduction) **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **Twistfree** preventing the hose from twisting **suitable for instantaneous heater** min. recommended pressure 1.0 bar			
 	**27 354 000**	**Chrome**	**4005176874444**	**60.57**
	Euphoria 110 Mono **Wall holder set 1 spray** wall shower holder (27 056) Silverflex shower hose 1250 mm (28 362) **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **Twistfree** preventing the hose from twisting **suitable for instantaneous heater** min. recommended pressure 1.0 bar			
 	**26 459 000**	**Chrome**	**4005176416965**	**247.24**
	Euphoria 260 **Head shower set 380 mm, 3 sprays** Consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet shower arm Rainshower 380 mm (28 361 000) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **suitable for instantaneous heater**			
	26 458 000	**Chrome**	**4005176416958**	**247.24**
	ditto, with non-restricted flow			
 	**26 461 000**	**Chrome**	**4005176416989**	**196.55**
	Euphoria 260 **Head shower set ceiling 142 mm, 3 sprays** Consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet Rainshower shower arm ceiling 142 mm (28 724 000) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **suitable for instantaneous heater**			
	26 460 000	**Chrome**	**4005176416972**	**196.55**
	ditto, with non-restricted flow			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
EUPHORIA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**26 457 000** **26 455 000**	**Chrome** **Chrome**	**4005176416934** **4005176416903**	**148.36** **148.36**
	Euphoria 260 **Head shower 3 sprays** Rain, SmartRain, Jet Ø 260 mm Ball joint +/- 15° rotatable connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **suitable for instantaneous heater** **ditto, with non-restricted flow**			
 	**27 237 000**	**Chrome**	**4005176854286**	**85.28**
	Euphoria 110 Mono **Head shower 1 spray** Rain connection thread 1/2" bellows **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **suitable for instantaneous heater**			
 	**27 499 000** **27 500 000**	**Chrome** **Chrome**	**4005176886041** **4005176886058**	**48.21** **60.56**
	Euphoria **Shower rail, 600 mm** with wall holders, glide element and swivel holder **GROHE FastFixation** (upper bracket adjustable to adapt to existing holes) **GROHE StarLight** chrome finish **ditto, 900 mm**			
 	**48 051 000**		**4005176890024**	**7.04**
	Spacer for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500			
 	**27 596 000**		**4005176895944**	**11.12**
	GROHE EasyReach tray acrylic for Tempesta and Euphoria shower rails Ø 22 mm			

GROHE
EUPHORIA

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 400 000 **Chrome** **4005176877292** **48.22**

Euphoria Cosmopolitan Stick
Hand shower 1 spray
Normal spray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 367 000 **Chrome** **4005176875939** **48.22**
ditto, with non-restricted flow






27 368 000 **Chrome** **4005176875946** **184.18**

Euphoria Cosmopolitan Stick
Shower rail set 1 spray
Consisting of:
hand shower 27 400 000
shower rail, 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
soap dish (27 206)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE StarLight chrome finish
GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar






27 369 000 **Chrome** **4005176875953** **85.27**

Euphoria Cosmopolitan Stick
Wall holder set 1 spray
hand shower 27 400 000
wall shower holder (27 056)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
Min. recommended pressure 0.5 bar






27 492 000 **Chrome** **4005176885556** **147.09**

Euphoria Cosmopolitan 180
Head shower 1 spray
Rain
Ø 180 mm
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system





28 233 000 **Chrome** **4005176868016** **97.67**

Euphoria Cosmopolitan 160
Head shower 1 spray
Rain
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 467 000	**Chrome**	**4005176423956**	**98.35**



Euphoria Cube+ Stick
Hand shower 1 spray
Normal spray
material: metal
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses

27 888 000	**Chrome**	**4005176921179**	**97.66**
27 888 DC0	**supersteel**	**4005176526442**	**144.68**
27 888 GN0	**brushed cool sunrise**	**4005176558047**	**175.69**
27 888 DL0	**brushed warm sunset**	**4005176558016**	**175.69**
27 888 A00	**hard graphite**	**4005176557972**	**165.34**
27 888 AL0	**Brushed Hard Graphite**	**4005176557989**	**175.69**






Euphoria Cube+ Stick
Hand shower 1 spray
Normal spray
material: metal
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses

27 884 001	**Chrome**	**4005176919695**	**97.66**

ditto, with non-restricted flow

27 891 000	**Chrome**	**4005176921209**	**270.73**






Euphoria Cube+ Stick
Shower rail set 1 spray
hand shower, metal (27 888 000)
shower rail 600 mm (27 892 000)
metal shower hose 1750 mm (28 025)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting





27 890 000	**Chrome**	**4005176921193**	**283.08**









Euphoria Cube+ Stick
Shower rail set 1 spray
Consisting of:
hand shower, metal
shower rail 900 mm (27 841)
metal shower hose 1750 mm (28 025)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting

GROHE
EUPHORIA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**27 889 000**	**Chrome**	**4005176921186**	**147.09**
	Euphoria Cube+ Stick **Wall holder set 1 spray** hand shower, metal (27 888 000) wall shower holder (27 706) metal shower hose 1500 mm (28 417) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **Twistfree** preventing the hose from twisting			
 	**27 699 000**	**Chrome**	**4005176907104**	**48.20**
	Euphoria Cube Stick **Hand shower 1 spray** Normal spray **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life Universal Mounting System. Fits all standard shower hoses			
	27 698 000	**Chrome**	**4005176907098**	**48.20**
	ditto, with non-restricted flow			
 	**27 936 000**	**Chrome**	**4005176927058**	**212.18**
	Euphoria Cube **Shower set** Consisting of: Hand shower (27 698 000) shower rail 600 mm (27 892 000) Silverflex shower hose 1750 mm (28 388 000) **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **suitable for instantaneous heater** min. recommended pressure 1.0 bar			
 	**27 700 000**	**Chrome**	**4005176907111**	**233.61**
	Euphoria Cube Stick **Shower rail set 1 spray** Hand shower (27 698 000) shower rail 900 mm (27 841) Silverflex shower hose 1750 mm (28 388 000) **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **Twistfree** preventing the hose from twisting min. recommended pressure 1.0 bar			
 	**26 405 000**	**Chrome**	**4005176385162**	**87.17**
	Euphoria Cube Stick **Wall holder set 1 spray** with integrated wall union 1/2" Consisting of: Handshower (27 699 000) shower outlet elbow 1/2" with wall shower holder (26 370) male thread protected against backflow Silverflex shower hose 1250 mm (28 362) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE StarLight** chrome finish **GROHE DreamSpray** perfect spray pattern **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **Twistfree** preventing the hose from twisting **suitable for instantaneous heater** min. recommended pressure 1.0 bar			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE EUPHORIA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**27 703 000**	**Chrome**	**4005176907142**	**85.26**
	Euphoria Cube Stick **Wall holder set 1 spray** Handshower (27 699 000) wall shower holder (27 693 000) Silverflex shower hose 1250 mm (28 362) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **Twistfree** preventing the hose from twisting min. recommended pressure 1.0 bar			
	27 702 000	**Chrome**	**4005176907135**	**85.26**
	ditto, with non-restricted flow			
 	**26 073 000**	**Chrome**	**4005176937279**	**258.36**
	Euphoria Cube 150 **Head shower set 286 mm, 1 spray** head shower Euphoria Cube 150 (27 705 000) 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 709 000) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life			
 	**27 705 000**	**Chrome**	**4005176907166**	**159.46**
	Euphoria Cube 150 **Head shower 1 spray** Rain 152 x 152 mm ball-joint rotation angle ± 12° connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life			
 	**27 841 000**	**Chrome**	**4005176916670**	**221.27**
	Euphoria Cube **Shower rail, 900 mm** with wall holders, glide element and swivel holder **GROHE StarLight** chrome finish			
	**28 737 000**	**Chrome**	**4005176872983**	**60.56**
	Euphoria Rustic 130 **Head shower 1 spray** Rain Ball joint +/- 20° rotatable connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system			

GROHE TEMPESTA

Ref. No.	Colour	EAN	Retail Guide Price (£)
27 575 002	**Chrome**	**4005176443930**	**51.90**





Tempesta Cosmopolitan 100
Hand shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses


27 573 002	**Chrome**	**4005176443947**	**51.90**

ditto, with non-restricted flow

---

27 574 002	**Chrome**	**4005176443916**	**39.54**





Tempesta Cosmopolitan 100
Hand shower 3 sprays
GROHE Rain O², Rain, Massage
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses


27 572 002	**Chrome**	**4005176443923**	**39.54**

ditto, with non-restricted flow

---

27 571 20E	**Chrome**	**4005176443275**	**30.90**





Tempesta Cosmopolitan 100
Hand shower 2 sprays
Rain, Jet
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 571 002	**Chrome**	**4005176443893**	**30.90**

ditto, with non-restricted flow


26 130 001	**Chrome**	**4005176443909**	**30.90**

ditto, with non-restricted flow, for low pressure

---

26 082 002	**Chrome**	**4005176443268**	**24.72**






Tempesta Cosmopolitan 100
Hand shower 1 spray
Rain
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE TEMPESTA

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 577 002 **Chrome** **4005176451584** **93.94**

Tempesta Cosmopolitan 100
Shower rail set 4 sprays
Consisting of:
hand shower (27 575)
shower rail, 600 mm (27 521)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar






27 576 002 **Chrome** **4005176451560** **91.45**

Tempesta Cosmopolitan 100
Shower set 3 sprays
Consisting of:
hand shower (27 574)
shower rail, 600 mm (27 521 000)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 929 002 **Chrome** **4005176451577** **91.45**
ditto, with non-restricted flow






26 083 002 **Chrome** **4005176451546** **71.70**

Tempesta Cosmopolitan 100
Shower rail set 1 spray
Consisting of:
hand shower (26 082)
shower rail, 600 mm (27 521)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life









27 580 002 **Chrome** **4005176451515** **89.02**

Tempesta Cosmopolitan 100
Shower rail set 4 sprays
Consisting of:
hand shower Tempesta Cosmopolitan 100 (27 575)
shower rail, 600 mm (27 521)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life






27 787 002 **Chrome** **4005176451522** **89.02**
ditto, with non-restricted flow

GROHE TEMPESTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**27 579 002** **27 786 002**	**Chrome** **Chrome**	**4005176451492** **4005176451508**	**80.36** **80.36**
	Tempesta Cosmopolitan 100 **Shower rail set 3 sprays** Consisting of: hand shower (27 574) shower rail, 600 mm (27 521) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life			
	ditto, with non-restricted flow			
 	**27 578 20E** **27 578 002**	**Chrome** **Chrome**	**4005176451362** **4005176451386**	**68.53** **68.53**
	Tempesta Cosmopolitan 100 **Shower rail set 2 sprays** Consisting of: hand shower Tempesta Cosmopolitan 100 (27 571 20E) shower rail, 600 mm (27 521) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EcoJoy** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life			
	ditto, with non-restricted flow			
 	**27 790 002**	**Chrome**	**4005176451614**	**86.06**
	Tempesta Cosmopolitan 100 **Shower rail set 4 sprays** Consisting of: hand shower (27 573) shower rail, 900 mm (27 522) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **suitable for instantaneous heater** min. recommended pressure 1.0 bar			
 	**27 584 002**	**Chrome**	**4005176451621**	**59.35**
	Tempesta Cosmopolitan 100 **Shower set 3 sprays** hand shower (27 574) wall shower holder adjustable (27 595) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE TEMPESTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 588 002	Chrome	4005176451669	55.63
	Tempesta Cosmopolitan 100 **Wall holder set 3 sprays** Consisting of: hand shower (27 574) wall shower holder non-adjustable (27 594) Relexaflex hose 1500 mm 1/2" x 1/2" (28 151) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE StarLight** chrome finish **GROHE DreamSpray** perfect spray pattern **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life			
 	26 084 002	Chrome	4005176451645	39.53
	Tempesta Cosmopolitan 100 **Wall holder set 1 spray** Consisting of: hand shower (26 082) wall shower holder non-adjustable (27 594) Relexaflex hose 1500 mm 1/2" x 1/2" (28 151) **GROHE StarLight** chrome finish **GROHE DreamSpray** perfect spray pattern **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life			
 	27 869 001	Chrome	4005176444005	86.55
	Tempesta Cosmopolitan 100 **Head shower 4 sprays** GROHE Rain O², Rain, Massage, Jet Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **suitable for instantaneous heater**			
 	26 090 001	Chrome	4005176443992	80.33
	Tempesta Cosmopolitan 100 **Head shower set 3 sprays** GROHE Rain O², Rain, Massage Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **suitable for instantaneous heater**			
 	27 591 001	Chrome	4005176443985	72.94
	Tempesta Cosmopolitan 100 **Head shower 4 sprays** GROHE Rain O², Rain, Massage, Jet connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life			

GROHE TEMPESTA


Ref. No.	Colour	EAN	Retail Guide Price (£)



26 051 001 **Chrome** **4005176443954** **58.09**

Tempesta Cosmopolitan 100
Head shower 1 spray
Rain
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater






27 541 001 **Chrome** **4005176451676** **92.69**

Tempesta Cosmopolitan 200
Head shower 1 spray
Rain spray pattern
Ball joint +/- 20° rotatable
connection thread 1/2"
suitable for instantaneous heater






27 521 000 **Chrome** **4005176886508** **48.20**

Tempesta Cosmopolitan
Shower rail, 600 mm
with wall brackets, glider and swival holder
GROHE StarLight chrome finish

27 522 000 **Chrome** **4005176886515** **60.57**
ditto, 900 mm






48 051 000 **4005176890024** **7.04**

Spacer
for Tempesta shower rails
27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524
for Euphoria shower rails
27 499 / 27 500





27 596 000 **4005176895944** **11.12**


GROHE EasyReach tray
acrylic
for Tempesta and Euphoria shower rails Ø 22 mm

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE TEMPESTA

Ref. No.	Colour	EAN	Retail Guide Price (£)






28 421 002	**Chrome**	**4005176444142**	**48.21**

Tempesta 100
Hand shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling

28 578 002	**Chrome**	**4005176444159**	**48.21**

ditto, with non-restricted flow






28 419 002	**Chrome**	**4005176444128**	**35.83**

Tempesta 100
Hand shower 3 sprays
GROHE Rain O², Rain, Massage
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling

28 261 002	**Chrome**	**4005176444135**	**35.83**

ditto, with non-restricted flow





27 597 10E	**Chrome**	**4005176985409**	**27.19**

Tempesta 100
Hand shower 2 sprays
Rain, Jet
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling

26 161 001	**Chrome**	**4005176444104**	**27.19**

ditto, with 9.5 l/min flow limiter


27 597 001	**Chrome**	**4005176985508**	**27.19**

ditto, with non-restricted flow

28 422 002	**Chrome**	**4005176444111**	**27.19**

ditto, with non-restricted flow, for low pressure





27 923 001	**Chrome**	**4005176444074**	**21.26**

Tempesta 100
Hand shower 1 spray
Rain
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
Universal Mounting System. Fits all
standard shower hoses

27 852 001	**Chrome**	**4005176444081**	**21.26**

ditto, with non-restricted flow


28 214 003	**Chrome**	**4005176444098**	**25.99**

ditto, with non-restricted flow, for low pressure

GROHE TEMPESTA

Ref. No.	Colour	EAN	Retail Guide Price (£)






28 436 002 **Chrome** **4005176451799** **90.25**

Tempesta 100
Shower rail set 4 sprays
Consisting of:
hand shower (28 421)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heater






27 600 001 **Chrome** **4005176451775** **82.83**

Tempesta 100
Shower rail set 3 sprays
hand shower (28 419)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling






26 638 000 **Chrome** **4005176528347** **64.82**

Tempesta 100
Shower rail set 2 sprays
Consisting of:
hand shower Tempesta 100 (26 161)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heater

27 926 001 **Chrome** **4005176451768** **72.10**
ditto, with non-restricted flow





27 645 001 **Chrome** **4005176451744** **80.33**

Tempesta 100
Shower rail set 4 sprays
Consisting of:
hand shower (28 421)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling


27 795 001 **Chrome** **4005176451751** **80.33**
ditto, with non-restricted flow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE TEMPESTA

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 644 001	**Chrome**	**4005176451720**	**72.91**

Tempesta 100
Shower rail set 3 sprays
Consisting of:
hand shower (28 419)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling

27 794 001	**Chrome**	**4005176451737**	**72.91**

ditto, with non-restricted flow






26 803 000	**Chrome**	**4005176723766**	**88.44**

Tempesta 100
Shower rail set 2 sprays
Cradle to Cradle Certified Gold
Consisting of:
hand shower Tempesta 100 II 5.7 l/min
shower rail, 600 mm (27 523)
metal shower hose 1750 mm 1/2" x 1/2"
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling





27 598 10E	**Chrome**	**4005176985416**	**62.64**

Tempesta 100
Shower rail set 2 sprays
Consisting of:
hand shower Tempesta 100 II 5.7 l/min (27 597)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling

26 162 001	**Chrome**	**4005176451713**	**62.63**

ditto, with 9.5 l/min flow limiter


27 598 001	**Chrome**	**4005176985515**	**62.64**

ditto, with non-restricted flow

28 438 001	**Chrome**	**4005176985553**	**63.83**

ditto, with non-restricted flow, for low pressure





27 924 001	**Chrome**	**4005176451690**	**52.00**

Tempesta 100
Shower rail set 1 spray
Consisting of:
hand shower (27 923)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling

27 853 001	**Chrome**	**4005176451706**	**52.00**

ditto, with non-restricted flow


28 280 004	**Chrome**	**4005176306624**	**60.56**

ditto, with non-restricted flow, for low pressure

GROHE
TEMPESTA

Ref. No.	Colour	EAN	Retail Guide Price (£)






28 789 002 **Chrome** **4005176451843** **80.33**

Tempesta 100
Shower rail set 3 sprays
Consisting of:
hand shower (28 419)
shower rail, 900 mm (27 524)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heater

27 796 001 **Chrome** **4005176451850** **80.33**
ditto, with non-restricted flow






27 646 10E **Chrome** **4005176985423** **69.72**

Tempesta 100
Shower rail set 2 sprays
Consisting of:
hand shower Tempesta 100 II (27 597)
shower rail, 900 mm (27 524)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heater

27 646 001 **Chrome** **4005176985522** **69.72**
ditto, with non-restricted flow






27 925 001 **Chrome** **4005176451812** **59.10**

Tempesta 100
Shower rail set 1 spray
Consisting of:
hand shower (27 923)
shower rail, 900 mm (27 524)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heater

27 854 001 **Chrome** **4005176451829** **59.10**
ditto, with non-restricted flow





27 601 10E **Chrome** **4005176985430** **44.92**


Tempesta 100
Wall holder set 2 sprays
hand shower Tempesta 100 II (27 597)
wall shower holder adjustable (27 595)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
min. recommended pressure 1.0 bar

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE TEMPESTA

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 639 000 **Chrome** **4005176528354** **48.05**

Tempesta 100
Wall holder set 3 sprays
Consisting of:
hand shower Tempesta 100 (28 419)
wall shower holder (28 605)
non-adjustable
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heater
min. recommended pressure 1.0 bar






27 803 10E **Chrome** **4005176985454** **41.35**

Tempesta 100
Wall holder set 2 sprays
hand shower Tempesta 100 II (27 597)
wall shower holder (28 605), non-adjustable
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
min. recommended pressure 1.0 bar






27 798 10E **Chrome** **4005176985447** **38.98**

Tempesta 100
Wall holder set 2 sprays
Consisting of:
hand shower Tempesta 100 II (27 597)
wall shower holder (28 605)
non-adjustable
Relexaflex hose 1250 mm 1/2" x 1/2" (28 150)
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heater
min. recommended pressure 1.0 bar

26 164 001 **Chrome** **4005176451867** **38.98**
ditto, with 9.5 l/min flow limiter

27 799 001 **Chrome** **4005176985539** **38.98**
ditto, with non-restricted flow









26 406 001 **Chrome** **4005176451881** **57.92**





Tempesta 100
Wall holder set 2 sprays
with integrated wall union 1/2"
Consisting of:
hand shower Tempesta 100 II (27 597)
shower outlet elbow 1/2" with wall shower holder (28 679)
male thread
protected against backflow
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heater
min. recommended pressure 1.0 bar

GROHE TEMPESTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 663 000	Chrome	4005176580505	204.45
	Tempesta 250 **Head shower set 380 mm, 1 spray** Consisting of: head shower Tempesta 250 (26 662) Rain fully chrome plated surfaces shower arm 380 mm (28 361) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **suitable for instantaneous heater** professional edition			
	26 668 000	Chrome	4005176580550	191.53
	ditto, but head shower with white rear cover			
 	26 682 000	Chrome	4005176580697	211.60
	Tempesta 250 Cube **Head shower set 380 mm, 1 spray** Consisting of: head shower Tempesta 250 Cube (26 681) 1 spray pattern: Rain fully chrome plated surfaces shower arm 380 mm with square escutcheon **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **suitable for instantaneous heater** professional edition			
	26 687 000	Chrome	4005176580741	198.23
	ditto, but head shower with white rear cover			
 	26 412 000	Chrome	4005176390173	179.25
	Tempesta 210 **Head shower set 286 mm, 1 spray** Consisting of: head shower Tempesta 210 9.5 l/min (26 410) 1 spray pattern: Rain Shower arm Rainshower 286 mm (28 576 000) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **suitable for instantaneous heater**			
 	26 267 001	Chrome	4005176444197	64.25
	Tempesta 100 **Head shower 1 spray** Rain Ball joint +/- 15° rotatable shower arm with connection thread 1/2“ escutcheon **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life for **low pressure**			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE TEMPESTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 664 000	Chrome	4005176580512	165.07
Tempesta 250 **Head shower set ceiling 142 mm, 1 spray** Consisting of: head shower Tempesta 250 (26 662) Rain fully chrome plated surfaces shower arm ceiling 142 mm (28 724) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **suitable for instantaneous heater** professional edition				
	26 669 000	Chrome	4005176580567	152.15
ditto, but head shower with white rear cover				
 	26 683 000	Chrome	4005176580703	170.85
Tempesta 250 Cube **Head shower set ceiling 142 mm, 1 spray** Consisting of: head shower Tempesta 250 Cube (26 681) 1 spray pattern: Rain fully chrome plated surfaces shower arm ceiling 142 mm (27 485) with square escutcheon **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **suitable for instantaneous heater** professional edition				
	26 688 000	Chrome	4005176580758	157.47
ditto, but head shower with white rear cover				
 	26 414 000	Chrome	4005176408090	150.83
Tempesta 210 **Head shower set ceiling 142 mm, 1 spray** Consisting of: head shower Tempesta 210 9.5 l/min (26 410) 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **suitable for instantaneous heater**				
	26 413 000	Chrome	4005176390180	179.26
ditto, with non-restricted flow				
 	26 662 000	Chrome	4005176580499	124.12
Tempesta 250 **Head shower 1 spray** Rain Ø 250 mm fully chrome plated surfaces ball joint with turning angle ± 10° connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **suitable for instantaneous heater** professional edition				
	26 666 000	Chrome	4005176580536	111.18
ditto, but with white rear cover				

GROHE TEMPESTA

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 681 000	**Chrome**	**4005176580680**	**128.46**





Tempesta 250 Cube
Head shower 1 spray
Rain
250 mm x 250 mm
fully chrome plated surfaces
ball joint with turning angle ± 10°
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition

26 685 000	**Chrome**	**4005176580727**	**115.06**

ditto, but with white rear cover

26 409 000	**Chrome**	**4005176390128**	**101.39**



Tempesta 210
Head shower 1 spray
Rain
Ø 210 mm
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 410 000	**Chrome**	**4005176390142**	**101.39**


ditto, with 9.5 l/min flow limiter

26 408 000	**Chrome**	**4005176390111**	**101.39**

ditto, with non-restricted flow

27 606 001	**Chrome**	**4005176444180**	**65.51**






Tempesta 100
Head shower 4 sprays
GROHE Rain O^2, Rain, Massage, Jet
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

26 050 001	**Chrome**	**4005176444166**	**51.94**






Tempesta 100
Head shower 1 spray
Rain
Ball joint +/- 15° rotatable
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater

27 523 000	**Chrome**	**4005176886522**	**48.19**





Tempesta
Shower rail, 600 mm
with wall brackets, glider and swival holder
GROHE StarLight chrome finish

27 524 000	**Chrome**	**4005176886539**	**72.92**


ditto, 900 mm

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE TEMPESTA

Ref. No.	Colour	EAN	Retail Guide Price (£)
48 051 000		**4005176890024**	**7.04**






Spacer
for Tempesta shower rails
27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524
for Euphoria shower rails
27 499 / 27 500

27 596 000		**4005176895944**	**11.12**






GROHE EasyReach tray
acrylic
for Tempesta and Euphoria shower rails Ø 22 mm

27 406 000	**Chrome**	**4005176600166**	**57.46**






Relexa
Shower arm 218 mm
connection thread 1/2"
projection 218 mm
escutcheon
GROHE StarLight chrome finish

28 541 000	**Chrome**	**4005176040528**	**45.74**






Relexa
Shower arm 147 mm
connection thread 1/2"
escutcheon
GROHE StarLight chrome finish

28 429 000	**Chrome**	**4005176601910**	**57.46**






Relexa
Shower arm 55 mm
connection thread 1/2"
GROHE StarLight chrome finish

GROHE TEMPESTA

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 608 001 **Chrome** **4005176444029** **58.10**

Tempesta Rustic 100
Hand shower 4 sprays
GROHE Rain O^2, Rain, Massage, Jet
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

26 085 001 **Chrome** **4005176444036** **50.70**
ditto, with non-restricted flow






27 609 001 **Chrome** **4005176451898** **108.79**

Tempesta Rustic 100
Shower rail set 4 sprays
hand shower (27 608)
shower rail, 600 mm (27 519)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

26 086 001 **Chrome** **4005176451904** **102.61**
ditto, with non-restricted flow






27 805 001 **Chrome** **4005176451911** **75.41**

Tempesta Rustic 100
Wall holder set 4 sprays
hand shower (27 608)
wall shower holder adjustable (27 595)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life






26 089 001 **Chrome** **4005176444067** **76.62**

Tempesta Rustic 100
Head shower set 4 sprays
GROHE Rain O^2, Rain, Massage, Jet
Ball joint +/- 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater





27 610 001 **Chrome** **4005176444050** **66.74**


Tempesta Rustic 100
Head shower 4 sprays
GROHE Rain O^2, Rain, Massage, Jet
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
TEMPESTA




Ref. No.	Colour	EAN	Retail Guide Price (£)
27 519 000	**Chrome**	**4005176886485**	**60.57**





Tempesta Rustic
Shower rail, 600 mm
with wall brackets, glider and swival holder
GROHE StarLight chrome finish

GROHE
SENA TRIGGER SPRAYS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**26 328 000**	**Chrome**	**4005176332111**	**74.16**
	Sena Trigger Spray 35 **Hand shower 1 spray** with trigger control material: metal **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system Universal Mounting System. Fits all standard shower hoses **Min. recommended pressure 0.5 bar** Please refer to local norms regarding installation.			
 	**26 332 000**	**Chrome**	**4005176332135**	**196.54**
	Sena Trigger Spray 35 **Wall holder set with self-closing angle valve, 1 spray** Consisting of: hand shower with trigger control (26 328) valve with integrated shower holder (26 333 000) Silverflex Longlife shower hose 1250 mm (26 335) **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Twistfree** preventing the hose from twisting **Min. recommended pressure 0.5 bar** Please refer to local norms regarding installation.			
	26 329 000 **ditto, hose 1000 mm**	**Chrome**	**4005176332128**	**184.19**
 	**26 333 000**	**Chrome**	**4005176332142**	**79.13**
	Valve with wall shower holder escutcheon connection thread 1/2" **GROHE StarLight** chrome finish Please refer to local norms regarding installation.			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
TEMPESTA-F TRIGGER SPRAYS

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 512 001 **Chrome** **4005176333804** **23.49**

Tempesta-F Trigger Spray 30
Hand shower 1 spray
with trigger control
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses
Please refer to local norms regarding installation.






28 020 L01 **white** **4005176333828** **15.94**

Tempesta-F Trigger Spray 30
Hand shower 1 spray
with trigger control
GROHE StarLight finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses
Please refer to local norms regarding installation.






26 353 000 **Chrome** **4005176333866** **35.83**

Tempesta-F Trigger Spray 30
Wall holder set 1 spray
Consisting of:
hand shower with trigger control (27 512 001)
wall shower holder (28 605)
Silverflex Longlife shower hose 1500 mm (26 346)
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
Please refer to local norms regarding installation.

27 513 001 **Chrome** **4005176333842** **35.83**
ditto, with 1250 mm hose

26 352 000 **Chrome** **4005176333835** **37.46**
ditto, with 1000 mm hose






26 354 000 **Chrome** **4005176333873** **48.21**

Tempesta-F Trigger Spray 30
Wall holder set 1 spray
Consisting of:
hand shower with trigger control (27 512 001)
wall shower holder (28 605)
metal shower hose 1250 mm
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Please refer to local norms regarding installation.
Relexaflex Metal Longlife shower hose 1250 mm








27 812 IL1 **chrome/white** **4005176333897** **37.07**

Tempesta-F Trigger Spray 30
Wall holder set 1 spray
Consisting of:
hand shower with trigger control (28 020 L01)
wall shower holder (28 605)
Silverflex Longlife shower hose 1250 mm (26 335)
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
Please refer to local norms regarding installation.

26 355 IL0 **chrome/white** **4005176333880** **35.84**
ditto, with 1000 mm hose

GROHE
TEMPESTA-F TRIGGER SPRAYS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**26 356 IL0**	**chrome/white**	**4005176333903**	**35.76**
	Tempesta-F Trigger Spray 30 **Wall holder set 1 spray** Consisting of: hand shower with trigger control wall shower holder (28 605) Relexaflex Metal Longlife shower hose 1250 mm **GROHE EcoJoy** 5.7 l/min. flow limiter **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life min. recommended pressure 1.0 bar Please refer to local norms regarding installation.			
 	**26 357 000**	**Chrome**	**4005176333927**	**97.63**
	Tempesta-F Trigger Spray 30 **Wall holder set with angle valve 1 spray** Consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) Silverflex Longlife shower hose 1500 mm (26 346) angle valve 1/2" (22 958) **GROHE StarLight** finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **Twistfree** preventing the hose from twisting min. recommended pressure 1.0 bar Please refer to local norms regarding installation.			
	27 514 001	**Chrome**	**4005176333910**	**72.94**
	ditto, with 1250 mm hose			
 	**26 358 000**	**Chrome**	**4005176333941**	**128.57**
	Tempesta-F Trigger Spray 30 **Wall holder set with self-closing angle valve, 1 spray** Consisting of: hand shower with trigger control (27 512 001) valve with integrated shower holder (26 333 000) Silverflex Longlife shower hose 1000 mm (26 334) **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **Twistfree** preventing the hose from twisting Please refer to local norms regarding installation.			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SHOWER HOSES

Ref. No.	Colour	EAN	Retail Guide Price (£)
28 025 000	**Chrome**	**4005176284830**	**28.28**






Rotaflex Metal Longlife
Metal shower hose Twistfree 1750
1750 mm
material: metal
Longlife
strengthened model
tensile strength 500 N
pressure resistance up to 16 bar
heat resistance 75°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
Rotation cone for **Twistfree** function
Cone with silicone tape to prevent turning of hand shower during usage
GROHE StarLight chrome finish
blister packaging

28 417 000	**Chrome**	**4005176264702**	**26.30**

ditto, 1500 mm hose

28 145 000	**Chrome**	**4005176601354**	**28.74**





Relexaflex Metal Longlife
Metal shower hose 2000
2000 mm
material: metal
Longlife
strengthened model
tensile strength 750 N
pressure resistance up to 16 bar
heat resistance 75°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
GROHE StarLight chrome finish
blister packaging

28 143 000	**Chrome**	**4005176601347**	**24.37**
28 143 LS0	**moon white**	**4005176842269**	**31.99**
28 143 KS0	**velvet black**	**4005176842252**	**31.99**


ditto, 1500 mm hose

28 142 000	**Chrome**	**4005176601330**	**21.93**

ditto, 1250 mm hose

28 140 000	**Chrome**	**4005176601323**	**24.63**





Relexaflex Metal
Metal shower hose 2000
2000 mm
material: metal
tensile strength 500 N
pressure resistance up to 5 bar
heat resistance 70°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
GROHE StarLight chrome finish
blister packaging

28 139 000	**Chrome**	**4005176601316**	**22.14**

ditto, 1750 mm hose


28 105 000	**Chrome**	**4005176601217**	**20.19**

ditto, 1500 mm hose

GROHE
SHOWER HOSES

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 346 000	**Chrome**	**4005176332173**	**22.64**






Silverflex Longlife
Shower hose Twistfree 1500
1500 mm
smooth surface for easy cleaning
Longlife
strengthened model
tensile strength 500 N
pressure resistance up to 12 bar
heat resistance 75°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
Rotation cone for **Twistfree** function
GROHE StarLight chrome finish
blister packaging

26 335 000	**Chrome**	**4005176332166**	**20.19**
ditto, 1250 mm hose			
26 334 000	**Chrome**	**4005176332159**	**18.19**
ditto, 1000 mm hose			

27 137 000	**Chrome**	**4005176836237**	**21.93**






Silverflex
Shower hose Twistfree 2000
2000 mm
smooth surface for easy cleaning
tensile strength 500 N
pressure resistance up to 5 bar
heat resistance 70°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
Rotation cone for **Twistfree** function
GROHE StarLight chrome finish
blister packaging

28 388 000	**Chrome**	**4005176295362**	**19.97**
28 388 DC0	**supersteel**	**4005176386428**	**26.80**
28 388 GL0	**cool sunrise**	**4005176427657**	**30.19**
28 388 DA0	**warm sunset**	**4005176427671**	**30.19**
28 388 A00	**hard graphite**	**4005176427701**	**30.19**
ditto, 1750mm hose			
28 364 000	**Chrome**	**4005176295294**	**17.54**
ditto, 1500 mm hose			
28 362 000	**Chrome**	**4005176295225**	**15.60**
28 362 DC0	**supersteel**	**4005176386435**	**20.96**
28 362 GL0	**cool sunrise**	**4005176427589**	**23.88**
28 362 DA0	**warm sunset**	**4005176427602**	**23.88**
28 362 A00	**hard graphite**	**4005176427633**	**23.88**
ditto, 1250 mm			

28 161 001	**Chrome**	**4005176935107**	**18.70**











Silverflex
Shower hose Twistfree 1500
for **low pressure**
1500 mm
smooth surface for easy cleaning
tensile strength 350 N
pressure resistance up to 5 bar
heat resistance 70°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
Rotation cone for **Twistfree** function
GROHE StarLight chrome finish
blister packaging

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SHOWER HOSES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**28 413 001**	**Chrome**	**4005176933257**	**17.24**
	Rotaflex **Shower hose Twistfree 2000** 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for **Twistfree** function **GROHE StarLight** chrome finish **blister packaging**			
	28 410 001 **ditto, 1750 mm hose**	**Chrome**	**4005176933240**	**20.99**
	28 409 001 **ditto, 1500 mm hose**	**Chrome**	**4005176933233**	**13.78**
 	**28 155 001**	**Chrome**	**4005176933226**	**15.11**
	Relexaflex **Shower hose 2000** 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" **GROHE StarLight** chrome finish **blister packaging**			
	28 154 001 **ditto, 1750 mm hose**	**Chrome**	**4005176933219**	**13.65**
	28 151 001 **28 151 L01** **ditto, 1500 mm**	**Chrome** **white**	**4005176933202** **4005176935091**	**11.69** **22.24**
	28 150 001 **ditto, 1250 mm hose**	**Chrome**	**4005176933196**	**9.65**
 	**28 158 000**	**Chrome**	**4005176601606**	**34.47**
	Metal hose 2000 mm for bath rim, installation under tiled surround and shower sets **GROHE StarLight** chrome finish			
 	**28 146 000**	**Chrome**	**4005176121753**	**55.52**
	Metal hose 2000 mm M 15 x M 15 **GROHE StarLight** chrome finish			







GROHE
SHOWER HOSES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**45 973 001**	**Chrome**	**4005176442919**	**10.82**

Relexaflex
Shower hose 1500
1500 mm
smooth surface for easy cleaning
tensile strength 500 N
pressure resistance up to 5 bar
heat resistance 70°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
GROHE StarLight chrome finish
minimum order quantity 10 pieces

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
SHOWER ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 055 000	Chrome	4005176830433	48.22
	Rainshower **Wall hand Shower holder** adjustable **GROHE StarLight** chrome finish			
 	28 401 000	Chrome	4005176264474	51.48
	Movario **Wall hand Shower holder** adjustable **GROHE StarLight** chrome finish			
 	28 623 000	Chrome	4005176031595	34.01
	Relexa **Wall hand Shower holder** adjustable **GROHE StarLight** chrome finish			
 	27 595 000	Chrome	4005176895937	19.79
	Tempesta **Wall hand Shower holder** adjustable **GROHE StarLight** chrome finish			
 	28 690 000	Chrome	4005176256196	104.38
	Sena **Wall hand Shower holder** non-adjustable material: metal **GROHE StarLight** chrome finish			
 	27 056 000	Chrome	4005176830440	35.82
	Rainshower **Wall hand Shower holder** non-adjustable without escutcheon **GROHE StarLight** chrome finish			

GROHE
SHOWER ACCESSORIES

Ref. No.	Colour	EAN	Retail Guide Price (£)
27 074 000	Chrome	4005176833083	35.83
27 074 DC0	supersteel	4005176374487	60.56
27 074 LS0	moon white	4005176873591	48.19
27 074 BE0	polished nickel	4005176834325	66.73
27 074 EN0	brushed nickel	4005176834301	66.72
27 074 GL0	cool sunrise	4005176338984	66.73
27 074 GN0	brushed cool sunrise	4005176427084	66.72
27 074 DA0	warm sunset	4005176338977	66.73
27 074 DL0	brushed warm sunset	4005176427091	66.72
27 074 A00	hard graphite	4005176338991	66.73
27 074 AL0	Brushed Hard Graphite	4005176339004	66.72






Rainshower
Wall hand Shower holder
non-adjustable
with round escutcheon
GROHE StarLight chrome finish

27 075 000	Chrome	4005176833090	35.83






Rainshower
Wall hand Shower holder
non-adjustable
with square escutcheon
GROHE StarLight chrome finish

27 706 000	Chrome	4005176908439	35.84
27 706 DC0	supersteel	4005176490989	45.82
27 706 A00	hard graphite	4005176491030	52.53
27 706 AL0	Brushed Hard Graphite	4005176490972	55.88






Allure Brilliant
Wall hand Shower holder
non-adjustable
material: metal
GROHE StarLight chrome finish

27 693 000	Chrome	4005176907043	23.50






Euphoria Cube
Wall hand Shower holder
non-adjustable
GROHE StarLight chrome finish

28 403 000	Chrome	4005176264511	45.74








Movario
Wall hand Shower holder
non-adjustable
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
SHOWER ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 622 000	Chrome	4005176041297	34.29
Relexa **Wall hand Shower holder** non-adjustable **GROHE StarLight** chrome finish				
 	27 594 000	Chrome	4005176895920	13.47
Tempesta Cosmopolitan **Wall hand Shower holder** non-adjustable **GROHE StarLight** chrome finish				
 	28 605 000	Chrome	4005176041105	22.28
Relexa **Wall hand Shower holder** non-adjustable **GROHE StarLight** chrome finish				

GROHE
SHOWER ACCESSORIES


Ref. No.	Colour	EAN	Retail Guide Price (£)
27 151 000	**Chrome**	**4005176837012**	**110.02**






Pull-out shower
for bath rim installation and under tiled surround
Lead-through for shower hose
shower hose 1/2" x 3/8",
2000 mm (28 158 000)
The pull-out shower assembly can be combined with all hand showers
GROHE StarLight chrome finish

27 531 000	**Chrome**	**4005176889486**	**292.01**






Pull-out shower
for bath rim installation and under tiled surround
Lead-through for shower hose
with square escutcheon
shower hose 1/2" x 3/8",
2000 mm (28 158 000)
The pull-out shower assembly can be combined with all hand showers
GROHE StarLight chrome finish

27 621 000	**Chrome**	**4005176898310**	**344.88**






Grohtherm F
Wall shower union with integrated shower holder
vertical and horizontal installation
for use with rough-in box 35 034 000 (1/2" connection)
sold separately
shower outlet 1/2"
hand shower and shower hose sold separately
protected against backflow

35 034 000		**4005176915697**	**233.63**






Grohtherm F
Rough-in for wall shower union 27 621
for grid installation of Grohtherm Custom Shower system
built-in box with removable protection cover
waterproof membrane base for wall sealing
flushing plug
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
1/2" connections
installation depth 70 - 95 mm

27 057 000	**Chrome**	**4005176830457**	**60.55**
27 057 DC0	**supersteel**	**4005176371196**	**80.65**
27 057 GL0	**cool sunrise**	**4005176338946**	**92.65**
27 057 GN0	**brushed cool sunrise**	**4005176426933**	**98.39**
27 057 DA0	**warm sunset**	**4005176338939**	**92.65**
27 057 DL0	**brushed warm sunset**	**4005176426940**	**98.39**
27 057 A00	**hard graphite**	**4005176338953**	**92.65**
27 057 AL0	**Brushed Hard Graphite**	**4005176338960**	**98.39**















Rainshower
Shower outlet elbow, 1/2"
male thread
with round escutcheon
protected against backflow
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SHOWER ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 076 000	Chrome	4005176833106	60.55
	Rainshower **Shower outlet elbow** male thread with square escutcheon protected against backflow **GROHE StarLight** chrome finish			
 	27 707 000	Chrome	4005176908446	48.22
	27 707 DC0	supersteel	4005176490897	72.64
	27 707 A00	hard graphite	4005176490941	83.82
	27 707 AL0	Brushed Hard Graphite	4005176490880	88.29
	Allure Brilliant **Shower outlet elbow, 1/2"** male thread protected against backflow material: metal **GROHE StarLight** chrome finish			
 	27 704 000	Chrome	4005176907159	35.82
	Euphoria Cube **Shower outlet elbow, 1/2"** male thread protected against backflow **GROHE StarLight** chrome finish			
 	26 370 000	Chrome	4005176341380	35.83
	Euphoria Cube **Shower outlet elbow, 1/2"** with wall shower holder male thread protected against backflow **GROHE StarLight** chrome finish			
 	28 405 000	Chrome	4005176264559	57.46
	Movario **Shower outlet elbow, 1/2"** protected against backflow **GROHE StarLight** chrome finish			
 	28 671 000	Chrome	4005176103070	35.83
	Relexa **Shower outlet elbow, 1/2"** male thread **GROHE StarLight** chrome finish			
	28 680 000	Chrome	4005176116780	45.74
	ditto, protected against backflow			

GROHE
SHOWER ACCESSORIES


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**28 626 000**	**Chrome**	**4005176041358**	**57.46**
	Relexa **Shower outlet elbow, 1/2"** shower connection 1/2" wall connection 1/2" male thread **GROHE StarLight** chrome finish with matt chrome cap			
	28 678 000	**Chrome**	**4005176116711**	**49.97**
	ditto, protected against backflow			
	28 636 000	**Chrome**	**4005176078606**	**60.57**
	ditto, for IG-combination			
 	**28 406 000**	**Chrome**	**4005176264566**	**57.46**
	Movario **Shower outlet elbow, 1/2"** with shower holder protected against backflow **GROHE StarLight** chrome finish			
 	**28 628 000**	**Chrome**	**4005176041396**	**57.90**
	Relexa **Shower outlet elbow, 1/2"** with wall shower holder male thread **GROHE StarLight** chrome finish			
	28 679 000	**Chrome**	**4005176116759**	**57.46**
	ditto, protected against backflow			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SHOWER ACCESSORIES

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 602 000	**Chrome**	**4005176486531**	**103.93**

Rainshower SmartActive
Shower rail, 600 mm
with wall holders made of metal
glide element and swivel holder
GROHE FastFixation (variable distance between wall shower holders to adapt to existing holes)
GROHE TileFix adjustable depth on upper and lower bracket
GROHE EasyReach tray
GROHE StarLight chrome finish

26 603 000	**Chrome**	**4005176486548**	**109.52**
26 603 BE0	**polished nickel**	**4005176558719**	**219.03**
26 603 EN0	**brushed nickel**	**4005176558740**	**240.27**
26 603 GL0	**cool sunrise**	**4005176558757**	**219.03**
26 603 GN0	**brushed cool sunrise**	**4005176558764**	**240.27**
26 603 DA0	**warm sunset**	**4005176558726**	**219.03**
26 603 DL0	**brushed warm sunset**	**4005176558733**	**240.27**
26 603 A00	**hard graphite**	**4005176558696**	**219.03**
26 603 AL0	**Brushed Hard Graphite**	**4005176558702**	**240.27**

ditto, 900 mm






28 620 000	**Chrome**	**4005176041259**	**151.29**

Relexa
Shower rail, 600 mm
Ø 28 mm
with wall holders
glide element and swivel holder
angle of inclination adjustable by click stop device
height adjustment via locking nut
GROHE StarLight chrome finish






28 621 000	**Chrome**	**4005176041273**	**186.46**

Relexa
Shower rail, 1000 mm
Ø 28 mm
with wall holders
glide element and swivel holder
angle of inclination adjustable by click stop device
height adjustment via locking nut
GROHE StarLight chrome finish






28 587 000	**Chrome**	**4005176282966**	**206.87**

Relexa
Shower rail, 900 mm
with handle
handle can be mounted right or left handed
with wall brackets (3 pieces)
gliding element with metal sleeve
angle of inclination adjustable by click stop device
height adjustment via locking nut
GROHE StarLight chrome finish











27 892 000	**Chrome**	**4005176921216**	**208.93**

Euphoria Cube
Shower rail, 600 mm
with wall holders, glide element and swivel holder
GROHE StarLight chrome finish

27 841 000	**Chrome**	**4005176916670**	**221.27**

ditto, 900 mm

GROHE
SHOWER ACCESSORIES


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 499 000	Chrome	4005176886041	48.21
	Euphoria **Shower rail, 600 mm** with wall holders, glide element and swivel holder **GROHE FastFixation** (upper bracket adjustable to adapt to existing holes) **GROHE StarLight** chrome finish			
	27 500 000 **ditto, 900 mm**	Chrome	4005176886058	60.56
 	27 519 000	Chrome	4005176886485	60.57
	Tempesta Rustic **Shower rail, 600 mm** with wall brackets, glider and swival holder **GROHE StarLight** chrome finish			
	27 520 000 **ditto, 900 mm**	Chrome	4005176886492	60.58
 	27 521 000	Chrome	4005176886508	48.20
	Tempesta Cosmopolitan **Shower rail, 600 mm** with wall brackets, glider and swival holder **GROHE StarLight** chrome finish			
	27 522 000 **ditto, 900 mm**	Chrome	4005176886515	60.57
 	27 523 000	Chrome	4005176886522	48.19
	Tempesta **Shower rail, 600 mm** with wall brackets, glider and swival holder **GROHE StarLight** chrome finish			
	27 524 000 **ditto, 900 mm**	Chrome	4005176886539	72.92
 	12 435 000	Chrome	4005176272141	57.46
	Relexa Plus **Gliding element with metal sleeve** for shower rail 28 620 / 28 621 Ø 28 mm angle of inclination adjustable by click stop device height adjustment via locking nut **GROHE StarLight** chrome finish			
 	45 914 XE0	gray night time	4005176842054	27.26
	Spacer for Relexa / Rainshower shower bars 28 819 / 28 797 / 27 136			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SHOWER ACCESSORIES

Ref. No.	Colour	EAN	Retail Guide Price (£)
45 459 000		**4005176056444**	**14.63**






Spacer
for shower rail 28 620 / 28 621

48 051 000		**4005176890024**	**7.04**






Spacer
for Tempesta shower rails
27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524
for Euphoria shower rails
27 499 / 27 500

26 385 000	**Chrome**	**4005176375057**	**22.28**






Rainshower SmartControl
Spacer
for Rainshower SmartControl systems
26 250, 26 361, 26 379
stackable

28 856 000		**4005176603495**	**34.01**






Soap dish
acrylic, clear
for Relexa shower rails (28 820 and 28 666)
GROHE StarLight chrome finish

28 631 000		**4005176019142**	**57.46**






Relexa
Soap dish
for shower rail 28 620 / 28 621
GROHE StarLight chrome finish

27 206 000		**4005176845444**	**23.50**






Soap dish
transparent
surface textured in parts

GROHE
SHOWER ACCESSORIES

Ref. No.	Colour	EAN	Retail Guide Price (£)
27 596 000		**4005176895944**	**11.12**











GROHE EasyReach tray
acrylic
for Tempesta and Euphoria shower rails Ø 22 mm

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
SHOWER ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 320 000	Chrome	4005176600159	87.37
	Riser pipe 1300 mm with compression coupling 3/4“ wall support with compensation piece **GROHE StarLight** chrome finish			
 	28 389 000	Chrome	4005176269837	13.96
	Sena **Adapter 1/2“ x 1/2“** material: metal for use with hand shower holder or shower rail **GROHE StarLight** chrome finish			
 	28 634 XX0	dark grey	4005176041440	33.73
	Relexa **Quick coupling** for combination with average showers without integrated **Grohclick** with new system only in connection with coupling piece (28 635/28 637)			
 	28 874 000	Chrome	4005176042348	81.07
	Tee Connection for connection to shower and bath/shower- mixer union nut 1/2“ 2 connections 1/2“ for the shower hose or drain valves **GROHE StarLight** chrome finish			
 	28 988 000	Chrome	4005176042805	111.12
	Drain Down Valve for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2“ **GROHE StarLight** chrome finish			

GROHE
SHOWER ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**28 799 000**	**Chrome**	**4005176602511**	**110.35**

Diverter
GROHE StarLight chrome finish

 	**27 102 000**	**Chrome**	**4005176600074**	**61.39**

Trigger Spray
Wall holder set 1 spray
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
KITCHEN FITTINGS





CONTENTS

Water Systems	GROHE Blue Professional	479
	GROHE Blue Home	485
	GROHE Blue Pure	494
	GROHE Blue Accessories	496
	GROHE Red	500
	Waste separation systems	504
Premium Lines	K7	506
	Foot Control	507
	Minta / Minta SmartControl / Minta Touch	508
	Zedra / Zedra SmartControl / Zedra Touch	513
	Atrio	515
	Essence	516
	Eurocube	518
Competence Lines	Eurodisc Cosmopolitan	519
	Eurodisc	520
	Concetto	521
	Eurostyle Cosmopolitan	524
	Eurosmart Cosmopolitan	526
	Eurosmart	529
	Euroeco / Euroeco Special	532
	Costa	533
	Bau Lines	535
	Soap dispensers	538
Kitchen sinks	Stainless steel sinks	539
	Composite sinks	546

HANDS ON
GROHE KITCHEN FEATURES

Accommodating your every wish and desire, GROHE water systems and kitchen taps include user-centric features and ingenious details that make all the difference. More choice, more comfort and more flexibility; which is why our products are such a pleasure to use.



Lead+Nickel Free
No contact of water with lead and nickel due to isolated inner water ways.



EasyExchange
The aerator is easy to install and de-install using just a coin.



ProfessionalSpray
Features a 360° spring arm and easy switching between the spray and mousseur.



EasyTouch
Just touch the tap at any point with your wrist, elbow or just your fingertip to turn the tap ON and OFF.



FootControl
Just touch the bottom side of the cabinet with a gentle tap of your foot to turn the tap ON and OFF.



Magnetic Docking
Thanks to powerful integrated magnets the pull-out spray head retracts easily and smoothly to the perfect position after every use.



Pull-Out Dual Spray
Increases operating radius of the tap and offers easy switching between mousseur and the spray.



Pull-Out Mousseur
Increases the operating radius of your tap.



EasyDock
Guarantees easy retraction and smooth docking for your pull-out spray head, every time.



GROHE FastFixation
65 % faster installation.



SpeedClean
Remove limescale with a single wipe.



OpenWaterHeater
The perfect flow in combination with open water heaters.



StopValve
Includes a dishwater shut-off valve on the tap body.




PreWindow
To open the window, just lift up the tap and lay it flat on the surface.



ComfortHeight
Height of the spout allows easy filling of large pots.



SwivelStop
Limited turn angle prevents flooding.



Forward Rotating Lever
Forward rotating lever prevents the lever hitting the backsplash.



Enhanced Water
Superior-quality water directly from the kitchen tap – saving time, money and the environment.



ChildLock
Integrated safety mechanism prevents unintentional opening by young children.



Titanium Inside
All boilers in our GROHE Red collection are made from titanium.

WELCOME TO YOUR **PRIVATE WATER SOURCE**

When was the last time you truly tasted water? When you took a sip that left you thirsting for more? That's what happens after your first encounter with GROHE Blue Home: a beautiful and intelligent system that transforms simple water into pure thirst-quenching pleasure. And your kitchen into a meeting place for thirsty friends.



STILL, MEDIUM OR SPARKLING: THE CHOICE IS ALL YOURS

How sparkling do you like your water? It's all a matter of taste. GROHE Blue Home has a simple and intuitive mechanism that lets you carbonate your drinking water at the touch of a button. Deliciously cool filtered water, just the way that you – and all your family – like it.



Still waters run deep. If you prefer your water cool and still, nothing could be simpler: just push the top button. The LED lights up blue and your glass fills with pure refreshment.



Sparkling – but not too much? More of a medium sparkling? Coming right up. Press both buttons in sequence – the LED lights up turquoise – to produce a finely pearled stream of water.



Sparkling water, alive with bubbles. If that's your idea of thirst-quenching heaven, just press the lower button – the LED lights up green – for your perfect glass of water.

THE **MAGIC** IS IN THE FILTER

For our GROHE Blue system we have worked with BWT, Europe's leading filtered water professionals, to ensure that our system produces an unparalleled, refreshing drinking experience. Our standard high performance S-Size filter comes with every GROHE Blue Home starter set. It uses a five-step filtration process to remove even the smallest particles from tap water, while leaving behind all the important minerals that benefit your health.






THE **GUARANTEE** FOR PURE TASTE

If you enjoy tea and coffee, you'll love them even more with GROHE Blue Home. Whether in your coffee machine or for making tea, the still water brings out the best in your favourite hot drinks. And thanks to the ultimate purity of the filtered water, the aromas can develop to the full – for an unforgettable café crema. At the same time protecting your high-end kitchen appliances.

NEW: WITH **PULL-OUT FUNCTION**

Our new GROHE Blue Home taps now come with a pull-out mousseur head for ultimate functionality and flexibility. Select from three contemporary tap shapes with a pull-out head, each with a hygienic mousseur and two separate waterways, delivering both filtered and unfiltered water effortlessly.





CONTROL VIA SMARTPHONE APP

Control your GROHE Blue Home tap via smartphone app for total convenience. The GROHE Ondus App will not only let you know when the filter or CO_2 need replacing, but can reorder for you automatically. Use it to pour water and monitor your consumption via personal fitness apps.

System requirements
iPhone with iOS 9.0 or higher / smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App are not included in delivery and have be ordered separately via an authorised Apple store / store / iTunes or Google Play store.
The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

GROHE BLUE HOME
PRODUCT PORTFOLIO



31 454 001
GROHE Blue Home
L-spout Starter Kit



31 455 001
GROHE Blue Home
C-spout Starter Kit



31 456 001
GROHE Blue Home
U-spout Starter Kit



31 498 001
GROHE Blue Home
Mono Starter Kit



31 539 000
GROHE Blue Home
L-spout Starter Kit
with pull-out mousseur



31 541 000
GROHE Blue Home
C-spout Starter Kit
with pull-out mousseur



31 543 000
GROHE Blue Home
U-spout Starter Kit
with pull-out mousseur

EACH GROHE BLUE HOME STARTER KIT CONTAINS:



GROHE BLUE HOME
CARBONATOR



CO_2 BOTTLE 425 g



S-SIZE FILTER

Colour options:
- 000/001 I StarLight Chrome
- DC0/DC1 I SuperSteel
- DL1 I Brushed Warm Sunset
- AL1 I Brushed Hard Graphite

THE **PERFECT SOLUTION** FOR OFFICES

Imagine drinking water fresh from a mountain spring – life-affirming, thirst-quenching, and absolutely pure. Now imagine the same health-giving, untainted water flowing directly from your own kitchen tap.

The GROHE Blue Professional water system makes this a reality in your own home or office. It transforms ordinary tap water and filters it, leaving a taste as fresh and pure as nature intended.

Whatever your idea of perfect water refreshment – filtered, chilled, sparkling or all three – GROHE Blue brings it to you straight from the tap.





FIND OUT THE WAYS IN WHICH **GROHE BLUE** BRINGS **BENEFITS TO YOUR OFFICE:**

Access to fresh, cool water at any time – still, medium or sparkling

Fresh water delivers a positive impact on motivation and health of your employees

Cost effective solution for staff refreshment

Convenient logistics, without costly delivery and disposal

Environmental friendly solution with less waste on packaging and processing

GROHE BLUE PROFESSIONAL
PRODUCT PORTFOLIO



31 323 002
GROHE Blue Professional
C-spout



31 347 003
GROHE Blue Professional
L-spout



31 325 002
GROHE Blue Professional
C-spout
with pull-out mousseur



31 326 002
GROHE Blue Professional
L-spout
with pull-out mousseur



31 302 002 / 31 302 DC2
GROHE Blue Professional
Mono

EACH GROHE BLUE PROFESSIONAL CONTAINS:



COOLER AND CARBONATOR BOX, FILTER HEAD, CO_2 PRESSURE REDUCER AND CLEANING ADAPTER

Filter, CO_2 bottle and cleaning cartridge have to be ordered separately according to your personal needs.

Colour options:
002/003 I StarLight Chrome DC2/DC3 I SuperSteel

99 °C STRAIGHT FROM THE TAP

Never wait for the kettle to boil again. With the innovative GROHE Red system you can fill anything, from a mug to a large pot, with kettle-hot water in an instant – and all direct from your kitchen tap.

With GROHE Red you still have your standard kitchen mixer, but separate push-buttons provide kettle-hot water on tap.



THE **BENEFITS** ARE CRYSTAL CLEAR

SAFETY FIRST
Our first commitment is to our safety. That's why GROHE Red comes with an unique, failsafe child lock.

NO MORE WAITING
Kettle-hot water is always available at the push of a button, so waiting for the kettle or pot to boil is a thing of the past.

LESS WASTE
You only take the exact amount of hot water you need, so you save on water and energy consumption.

CLEAN, FRESH TASTE
Filtered water heated to 99 degrees for an exceptional taste experience.

CLEAR YOUR WORKTOP
No need for the clutter of a kettle. GROHE Red fulfils all your water needs from a single tap.







GROHE RED
PRODUCT PORTFOLIO



30 340 001
GROHE Red Duo
L-spout, L-Size boiler



30 329 001
GROHE Red Mono
L-spout, M-Size boiler



30 058 001
GROHE Red Duo
C-spout, M-Size boiler



30 060 001
GROHE Red Mono
C-spout, M-Size boiler

EACH GROHE RED CONTAINS:
BOILER (M- OR L-SIZE) & FILTERSET



L-SIZE BOILER **M-SIZE** BOILER

+



40 841 001
GROHE Red mixing valve
(additional equipment)

Colour options:
001 I StarLight Chrome
DC1 I SuperSteel
DA1 I Warm Sunset
DL1 I Brushed Warm Sunset
A01 I Hard Graphite
AL1 I Brushed Hard Graphite

GROHE
EASYTOUCH



Simple activation/deactivation
of the water flow by touch.



Manual control with the lever.

Kitchens are hands-on places, where multi-tasking is a must. Why not make life easier for yourself with a GROHE touch-activated tap? We've developed a choice of two innovative solutions that let you control the flow of water without using your hands, making your kitchen more hygienic, convenient and instinctive to use. GROHE EasyTouch taps can be activated with a simple touch of the wrist or elbow. Leave your hands free and keep your tap sparkling clean. Change the way you control your kitchen with just a single touch.



GROHE
SMARTCONTROL

JUGGLING KITCHEN TASKS?

Multi-tasking is a fact of the modern world, and nowhere more so than in the kitchen, where the collision of family life, meal prep and entertaining mean you often have your hands full. So why can't everything be just that little bit easier? With the new GROHE SmartControl it is, offering innovative push-operation that is effortless to use. Instead of grappling with a lever handle with wet hands, simply press the button to start and stop the water flow. Holding a full pan or a pile of plates? Just push with your wrist or elbow. It couldn't be more simple. Turning the same button alters the flow, and there is even a water-saving option. Temperature control is as straightforward as a twist of the valve on the tap's body. Smooth and intuitive to use for the whole family, SmartControl is the perfect solution for anyone who too often has their hands full in the kitchen. And what could be easier than that?









SUPERIOR DESIGN

- Sleek, streamlined and puristic

SMARTCONTROL BUTTON

- Push the button to start & stop the water flow
- Turn the button by 150° from eco to powerful jet

TEMPERATURE ADJUSTMENT

- Turn the valve gently to the left or right to adjust your perfect temperature

PULL-OUT LAMINAR SPRAY

- For an increased operation radius

MAGNETIC DOCKING

- Integrated magnets for seamless docking of the spray head

LEAD AND NICKEL FREE WATER FLOW

QUICKFIX PLUS INSTALLATION

- 65% faster installation

GROHE
PROFESSIONAL SPRAYS

THE COLOURFUL WORLD OF **ESSENCE PROFESSIONAL**

Enhance your kitchen's performance with the sleek, architectural Essence New Profispray tap, designed to bring professional features and convenience to your scheme. From the 360 degree turnable spring arm to the effortless EasyDock M magnetic system for the dual-spray metal head, every detail has been designed with ease of use in mind. Featuring GrohFlexx technology, the hygienic santoprene hose is not only easy-to-clean but also comes in a choice of 11 colour finishes.



Colour options (hose)

Order 30 294 000 (chrome) / 30 294 DC0 (SuperSteel) and add a colour of your choice 30 321 + colour code

- MW0 I Sheer Marble
- XC0 I Dark Grey
- YF0 I Yellow
- YR0 I Orange
- DG0 I Red
- DP0 I Pink
- DU0 I Purple
- GE0 I Green
- TY0 I Blue
- HG0 I Dark Brown

Exchange the hose via 4 simple steps:



Step 1
Loose the 2 screws with the screwdriver from the body and the spray.



Step 2
Take the original hose with the connection out of the tap body and the spray and put it to the side.



Step 3
Take the new hose and insert it with the connection into the tap body and the spray.



Step 4
Insert the 2 screws with the screwdriver.

A CYLINDRICAL STATEMENT
CONCETTO PROFESSIONAL

Treat your kitchen to an upgrade with the Concetto Profispray tap, putting premium, professional performance in your hands. Switch the pull-down head between a mousseur and powerful SpeedClean spray with ease – the EasyDock M intelligent docking system uses a powerful magnet to automatically dock the spray head when you are done. Thanks to its pared-back, slim design and height of just 510 mm, the new Concetto Professional is also a great solution for installation on kitchen islands and under wall cupboard. Enjoyable to use, its the ideal way to add enviable contemporary style to any busy kitchen.



GROHE KITCHEN SINK FEATURES

STAINLESS STEEL SINKS

	STANDARD BUILT-IN	FLAT-EDGE	FLUSH-MOUNT	UNDERMOUNT	1	1.5	2	INNER RADIUS	DRAINER AVAILABLE	AISI 304 (V2A)	AISI 316 (V4A)	SATIN FINISH	PVD COLOUR	PRE-POLISHED	PRE-PUNCHED TAP HOLES	REVERSIBLE SINK	AUTOMATIC WASTE FITTING INCLUDED	BUNDLE AVAILABLE
	MOUNTING TYPE				**NUMBER OF BOWLS & RADIUS**				**DRAINER**	**MATERIAL**		**FINISH**			**ADDITIONAL FEATURES**			
K1000			●		●			R10	●	●		●			●		*** ●	
K800			●		●		●	R10		●		●			●		*** ●	
K700 U	●		●	●	●	●		R10		●		●	●				*** ●	
K700	●		●		●			R15		●		●					*** ●	
K500	●		●		●	●	●	R65	●	●		●			●	●	*** ●	●
K400+		●			●	●		R20	●		●	●			●	●	*** ●	
K400	●				●	●	●	R20	●	●		●			●	●	*** ●	●
K200	●				●	●		R100/ R60	●	●				●	●	●	*** ●	●

* R0 (bottom, front & back top) / R30 (right & left top)
** R0 (vertical) / R9 (bottom)
*** optional accessory 40 986 SD0

COMPOSITE SINKS

	MOUNTING TYPE		NUMBER OF BOWLS & RADIUS				DRAINER	MATERIAL	ADDITIONAL FEATURES		
	STANDARD BUILT-IN	UNDERMOUNT	1	1.5	2	INNER RADIUS	DRAINER AVAILABLE	COMPOSITE	PRE-PUNCHED TAP HOLES	REVERSIBLE SINK	AUTOMATIC WASTE FITTING INCLUDED
K700 U 	●	●	●			R0 / R30*		●			*** ●
K700 	●	O	●	●	●	R0		●	●	O	*** ●
K500 	●	O	●	●		R0 / R9**	●	●	●	O	*** ●
K400 	●		●	●		R15	●	●	●	●	*** ●
K200 	●		●			R60		●	●		*** ●

O selected products
● all products in this line

GROHE BLUE & GROHE RED WATERSYSTEMS

	DESIGN	MIXED WATER	FILTERED WATER	SPARKLING WATER	BOILING WATER	PULL-OUT MOUSSEUR	CO_2-BOTTLE	FILTER	FILTERHEAD	CARBONIZER	BOILER	APP CONTROL	CHROME	PVD COLOURS	PERFECT MATCH: SOAP DISPENSER 40 535 000 / 40 535 DC0	PERFECT MATCH: WASTE SYSTEMS
GROHE BLUE HOME		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
GROHE BLUE HOME MONO			●	●			●	●	●			●	●	●	●	●
GROHE BLUE PROFESSIONAL		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
GROHE BLUE MONO PROFESSIONAL			●	●			●	●	●	●		●	●	●	●	●
GROHE BLUE PURE FILTER		●	●					●	●				●	●	●	●*
		●	●					●	●				●	●	●	●*
GROHE BLUE PURE FILTER MONO			●					●	●				●	●	●	●*
GROHE RED DUO		●			●			●	●		●		●	●	●	●
		●			●			●	●		●		●	●	●	●
		●			●			●	●		●		●	●	●	●
GROHE RED MONO					●			●	●		●		●	●	●	●
					●			●	●		●		●	●	●	●

* Additional waste bin is needed

	DESIGN	FILTERED WATER	EASYTOUCH	FOOTCONTROL	SMARTCONTROL	PROFESSIONAL SPRAY	PULL-OUT TRIPLE SPRAY	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR	SIDE SPRAY	PRE-WINDOW	SHUT-OFF VALVE	CHROME	PVD COLOURS	PERFECT MATCH – OUR RECOMMENDATION: SOAP DISPENSER 40 535 000 / 40 535 DC0	SOAP DISPENSER 40 536 000 / 40 536 DC0	SOAP DISPENSER 40 553 000 / 40 553 DC0	SOAP DISPENSER 40 537 000 / 40 537 DC0
GROHE K7								●		●			●	●	●			
						●							●	●	●			
GROHE K7 FOOTCONTROL				●		●							●		●			
GROHE MINTA					●			●	●			●	●	●	●			
								●	●				●	●	●			
								●	●				●	●	●			
GROHE MINTA TOUCH			●					●					●	●	●			
			●						●				●	●	●			
GROHE ZEDRA					●		●	●				●	●	●			●	
		●					●	●				●	●	●			●	
GROHE ZEDRA TOUCH			●				●	●					●	●			●	
GROHE ESSENCE					●	●		●					●	●	●			
GROHE ESSENCE FOOTCONTROL				●				●					●	●	●			
GROHE ATRIO													●	●	●			
GROHE EUROCUBE													●	●	●			
						●							●	●	●			
GROHE AMBI													●		●	●		
GROHE PARKFIELD								●					●	●				●
GROHE EURODISC COSMOPOLITAN								●			●	●	●		●			
									●				●		●			
													●		●			

GROHE FUNCTIONALITY AT A GLANCE

	DESIGN	PROFESSIONAL SPRAY	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR	PRE-WINDOW	SHUT-OFF VALVE	CHROME	PVD COLOURS	PERFECT MATCH – OUR RECOMMENDATION: SOAP DISPENSER 40 535 000 / 40 535 DC0	PERFECT MATCH – OUR RECOMMENDATION: SOAP DISPENSER 40 536 000 / 40 536 DC0
GROHE CONCETTO		●					●	●	●	
		●	●	●	●	●	●	●	●	
		●	●	●		●	●	●	●	
		●					●		●	
GROHE EUROSTYLE COSMOPOLITAN							●		●	
					●	●	●		●	
			●	●			●		●	
							●		●	
GROHE EUROSMART COSMOPOLITAN					●	●	●		●	
						●	●	●	●	
			●				●	●	●	
GROHE EUROSMART			●				●	●		●
						●	●	●		●
							●			●
GROHE BAU							●			●


	DESIGN	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR	PRE-WINDOW	SHUT-OFF VALVE	CHROME	PVD COLOURS	PERFECT MATCH – OUR RECOMMENDATION: SOAP DISPENSER 40 535 000 / 40 535 DC0	PERFECT MATCH – OUR RECOMMENDATION: SOAP DISPENSER 40 553 000 / 40 553 DC0
GROHE ZEDRA		●				●			●
GROHE MINTA			●			●		●	
		●				●		●	
GROHE CONCETTO			●	●	●	●		●	
			●			●		●	
GROHE EUROSTYLE COSMOPOLITAN						●		●	
						●		●	
						●		●	
GROHE EUROSMART COSMOPOLITAN						●		●	
						●	●	●	
						●		●	

ACCESSORIES
FOR GROHE WATER SYSTEMS

	FILTER					CO_2 BOTTLES		CLEANING AND ACCESSORIES		
	 **40 404 001** S-Size	 **40 430 001** M-Size	 **40 412 001** L-Size	 **40 547 001** ACTIVATED CARBON	 **40 691 002** MAGNESIUM	 **40 422 000** CO_2 STARTER KIT 425 G **40 687 000** CO_2 REFILL 425 G	 **40 423 000** CO_2 STARTER KIT 2 KG **40 424 000** CO_2 REFILL 2 KG	 **40 962 000** CO_2 ADAPTER TO 425 G	 **40 434 001** CLEANING CARTRIDGE	 **40 694 000** CLEANING CARTRIDGE ADAPTER
 GROHE BLUE HOME	•	•		•	•	•			•	•
 GROHE BLUE PROFESSIONAL	•	•	•	•	•	•	•	•	•	•
 GROHE RED	•	•	•		•					
 FILTER TAPS	•	•	•	•	•					

GROHE
BLUE PROFESSIONAL






Ref. No.	Colour	EAN	Retail Guide Price (£)
31 323 002	**Chrome**	**4005176989933**	**2,105.47**
31 323 DC2	**supersteel**	**4005176989940**	**2,366.42**

GROHE Blue Professional
C-spout kit
Consisting of:
GROHE Blue single-lever sink mixer with filter function
monobloc installation
C-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout
swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Professional cooler
delivers 12 liters of chilled sparkling water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
sound level in standby 46 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately
suitable filters:
- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- acctivated carbon filter, capacity 3000 l (40 547 001
- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)

System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.
to be equipped with a non-return valve EA approved by Belgaqua

GROHE
BLUE PROFESSIONAL





Ref. No.	Colour	EAN	Retail Guide Price (£)
31 347 003	**Chrome**	**4005176443336**	**2,105.47**
31 347 DC3	**supersteel**	**4005176446559**	**2,366.42**


GROHE Blue Professional
L-spout kit
Consisting of:
GROHE Blue single-lever sink mixer with filter function
monobloc installation
L-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout
swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Professional cooler
delivers 12 liters of chilled sparkling water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
sound level in standby 46 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately
suitable filters:
- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- acctivated carbon filter, capacity 3000 l (40 547 001
- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)

System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.
to be equipped with a non-return valve EA approved by Belgaqua

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUE PROFESSIONAL






Ref. No.	Colour	EAN	Retail Guide Price (£)
31 325 002	**Chrome**	**4005176507274**	**2,213.44**
31 325 DC2	**supersteel**	**4005176507250**	**2,528.37**

GROHE Blue Professional
C-spout kit
Consisting of:
GROHE Blue single-lever sink mixer with filter function
monobloc installation
C-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
pull out mousseur spout
swivel tubular spout
swivel area 360°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Professional cooler
delivers 12 liters of chilled sparkling water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
sound level in standby 46 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls
between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately
suitable filters:
- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- acctivated carbon filter, capacity 3000 l (40 547 001
- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)

System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.
to be equipped with a non-return valve EA approved by Belgaqua

GROHE
BLUE PROFESSIONAL






Ref. No.	Colour	EAN	Retail Guide Price (£)
31 326 002	**Chrome**	**4005176507236**	**2,213.44**
31 326 DC2	**supersteel**	**4005176507212**	**2,528.37**

GROHE Blue Professional
L-spout kit
Consisting of:
GROHE Blue single-lever sink mixer with filter function
monobloc installation
L-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
pull out mousseur spout
swivel tubular spout
swivel area 360°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Professional cooler
delivers 12 liters of chilled sparkling water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
sound level in standby 46 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls
between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately
suitable filters:
- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- acctivated carbon filter, capacity 3000 l (40 547 001
- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)

System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.
to be equipped with a non-return valve EA approved by Belgaqua

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUE PROFESSIONAL



Ref. No.	Colour	EAN	Retail Guide Price (£)
31 302 002	**Chrome**	**4005176443343**	**2,006.51**
31 302 DC2	**supersteel**	**4005176443350**	**2,240.44**


GROHE Blue Professional
C-spout kit
Consisting of:
GROHE Blue Mono mixer with filter function
monobloc installation
C-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight chrome finish
swivel tubular spout
swivel area 150°
GROHE Blue Professional cooler
delivers 12 liters of chilled sparkling water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
sound level in standby 46 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately
suitable filters:
- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- acctivated carbon filter, capacity 3000 l (40 547 001
- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)

System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.
to be equipped with a non-return valve EA approved by Belgaqua

GROHE
BLUE PROFESSIONAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 554 002		**4005176458521**	**1,511.63**





GROHE Blue Professional
Cooler and carbonizer
delivers 12 liters of chilled water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
compatible only with GROHE Blue taps with push button operation

System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUE HOME




Ref. No.	Colour	EAN	Retail Guide Price (£)
31 455 001	**Chrome**	**4005176454134**	**1,556.61**
31 455 DC1	**supersteel**	**4005176454141**	**1,772.56**
31 455 DL1	**brushed warm sunset**	**4005176488962**	**1,961.51**
31 455 AL1	**Brushed Hard Graphite**	**4005176488948**	**1,961.51**

GROHE Blue Home
C-spout
Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation
C-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout, swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with flexible
water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/
to be equipped with a non-return valve EA approved by Belgaqua

GROHE
BLUE HOME





Ref. No.	Colour	EAN	Retail Guide Price (£)
31 455 000	**Chrome**	**4005176323027**	**1,556.61**
31 455 DC0	**supersteel**	**4005176323034**	**1,772.56**

GROHE Blue Home
C-spout
Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation
C-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout, swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with flexible
water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001
GROHE Blue 425 g CO_2 bottle

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUE HOME



Ref. No.	Colour	EAN	Retail Guide Price (£)
31 541 000	**Chrome**	**4005176437038**	**1,808.55**
31 541 DC0	**supersteel**	**4005176437045**	**2,051.49**

GROHE Blue Home
C-spout
Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation
C-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
pull out mousseur spout
swivel tubular spout, swivel area 360°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with flexible
water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/
to be equipped with a non-return valve EA approved by Belgaqua

GROHE
BLUE HOME



Ref. No.	Colour	EAN	Retail Guide Price (£)
31 454 001	**Chrome**	**4005176454110**	**1,556.61**
31 454 DC1	**supersteel**	**4005176454127**	**1,772.56**
31 454 DL1	**brushed warm sunset**	**4005176488924**	**1,961.51**
31 454 AL1	**Brushed Hard Graphite**	**4005176488900**	**1,961.51**

GROHE Blue Home
L-spout
Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation
L-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout, swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with flexible
water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/
to be equipped with a non-return valve EA approved by Belgaqua

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUE HOME



Ref. No.	Colour	EAN	Retail Guide Price (£)
31 539 000	**Chrome**	**4005176437014**	**1,808.55**
31 539 DC0	**supersteel**	**4005176437021**	**2,051.49**

GROHE Blue Home
L-spout
Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation
L-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
pull out mousseur spout
swivel tubular spout, swivel area 360°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with flexible
water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/
to be equipped with a non-return valve EA approved by Belgaqua

GROHE
BLUE HOME



Ref. No.	Colour	EAN	Retail Guide Price (£)
31 456 001	**Chrome**	**4005176454158**	**1,556.61**
31 456 DC1	**supersteel**	**4005176454165**	**1,772.56**

GROHE Blue Home
U-spout
Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation
U spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout, swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with flexible
water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/
to be equipped with a non-return valve EA approved by Belgaqua

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUE HOME



Ref. No.	Colour	EAN	Retail Guide Price (£)
31 543 000	**Chrome**	**4005176437052**	**1,808.55**
31 543 DC0	**supersteel**	**4005176437069**	**2,051.49**

GROHE Blue Home
U-spout
Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation
U spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
pull out mousseur spout
swivel tubular spout, swivel area 360°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with flexible
water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/
to be equipped with a non-return valve EA approved by Belgaqua

GROHE
BLUE HOME



Ref. No.	Colour	EAN	Retail Guide Price (£)
31 498 001	**Chrome**	**4005176454172**	**1,502.63**
31 498 DC1	**supersteel**	**4005176454189**	**1,736.57**
31 498 DL1	**brushed warm sunset**	**4005176489006**	**1,907.52**
31 498 AL1	**Brushed Hard Graphite**	**4005176488986**	**1,907.52**

GROHE Blue Home
Mono Starter kit
Consisting of:
GROHE Blue Home Mono faucet with filter function
monobloc installation
C-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight finish
swivel tubular spout
swivel area 150°
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2 bottle


System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/
to be equipped with a non-return valve EA approved by Belgaqua

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUE HOME

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 711 001		**4005176454301**	**1,187.71**






GROHE Blue Home
Cooler
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
delivers 3 liters of chilled sparkling water per hour
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated carbon filter and GROHE Blue magnesium + zinc filter

System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.
to be equipped with a non-return valve EA approved by Belgaqua

GROHE
BLUE PURE

Ref. No.	Colour	EAN	Retail Guide Price (£)
30 382 000	**Chrome**	**4005176565496**	**512.87**
30 382 DC0	**supersteel**	**4005176565502**	**584.85**






GROHE Blue Pure Minta
Starter kit
Consisting of:
GROHE Blue single-lever sink mixer with filter function
monobloc installation
L-spout
pull out mousseur spout
separate handle for filtered water
headpart 1/2"
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
swivel tubular spout
swivel area 90°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue filter head
GROHE Blue activated carbon filter for premium taste
Up to 3000 Liters
filter exchange timer including 2 x AA batteries

30 383 000	**Chrome**	**4005176565519**	**350.90**






GROHE Blue Pure Eurosmart
Starter kit
Consisting of:
GROHE Blue single-lever sink mixer with filter function
monobloc installation
C-spout
separate handle for filtered water
headpart 1/2"
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout
swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue filter head
GROHE Blue activated carbon filter for premium taste
Up to 3000 Liters
filter exchange timer including 2 x AA batteries

30 385 000	**Chrome**	**4005176565533**	**314.92**






GROHE Blue Pure BauCurve
Starter kit
Consisting of:
GROHE Blue single-lever sink mixer with filter function
monobloc installation
C-spout
separate handle for filtered water
headpart 1/2"
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout
swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue filter head
GROHE Blue activated carbon filter for premium taste
Up to 3000 Liters
filter exchange timer including 2 x AA batteries

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUE PURE

Ref. No.	Colour	EAN	Retail Guide Price (£)
30 387 000	**Chrome**	**4005176565557**	**269.92**






GROHE Blue Pure Mono
Starter kit
Consisting of:
GROHE Blue Mono mixer with filter function
monobloc installation
C-spout
handle for filtered table water
headpart 1/2“
GROHE StarLight chrome finish
swivel tubular spout
swivel area 150°
flexible connection hoses
GROHE Blue filter head
GROHE Blue activated carbon filter for premium taste
Up to 3000 Liters
filter exchange timer including 2 x AA batteries

GROHE
BLUE ACCESSORIES

Ref. No.	Colour	EAN	Retail Guide Price (£)






40 848 000 — **4005176351082** — **7.65**

GROHE Blue
Drinking bottle
Tritan drinking bottle with GROHE Blue decor
BPA (Bispenol A) free
lid with strap
volume 500 ml






40 848 SD0	**stainless steel**	**4005176386008**	**11.25**
40 848 GN0	**brushed cool sunrise**	**4005176647000**	**15.28**
40 848 DL0	**brushed warm sunset**	**4005176647017**	**15.28**
40 848 AL0	**Brushed Hard Graphite**	**4005176646997**	**15.28**

GROHE Blue
Thermo drinking bottle
stainless steel drinking bottle with GROHE Blue decor
double-walled
lid with strap
volume 450 ml





40 405 001 — **4005176698019** — **26.10**


GROHE Blue
Glass carafe with lid set
crystal glass with GROHE Blue decor
stainless steel lid with tilt lock
with integrated sieve to hold back e.g. fruits
plastic lid for closing
BPA (Bispenol A) free
dish washer safe
volume 1l



40 636 SD0 **stainless steel** — **4005176706707** — **11.34**

GROHE Blue
Lid set
set consists of 2 lids
stainless steel lid with tilt lock
with integrated sieve to hold back e.g. fruits
plastic lid for closing
BPA (Bispenol A) free
dish washer safe





40 437 000 — **4005176885471** — **26.09**

GROHE Blue
Water glasses (6 pieces)
crystal glasses with GROHE Blue decor
dish washer safe
volume 250 ml







40 962 000 — **4005176529412** — **18.88**


GROHE Blue
CO_2 adapter
adapter for GROHE Blue Professional CO_2 pressure reducer
for use with 425 g CO_2 bottles
for GROHE Blue Professional systems as of January 2019

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUE ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 404 001		4005176984068	52.63
	GROHE Blue **Filter S-Size** BWT replacement filter for GROHE Blue and GROHE Red water systems Capacity 600 L at 20° dKH 5-stage filter reduces substances responsible for taste and odour, e.g. chlorine reduces limescale and heavy metals compatible with GROHE Blue Home, GROHE Blue Professional, GROHE Blue Pure (only with flow meter) and GROHE Red			
	40 430 001		4005176984075	98.97
	ditto, M-Size, capacity 1500 l at 20° dKh, 315 mm high			
	40 412 001		4005176984082	130.46
	ditto, L-Size, capacity 2500 l at 20° dKh, 350 mm high			
 	40 547 001		4005176984099	52.63
	GROHE Blue **Activated carbon filter** BWT replacement filter for GROHE Blue water systems for soft water areas below 9° dKH Up to 3000 Liters reduces substances responsible for taste and odour, e.g. chlorine compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure			
 	40 691 002		4005176674099	67.46
	GROHE Blue **Magnesium + Zinc filter** BWT replacement filter for GROHE Blue and GROHE Red water systems Capacity 400 L at 17° dGH enriches water with up to 35 mg/l magnesium and up to 3 mg/l zinc reduces substances responsible for taste and odour, e.g. chlorine reduces limescale and heavy metals compatible with GROHE Blue Home, GROHE Blue Professional, GROHE Blue Pure (only with flow meter) and GROHE Red			
 	40 575 002		4005176674082	103.47
	GROHE Blue **UltraSafe filter** BWT replacement filter for GROHE Blue water systems filter capacity maximum 3000 l or 6 months retains microplastic > 1 µm and 99,999 % of bacteria, removes lead by 99,5 % reduces substances responsible for taste and odour, e.g. chlorine compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure (only with flow meter)			
	64 508 001		4005176984112	30.14
	GROHE Blue **Filter Head** for use with GROHE Blue filters, sold separately			

GROHE
BLUE ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 434 001		4005176985294	26.09

GROHE Blue
Cleaning cartridge
for 100% disinfection and cleaning of the GROHE Blue cooler and filter head including spray head
for use with GROHE Blue cleaning cartridge adapter 40 694 000, sold separately
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

	40 694 000		4005176985300	11.25


GROHE Blue
Cleaning cartridge adapter
for GROHE Blue BWT filterhead 64 508 001
for use with GROHE Blue cleaning cartridge 40 434 001, sold separately

 	40 422 000		4005176890246	71.97

GROHE Blue
Starter kit 425 g CO_2 bottles (4 pieces)
carbondioxid from natural sources for food and beverage (E290)
Purity: CO_2 99.9 % v/v min.
volume 1 bottle: 425 g, for up to 60 l of sparkling water
for refilling please order 40 687 000
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

 	40 687 000		4005176981838	31.48


GROHE Blue
Refill 425 g CO_2 bottles (4 pieces)
carbondioxid from natural sources for food and beverage (E290)
Purity: CO_2 99.9 % v/v min.
volume 1 bottle: 425 g, for up to 60 l of sparkling water
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

 	40 920 000	Chrome	4005176470646	16.19

GROHE Blue
425 g CO_2 bottle
carbondioxid from natural sources for food and beverage (E290)
Purity: CO_2 99.9 % v/v min.
volume 1 bottle: 425 g, for up to 60 l of sparkling water
sales unit 18 pieces
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUE ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**40 423 000**		**4005176890253**	**89.97**

GROHE Blue
Starter kit 2 kg CO_2 bottle
carbondioxid from natural sources for food and beverage (E290)
Purity: CO_2 99.9 % v/v min.
volume 1 bottle: 2 kg, up to 350 l sparkling water
integrated residual pressure valve and safety carrier handle
for refilling please order 40 424 000
sales unit 1 piece
not suitable for the GROHE Blue Home cooler
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/


	**40 843 000**		**4005176337109**	**37.78**

GROHE Blue
Extension set
Consisting of:
extension cable 5 m
hose for drinking water, 5 m
tube cutter
adapters and clips
suitable for GROHE Blue Home and GROHE Blue Professional (from January 2019)

GROHE
RED

Ref. No.	Colour	EAN	Retail Guide Price (£)
30 328 001	**Chrome**	**4005176414107**	**1,439.65**
30 328 DC1	**supersteel**	**4005176414114**	**1,646.58**






GROHE Red Duo
Tap and L Size Boiler
Consisting of:
GROHE Red Duo single-lever sink mixer
monobloc installation
C-spout
GROHE ChildLock push buttons for kettle hot water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler L size
reservoir for kettle hot and hot water
Without safety expansion vessel, comes with safety valve assembeley instead
5.5 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for kettle hot water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit

Ref. No.	Colour	EAN	Retail Guide Price (£)
30 340 001	**Chrome**	**4005176414893**	**1,484.63**
30 340 DC1	**supersteel**	**4005176414909**	**1,709.58**






GROHE Red Duo
Tap and L Size Boiler
Consisting of:
GROHE Red Duo single-lever sink mixer
monobloc installation
L-spout
GROHE ChildLock push buttons for kettle hot water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler L size
reservoir for kettle hot and hot water
5.5 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for kettle hot water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RED

Ref. No.	Colour	EAN	Retail Guide Price (£)
30 058 001	**Chrome**	**4005176989162**	**1,385.66**
30 058 DC1	**supersteel**	**4005176989179**	**1,592.60**
30 058 DL1	**brushed warm sunset**	**4005176489280**	**1,709.58**
30 058 AL1	**Brushed Hard Graphite**	**4005176489266**	**1,709.58**






GROHE Red Duo
Tap and M Size Boiler
Consisting of:
GROHE Red Duo single-lever sink mixer
monobloc installation
C-spout
GROHE ChildLock push buttons for kettle hot water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for kettle hot and hot water
3 litre 99° C kettle hot water
4 litre total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for kettle hot water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit

Ref. No.	Colour	EAN	Retail Guide Price (£)
30 341 001	**Chrome**	**4005176414916**	**1,385.66**
30 341 DC1	**supersteel**	**4005176414923**	**1,592.60**
30 341 DL1	**brushed warm sunset**	**4005176489327**	**1,709.58**
30 341 AL1	**Brushed Hard Graphite**	**4005176489303**	**1,709.58**






GROHE Red Duo
Tap and M Size Boiler
Consisting of:
GROHE Red Duo single-lever sink mixer
monobloc installation
L-spout
GROHE ChildLock push buttons for kettle hot water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for kettle hot and hot water
3 litre 99° C kettle hot water
4 litre total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for kettle hot water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit

GROHE
RED

Ref. No.	Colour	EAN	Retail Guide Price (£)






30 060 001 **Chrome** **4005176989186** **1,277.68**

GROHE Red Mono
Pillar tap and M size boiler
Consisting of:
GROHE Red Mono pillar tap
monobloc installation
C-spout
GROHE ChildLock push buttons for kettle hot water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
insulated tubular spout
swivel area 150°
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for kettle hot and hot water
3 litre 99° C kettle hot water
4 litre total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for kettle hot water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit





30 329 001 **Chrome** **4005176414121** **1,277.68**

GROHE Red Mono
Pillar tap and M size boiler
Consisting of:
GROHE Red Mono pillar tap
monobloc installation
L-spout
GROHE ChildLock push buttons for kettle hot water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
insulated tubular spout
swivel area 150°
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for kettle hot and hot water
3 litre 99° C kettle hot water
4 litre total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for kettle hot water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit



40 841 001 **Chrome** **4005176335358** **98.97**

GROHE Red
Mixing valve
for thermostatic mixing of mains and boiling water to generate warm water
adjustable between 35°C and 75°C
hot fill and cold fill installation possible
including 70 cm connection hose, manifold and wall fixation

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE RED

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**40 842 001**	**Chrome**	**4005176335365**	**755.81**


GROHE Red
Boiler Size M
reservoir for hot water
3 liter hot water at 99° C
4 litre total capacity
required inlet pressure: 1-7 bar
with flexible connection hoses and connection for boiling water
CE approved
power supply 230 V 50 Hz 30 VA
power consumption 2100 W
standby power consumption 15 W

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**40 834 001**	**Chrome**	**4005176335280**	**809.81**


GROHE Red
Boiler Size L
reservoir for hot water
5.5 liter hot water at 99° C
5.5 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hoses and connection for boiling water
CE approved
power supply 230 V 50 Hz 30 VA
power consumption 2100 W
standby power consumption 15 W

 	**40 438 001**		**4005176984105**	**130.46**

GROHE Red
Filter with filter head
for regions with water hardness higher 12° KH
turn before GROHE Red boiler
flexible connection hoses
filter 600 l

 	**40 919 SD0**	**stainless steel**	**4005176450136**	**13.49**

GROHE Red
Thermo drinking bottle
stainless steel bottle with GROHE Red decor
double-walled
lid with strap
with tea strainer
volume 450 ml


	**40 432 000**		**4005176883255**	**22.49**

GROHE Red
Tea glasses (4 pieces)
heat proof glass with GROHE Red decor
dish washer safe
volume 250 ml

GROHE
WASTE SEPARATION SYSTEMS

Ref. No.	Colour	EAN	Retail Guide Price (£)






40 855 000 **4005176356452** **47.68**

GROHE Blue
Waste bin recycling separation system
installation type: floor mounted, behind swinging door
technique: full extension
operation: manual telescopic
separation: double, 2 x up to 15 l filling volume
cabinet width: 30 cm and wider
compatible with GROHE Blue Home and GROHE Red M and L size






40 980 000 **4005176586446** **242.05**

GROHE Blue
Waste separation system 60 cm - 29 l
installation type: side wall and front panel
technique: full extension with pull-in damping
separation: single, 1 x 29 l
cabinet width: 60 cm
installation height 533 mm minimum, 573 mm maximum
compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size






40 981 000 **4005176586453** **242.05**

GROHE Blue
Waste separation system 60 cm - 8 l / 8 l
installation type: side wall and front panel
technique: full extension with pull-in damping
separation: double, 2 x 8 l
cabinet width: 60 cm
installation height 533 mm minimum, 573 mm maximum
compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size






40 982 000 **4005176586460** **260.04**

GROHE Blue
Waste separation system 90 cm - 11 l / 29 l
installation type: side wall and front panel
technique: full extension with pull-in damping
separation: double, 1 x 11 l, 1 x 29 l
cabinet width: 90 cm
installation height 533 mm minimum, 573 mm maximum
compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size





40 983 000 **4005176586477** **260.04**


GROHE Blue
Waste separation system 90 cm - 8 l / 8 l / 11 l
installation type: side wall and front panel
technique: full extension with pull-in damping
separation: triple, 2 x 8 l, 1 x 11 l
cabinet width: 90 cm
installation height 533 mm minimum, 573 mm maximum
compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
WASTE SEPARATION SYSTEMS


Ref. No.	Colour	EAN	Retail Guide Price (£)
40 984 000		**4005176586484**	**39.13**






GROHE Blue
Retrofit kit for extricable metal cover
contents: pull-out rails and anti-slip mat
for use with GROHE Blue waste separation system 40 980, 40 981, 40 982 or 40 983, sold separately

GROHE
K7

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**32 950 000** **32 950 DC0**	**Chrome** **supersteel**	**4005176879838** **4005176879845**	**685.31** **894.73**

K7
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
professional spray
diverter: mousseur/shower jet
automatic return to mousseur
metal spray
adjustable flow rate limiter
swivel spout
swivel area 140°
protected against backflow
flexible connection hoses
rapid installation system


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**31 379 000** **31 379 DC0**	**Chrome** **supersteel**	**4005176938085** **4005176938092**	**662.03** **859.82**


K7
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
professional spray
diverter: mousseur/shower jet
automatic return to mousseur
metal spray
adjustable flow rate limiter
swivel spout, swivel area 140°
protected against backflow
flexible connection hoses
rapid installation system

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
FOOT CONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
30 309 000		**4005176351235**	**381.00**






Foot Control
Dual flush valve set
Foot control: activation of water via contact with sensor
battery supply 6 V lithium-battery,
type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically stops after 60 sec. (factory set)
type of protection IP 44
upgrade set for GROHE pull-out kitchen faucets
not suitable for combination with open water heater (SKUs 32 555 000, 31 397 000, 32 511 000, 31 127 002, 33 984 002, 31 180 000, 30 194 000/DC0, 31 179 000, 31 132 001

GROHE
MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 613 000	**Chrome**	**4005176521973**	**329.88**
31 613 DC0	**supersteel**	**4005176521980**	**427.54**
31 613 DA0	**warm sunset**	**4005176523595**	**461.18**
31 613 A00	**hard graphite**	**4005176523601**	**461.18**






Minta SmartControl
Sink mixer with SmartControl
monobloc installation
GROHE StarLight chrome finish
pull-out spray with laminar
metal spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE SmartControl push for ON-OFF, turn for volume adjustment from water saving eco mode to Full Flow
temperature adjustment by turning of mixing valve on body
swivel tubular spout
swivel area 140°
protected against backflow
flexible connection hoses
GROHE FastFixation Plus installation system
GROHE Zero isolated inner water ways - lead and nickel free within the tap

31 360 001	**Chrome**	**4005176343025**	**607.89**
31 360 DC1	**supersteel**	**4005176343032**	**790.60**






Minta Touch
Electronic single-lever sink mixer 1/2"
L-spout
Touch: activation of water via skin contact
battery supply 6 V lithium-battery,
type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically stops after 60 sec. (factory set)
type of protection IP 44
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

31 358 002	**Chrome**	**4005176465000**	**625.98**
31 358 DC2	**supersteel**	**4005176465017**	**782.78**






Minta Touch
Electronic single-lever sink mixer 1/2"
C-spout
monobloc installation
Touch: activation of water via skin contact
battery supply 6 V lithium-battery,
type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically stops after 60 sec. (factory set)
type of protection IP 44
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 375 000	**Chrome**	**4005176934155**	**231.52**
31 375 DC0	**supersteel**	**4005176934162**	**301.35**
31 375 DA0	**warm sunset**	**4005176488634**	**329.30**
31 375 DL0	**brushed warm sunset**	**4005176488641**	**329.30**
31 375 A00	**hard graphite**	**4005176488610**	**329.30**
31 375 AL0	**Brushed Hard Graphite**	**4005176488627**	**329.30**






Minta
Single-lever sink mixer 1/2"
L-spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
swivel range 0°/150°/360°
flexible connection hoses
protected against backflow
rapid installation system

32 168 000	**Chrome**	**4005176824425**	**231.52**
32 168 DC0	**supersteel**	**4005176824432**	**301.35**






Minta
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system

30 274 000	**Chrome**	**4005176314988**	**289.70**
30 274 DC0	**supersteel**	**4005176314995**	**363.34**
30 274 DA0	**warm sunset**	**4005176488672**	**392.07**
30 274 DL0	**brushed warm sunset**	**4005176488689**	**392.07**
30 274 A00	**hard graphite**	**4005176488658**	**392.07**
30 274 AL0	**Brushed Hard Graphite**	**4005176488665**	**392.07**






Minta
Single-lever sink mixer 1/2"
L-spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
flow strainer
pull-out dual spray control - switches between regular flow and spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
metal spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system

GROHE
MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No.	Colour	EAN	Retail Guide Price (£)
32 917 000	**Chrome**	**4005176230950**	**184.99**
32 917 DC0	**supersteel**	**4005176804946**	**231.52**
32 917 KS0	**velvet black**	**4005176980640**	**250.16**
32 917 DA0	**warm sunset**	**4005176488719**	**263.22**
32 917 DL0	**brushed warm sunset**	**4005176488726**	**263.22**
32 917 A00	**hard graphite**	**4005176488696**	**263.22**
32 917 AL0	**Brushed Hard Graphite**	**4005176488702**	**263.22**






Minta
Single-lever sink mixer 1/2"
C-spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
flexible connection hoses
with compression nut
rapid installation system
optional temperature limiter (46 308 000)

32 918 000	**Chrome**	**4005176230967**	**231.52**
32 918 DC0	**supersteel**	**4005176804953**	**301.35**






Minta
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
optional temperature limiter (46 308 000)

32 918 00E	**Chrome**	**4005176866616**	**231.52**

Ditto, with GROHE Ecojoy 5.7 l/min flow limiter

32 511 000	**Chrome**	**4005176295621**	**278.08**






Minta
Single-lever sink mixer 1/2"
for use with displacement water heater
C-spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
optional temperature limiter (46 308 000)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No.	Colour	EAN	Retail Guide Price (£)
32 321 002	Chrome	4005176465109	229.24
32 321 DC2	supersteel	4005176465116	298.37
32 321 GN2	brushed cool sunrise	4005176618529	328.33
32 321 DA2	warm sunset	4005176488757	328.20
32 321 DL2	brushed warm sunset	4005176488764	328.20
32 321 A02	hard graphite	4005176488733	328.20
32 321 AL2	Brushed Hard Graphite	4005176488740	328.20






Minta
Single-lever sink mixer 1/2"
C-spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system

30 348 001	Chrome	4005176464973	223.57






Minta
Single-lever sink mixer 1/2"
C-spout
monobloc installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
shorter lever (71 mm)
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system

32 488 000	Chrome	4005176289552	184.99
32 488 DC0	supersteel	4005176804939	243.80
32 488 DA0	warm sunset	4005176488795	263.22
32 488 DL0	brushed warm sunset	4005176488801	263.22
32 488 A00	hard graphite	4005176488771	263.22
32 488 AL0	Brushed Hard Graphite	4005176488788	263.22






Minta
Single-lever sink mixer 1/2"
U spout, monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
selectable swivel area : 0° / 150° / 360°
swivel tubular spout
flexible connection hoses
rapid installation system
optional temperature limiter (46 308 000)

32 067 000	Chrome	4005176811142	231.52






Minta
Single-lever sink mixer 1/2"
U spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system

GROHE
MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No.	Colour	EAN	Retail Guide Price (£)
32 322 002	**Chrome**	**4005176465123**	**229.24**
32 322 DC2	**supersteel**	**4005176465130**	**298.37**
32 322 DA2	**warm sunset**	**4005176488832**	**328.20**
32 322 DL2	**brushed warm sunset**	**4005176488849**	**328.20**
32 322 A02	**hard graphite**	**4005176488818**	**328.20**
32 322 AL2	**Brushed Hard Graphite**	**4005176488825**	**328.20**





Minta
Single-lever sink mixer 1/2“
U spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system

40 684 000	**Chrome**	**4005176940088**	**67.18**
40 684 DC0	**supersteel**	**4005176940095**	**70.61**




Minta
Lever
for Minta single lever sink mixer

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH


Ref. No.	Colour	EAN	Retail Guide Price (£)
31 593 002	Chrome	4005176521942	432.97
31 593 DC2	supersteel	4005176521959	650.00






Zedra SmartControl
Sink mixer with SmartControl
monobloc installation
GROHE StarLight chrome finish
pull-out spray with laminar
metal spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE SmartControl push for ON-OFF, turn for volume adjustment from water saving eco mode to Full Flow
temperature adjustment by turning of mixing valve on body
swivel tubular spout
swivel area 140°
protected against backflow
flexible connection hoses
GROHE FastFixation Plus installation system
GROHE Zero isolated inner water ways - lead and nickel free within the tap


Ref. No.	Colour	EAN	Retail Guide Price (£)
30 219 002	Chrome	4005176466540	731.85
30 219 DC2	supersteel	4005176466557	987.82






Zedra Touch
Electronic single-lever sink mixer 1/2"
Touch: activation of water via skin contact
battery supply 6 V lithium-battery,
type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically stops after 60 sec. (factory set)
type of protection IP 44
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
pull-out spray with 3 spray types
diverter: laminar spray/**SpeedClean** shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance)
stop function - pause button to stop the water flow
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses

Ref. No.	Colour	EAN	Retail Guide Price (£)
32 294 002	Chrome	4005176466496	371.92
32 294 DC2	supersteel	4005176466502	482.73






Zedra
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
pull-out spray with 3 spray types
diverter: laminar spray/**SpeedClean** shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance)
stop function - pause button to stop the water flow
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE FastFixation Plus installation system
GROHE Zero isolated inner water ways - lead and nickel free within the tap

GROHE
ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH






Ref. No.	Colour	EAN	Retail Guide Price (£)
32 553 002	**Chrome**	**4005176466649**	**348.19**
32 553 DC2	**supersteel**	**4005176466656**	**546.39**

Zedra
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE FastFixation Plus installation system
GROHE Zero isolated inner water ways - lead and nickel free within the tap

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ATRIO






Ref. No.	Colour	EAN	Retail Guide Price (£)
30 362 000	**Chrome**	**4005176496479**	**487.42**
30 362 DC0	**supersteel**	**4005176496486**	**635.10**
30 362 AL0	**Brushed Hard Graphite**	**4005176497292**	**729.93**

Atrio
Two handle sink mixer 1/2"
C-spout
monobloc installation
GROHE StarLight chrome finish
ceramic headparts 1/2", 90°
selectable swivel area : 0° / 150° / 360°
flexible connection hoses
rapid installation system
mousseur

GROHE ESSENCE






Ref. No.	Colour	EAN	Retail Guide Price (£)
31 615 000	Chrome	4005176523649	392.82
31 615 DC0	supersteel	4005176523656	511.10
31 615 BE0	polished nickel	4005176523731	550.17
31 615 EN0	brushed nickel	4005176523748	589.23
31 615 GL0	cool sunrise	4005176523670	550.17
31 615 GN0	brushed cool sunrise	4005176523687	589.23
31 615 DA0	warm sunset	4005176523694	550.17
31 615 DL0	brushed warm sunset	4005176523700	589.23
31 615 A00	hard graphite	4005176523717	550.17
31 615 AL0	Brushed Hard Graphite	4005176523724	589.23

Essence SmartControl
Sink mixer with SmartControl
monobloc installation
GROHE StarLight chrome finish
pull-out spray with laminar
metal spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE SmartControl push for ON-OFF, turn for volume adjustment from water saving eco mode to Full Flow
temperature adjustment by turning of mixing valve on body
swivel tubular spout
swivel area 140°
protected against backflow
flexible connection hoses
GROHE FastFixation Plus installation system
GROHE Zero isolated inner water ways - lead and nickel free within the tap





30 503 000	Chrome	4005176695698	461.69
30 503 DC0	supersteel	4005176720178	595.71

Essence
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
flow strainer
with integrated temperature limiter
professional spray
with flexible, hygienic GROHFlexx kitchen santoprene hose
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
metal spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
swivel spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system
professional edition
available February 2022

30 294 000	Chrome	4005176341472	461.69
30 294 DC0	supersteel	4005176341489	595.71
30 294 GL0	cool sunrise	4005176488078	601.33
30 294 GN0	brushed cool sunrise	4005176488085	601.33
30 294 DA0	warm sunset	4005176488498	601.33
30 294 DL0	brushed warm sunset	4005176488504	601.33
30 294 A00	hard graphite	4005176488054	601.33
30 294 AL0	Brushed Hard Graphite	4005176488061	601.33

will be replaced by 30 503




30 321 GE0	green	4005176438271	106.30
30 321 XC0	Dark Grey	4005176385735	65.70
30 321 MW0	Sheer Marble	4005176385728	65.70
30 321 HG0	Dark Brown	4005176385742	65.70
30 321 DG0	red	4005176438219	106.30
30 321 DP0	pink	4005176438264	106.30
30 321 DU0	purple	4005176438257	106.30
30 321 TY0	blue	4005176438240	106.30
30 321 YF0	yellow	4005176438233	65.70
30 321 YR0	orange	4005176438226	106.30

Essence GROHFlexx kitchen hose
Spout hose for Essence kitchen tap
for 30 294 000/ 30 294 DC0
flexible, hygienic **GROHFlexx kitchen** santoprene hose
including fixing parts

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENCE






Ref. No.	Colour	EAN	Retail Guide Price (£)
30 505 000	Chrome	4005176695711	291.15
30 505 DC0	supersteel	4005176720062	364.24
30 505 GL0	cool sunrise	4005176720086	376.42
30 505 GN0	brushed cool sunrise	4005176720352	376.44
30 505 DA0	warm sunset	4005176719752	376.42
30 505 DL0	brushed warm sunset	4005176720079	376.44
30 505 A00	hard graphite	4005176719738	376.42
30 505 AL0	Brushed Hard Graphite	4005176719745	376.44

Essence
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
mousseur
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system
integrated temperature limiter
professional edition
available February 2022

30 269 000	Chrome	4005176314902	291.15
30 269 DC0	supersteel	4005176314919	364.24
30 269 GL0	cool sunrise	4005176428616	376.42
30 269 GN0	brushed cool sunrise	4005176428623	376.44
30 269 DA0	warm sunset	4005176428630	376.42
30 269 DL0	brushed warm sunset	4005176428647	376.44
30 269 A00	hard graphite	4005176428661	376.42
30 269 AL0	Brushed Hard Graphite	4005176428654	376.44

will be replaced by 30 505







Ref. No.	Colour	EAN	Retail Guide Price (£)
30 504 000	Chrome	4005176695704	364.21
30 504 DC0	supersteel	4005176720130	425.15
30 504 GL0	cool sunrise	4005176720154	486.05
30 504 GN0	brushed cool sunrise	4005176720161	486.02
30 504 DA0	warm sunset	4005176720123	486.05
30 504 DL0	brushed warm sunset	4005176720147	486.02
30 504 A00	hard graphite	4005176720109	486.02
30 504 AL0	Brushed Hard Graphite	4005176720116	486.02

Essence
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
flow strainer
pull-out dual spray control - switches between regular flow and spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
metal spray
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
integrated temperature limiter
professional edition
available February 2022

30 270 000	Chrome	4005176314926	364.21
30 270 DC0	supersteel	4005176314933	425.15
30 270 GL0	cool sunrise	4005176427428	486.05
30 270 GN0	brushed cool sunrise	4005176427435	486.02
30 270 DA0	warm sunset	4005176427442	486.05
30 270 DL0	brushed warm sunset	4005176427459	486.02
30 270 A00	hard graphite	4005176427473	486.02
30 270 AL0	Brushed Hard Graphite	4005176427466	486.02

will be replaced by 30 504

GROHE
EUROCUBE


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**31 395 000** **31 395 DC0**	**Chrome** **supersteel**	**4005176304774** **4005176304767**	**632.23** **814.99**
	Eurocube **Single-lever sink mixer 1/2"** monobloc installation **GROHE StarLight** finish 28 mm ceramic cartridge with **GROHE SilkMove** diverter: mousseur/shower jet automatic return to laminar spray swivel spout swivel area 140° 360° maneuverable spring arm protected against backflow flexible connection hoses applicable for under cupboard installation rapid installation system			
 	**31 255 000** **31 255 DC0**	**Chrome** **supersteel**	**4005176901416** **4005176994319**	**218.07** **449.55**
	Eurocube **Single-lever sink mixer 1/2"** high spout monobloc installation **GROHE StarLight** finish 28 mm ceramic cartridge with **GROHE SilkMove** mousseur swivel cast spout swivel area 90° flexible connection hoses rapid installation system			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)






32 259 003 **Chrome** **4005176466908** **235.31**

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
mousseur
flexible connection hoses
GROHE FastFixation rapid installation system






33 770 002 **Chrome** **4005176888137** **237.66**

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system






32 257 002 **Chrome** **4005176886591** **285.42**

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out dual spray
diverter: mousseur/shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel cast spout, swivel area 100°
protected against backflow
flexible connection hoses
rapid installation system






33 772 002 **Chrome** **4005176890796** **249.61**

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
projection 271 mm
S-unions


GROHE
EURODISC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**33 770 001**	**Chrome**	**4005176828959**	**213.78**



Eurodisc
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
with stop restriction
flexible connection hoses
rapid installation system

	**32 257 001**	**Chrome**	**4005176834165**	**225.73**




Eurodisc
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out dual spray
diverter: mousseur/shower jet
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
CONCETTO

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 491 000	**Chrome**	**4005176343308**	**371.16**
31 491 DC0	**supersteel**	**4005176343315**	**487.50**






Concetto
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
flow strainer
with integrated temperature limiter
professional spray
with flexible, hygienic GROHFlexx kitchen santoprene hose
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
swivel spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

32 661 003	**Chrome**	**4005176466823**	**206.20**
32 661 DC3	**supersteel**	**4005176466830**	**252.28**






Concetto
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
flexible connection hoses
GROHE FastFixation rapid installation system

32 663 003	**Chrome**	**4005176466854**	**229.24**
32 663 DC3	**supersteel**	**4005176466861**	**321.40**






Concetto
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
GROHE Zero isolated inner water ways - lead and nickel free within the tap
pull-out laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE FastFixation rapid installation system

31 212 003	**Chrome**	**4005176466762**	**259.91**






Concetto
Single-lever sink mixer 1/2"
for use with displacement water heater
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
pull-out laminar spray
automatic return
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

GROHE CONCETTO

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 483 002	**Chrome**	**4005176466809**	**263.80**
31 483 DC2	**supersteel**	**4005176466816**	**344.45**






Concetto
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
GROHE Zero isolated inner water ways - lead and nickel free within the tap
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE FastFixation rapid installation system

31 128 001	**Chrome**	**4005176886737**	**208.26**
31 128 DC1	**supersteel**	**4005176891007**	**266.45**






Concetto
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system

31 129 001	**Chrome**	**4005176886744**	**254.80**
31 129 DC1	**supersteel**	**4005176891021**	**324.62**






Concetto
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
flexible connection hoses
rapid installation system

30 273 001	**Chrome**	**4005176314964**	**289.70**
30 273 DC1	**supersteel**	**4005176314971**	**371.16**







Concetto
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
flow strainer
pull-out dual spray control - switches between regular flow and spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
metal spray
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
integrated non-return valve
flexible connection hoses
rapid installation system

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
CONCETTO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**31 214 001**	**Chrome**	**4005176891090**	**255.50**

Concetto
Single-lever sink mixer 1/2"
for use with displacement water heater
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out laminar spray
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
flexible connection hoses
rapid installation system


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**32 659 001**	**Chrome**	**4005176886713**	**184.99**

Concetto
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system

GROHE
EUROSTYLE COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






33 975 004 **Chrome** **4005176467004** **203.83**

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
flexible connection hoses
GROHE FastFixation rapid installation system






31 127 002 **Chrome** **4005176886669** **193.71**

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
for use with displacement water heater
high spout
monobloc installation
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight finish
flow straightener
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
flexible connection hoses
rapid installation system






31 126 004 **Chrome** **4005176466977** **227.95**

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and
smooth docking back to the starting position
GROHE Zero isolated inner water ways - lead and nickel free within the tap
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE FastFixation rapid installation system





31 482 003 **Chrome** **4005176466984** **264.14**


Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and
smooth docking back to the starting position
GROHE Zero isolated inner water ways - lead and nickel free within the tap
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE FastFixation rapid installation system

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)






31 124 002 **Chrome** **4005176886614** **181.53**

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system






31 159 002 **Chrome** **4005176888106** **327.68**

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
for installation in front of window
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
non-removable socket height: 30 mm
flexible connection hoses

GROHE
EUROSMART COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






32 843 002	**Chrome**	**4005176466939**	**140.16**
32 843 DC2	**supersteel**	**4005176466953**	**210.36**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
flexible connection hoses
GROHE FastFixation rapid installation system

32 843 20E	**Chrome**	**4005176466946**	**143.18**

ditto, with GROHE Ecojoy






31 180 000	**Chrome**	**4005176889288**	**208.26**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
for use with displacement water heater
high spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
flow straightener
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
flexible connection hoses
rapid installation system






31 481 001	**Chrome**	**4005176466922**	**207.05**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and
smooth docking back to the starting position
GROHE Zero isolated inner water ways - lead and nickel free within the tap
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE FastFixation rapid installation system





30 193 000	**Chrome**	**4005176919459**	**138.45**
30 193 DC0	**supersteel**	**4005176938559**	**161.72**


Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)






30 199 000 **Chrome** **4005176922022** **108.21**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge with Eco-Override-Stop and cold start function
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system
Qualitel approval






30 195 000 **Chrome** **4005176919473** **189.66**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
integrated stop valve
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
rapid installation system
flexible connection hoses






32 842 000 **Chrome** **4005176874833** **115.19**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system






31 179 000 **Chrome** **4005176889172** **161.72**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
for use with displacement water heater
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
flow straightener
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system






31 161 000 **Chrome** **4005176889158** **219.90**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
integrated stop valve
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system

GROHE
EUROSMART COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 170 000	**Chrome**	**4005176889165**	**243.18**






Eurosmart Cosmopolitan
Single-lever sink mixer 1/2“
for installation in front of window
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
mousseur
swivel tubular spout
swivel area 140°
non-removable socket height: 30 mm
flexible connection hoses

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)






30 506 000	**Chrome**	4005176723667	144.82

Eurosmart
Single-lever sink mixer 1/2"
low spout
Cradle to Cradle Certified Gold
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EcoJoy 5,7 l/min mousseur with coin slot for tool free replacement
adjustable flow rate limiter
integrated temperature limiter
swivel cast spout
swivel area 140°
GROHE Zero isolated inner water ways - lead and nickel free within the tap
flexible connection hoses 3/8"
GROHE FastFixation Plus installation system






33 281 003	**Chrome**	4005176635366	115.19
33 281 DC3	**supersteel**	4005176635397	130.31

Eurosmart
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
adjustable flow rate limiter
swivel cast spout
swivel area 140°
GROHE Zero isolated inner water ways - lead and nickel free within the tap
mousseur with coin slot for tool free replacement
flexible connection hoses 3/8"
GROHE FastFixation Plus installation system






31 868 000	**Chrome**	4005176693113	115.19

Eurosmart
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight chrome finish
Cradle 2 Cradle certified
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
swivel area 140°
GROHE Zero isolated inner water ways - lead and nickel free within the tap
adjustable flow rate limiter
mousseur with coin slot for tool free replacement
GROHE FastFixation Plus installation system
swivel cast spout
flexible connection hoses 1/2"






33 281 30E	**Chrome**	4005176635410	115.19

Eurosmart
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
adjustable flow rate limiter
swivel cast spout
swivel area 140°
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy 5,7 l/min mousseur with coin slot for tool free replacement
flexible connection hoses 3/8"
GROHE FastFixation Plus installation system

GROHE
EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)






30 260 003	**Chrome**	**4005176635434**	**115.19**

Eurosmart
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove ES
35 mm ceramic cartridge with energy saving function via cold start
adjustable flow rate limiter
swivel cast spout
swivel area 90°
GROHE Zero isolated inner water ways - lead and nickel free within the tap
mousseur with coin slot for tool free replacement
flexible connection hoses 3/8"
GROHE FastFixation Plus installation system






30 305 001	**Chrome**	**4005176635465**	**173.35**
30 305 DC1	**supersteel**	**4005176635472**	**219.91**

Eurosmart
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
flow strainer
with integrated temperature limiter
pull-out dual spray control - switches between regular flow and spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel cast spout
swivel area 90°
GROHE Zero isolated inner water ways - lead and nickel free within the tap
flexible connection hoses 3/8"
GROHE FastFixation Plus installation system
protected against backflow






31 869 000	**Chrome**	**4005176693120**	**173.36**

Eurosmart
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
flow strainer
with integrated temperature limiter
pull-out dual spray control - switches between regular flow and spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel area 90°
GROHE Zero isolated inner water ways - lead and nickel free within the tap
swivel cast spout
GROHE FastFixation Plus installation system
protected against backflow
flexible connection hoses 1/2"





33 202 003	**Chrome**	**4005176635588**	**138.45**


Eurosmart
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 150°
GROHE Zero isolated inner water ways - lead and nickel free within the tap
flexible connection hoses 3/8"
GROHE FastFixation Plus installation system

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)






30 468 000 **Chrome** **4005176635755** **191.44**

Eurosmart
Two handle sink mixer
high spout
monobloc installation
GROHE StarLight chrome finish
cartridge: ceramic head parts, 90° turn angle
integrated temperature limiter
mousseur
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
GROHE Zero isolated inner water ways - lead and nickel free within the tap
flexible connection hoses 1/2"
min. recommended pressure 0.2 bar






31 391 003 **Chrome** **4005176635762** **121.25**

Eurosmart
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
projection 216 mm
integrated temperature limiter
S-unions







32 224 003 **Chrome** **4005176635786** **147.76**

Eurosmart
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
projection 276 mm
integrated temperature limiter
S-unions


GROHE
EUROECO / EUROECO SPECIAL

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		32 752 000	Chrome	4005176868252	106.28


Euroeco
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel range 0°/150°/360°
metal lever
flexible connection hoses
rapid installation system

		32 750 000	Chrome	4005176868238	94.35

Euroeco
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
metal lever
flexible connection hoses
rapid installation system

		32 786 000	Chrome	4005176871863	144.96






Euroeco Special
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
metal lever
lever length 120 mm
flexible connection hoses

		32 787 000	Chrome	4005176871870	143.03




Euroeco Special
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
swivel tubular spout
lever length 120 mm
flexible connection hoses

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
COSTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	31 831 001	**Chrome**	4005176843280	82.41
	Costa L **Sink mixer 1/2"** metal handles heat-insulated **GROHE StarLight** finish Longlife-headparts mousseur swivel tubular spout swivel area 360° flexible connection hoses			
 	31 930 001	**Chrome**	4005176843303	177.93
	Costa L **Sink mixer 1/2"** **for use with displacement water heater** metal handles heat-insulated **GROHE StarLight** finish Longlife-headparts flow straightener swivel tubular spout swivel area 360° chain ring copper pipes			
 	31 829 001	**Chrome**	4005176845697	83.59
	Costa L **Sink mixer 1/2"** metal handles heat-insulated screwable Longlife-headparts mousseur swivel tubular spout swivel area 360° flexible connection hoses NF approval			
 	31 187 001	**Chrome**	4005176843327	94.35
	Costa L **Wall sink mixer 1/2"** metal handles heat-insulated **GROHE StarLight** finish Longlife-headparts mousseur swivel tubular spout swivel area 360° projection 200 mm S-unions			
 	30 098 001	**Chrome**	4005176843266	34.63
	Costa L **Bibtap 1/2"** wall mounted metal handle heat-insulated screwable marking: blue (cold) **GROHE StarLight** finish mousseur Longlife-headparts			

GROHE
COSTA


		Ref. No.	Colour	EAN	Retail Guide Price (£)
		31 819 001	**Chrome**	4005176843471	106.26
		Costa S **Sink mixer 1/2"** metal handles heat-insulated screwable **GROHE StarLight** finish Carbodur headparts mousseur swivel tubular spout swivel area 360° flexible connection hoses			
		31 067 001	**Chrome**	4005176845710	101.49
		Costa S **Sink mixer 1/2"** metal handles heat-insulated screwable **GROHE StarLight** finish ceramic headparts 1/2", 180° mousseur swivel tubular spout swivel area 360° flexible connection hoses NF approval			
		30 064 001	**Chrome**	4005176843259	46.58
		Costa L **Bibtap 1/2"** metal handle wall mounted screwable marking: blue (cold) **GROHE StarLight** chrome finish Longlife-headpart Laminar flow straightener projection 150 mm			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BAU LINES

	Ref. No.	Colour	EAN	Retail Guide Price (£)






31 368 001 **Chrome** **4005176478529** **83.14**

BauLoop
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
rapid installation system
GROHE FastFixation Plus installation system
for installation on a 60 mm worktop fixation set 48 384 000 is needed






31 232 001 **Chrome** **4005176478253** **83.14**

BauLoop
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
GROHE FastFixation Plus installation system
for installation on a 60 mm worktop fixation set 48 384 000 is needed






31 367 001 **Chrome** **4005176478512** **83.14**

BauEdge
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
rapid installation system
GROHE FastFixation Plus installation system
for installation on a 60 mm worktop fixation set 48 384 000 is needed






31 233 001 **Chrome** **4005176478284** **83.14**

BauEdge
Single-lever sink mixer 1/2"
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
swivel tubular spout
mousseur
flexible connection hoses
GROHE FastFixation Plus installation system
for installation on a 60 mm worktop fixation set 48 384 000 is needed







31 536 001 **Chrome** **4005176478567** **83.14**

BauCurve
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
GROHE FastFixation Plus installation system
for installation on a 60 mm worktop fixation set 48 384 000 is needed


GROHE
BAU LINES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	31 231 001	Chrome	4005176478260	83.14


BauCurve
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
GROHE FastFixation Plus installation system
for installation on a 60 mm worktop fixation set 48 384 000 is needed

 	31 538 001	Chrome	4005176478574	83.14


GROHE BauFlow
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
GROHE FastFixation Plus installation system
for installation on a 60 mm worktop fixation set 48 384 000 is needed

 	31 230 001	Chrome	4005176478277	83.14

GROHE BauFlow
Single-lever sink mixer 1/2"
monobloc installation
metal lever
GROHE StarLight finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
swivel tubular spout
mousseur
flexible connection hoses
GROHE FastFixation Plus installation system
for installation on a 60 mm worktop fixation set 48 384 000 is needed

 	31 535 001	Chrome	4005176478550	83.14


BauClassic
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
GROHE FastFixation Plus installation system
for installation on a 60 mm worktop fixation set 48 384 000 is needed

 	31 234 001	Chrome	4005176478499	83.14


BauClassic
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
GROHE FastFixation Plus installation system
for installation on a 60 mm worktop fixation set 48 384 000 is needed

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
BAU LINES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	31 706 000	Chrome	4005176530449	78.82


BauLoop
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
swivel tubular spout
swivel area 140°
mousseur with coin slot for tool free replacement
flexible connection hoses
GROHE FastFixation Plus installation system
for installation on a max. 40 mm worktop fixation set 48 384 000 is needed

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	31 693 000	Chrome	4005176530371	78.82


BauEdge
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
swivel tubular spout
swivel area 140°
mousseur with coin slot for tool free replacement
flexible connection hoses
GROHE FastFixation Plus installation system
for installation on a max. 40 mm worktop fixation set 48 384 000 is needed

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	31 688 000	Chrome	4005176530333	78.82

GROHE BauFlow
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
swivel tubular spout
swivel area 140°
mousseur with coin slot for tool free replacement
flexible connection hoses
GROHE FastFixation Plus installation system
for installation on a max. 40 mm worktop fixation set 48 384 000 is needed

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	31 715 000	Chrome	4005176564123	78.82

BauCurve
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
swivel tubular spout
swivel area 140°
mousseur with coin slot for tool free replacement
flexible connection hoses
GROHE FastFixation Plus installation system
for installation on a max. 40 mm worktop fixation set 48 384 000 is needed


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	31 680 000	Chrome	4005176530487	70.18

BauEco
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
swivel tubular spout
swivel area 140°
mousseur with coin slot for tool free replacement
flexible connection hoses
GROHE FastFixation Plus installation system
for installation on a max. 40 mm worktop fixation set 48 384 000 is needed

GROHE
SOAP DISPENSERS

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 535 000	Chrome	4005176905490	41.38
40 535 DC0	supersteel	4005176905520	58.02
40 535 BE0	polished nickel	4005176489457	92.86
40 535 GL0	cool sunrise	4005176489419	92.86
40 535 GN0	brushed cool sunrise	4005176489426	92.86
40 535 DA0	warm sunset	4005176489433	92.86
40 535 DL0	brushed warm sunset	4005176489440	92.86
40 535 A00	hard graphite	4005176489396	92.86
40 535 AL0	Brushed Hard Graphite	4005176489402	92.86






Cosmopolitan Soap Dispenser
for liquid soaps
storage bin 500 ml
GROHE StarLight finish

40 536 000	Chrome	4005176905506	37.33
40 536 DC0	supersteel	4005176905537	52.63






Contemporary Soap Dispenser
for liquid soaps
storage bin 500 ml
GROHE StarLight finish


40 537 000	Chrome	4005176905513	45.87
40 537 DC0	supersteel	4005176905544	80.45






Authentic Soap Dispenser
for liquid soaps
storage bin 500 ml
GROHE StarLight finish

36 194 000	Chrome	4005176140921	151.71






Soap dispenser
pillar tap with push-button,
for liquid soaps
projection 113 mm
for tap hole drillings 22 - 30 mm
storage bottle 1 l.
GROHE StarLight finish

13 071 000	Chrome	4005176023132	37.90






Swivel tube spout
swivelling, without stop
mousseur
coupling nut 3/4“
projection 140 mm
DR-brass
GROHE StarLight chrome finish

13 034 000	Chrome	4005176022869	56.27






Swivel tube spout
for kitchen wall mixers, 1/2“
tubular spout
mousseur
projection 300 mm
coupling nut 3/4“
DR-brass
GROHE StarLight finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
STAINLESS STEEL SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)






31 582 SD1 **stainless steel** **4005176607158** **842.19**

K1000
Stainless Steel Sink with Drainer
model: K1000 80-S 116/52 1.0 rh
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1.2 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 520 mm
1 bowl: 710 x 400 mm
outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
sink mountable right
cut-out (top mount): 1145 x 505 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10






31 581 SD1 **stainless steel** **4005176607141** **842.19**

K1000
Stainless Steel Sink with Drainer
model: K1000 80-S 116/52 1.0 lh
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1.2 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 520 mm
1 bowl: 710 x 400 mm
outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
sink mountable left
cut-out (top mount): 1145 x 505 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10






31 583 SD1 **stainless steel** **4005176607165** **567.94**

K800
Stainless steel sink
model: K800 60-S 51.8/51 1.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 518 x 510 mm
1 bowl: 462 x 400 x 200 mm
outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
cut-out (top mount): 503 x 495 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8

GROHE
STAINLESS STEEL SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)






31 584 SD1 **stainless steel** **4005176607172** **631.64**

K800
Stainless steel sink
model: K800 90-S 84.6/51 1.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 900 mm
dimensions: 846 x 510 mm
1 bowl: 790 x 400 x 200 mm
outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
cut-out (top mount): 831 x 495 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10






31 585 SD1 **stainless steel** **4005176607189** **842.19**

K800
Stainless steel sink
model: K800 120-S 102.4/51 2.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 1200 mm
dimensions: 1024 x 510 mm
1 bowl: 462 x 400 x 200 mm
2 bowl: 462 x 400 x 200 mm
outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
cut-out (top mount): 1009 x 495 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10





31 586 SD1 **stainless steel** **4005176607196** **737.46**


K800
Stainless steel sink
model: K800 120-S 102.4/51 1.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 1200 mm
dimensions: 1024 x 510 mm
1 bowl: 968 x 400 x 200 mm
outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
cut-out (top mount): 1009 x 495 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
STAINLESS STEEL SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 574 SD1	**stainless steel**	**4005176607080**	**234.30**






K700U
Stainless steel sink
model: K700U 60-S 54.4/44.4 1.0
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 550 x 450 mm
1 bowl: 500 x 400 x 200 mm
outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15
GROHE FastFixation installation system
cut-out: 500 x 400 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8
amount of fasteners included (undermount): 8

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 575 SD1	**stainless steel**	**4005176607097**	**591.70**






K700U
Stainless steel sink
model: K700U 80-S 76/45 1.5 lh
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 760 x 450 mm
1 bowl: 500 x 400 x 195 mm
0.5 bowl: 180 x 400 x 200 mm
outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15
GROHE FastFixation installation system
sink mountable left
cut-out (undermount): 712 x 402 mm (R16)
cut-out (top mount): 745 x 435 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8
amount of fasteners included (undermount): 8

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 576 SD1	**stainless steel**	**4005176607103**	**268.86**






K700U
Stainless steel sink
model: K700U 60-S 59.5/45 1.5 rh
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 595 x 450 mm
1 bowl: 340 x 400 x 200 mm
0.5 bowl: 180 x 400 x 140 mm
outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15
GROHE FastFixation installation system
sink mountable right
cut-out (undermount): 547 x 402 mm (R16)
cut-out (top mount): 580 x 435 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8
amount of fasteners included (undermount): 8

GROHE
STAINLESS STEEL SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)






31 577 SD1 **stainless steel** **4005176607110** **268.86**

K700U
Stainless steel sink
model: K700U 60-S 59.5/45 1.5 lh
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 595 x 450 mm
1 bowl: 340 x 400 x 200 mm
0.5 bowl: 180 x 400 x 140 mm
outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15
GROHE FastFixation installation system
sink mountable left
cut-out (undermount): 547 x 402 mm (R16)
cut-out (top mount): 580 x 435 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8
amount of fasteners included (undermount): 8






31 578 SD1 **stainless steel** **4005176607127** **211.63**

K700
Stainless steel sink
model: K700 45-S 46.4/46.4 1.0
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 464 x 464 mm
1 bowl: 400 x 400 x 200 mm
outer radius: R11 (undermount)/R3 (topmount), inner bowl radius: R10
GROHE FastFixation installation system
cut-out (undermount): 402 x 402 mm (R11)
cut-out (top mount): 449 x 449 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8
amount of fasteners included (undermount): 8





31 580 SD1 **stainless steel** **4005176607134** **274.25**


K700
Stainless steel sink
model: K700 90-S 86.4/46.4 1.0
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 900 mm
dimensions: 864 x 464 mm
1 bowl: 800 x 400 x 200 mm
outer radius: R11 (undermount)/R3 (topmount), inner bowl radius: R10
GROHE FastFixation installation system
cut-out (undermount): 802 x 402 mm (R11)
cut-out (top mount): 849 x 449 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8
amount of fasteners included (undermount): 8

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
STAINLESS STEEL SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 571 SD1	stainless steel	4005176626029	238.63






K500
Stainless Steel Sink with Drainer
model: K500 45-S 86/50 1.0 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 860 x 500 mm
1 bowl: 340 x 420 x 170 mm
outer radius: R6 (topmount), inner bowl radius: R65
GROHE FastFixation installation system
sink mountable left or right
cut-out (top mount): 842 x 482 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 14

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 563 SD1	stainless steel	4005176623738	210.86






K500
Stainless Steel Sink with Drainer
model: K500 60-S 100/50 1.0 rev
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 450 x 400 x 180 mm
outer radius: R6 (topmount), inner bowl radius: R75
GROHE FastFixation installation system
sink mountable left or right
cut-out (top mount): 982 x 482 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 16

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 572 SD1	stainless steel	4005176626036	341.40






K500
Stainless Steel Sink with Drainer
model: K500 60-S 100/50 1.5 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 340 x 420 x 185 mm
0.5 bowl: 170 x 320 x 125 mm
outer radius: R6 (topmount), inner bowl radius: R65
GROHE FastFixation installation system
sink mountable left or right
cut-out (top mount): 982 x 482 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 16

GROHE
STAINLESS STEEL SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 588 SD1	stainless steel	4005176626043	352.81






K500
Stainless Steel Sink with Drainer
model: K500 80-S 116/50 2.0 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
1 bowl: 340 x 420 x 190 mm
2 bowl: 340 x 420 x 190 mm
outer radius: R6 (topmount), inner bowl radius: R90
GROHE FastFixation installation system
sink mountable left or right
cut-out (top mount): 1140 x 480 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 18

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 564 SD1	stainless steel	4005176623745	168.66






K200
Stainless Steel Sink with Drainer
model: K200 60-S 96.5/50 1.5 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.6 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 965 x 500 mm
1 bowl: 346 x 396 x 165 mm
0.5 bowl: 180 x 340 x 130 mm
outer radius: R10 (topmount), inner bowl radius: R100
GROHE FastFixation installation system
sink mountable left or right
cut-out (top mount): 941 x 476 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 16

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 565 SD1	stainless steel	4005176623752	189.75






Eurosmart
Kitchen sink and tap bundle
Consisting of:
K200 stainless steel sink with drainer (31 552 SD1)
mounting type: top mount
Eurosmart single lever sink mixer (33 281 003)
low spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
with integrated temperature limiter
adjustable flow rate limiter
swivel cast spout
swivel area 140°
GROHE Zero isolated inner water ways - lead and nickel free within the tap mousseur with coin slot for tool free replacement
flexible connection hoses
outer radius: R6 (topmount), inner bowl radius: R100
GROHE FastFixation installation system
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 14

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
STAINLESS STEEL SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 562 SD1	**stainless steel**	**4005176623721**	**204.39**






Bau
Kitchen sink and tap bundle
Consisting of:
K200 stainless steel sink with drainer (31 552 SD1)
mounting type: top mount
Bau Edge single lever sink mixer (31 367 001)
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
outer radius: R6 (topmount), inner bowl radius: R100
GROHE FastFixation installation system
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 14

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 552 SD1	**stainless steel**	**4005176623714**	**113.03**






K200
Stainless Steel Sink with Drainer
model: K200 45-S 86/50 1.0 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.6 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 860 x 500 mm
1 bowl: 350 x 400 x 160 mm
outer radius: R6 (topmount), inner bowl radius: R100
GROHE FastFixation installation system
sink mountable left or right
cut-out (top mount): 842 x 482 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 14

GROHE
COMPOSITE SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 650 AT0	**granite gray**	**4005176521294**	**252.10**
31 650 AP0	**granite black**	**4005176521287**	**252.10**






K700
Composite sink
model: K700 50-C 40/50 1.0
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 400 x 500 mm
1 bowl: 340 x 370 x 200 mm
outer radius: R6, inner bowl radius: R45
GROHE FastFixation installation system
cut-out: 380 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 6

31 651 AT0	**granite gray**	**4005176521317**	**297.31**
31 651 AP0	**granite black**	**4005176521300**	**297.31**






K700
Composite sink
model: K700 60-C 56/51 1.0
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 560 x 510 mm
1 bowl: 500 x 360 x 200 mm
outer radius: R6, inner bowl radius: R10
GROHE FastFixation installation system
cut-out: 545 x 495 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8

31 652 AT0	**granite gray**	**4005176521331**	**332.35**
31 652 AP0	**granite black**	**4005176521324**	**332.35**






K700
Composite sink
model: K700 80-C 78/51 1.0
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 780 x 510 mm
1 bowl: 720 x 370 x 220 mm
outer radius: R6, inner bowl radius: R10
GROHE FastFixation installation system
cut-out: 764 x 494 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 9

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
COMPOSITE SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 653 AT0	**granite gray**	**4005176521355**	**220.45**
31 653 AP0	**granite black**	**4005176521348**	**220.45**






K700U
Composite sink
model: K700U 50-C 45.7/40.6 1.0
mounting type: top mount or undermount
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 457 x 406 mm
1 bowl: 417 x 366 x 203 mm
outer radius: R6, inner bowl radius: R10
GROHE FastFixation installation system
cut-out: 417 x 366 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
mounting with silicone (top mount)
optional push to open excenter (40 986 SD0)
amount of fasteners included (undermount): 8

31 654 AT0	**granite gray**	**4005176521379**	**253.23**
31 654 AP0	**granite black**	**4005176521362**	**253.23**






K700U
Composite sink
model: K700U 60-C 53.3/45.7 1.0
mounting type: top mount or undermount
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 533 x 457 mm
1 bowl: 469 x 393 x 205 mm
outer radius: R7, inner bowl radius: R10
GROHE FastFixation installation system
cut-out: 468 x 390 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 6
amount of fasteners included (undermount): 6

31 655 AT0	**granite gray**	**4005176521393**	**299.58**
31 655 AP0	**granite black**	**4005176521386**	**299.58**






K700U
Composite sink
model: K700U 70-C 61/45.7 1.0
mounting type: top mount or undermount
material: quartz composite
GROHE Whisper
min. cabinet size: 700 mm
dimensions: 610 x 460 mm
1 bowl: 544 x 394 x 205 mm
outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
cut-out: 543 x 393 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 6
amount of fasteners included (undermount): 6

GROHE
COMPOSITE SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 644 AT0	**granite gray**	**4005176521171**	**334.62**
31 644 AP0	**granite black**	**4005176521164**	**334.62**






K500
Composite sink with drainer
model: K500 50-C 86/50 1.0 rev
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 860 x 500 mm
1 bowl: 347 x 440 x 200 mm
outer radius: R6, inner bowl radius: R12
GROHE FastFixation installation system
sink mountable left or right
cut-out: 840 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12

31 645 AT0	**granite gray**	**4005176521195**	**349.33**
31 645 AP0	**granite black**	**4005176521188**	**349.33**






K500
Composite sink with drainer
model: K500 60-C 100/50 1.0 rev
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 480 x 440 x 200 mm
outer radius: R6, inner bowl radius: R12
GROHE FastFixation installation system
sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12

31 646 AT0	**granite gray**	**4005176521218**	**371.92**
31 646 AP0	**granite black**	**4005176521201**	**371.92**






K500
Composite sink with drainer
model: K500 60-C 100/50 1.5 rev
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 345 x 440 x 200 mm
0.5 bowl: 155 x 295 x 146 mm
outer radius: R6, inner bowl radius: big bowl R12, small bowl R10
GROHE FastFixation installation system
sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
COMPOSITE SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 647 AT0	**granite gray**	**4005176521232**	**418.28**
31 647 AP0	**granite black**	**4005176521225**	**418.28**






K500
Composite sink with drainer
model: K500 80-C 116/50 2.0 rev
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
1 bowl: 330 x 440 x 200 mm
2 bowl: 330 x 440 x 200 mm
outer radius: R6, inner bowl radius: R12
GROHE FastFixation installation system
sink mountable left or right
cut-out: 1140 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12

31 648 AT0	**granite gray**	**4005176521256**	**319.93**
31 648 AP0	**granite black**	**4005176521249**	**319.93**






K500
Composite sink
model: K500 60-C 55.5/46 1.5 rev
mounting type: top mount or undermount
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 555 x 460 mm
1 bowl: 335 x 400 x 200 mm
0.5 bowl: 155 x 400 x 140 mm
outer radius: R6, inner bowl radius: big bowl R12, small bowl R10
GROHE FastFixation installation system
sink mountable left or right
cut-out: 525 x 400 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
mounting with silicone (top mount)
optional push to open excenter (40 986 SD0)
amount of fasteners included (undermount): 8

31 649 AT0	**granite gray**	**4005176521270**	**390.01**
31 649 AP0	**granite black**	**4005176521263**	**390.01**






K500
Composite sink
model: K500 90-C 86/50 2.0
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 900 mm
dimensions: 860 x 500 mm
1 bowl: 390 x 430 x 200 mm
2 bowl: 380 x 365 x 200 mm
outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
sink mountable left
cut-out: 840 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10

GROHE
COMPOSITE SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 639 AT0	**granite gray**	**4005176520464**	**248.70**
31 639 AP0	**granite black**	**4005176520457**	**248.70**






K400
Composite sink with drainer
model: K400 50-C 78/50 1.0 rev
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 780 x 500 mm
1 bowl: 347 x 440 x 205 mm
outer radius: R6, inner bowl radius: R10
GROHE FastFixation installation system
sink mountable left or right
cut-out: 765 x 485 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10

31 640 AT0	**granite gray**	**4005176520488**	**313.15**
31 640 AP0	**granite black**	**4005176520471**	**313.15**






K400
Composite sink with drainer
model: K400 50-C 86/50 1.0 rev
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 860 x 500 mm
1 bowl: 337 x 420 x 205 mm
outer radius: R6, inner bowl radius: R10
GROHE FastFixation installation system
sink mountable left or right
cut-out: 840 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10

31 641 AT0	**granite gray**	**4005176521119**	**336.89**
31 641 AP0	**granite black**	**4005176521102**	**336.89**






K400
Composite sink with drainer
model: K400 60-C 100/50 1.0 rev
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 480 x 420 x 205 mm
outer radius: R6, inner bowl radius: R10
GROHE FastFixation installation system
sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
COMPOSITE SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 642 AT0	**granite gray**	**4005176521133**	**360.63**
31 642 AP0	**granite black**	**4005176521126**	**360.63**






K400
Composite sink with drainer
model: K400 60-C 100/50 1.5 rev
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 335 x 420 x 205 mm
0.5 bowl: 155 x 295 x 146 mm
outer radius: R6, inner bowl radius: big bowl R10, small bowl R8
GROHE FastFixation installation system
sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10

31 643 AT0	**granite gray**	**4005176521157**	**383.23**
31 643 AP0	**granite black**	**4005176521140**	**383.23**






K400
Composite sink with drainer
model: K400 80-C 116/50 1.5 rev
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
1 bowl: 400 x 420 x 205 mm
2 bowl: 295 x 295 x 205 mm
outer radius: R6, inner bowl radius: R10
GROHE FastFixation installation system
sink mountable left or right
cut-out: 1140 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10

31 656 AT0	**granite gray**	**4005176521416**	**206.88**
31 656 AP0	**granite black**	**4005176521409**	**206.88**





K200
Composite sink
model: K200 50-C 51 1.0
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: Ø 510 mm
1 bowl: Ø 380 x 200 mm
inner bowl radius: Ø 380
GROHE FastFixation installation system
cut-out: Ø 490 mm
drainer: automatic waste fitting
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 3

GROHE
COMMERCIAL FITTINGS





CONTENTS

Electronic Fittings	Eurocube E	560
	Essence E	562
	Bluetooth monitoring	565
	Europlus E	574
	Eurosmart Cosmopolitan E	576
	Euroeco Cosmopolitan E	585
	Bau Cosmopolitan E	589
Special Thermostats	Grohtherm Micro	591
	Grohtherm Special	592
	Grohtherm XL	596
Single-Lever Mixers	Eurosmart Care	597
	Vertica Eurostyle Cosmopolitan	602
	Commercial Showers	603
	Euroeco Special	606
	Hospita	611
	Euroeco Single Sequential	612
Self-closing Fittings	Eurodisc SE	614
	Eurosmart Cosmopolitan T	615
	Euroeco Cosmopolitan T	616

SYSTEM REQUIREMENTS
FOR ELECTRONIC FAUCETS WITH BLUETOOTH

Apple iOS 8.0 or higher
Android 4.3 or higher

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store / store / iTunes or Google Play store.

* The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE FULL BATHROOM
ACROSS ALL YOUR FACILITIES

CONSISTENT BATHROOM STYLE – ACROSS ALL PRIVATE & PUBLIC AREAS OF A BUILDING

Our product solutions for private and public areas are perfectly matched. This enables you to offer a consistent bathroom experience across all your facilities.



PRIVATE AREA



PUBLIC AREA

ROUND AND SQUARE



BAUEDGE
SINGLE-LEVER MIXER



BAU CERAMIC



BAU COSMOPOLITAN E
TOUCHLESS BASIN MIXER

ROUND AND SQUARE



EUROSMART COSMOPOLITAN
SINGLE-LEVER MIXER



EURO CERAMIC



EUROSMART COSMOPOLITAN E
TOUCHLESS BASIN MIXER



EUROECO COSMOPOLITAN E
TOUCHLESS BASIN MIXER

ROUND FEMININE



ESSENCE
SINGLE-LEVER MIXER



ESSENCE



ESSENCE E
TOUCHLESS BASIN MIXER

EDGE MASCULINE



EUROCUBE
SINGLE-LEVER MIXER



CUBE CERAMIC



EUROCUBE E
TOUCHLESS BASIN MIXER

EUROSMART COSMOPOLITAN E
THE COMFORT OF A PUBLIC BATHROOM – WITHOUT COMPROMISING ON HYGIENE

SHOWER HEAD



SHOWER



new



new



new



Our touchless range Eurosmart Cosmopolitan E offers solutions for basins, showers, WC's and urinals. Enjoy the benefits of a public bathroom – completely touchless. Avoiding the spread of germs through touchless use, thermal disinfection and hygienic flushing.



WC / URINAL







BASIN








new

BAU COSMOPOLITAN E
DISCOVER TOUCHLESS COMFORT



HYGIENE

TOUCHLESS

Reliable, proven and precise sensor technology for hygienic, touch-free actuation of basin taps, WCs and urinals.

INNER WATER GUIDE

Innovative tap construction allows for significant dead space reduction.

SUSTAINABILITY

GROHE ECOJOY

Save precious resources and enjoy 100 % water comfort. Water and energy saving aerator provides a flow rate of 5.7 l/min. Precise touchless technology prevents you from water loss.

QUALITY

MADE IN GERMANY

German perfectionism inspires ultimate customer confidence

DESIGN

GROHE STARLIGHT

Made-to-last surfaces ranging from precious matte to shiny like a diamond.



36 407 001
Remote control for GROHE Touchless fittings

Basic functionalites can be adjusted without remote control - simply by hand.

TECHNOLOGY

GROHE SENSOR

The responsive sensor switches the mixer on and off for ultimate comfort and the simple cleaning mode makes maintenance easy.

GROHE REMOTE CONTROL

Detailed configuration for all functions by remote control
- Automatic flushing
- Thermal desinfection
- Cleaning mode
- Detection range and shut-off delay



LONGLIFE BATTERY

Unique low-energy electronics ensure a long service life.



36 451 000
Touchless basin mixer
(battery operated)



36 452 000
Touchless basin tap
(battery operated)

MAINS OPERATED




36 453 000
Touchless basin mixer
(with plug transformer 100 – 230 V AC)

GROHE
EUROCUBE E

Ref. No.	Colour	EAN	Retail Guide Price (£)






36 440 000 **Chrome** **4005176415623** **857.32**

Eurocube E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
without power supply 36 338 000 (required)
GROHE StarLight chrome finish
laminar spray regulator 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K






36 441 000 **Chrome** **4005176415630** **822.05**
36 441 DC0 **supersteel** **4005176686818** **1,064.15**
36 441 AL0 **Brushed Hard Graphite** **4005176686825** **1,227.86**

Eurocube E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
laminar spray regulator 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K





36 442 000 **Chrome** **4005176415647** **927.89**

Eurocube E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
laminar spray regulator 5.7 l/min
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
set for final installation
for use with Rapid SL 38 748 002 or roughing-in set 36 264 001
CE approved
noise classification 1 in accordance
with DIN4109


36 264 001 **4005176416279** **234.04**
Concealed mounting box

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROCUBE E

Ref. No.	Colour	EAN	Retail Guide Price (£)
38 748 002	**Chrome**	**4005176416323**	**626.76**






Rapid SL
Element for wash basin with roughin-in set for infra-red electronic
for wall mounted fittings
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000 and Eurocube E 36 442 000
1.13 m finished installation height
for on-the-wall installations or studded walls
Includes
wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

36 407 001	**4005176368974**	**282.14**






Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply

36 340 000	**4005176911385**	**58.53**






Power extension cable
length 3.00 m

36 341 000	**4005176911392**	**105.24**
ditto, length 10 m		

36 338 000	**4005176896743**	**97.18**






Switch mode power supply
for one eye infra-red wash basin mixer
switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief
suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000

GROHE
ESSENCE E

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 444 000	**Chrome**	**4005176415661**	**692.68**






Essence E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
without power supply 36 338 000 (required)
GROHE StarLight chrome finish
adjustable swivel area 0° / 150° / 360°
laminar spray regulator 5.0 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K

36 445 000	**Chrome**	**4005176415678**	**669.17**
36 445 DC0	**supersteel**	**4005176686542**	**855.11**
36 445 GL0	**cool sunrise**	**4005176686559**	**920.90**
36 445 GN0	**brushed cool sunrise**	**4005176686566**	**986.69**
36 445 DA0	**warm sunset**	**4005176686573**	**920.90**
36 445 DL0	**brushed warm sunset**	**4005176686788**	**986.69**
36 445 A00	**hard graphite**	**4005176686795**	**920.90**
36 445 AL0	**Brushed Hard Graphite**	**4005176686801**	**986.69**






Essence E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
adjustable swivel area 0° / 150° / 360°
laminar spray regulator 5.0 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ESSENCE E

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 446 000	Chrome	4005176415685	622.13






Essence E
Infra-red electronic basin tap 1/2“
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
adjustable swivel area 0° / 150° / 360°
laminar spray regulator 5.0 l/min
flexible connection hose
dirt strainer
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 447 000	Chrome	4005176416293	880.85






Essence E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
laminar spray regulator 5.0 l/min
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
set for final installation
for use with Rapid SL 38 748 002 or roughing-in set 36 264 001
CE approved
noise classification 1 in accordance
with DIN4109

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 264 001		4005176416279	234.04






Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
connection housing for power supply
suitable for 36 447 000, 36 442 000

GROHE
ESSENCE E

Ref. No.	Colour	EAN	Retail Guide Price (£)






38 748 002 **Chrome** **4005176416323** **626.76**

Rapid SL
Element for wash basin with roughin-in set for infra-red electronic
for wall mounted fittings
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000 and Eurocube E 36 442 000
1.13 m finished installation height
for on-the-wall installations or studded walls
Includes
wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






36 407 001 **4005176368974** **282.14**

Remote control
for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply






36 340 000 **4005176911385** **58.53**

Power extension cable
length 3.00 m

36 341 000 **4005176911392** **105.24**
ditto, length 10 m





36 338 000 **4005176896743** **97.18**


Switch mode power supply
for one eye infra-red wash basin mixer
switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief
suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 413 000	**Chrome**	**4005176320576**	**634.75**





Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic basin tap 1/2" with mixing device
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
without power supply 36 338 000 (required)
rapid installation system
mixing device with adjustable hot water limiter
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
with integrated solenoid valve
integrated non-return valves
and dirt strainers
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
auto flush
thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

GROHE
BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 409 000	**Chrome**	**4005176320538**	**522.82**





Euroeco Cosmopolitan E Bluetooth
Infra-red electronic basin tap 1/2“
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
without power supply 36 338 000 (required)
rapid installation system
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
solenoid valve
dirt strainer
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
thermal disinfection
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards


*** Available for free via iTunes app or Google Play store.

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 414 000	**Chrome**	**4005176320583**	**861.10**





Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic thermostatic basin mixer, wall mounted
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
GROHE StarLight finish
GROHE CoolTouch
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
swivel cast spout 219 mm
with swivel stop at 130° or fixed
projection 287 mm
laminar mousseur 9 l/min
S-unions
escutcheon covers for S-unions
non-return valve
dirt strainers
power connection cable 3.0 m
for use with connection set
39 383 000
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
auto flush
thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

39 383 000		**4005176356926**	**60.27**






Eurosmart Cosmopolitan E
Thermostatic 230 V connection set
fitting support
2 fitting connections DN 15
power supply connector
wall installation
for use with Eurosmart Cosmopolitan E thermostat 230 V

GROHE
BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 410 000	**Chrome**	**4005176320545**	**600.30**





Euroeco Cosmopolitan E Bluetooth
Infra-red electronic basin tap
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
set for final installation for concealed fitting box
36 336 001/36 337 001
GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow
laminar flow straightener 9 l/min
chrome escutcheon and spout
projection 172 mm
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
auto flush
thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
noise classification 1 in accordance with DIN4109

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

---

36 337 001		**4005176595417**	**127.89**






Euroeco Cosmopolitan E
Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
stop valve
connection housing for power supply
suitable for
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

---

36 336 001		**4005176991769**	**338.08**






Eurosmart Cosmopolitan E
Concealed mounting box
with integrated pre-adjustable thermostatic mixer
wall installation
suitable for IR-sets for final installation
2 stop valves
non-return valve
suitable for
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 412 000	**Chrome**	**4005176320569**	**676.57**





Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
set for final installation for concealed fitting box
36 339 001
GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow
laminar flow straightener 9 l/min
chrome escutcheon and spout
projection 172 mm
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
auto flush
thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
noise classification 1 in accordance with DIN4109

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

36 339 001		**4005176595424**	**233.55**






Eurosmart Cosmopolitan E
Concealed mounting box with mixture
wall installation
suitable for IR-sets for final installation
2 stop valves
housing with mixing device
non-return valve
connection housing for power supply
suitable for
36 315 000, 36 412 000, 36 376 000
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

GROHE
BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 415 000	**Chrome**	**4005176320590**	**569.03**





Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic for concealed thermostatic shower
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
for concealed installation box
36 416 001
GROHE StarLight chrome finish
chrome escutcheon
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
thermal disinfection cycles and timings last disinfection
configuration
shut off delay
auto flush
thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

36 416 001		**4005176595394**	**660.61**






Eurosmart Cosmopolitan E
Concealed control unit
for shower
with integrated pre-adjustable thermostatic mixer
suitable for infra-red set 36 415 000 and 36 463 000
2 stop valves
non-return valves with filters
connection housing for power supply
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
37 503 000	**Chrome**	**4005176320507**	**736.87**





Tectron Skate Bluetooth
Infra-red electronic for Urinal
for Rapido U 37 338 000
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
GROHE StarLight finish
flow pressure min 0.5 bar
operating pressure max 10 bar

with Bluetooth 4.0* for wireless data communication
Bluetooth transmitter frequency: 2.4 GHz
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
configuration
detection range and shut off delay
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
CE approved
hard and software version

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

37 338 000		**4005176837920**	**146.37**






GROHE Rapido U
roughing-in set for urinal
for manual actuation or Tectron infra-red electronic 6 V or 230 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply
installation box with gasket
fixing points for dry cladding and masonry-in
inspection shaft incl. protection

GROHE
BLUETOOTH MONITORING


Ref. No.	Colour	EAN	Retail Guide Price (£)
37 504 000	**Chrome**	**4005176320521**	**921.37**





Tectron Skate Bluetooth
Infra-red electronic for WC
for flushing cistern GD 2 / Rapid SL 1.13 m only
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with additional manual actuation
GROHE StarLight finish
front plate 156 x 197 mm
servo motor
for use with Rapid SLX please order shaft 66 791 000 (sold separately)
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
configuration
detection range and shut off delay
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards
*** Available for free via iTunes app or Google Play store.






36 340 000	**4005176911385**	**58.53**

Power extension cable
length 3.00 m

36 341 000	**4005176911392**	**105.24**

ditto, length 10 m





36 338 000	**4005176896743**	**97.18**


Switch mode power supply
for one eye infra-red wash basin mixer
switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief
suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 407 001		**4005176368974**	**282.14**






Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply

GROHE
EUROPLUS E

Ref. No.	Colour	EAN	Retail Guide Price (£)






36 207 001 **Chrome** **4005176929373** **650.74**

Europlus E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
solenoid valve
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K

36 208 001 **Chrome** **4005176929380** **552.34**
ditto, without mixing device





36 015 001 **Chrome** **4005176929359** **564.61**

Europlus E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
without power supply 36 338 000 (required)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K


36 016 001 **Chrome** **4005176929366** **486.98**
ditto, without mixing device

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROPLUS E

Ref. No.	Colour	EAN	Retail Guide Price (£)






36 407 001 **4005176368974** **282.14**

Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply






36 340 000 **4005176911385** **58.53**

Power extension cable
length 3.00 m

36 341 000 **4005176911392** **105.24**
ditto, length 10 m





36 338 000 **4005176896743** **97.18**

Switch mode power supply
for one eye infra-red wash basin mixer
switch mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief
suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000




36 209 000 **Chrome** **4005176207105** **77.78**

Security cover cap
vandal-proof, covered and pre-adjustable
suitable for single hole mixers
Europlus E and Eurodisc SE
Consisting of:
special mixing device for actuation by screwdriver
metallic cap
GROHE StarLight chrome finish

GROHE
EUROSMART COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)






36 327 001 **Chrome** **4005176305771** **367.81**

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K

36 331 001 **Chrome** **4005176305795** **322.31**
ditto, with pop-up waste set 1 1/4"





36 422 000 **Chrome** **4005176368530** **390.66**


Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" L-Size with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)






36 325 001 **Chrome** **4005176305764** **417.02**

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
without power supply 36 338 000 (required)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K






36 421 000 **Chrome** **4005176368523** **388.25**

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" L-Size with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
without power supply 36 338 000 (required)
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K






36 439 000 **Chrome** **4005176389740** **289.98**

Eurosmart Cosmopolitan E
Infra-red electronic basin tap 1/2"
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hose
dirt strainer
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K

GROHE
EUROSMART COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)






36 330 001 **Chrome** **4005176305788** **392.42**

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with hidden mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K






36 324 001 **Chrome** **4005176305757** **591.70**

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
without power supply 36 338 000 (required)
for use with displacement water heater
fixed build in static flow limiter 5 l/min
on the hose connection
non-return valve
dirt strainers
flexible connection hoses
with integrated solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
type of protection faucet IP 59K
min. recommended pressure 1.0 bar





36 386 001 **Chrome** **4005176311673** **715.31**


Eurosmart Cosmopolitan E
Powerbox
infra-red electronic basin mixer with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
including Powerbox self-generating power system
GROHE EcoJoy 6.0 l/min mousseur
including all flexible connection hoses
non-return valve
dirt strainer
rapid installation system
Powerbox
power generator with water turbine
internal energy saving unit
with use of 60 s/24 h stand-by, 260 s/100 h stand-by
with additional backup power
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407


All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)









36 454 000 **Chrome** **4005176487774** **980.90**

Eurosmart Cosmopolitan E Special
Infra-red electronic wall basin mixer with thermostatic temperature control
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
activation by hand, deactivation automatically when leaving detection zone
(hand-body detection mode)
two additional detection modes adjustable (hand-hand or body-body)
GROHE StarLight chrome finish
GROHE CoolTouch
laminar mousseur 9 l/min
non-return valve
dirt strainers
GROHE SafetyPlus fixed temperature stop
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
metal temperature safety stop
full unmixed hot or cold water in extreme handle position for legionella sampling
swivel cast spout 219 mm
projection 287 mm
swivel range stop at 130°, lockable
with S-unions, chrome nuts and covers
self-sealing escutcheons
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109

36 455 000 **Chrome** **4005176487781** **954.20**
ditto, projection 255 mm







36 332 000 **Chrome** **4005176896682** **866.95**


Eurosmart Cosmopolitan E
Infra-red electronic wall basin mixer with thermostatic temperature control
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
activation by hand, deactivation automatically when leaving detection zone
(hand-body detection mode)
two additional detection modes adjustable (hand-hand or body-body)
GROHE StarLight chrome finish
laminar mousseur 9 l/min
non-return valve
dirt strainers
temperature scale handle with
GROHE SafeStop safety stop at 38°C
(**calibration required**)
swivel cast spout 219 mm
projection 287 mm
swivel range stop at 130°, lockable
self-sealing escutcheons
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109

36 333 000 **Chrome** **4005176896699** **851.50**
ditto, projection 255 mm

GROHE
EUROSMART COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)






36 334 SD0 **stainless steel** **4005176896705** **478.53**

Eurosmart Cosmopolitan E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
laminar mousseur 9 l/min
stainless steel escutcheon
SuperSteel spout
projection 232 mm
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
set for final installation for concealed fitting box
36 336 001/36 337 001
CE approved
noise classification 1 in accordance
with DIN4109
min. recommended pressure 1.0 bar

36 335 SD0 **stainless steel** **4005176896712** **453.91**
ditto, projection 172 mm






36 337 001 **4005176595417** **127.89**

Euroeco Cosmopolitan E
Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
stop valve
connection housing for power supply
suitable for
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve





36 336 001 **4005176991769** **338.08**


Eurosmart Cosmopolitan E
Concealed mounting box
with integrated pre-adjustable
thermostatic mixer
wall installation
suitable for IR-sets for final installation
2 stop valves
non-return valve
suitable for
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)






36 376 000 **Chrome** **4005176932243** **613.83**

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
laminar flow straightener 9 l/min
chrome escutcheon
chrome spout
projection 232 mm
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
set for final installation for concealed fitting box
36 339 001
CE approved
noise classification 1 in accordance
with DIN4109

36 315 000 **Chrome** **4005176896590** **515.43**
ditto, projection 172 mm







36 339 001 **4005176595424** **233.55**

Eurosmart Cosmopolitan E
Concealed mounting box with mixture
wall installation
suitable for IR-sets for final installation
2 stop valves
housing with mixing device
non-return valve
connection housing for power supply
suitable for
36 315 000, 36 412 000, 36 376 000
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve








36 457 000 **Chrome** **4005176494765** **895.26**

Eurosmart Cosmopolitan E Special
Infra-red electronic shower mixer with thermostatic temperature control
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
ergonomic metal handle
GROHE StarLight chrome finish
GROHE CoolTouch
non-return valve
dirt strainers
GROHE SafetyPlus fixed temperature stop
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
metal temperature safety stop
full unmixed hot or cold water in extreme handle position for legionella sampling
shower bottom outlet 1/2" with
integrated non return-valve
with S-unions, chrome nuts and covers
self-sealing escutcheons
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109

GROHE
EUROSMART COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)






36 456 000 **Chrome** **4005176494758** **237.89**

Eurosmart Cosmopolitan E Special
Infra-red electronic for concealed thermostatic shower
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for concealed installation box 36 458 000 and 36 459 000
ergonomic metal handle
GROHE StarLight chrome finish
GROHE SafetyPlus fixed temperature stop
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
metal temperature safety stop
full unmixed hot or cold water in extreme handle position for legionella sampling
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109






36 458 000 **4005176494772** **719.55**

Eurosmart Cosmopolitan E
Concealed control unit
for shower
with integrated thermostatic mixer
suitable for infra-red set 36 456 000
2 stop valves
non-return valves with filters
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve






36 459 000 **4005176576188** **772.92**

Eurosmart Cosmopolitan E
Concealed control unit
for shower
with integrated thermostatic mixer
suitable for infra-red set 36 456 000
2 stop valves
non-return valves with filters
connection housing for power supply
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve





47 780 000 **4005176836541** **154.04**


Rapido T
Extension set 27.5 mm
for Rapido T 35 500 000/35 050 000
for concealed installation box 36 458 000 and 36 459 000
for use with central and shower-thermostatswith shut-off valve

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 463 000	**Chrome**	**4005176576690**	**211.46**






Eurosmart Cosmopolitan E
Infra-red electronic for concealed thermostatic shower
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for concealed installation box 36 416 000 and 36 464 000
for hidden thermostatic mixer
GROHE StarLight chrome finish
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109

---

36 464 000		**4005176576706**	**647.25**






Eurosmart Cosmopolitan E
Concealed control unit
for shower
with integrated pre-adjustable
thermostatic mixer
suitable for infra-red set 36 463 000
2 stop valves
non-return valves with filters
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

---

36 416 001		**4005176595394**	**660.61**






Eurosmart Cosmopolitan E
Concealed control unit
for shower
with integrated pre-adjustable
thermostatic mixer
suitable for infra-red set 36 415 000 and 36 463 000
2 stop valves
non-return valves with filters
connection housing for power supply
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

---



36 407 001		**4005176368974**	**282.14**





Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply

GROHE
EUROSMART COSMOPOLITAN E


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**36 340 000**		**4005176911385**	**58.53**
	Power extension cable length 3.00 m			
	36 341 000 **ditto, length 10 m**		**4005176911392**	**105.24**
 	**36 338 000**		**4005176896743**	**97.18**
	Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROECO COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)






36 271 000 **Chrome** **4005176893193** **306.32**

Euroeco Cosmopolitan E
Infra-red electronic basin tap
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
dirt strainers
solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K






36 269 000 **Chrome** **4005176893179** **330.92**

Euroeco Cosmopolitan E
Infra-red electronic basin tap 1/2"
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
without power supply 36 338 000 (required)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
dirt strainers
solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K






36 272 000 **Chrome** **4005176893209** **306.32**

Euroeco Cosmopolitan E
Infra-red electronic basin tap 1/2"
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
dirt strainer
solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved

GROHE
EUROECO COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)






36 384 000 **Chrome** **4005176982774** **675.33**

Euroeco Cosmopolitan E
Powerbox
infra-red electronic basin tap 1/2"
without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
including Powerbox self-generating power system
GROHE EcoJoy 6.0 l/min mousseur
flexible connection hose
dirt strainer
rapid installation system
Powerbox
power generator with water turbine
internal energy saving unit
with use of 60 s/24 h stand-by, 260 s/100 h stand-by
with additional backup power
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407






36 274 000 **Chrome** **4005176893223** **392.41**

Euroeco Cosmopolitan E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
metal body
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved





36 273 000 **Chrome** **4005176893216** **402.14**


Euroeco Cosmopolitan E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE EcoJoy mousseur 5.7 l/min
chrome escutcheon
chrome spout
projection 172 mm
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
set for final installation for concealed fitting box
36 336 001/36 337 001
CE approved
noise classification 1 in accordance
with DIN4109

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROECO COSMOPOLITAN E

	Ref. No.	Colour	EAN	Retail Guide Price (£)






36 337 001 4005176595417 127.89

Euroeco Cosmopolitan E
Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
stop valve
connection housing for power supply
suitable for
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve






36 336 001 4005176991769 338.08

Eurosmart Cosmopolitan E
Concealed mounting box
with integrated pre-adjustable
thermostatic mixer
wall installation
suitable for IR-sets for final installation
2 stop valves
non-return valve
suitable for
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve






36 407 001 4005176368974 282.14

Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply





36 340 000 4005176911385 58.53


Power extension cable
length 3.00 m

36 341 000 4005176911392 105.24
ditto, length 10 m

GROHE
EUROECO COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 338 000		**4005176896743**	**97.18**






Switch mode power supply
for one eye infra-red wash basin mixer
switch mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief
suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BAU COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 451 000	**Chrome**	**4005176473678**	**255.20**






Bau Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with mixing device and temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
body made of composite polymer
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 452 000	**Chrome**	**4005176473685**	**237.56**






Bau Cosmopolitan E
Infra-red electronic basin tap 1/2"
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
body made of composite polymer
flexible connection hose
dirt strainer
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59

GROHE
BAU COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 453 000	**Chrome**	**4005176473791**	**269.31**






Bau Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with mixing device and temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
without power supply 36 338 000 (required)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
body made of composite polymer
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59

---

36 407 001 **4005176368974** **282.14**






Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply

---

36 340 000 **4005176911385** **58.53**






Power extension cable
length 3.00 m

36 341 000 **4005176911392** **105.24**
ditto, length 10 m

---

36 338 000 **4005176896743** **97.18**







Switch mode power supply
for one eye infra-red wash basin mixer
switch mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief
suitable for the following products: 36 444 000, 36 440 000,
36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000,
36 015 001, 36 016 001, 36 421 000

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM MICRO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**34 487 000**	**Chrome**	**4005176936234**	**144.96**

Grohtherm Micro
Thermostatic scalding protection
temperature adjustment 15-43° C (± 2° C)
thermal disinfection without re-adjustment of temperature
connection 3/8" below with cap nut
above 3/8" male thread
GROHE TurboStat thermoelement
GROHE StarLight chrome finish
built-in non return valves
dirt strainer
without connection set


 	**47 533 000**	**Chrome**	**4005176207181**	**32.85**

Grohtherm Micro
Connection set
for Grohtherm Micro (34 487 000)
Consisting of:
union nut 3/8"
T-unit
2 outlets 3/8" male thread
flexible connection hose
GROHE StarLight chrome finish

GROHE
GROHTHERM SPECIAL

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 667 000 **Chrome** **4005176351570** **305.16**

Grohtherm Special
Thermostatic shower mixer 1/2"
wall mounted
ergonomic metal wing handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge
with wax thermoelement
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
integrated mixed water shut off
shower bottom outlet 1/2" with
integrated non return-valve
metal temperature safety stop
dirt strainers
GROHE FastFixation for fast exchange of non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish






34 725 000 **Chrome** **4005176457081** **379.08**

Grohtherm Special
Thermostatic shower mixer 1/2"
wall mounted
ergonomic metal wing handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge
with wax thermoelement
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
Thermostatic cartridge max.temperature 41°C (calibration required)
integrated mixed water shut off
shower bottom outlet 1/2" with
integrated non return-valve
metal temperature safety stop
dirt strainers
with S-unions, chrome nuts and covers
GROHE FastFixation for fast exchange of non return valves in connections
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafetyPlus fixed temperature stop
TMV3 approved product





34 665 000 **Chrome** **4005176351556** **382.08**


Grohtherm Special
Thermostatic bath/shower mixer 1/2"
wall mounted
ergonomic metal wing handles
Aquadimmer handle with multiple function
flow control
integrated mixed water shut off
diverter bath/shower
GROHE TurboStat compact cartridge
with wax thermoelement
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
shower bottom outlet 1/2" with
integrated non return-valve
metal temperature safety stop
laminar mousseur
dirt strainers
GROHE FastFixation for fast exchange of non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM SPECIAL


Ref. No.	Colour	EAN	Retail Guide Price (£)






34 681 000 **Chrome** **4005176354090** **364.22**

Grohtherm Special
Thermostatic shower mixer 1/2"
wall mounted
ergonomic metal wing handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge
with wax thermoelement
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
integrated mixed water shut off
shower bottom outlet 1/2" with
integrated non return-valve
metal temperature safety stop
dirt strainers
without S-unions and covers
GROHE FastFixation for fast exchange of non return valves in connections
GROHE CoolTouch safety housing
GROHE StarLight chrome finish






34 671 000 **Chrome** **4005176351587** **389.24**

Grohtherm Special
Thermostatic bath/shower mixer 1/2"
wall mounted
ergonomic metal wing handles
Aquadimmer handle with multiple function
flow control
integrated mixed water shut off
diverter bath/shower
GROHE TurboStat compact cartridge
with wax thermoelement
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
shower bottom outlet 1/2" with
integrated non return-valve
metal temperature safety stop
laminar mousseur
dirt strainers
without S-unions and covers
GROHE FastFixation for fast exchange of non return valves in connections
GROHE CoolTouch safety housing
GROHE StarLight chrome finish






34 666 000 **Chrome** **4005176351563** **338.80**

Grohtherm Special
Thermostat basin mixer 1/2"
wall mounted
ergonomic metal wing handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge
with wax thermoelement
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
integrated mixed water shut off
bottom outlet for spouts 13 378 or 13 380
metal temperature safety stop
dirt strainers
GROHE FastFixation for fast exchange of non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish





13 378 000 **Chrome** **4005176351532** **89.51**

Cast swivel spout
length 115 mm
swivelling (180 or 90°) and lockable
laminar flow straightener 9 l/min
GROHE StarLight finish


13 380 000 **Chrome** **4005176351549** **98.93**
ditto, length 175 mm

COMMERCIAL FITTINGS

GROHE
GROHTHERM SPECIAL

Ref. No.	Colour	EAN	Retail Guide Price (£)






29 094 000 **Chrome** **4005176354106** **233.06**

Grohtherm Special
Thermostatic shower mixer
set for final installation for
35 050 000
without concealed body
escutcheon- and shaft-sealing
covered connections
ergonomic metal wing handles
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
integrated mixed water shut off
metal temperature safety stop
GROHE StarLight chrome finish
TMV2 compliant when used with 35 050 000

35 500 000 **4005176831522** **278.96**
GROHE Rapido T thermostatic mixer for concealed installation






29 095 000 **Chrome** **4005176354113** **237.89**

Grohtherm Special
Thermostatic bath/shower mixer trim
set for final installation for
35 050 000
without concealed body
escutcheon- and shaft-sealing
covered connections
ergonomic metal wing handles
Aquadimmer handle with multiple function
flow control
integrated mixed water shut off
diverter bath/shower
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
integrated mixed water shut off
metal temperature safety stop
GROHE StarLight chrome finish
TMV2 compliant when used with 35 050 000

35 500 000 **4005176831522** **278.96**
GROHE Rapido T thermostatic mixer for concealed installation






29 096 000 **Chrome** **4005176354120** **192.23**

Grohtherm Special
Trim for thermostatic shower valve
set for final installation for
35 050 000
without concealed body
escutcheon- and shaft-sealing
covered connections
ergonomic metal wing handle
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
metal temperature safety stop
GROHE StarLight chrome finish
TMV2 compliant when used with 35 050 000

35 500 000 **4005176831522** **278.96**
GROHE Rapido T thermostatic mixer for concealed installation





35 500 000 **4005176831522** **278.96**

GROHE Rapido T
Thermostatic mixer for concealed installation
for use with Grohtherm Special
without finishing trim set
flat installation depth 70 mm - 95 mm
GROHE TurboStat compact cartridge
with wax thermoelement
two top outlets 1/2", lockable
bottom outlet 1/2" - can only be used
with separate stopvalve
body of DR brass
built-in non return valve
and dirt strainers
min. recommended pressure 1.0 bar

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM SPECIAL


Ref. No.	Colour	EAN	Retail Guide Price (£)



47 994 000 — **4005176364723** — **2.35**

Grohtherm Special
Temperature unlocking handle
unlocking of temperature handle for thermal disinfection






12 051 000 — **Chrome** — **4005176213588** — **44.19**

S-union
1/2" x 3/4"
screw socket to cover the union nut
and the rosette
sealing towards wall
adjustment range 12.5 mm
lockable for service
suitable for 1/2" connections
GROHE StarLight chrome finish





47 780 000 — **4005176836541** — **154.04**

Rapido T
Extension set 27.5 mm
for Rapido T 35 500 000/35 050 000
for concealed installation box 36 458 000 and 36 459 000
for use with central and shower-thermostatswith shut-off valve

47 781 000 — **4005176836558** — **177.95**


ditto, for use with bath thermostats with aquadimmer



29 007 000 — **4005176837678** — **168.71**

Safety combination (EN 1717)
for Rapido T 35 500 000/35 050 000
Re-fitting set for backflow protection
for use with inlet pop-up and waste sets
e.g. Talentofil 28 990 000 or 28 991 000






28 874 000 — **Chrome** — **4005176042348** — **81.07**

Tee Connection
for connection to shower and bath/shower- mixer
union nut 1/2"
2 connections 1/2" for the shower hose or drain valves
GROHE StarLight chrome finish






28 988 000 — **Chrome** — **4005176042805** — **111.12**

Drain Down Valve
for fitting between shut-off valve and shower
acc. to hospital guide rules
female thread 1/2"
GROHE StarLight chrome finish

GROHE
GROHTHERM XL

Ref. No.	Colour	EAN	Retail Guide Price (£)






35 085 000 **Chrome** **4005176207068** **2,122.66**

Grohtherm XL
Thermostat mixer 1“
wall mounted
range of use 9l/min to 140l/min
wax thermoelement
temperature scale handles with pre-adjustable
safety stop between 33°C and 43°C
arrangement to make the thermal
disinfection easier
built-in non return valves and dirt strainers as compact service units
connecting thread 1 1/4“
outlet thread 1 1/2“
changeable top/bottom outlet
without connection unions for wall mounting
GROHE StarLight chrome finish





35 087 000 **Chrome** **4005176207082** **2,423.63**


Grohtherm XL
Thermostat mixer 1 1/4“
wall mounted
range of use 9l/min to 140l/min
wax thermoelement
temperature scale handles with pre-adjustable
safety stop between 33°C and 43°C
arrangement to make the thermal
disinfection easier
built-in non return valves and dirt strainers as compact service units
connecting thread 1 1/2“
outlet thread 2“
changeable top/bottom outlet
without connection unions for wall mounting
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART CARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)






23 988 003 **Chrome** 4005176644351 **131.90**

Eurosmart
Basin mixer 1/2"
S-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection not possible
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
built-in non return valves
dirt strainers
GROHE EcoJoy mousseur 4.2 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
max. pressure differential 5:1
professional edition






23 989 003 **Chrome** 4005176644368 **144.95**

Eurosmart
Basin mixer 1/2"
M-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection not possible
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
GROHE Zero isolated inner water ways - lead and nickel free within the tap
built-in non return valves
dirt strainers
GROHE EcoJoy mousseur 4.2 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
max. pressure differential 5:1
professional edition






23 986 003 **Chrome** 4005176643859 **171.89**

Eurosmart
Basin mixer 1/2"
S-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection without re-adjustment of temperature
tool for thermal disinfection included
monobloc installation
loop metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
built-in non return valves
dirt strainers
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy 4.2 l/min laminar flow straigthener
GROHE FastFixation installation system
smooth body
flexible connection hoses
max. pressure differential 5:1
professional edition

GROHE
EUROSMART CARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)






23 987 003 **Chrome** **4005176644344** **184.94**

Eurosmart
Basin mixer 1/2"
M-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection without re-adjustment of temperature
tool for thermal disinfection included
monobloc installation
loop metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
built-in non return valves
dirt strainers
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy 4.2 l/min laminar flow straigthener
GROHE FastFixation installation system
smooth body
flexible connection hoses
max. pressure differential 5:1
professional edition






23 980 003 **Chrome** **4005176644207** **105.52**

Eurosmart
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
laminar flow straightener 9 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
professional edition






23 981 003 **Chrome** **4005176644214** **118.58**

Eurosmart
Basin mixer 1/2"
M-Size
monobloc installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
laminar flow straightener 9 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
professional edition






25 241 003 **Chrome** **4005176644221** **131.07**

Eurosmart
Single-lever bath/shower mixer 1/2"
wall mounted
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
metal wall escutcheons
protected against backflow
professional edition

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART CARE


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**25 242 003**	**Chrome**	**4005176644238**	**114.13**

Eurosmart
Single-lever shower mixer 1/2"
wall mounted
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
shower bottom outlet 1/2" with
integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow
professional edition

GROHE
EUROSMART CARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)






23 984 003 **Chrome** 4005176643835 171.89

Eurosmart
Basin mixer 1/2"
S-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection without re-adjustment of temperature
tool for thermal disinfection included
monobloc installation
long metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
GROHE Zero isolated inner water ways - lead and nickel free within the tap
built-in non return valves
dirt strainers
GROHE EcoJoy 4.2 l/min laminar flow straigthener
GROHE FastFixation installation system
smooth body
flexible connection hoses
max. pressure differential 5:1
professional edition






23 985 003 **Chrome** 4005176643842 184.94

Eurosmart
Basin mixer 1/2"
M-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection without re-adjustment of temperature
tool for thermal disinfection included
monobloc installation
long metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
GROHE Zero isolated inner water ways - lead and nickel free within the tap
built-in non return valves
dirt strainers
GROHE EcoJoy 4.2 l/min laminar flow straigthener
GROHE FastFixation installation system
smooth body
flexible connection hoses
max. pressure differential 5:1
professional edition






23 982 003 **Chrome** 4005176644245 105.52

Eurosmart
Basin mixer 1/2"
S-Size
monobloc installation
long metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
laminar flow straightener 9 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
professional edition





23 983 003 **Chrome** 4005176644313 118.58


Eurosmart
Basin mixer 1/2"
M-Size
monobloc installation
long metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
laminar flow straightener 9 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
professional edition

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART CARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)






25 243 003 **Chrome** **4005176644320** **131.07**

Eurosmart
Single-lever bath/shower mixer 1/2"
wall mounted
long metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
metal wall escutcheons
protected against backflow
professional edition






25 244 003 **Chrome** **4005176644337** **114.13**

Eurosmart
Single-lever shower mixer 1/2"
wall mounted
long metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
shower bottom outlet 1/2" with
integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow
professional edition






34 667 000 **Chrome** **4005176351570** **305.16**

Grohtherm Special
Thermostatic shower mixer 1/2"
wall mounted
ergonomic metal wing handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge
with wax thermoelement
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
integrated mixed water shut off
shower bottom outlet 1/2" with
integrated non return-valve
metal temperature safety stop
dirt strainers
GROHE FastFixation for fast exchange of non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish

GROHE
VERTICA EUROSTYLE COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 302 000	**Chrome**	**4005176923876**	**353.53**










Eurostyle Cosmopolitan
Vertica-OHM-Bath Mixer, 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
lockable automatic diverter: bath/shower
lockable spout
integrated non-return valve
in the shower outlet 1/2"
elbow union 45°
metal wall escutcheons
optional temperature limiter (46 375 000)
protected against backflow
noise classification 1 in accordance with DIN4109

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
COMMERCIAL SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**28 587 000**	**Chrome**	**4005176282966**	**206.87**
	Relexa **Shower rail, 900 mm** with handle handle can be mounted right or left handed with wall brackets (3 pieces) gliding element with metal sleeve angle of inclination adjustable by click stop device height adjustment via locking nut **GROHE StarLight** chrome finish			
 	**28 671 000**	**Chrome**	**4005176103070**	**35.83**
	Relexa **Shower outlet elbow, 1/2"** male thread **GROHE StarLight** chrome finish			
 	**28 405 000**	**Chrome**	**4005176264559**	**57.46**
	Movario **Shower outlet elbow, 1/2"** protected against backflow **GROHE StarLight** chrome finish			
 	**28 406 000**	**Chrome**	**4005176264566**	**57.46**
	Movario **Shower outlet elbow, 1/2"** with shower holder protected against backflow **GROHE StarLight** chrome finish			
 	**28 161 001**	**Chrome**	**4005176935107**	**18.70**
	Silverflex **Shower hose Twistfree 1500** for **low pressure** 1500 mm smooth surface for easy cleaning tensile strength 350 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for **Twistfree** function **GROHE StarLight** chrome finish **blister packaging**			

GROHE
COMMERCIAL SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)






28 142 000	**Chrome**	**4005176601330**	**21.93**

Relexaflex Metal Longlife
Metal shower hose 1250
1250 mm
material: metal
Longlife
strengthened model
tensile strength 750 N
pressure resistance up to 16 bar
heat resistance 75°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
GROHE StarLight chrome finish
blister packaging

28 143 KS0	**velvet black**	**4005176842252**	**31.99**
28 143 LS0	**moon white**	**4005176842269**	**31.99**
28 143 000	**Chrome**	**4005176601347**	**24.37**

ditto, 1500 mm hose






28 145 000	**Chrome**	**4005176601354**	**28.74**

Relexaflex Metal Longlife
Metal shower hose 2000
2000 mm
material: metal
Longlife
strengthened model
tensile strength 750 N
pressure resistance up to 16 bar
heat resistance 75°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
GROHE StarLight chrome finish
blister packaging






28 002 000	**Chrome**	**4005176858796**	**208.89**

Relexa 70
Sports head shower 1 spray
low aerosol emission
heavy, cast model
theft proof
connection thread 1/2"
projection 57 mm
flow limiter 9 l/min. and 12 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suicide resistant design
pipe union plug-in for wall connection






28 948 000	**Chrome**	**4005176209871**	**151.29**

Relexa Plus 60
Sports head shower 1 spray
heavy, cast model
connection thread 1/2"
projection 148 mm
GROHE StarLight chrome finish
SpeedClean anti-limescale system





28 094 000	**Chrome**	**4005176601132**	**57.46**


Relexa Plus 50
Head shower 1 spray
with ball joint
1/2" connection
GROHE StarLight chrome finish
adjustable flow rate
without shower arm

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
COMMERCIAL SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	28 988 000	**Chrome**	**4005176042805**	**111.12**






Drain Down Valve
for fitting between shut-off valve and shower
acc. to hospital guide rules
female thread 1/2"
GROHE StarLight chrome finish

	28 874 000	**Chrome**	**4005176042348**	**81.07**






Tee Connection
for connection to shower and bath/shower- mixer
union nut 1/2"
2 connections 1/2" for the shower hose or drain valves
GROHE StarLight chrome finish

	28 429 000	**Chrome**	**4005176601910**	**57.46**






Relexa
Shower arm 55 mm
connection thread 1/2"
GROHE StarLight chrome finish

	28 541 000	**Chrome**	**4005176040528**	**45.74**






Relexa
Shower arm 147 mm
connection thread 1/2"
escutcheon
GROHE StarLight chrome finish

GROHE
EUROECO SPECIAL

Ref. No.	Colour	EAN	Retail Guide Price (£)






32 763 000 **Chrome** **4005176871030** **120.59**

Euroeco Special
Basin mixer 1/2"
monobloc installation
pop-up waste set 1 1/4"
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
laminar flow straightener 9 l/min
metal lever
lever length 120 mm
rapid installation system
flexible connection hoses

32 762 000 **Chrome** **4005176871023** **120.59**
ditto, smooth body






32 766 000 **Chrome** **4005176871061** **266.77**

Euroeco Special
Basin mixer 1/2"
monobloc installation
pop-up waste set 1 1/4"
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
laminar flow straightener 9 l/min
metal lever
lever length 120 mm
rapid installation system
flexible connection hoses

32 765 000 **Chrome** **4005176871054** **254.62**
ditto, smooth body






23 293 000 **Chrome** **4005176921148** **216.27**

Euroeco Special
Basin mixer 1/2"
monobloc installation
smooth body
high version
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
laminar flow straightener 5 l/min
loop metal lever
lever length 160 mm
flexible connection hoses
rapid installation system





30 208 000 **Chrome** **4005176927836** **278.97**


Euroeco Special
Basin mixer 1/2"
monobloc installation
high spout
302 mm
smooth body
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 5.7 l/min.
swivel tubular spout
swivel area 140°
metal lever
lever length 170 mm
rapid installation system
flexible connection hoses

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROECO SPECIAL

Ref. No.	Colour	EAN	Retail Guide Price (£)






32 776 000 **Chrome** **4005176871764** **251.45**

Euroeco Special
Basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
laminar flow straightener 9 l/min
cast spout
projection 157 mm
metal lever
lever length 120 mm
S-unions






32 778 000 **Chrome** **4005176871788** **278.97**

Euroeco Special
Basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
laminar flow straightener 9 l/min
cast spout
projection 205 mm
metal lever
lever length 170 mm
S-unions

32 779 000 **Chrome** **4005176871795** **315.52**
ditto, with lockable S unions, projection 221 mm






32 770 000 **Chrome** **4005176871702** **248.03**

Euroeco Special
Basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
laminar flow straightener 9 l/min
cast swivel spout, lockable
projection 157 mm
metal lever
lever length 120 mm
S-unions

32 768 000 **Chrome** **4005176871689** **282.00**
ditto, with lockable S unions, projection 174 mm





32 767 000 **Chrome** **4005176871078** **303.31**


Euroeco Special
Basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
laminar flow straightener 9 l/min
cast swivel spout, lockable
projection 197 mm
metal lever
lever length 120 mm
S-unions

32 771 000 **Chrome** **4005176871719** **327.69**
ditto, with lockable S unions, projection 214 mm

GROHE
EUROECO SPECIAL

Ref. No.	Colour	EAN	Retail Guide Price (£)






32 773 000 **Chrome** **4005176871733** **295.61**

Euroeco Special
Basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
cast swivel spout, lockable
laminar flow straightener 9 l/min
projection 257 mm
metal lever
lever length 170 mm
S-unions

32 774 000 **Chrome** **4005176871740** **329.60**
ditto, with lockable S unions, projection 274 mm






32 775 000 **Chrome** **4005176871757** **343.17**

Euroeco Special
Basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
Laminar flow straightener
cast swivel spout, lockable
projection 342 mm
metal lever
lever length 170 mm
with lockable S-unions






32 772 000 **Chrome** **4005176871726** **285.43**

Euroeco Special
Single-lever basin mixer
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable minimum flow rate 2.5 l/min
adjustable temperature limiter
adjustable flow rate limiter
laminar flow straightener 9 l/min
cast swivel spout, lockable
projection 222 mm
metal lever
lever length 170 mm
without connection unions
water saving





32 780 000 **Chrome** **4005176871801** **116.74**


Euroeco Special
Single-lever shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
shower bottom outlet 1/2"
integrated non-return valve
metal lever
lever length 120 mm
S-unions
protected against backflow
without shower set

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROECO SPECIAL

Ref. No.	Colour	EAN	Retail Guide Price (£)






32 783 000 **Chrome** **4005176871832** **137.17**

Euroeco Special
Single-lever bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
metal lever
lever length 120 mm
temperature limiter
S-unions
protected against backflow
without shower set





32 784 000 **Chrome** **4005176871849** **144.95**

Euroeco Special
Single-lever shower mixer trim
set for final installation for
without concealed body
GROHE StarLight chrome finish
metal lever
lever length 120 mm
escutcheon- and shaft-sealing
metal escutcheon
screwed
temperature limiter


33 963 000 **4005176128387** **99.72**
Single-lever bath/shower mixer 1/2" concealed body

33 961 000 **4005176119972** **334.00**
Single-lever mixer 1/2", concealed body

33 964 000 **4005176128394** **100.85**
Single-lever shower mixer 1/2" concealed body

33 962 000 **4005176119989** **225.48**
Single-lever mixer 1/2", concealed body






32 786 000 **Chrome** **4005176871863** **144.96**

Euroeco Special
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
metal lever
lever length 120 mm
flexible connection hoses





32 787 000 **Chrome** **4005176871870** **143.03**

Euroeco Special
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
swivel tubular spout
lever length 120 mm
flexible connection hoses

GROHE
EUROECO SPECIAL

Ref. No.	Colour	EAN	Retail Guide Price (£)




32 870 000 **Chrome** **4005176876523** **101.98**

Euroeco Special
Lever 115 mm
for Euroeco special single-lever mixer
GROHE StarLight chrome finish

32 871 000 **Chrome** **4005176876530** **119.54**
ditto, length 160 mm






12 051 000 **Chrome** **4005176213588** **44.19**

S-union
1/2" x 3/4"
screw socket to cover the union nut
and the rosette
sealing towards wall
adjustment range 12.5 mm
lockable for service
suitable for 1/2" connections
GROHE StarLight chrome finish






34 487 000 **Chrome** **4005176936234** **144.96**

Grohtherm Micro
Thermostatic scalding protection
temperature adjustment 15-43° C (± 2° C)
thermal disinfection without re-adjustment of temperature
connection 3/8" below with cap nut
above 3/8" male thread
GROHE TurboStat thermoelement
GROHE StarLight chrome finish
built-in non return valves
dirt strainer
without connection set








47 533 000 **Chrome** **4005176207181** **32.85**





Grohtherm Micro
Connection set
for Grohtherm Micro (34 487 000)
Consisting of:
union nut 3/8"
T-unit
2 outlets 3/8" male thread
flexible connection hose
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HOSPITA




		Ref. No.	Colour	EAN	Retail Guide Price (£)
		30 978 000	**Chrome**	4005176098918	230.22
		Hospita **Sink pillar tap, 1/2"** red/blue markers **GROHE StarLight** chrome finish			
		20 025 000	**Chrome**	4005176099403	134.84
		Hospita **Pillar tap** **1/2"** red/blue markers **GROHE StarLight** chrome finish			
		45 314 000	**Chrome**	4005176099250	89.51
		Lever projection 150 mm marking: blue/red for use with ceramic headparts **GROHE StarLight** chrome finish			

GROHE
EUROECO SINGLE SEQUENTIAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**32 788 000**	**Chrome**	**4005176871887**	**254.59**
	Euroeco Special **Single-lever safety basin mixer 1/2"** monobloc installation pop-up waste set 1 1/4" **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. laminar flow straightener 9 l/min metal lever lever length 120 mm rapid installation system flexible connection hoses			
	32 789 000	**Chrome**	**4005176871894**	**230.25**
	ditto, smooth body			
 	**32 790 000**	**Chrome**	**4005176871900**	**305.86**
	Euroeco Single Sequential **Single-lever safety basin mixer 1/2"** monobloc installation smooth body high version **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. laminar flow straightener 9 l/min metal lever lever length 120 mm rapid installation system flexible connection hoses			
 	**32 823 000**	**Chrome**	**4005176877995**	**377.08**
	Euroeco Special **Single-lever safety basin mixer 1/2"** ceramic cartridge **GROHE StarLight** chrome finish adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast spout with flow straightener 9 l/min. projection 170 mm metal lever lever length 170 mm without connection unions for wall mounting			
 	**32 795 000**	**Chrome**	**4005176871955**	**400.79**
	Euroeco Single Sequential **Single-lever safety basin mixer 1/2"** wall mounted **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast spout with flow straightener 9 l/min. projection 204 mm metal lever lever length 170 mm S-unions			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
EUROECO SINGLE SEQUENTIAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**32 792 000**	**Chrome**	**4005176871924**	**404.33**
	Euroeco Single Sequential **Single-lever safety basin mixer 1/2"** wall mounted **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast swivel spout, lockable with flow straightener 9 l/min. projection 197 mm metal lever lever length 120 mm S-unions			
	32 793 000	**Chrome**	**4005176871931**	**421.31**
	ditto, projection 256 mm			
	**46 278 000**		**4005176131868**	**112.17**
	Ceramic cartridge for Euroeco special mixer			
 	**28 874 000**	**Chrome**	**4005176042348**	**81.07**
	Tee Connection for connection to shower and bath/shower- mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves **GROHE StarLight** chrome finish			
 	**28 988 000**	**Chrome**	**4005176042805**	**111.12**
	Drain Down Valve for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" **GROHE StarLight** chrome finish			

GROHE
EURODISC SE

Ref. No.	Colour	EAN	Retail Guide Price (£)






36 233 000 **Chrome** **4005176283338** **582.36**

Eurodisc SE
Self-closing basin mixer with mixing device and adjustable temperature limiter
6V lithium battery, type CR-P2
GROHE StarLight chrome finish
flexible connection hoses
start-stop function
self-closing electronic
safety stop after 180 sec.
Flow time infinitely adjustable from 2-180 sec.
Automatic flushing: 5 min after 3 days without use
thermal desinfection for 3,5 or 11 min
CE approved
type of protection faucet IP 59K





36 249 000 **Chrome** **4005176283345** **664.05**

Eurodisc SE
Self-closing basin tap 1/2"
6V lithium battery, type CR-P2
for cold or premixed water
marking: blue (cold)
GROHE StarLight chrome finish
flexible connection hose
dirt strainer
rapid installation system
start-stop function
self-closing electronic
safety stop after 180 sec.
external access to flow time adjustment
Flow time infinitely adjustable from 2-180 sec.
Automatic flushing: 5 min after 3 days without use
CE approved
type of protection faucet IP 59K



36 209 000 **Chrome** **4005176207105** **77.78**

Security cover cap
vandal-proof, covered and pre-adjustable
suitable for single hole mixers
Europlus E and Eurodisc SE
Consisting of:
special mixing device for actuation by screwdriver
metallic cap
GROHE StarLight chrome finish



42 886 000 **4005176200670** **44.19**


Battery
6V lithium battery, type CR-P2

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN T

	Ref. No.	Colour	EAN	Retail Guide Price (£)






36 318 000 **Chrome** **4005176896521** **327.70**

Eurosmart Cosmopolitan T
Self-closing basin mixer with mixing device and adjustable temperature limiter
GROHE StarLight chrome finish
pop-up waste set 1 1/4“
3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)
2 flexible hoses
non-return valve
dirt strainers
min. recommended pressure 1.0 bar

36 317 000 **Chrome** **4005176896514** **303.34**
ditto, without pop-up waste set






36 320 000 **Chrome** **4005176896545** **473.90**

Eurosmart Cosmopolitan T
Self-closing shower mixer 1/2“ with mixing device and adjustable temperature limiter
wall mounted
GROHE StarLight chrome finish
mixing device with hot water stop-valve
hose connection G 1/2“
3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)
S-unions
non-return valve
dirt strainers






36 321 000 **Chrome** **4005176896552** **339.86**

Eurosmart Cosmopolitan T
Self-closing shower mixer 1/2“ with mixing device and adjustable temperature limiter
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)
dirt strainers
set for final installation for concealed fitting box 36 322 001
without concealed body





36 322 001 **4005176595400** **140.98**


Eurosmart Cosmopolitan T
Concealed mounting box with mixture
wall installation
with adhesive flange for sealing the wall
2 stop valves
non-return valve
for use with 36 321 000
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

COMMERCIAL FITTINGS

GROHE
EUROECO COSMOPOLITAN T

	Ref. No.	Colour	EAN	Retail Guide Price (£)






36 265 000 **Chrome** **4005176893131** **134.09**

Euroeco Cosmopolitan T
Self-closing pillar tap 1/2"
marking: blue/red
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)






36 266 000 **Chrome** **4005176893148** **109.46**

Euroeco Cosmopolitan T
Self-closing pillar tap 1/2"
wall mounted
marking: blue/red
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
5.7 l/min flow rate
3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)
escutcheon






36 316 000 **Chrome** **4005176896279** **35.66**

Euroeco Cosmopolitan T
Extension, 42 mm
for self-closing pillar tap 1/2" (36 266 000)
GROHE StarLight chrome finish






36 268 000 **Chrome** **4005176893162** **109.46**

Euroeco Cosmopolitan T
Self-closing shower valve 1/2"
for concealed installation
marking: blue/red
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)





36 267 000 **Chrome** **4005176893155** **109.48**

Euroeco Cosmopolitan T
Self-closing shower valve 1/2"
exposed body and trim set
marking: blue/red
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)
escutcheon

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE SENSIA
SHOWER TOILETS





CONTENTS

GROHE Sensia Arena	624
Manual bidet seat	627



GROHE
SENSIA ARENA

The GROHE Sensia Arena Toilet is the next level of personal care in the 21st century bathroom, offering a broad range of intelligent features. Prompted by a sensor, the lid opens and closes automatically while a gentle nightlight guides your way in the dark. The absorption of odours supports the transformation of a simple bathroom to a relaxing and hygienic zone. Every design detail has been carefully considered to offer new levels of cleanliness at every stage. Special hygienic coatings and powerful flushing keep the toilet clean while the self-cleaning, anti-bacterial spray arms give you total peace of mind when using the spray function. Discover the Sensia Arena and increase your personal well-being and comfort.







Enjoy a wealth of benefits that will fit you like a glove

01 Perfect skin care
With a selection of fully adjustable sprays, anti–bacterial twin shower arms and unlimited warm water for comfortable cleaning we offer perfect skin care: GROHE SkinClean.

02 Ultimate hygiene clean
Leading-edge AquaCeramic technology, germ-resistant HyperClean coating and self-cleaning, anti-bacterial spray arms provide you the greatest possible convenience and hygiene: GROHE HygieneClean.

03 Personal comfort
With features like odour absorption, air dryer, nightlight and the smartphone app we offer the smartest comfort: Personal Comfort.

GROHE MANUAL BIDET SEAT
PERFECTLY HYGIENIC WITH TWIN SHOWER

COMFORTABLE CLEANING WITH PURE WATER – NO ELECTRICITY NEEDED

The GROHE Manual Bidet Seat transforms a simple toilet into a comfortable, hygienic place where personal care and cleaning are second nature. Attached to a WC ceramic, the seat doesn't require electricity – instead, the spray is operated by a side lever powered only by water pressure, putting the control at your fingertips for an effective but gentle cleaning experience. No mess, no splashes and no stress. Made from hardwearing Duroplast, the seat itself creates an elegant visual addition to the bathroom.



REAR SPRAY

Thorough yet gentle, the targeted rear spray promises precise personal cleaning.



LADY SHOWER

The refreshing lady shower uses a completely separate spray arm for complete hygiene. The softer, wider spray pattern is more gentle, ideal for intimate feminine areas.



SOFT CLOSE SEAT
Both seat and lid have a quiet soft close mechanism meaning no danger of trapped fingers or of damaging the material.



RETRACTABLE NOZZLES
The two retractable spray arms are protected for extra hygiene.




SPRAY ARM CLEANING FUNCTION
Have confidence that the two spray arms remain germ-free, thanks to the cleaning function. Made from anti-bacterial material, the spray heads can be rinsed before and after every use controlled by the seat control lever.

GROHE
SENSIA ARENA

Ref. No.	Colour	EAN	Retail Guide Price (£)
39 354 SH1	**alpine white**	**4005176470448**	**2,411.41**






GROHE Sensia Arena
Shower toilet complete system for concealed flushing cisterns, wall-hung
GROHE Hygiene GROHE antibacterial glazing (SIAA Kokin Japanese standard compliant) and non-stick coating ceramic appliance with Aquaceramics technology
GROHE power flush: rimless wash down jet WC with GROHE Triple Vortex flushing technology
GROHE Skin Clean:
2 dedicated adjustable spray arms (1 for anal area, 1 for lady spray)
separate water way for lady spray
oscillating spray (automatic forward and reverse motion of the spray)
pulsating spray for massage
adjustable spray intensity
automatic pre- and post-rinsing of spray nozzle with fresh water
integrated instant heater provides unlimited warm water
adjustable temperature
Additional functions
warm air dryer with adjustable temperature
odor extraction with filter
PlasmaCluster function - ion technology
descaling function
Duroplast WC seat and lid with automatic opening/close function
soft close
infra-red user detection
seat control operation
power switch
inside bowl night light
hidden water supply and power supply connection
remote control
smart phone app for iOS and Android
includes:
manual remote controller with wall-mounted holder
active carbon filter for odour absorption
water supply connection set for concealed cistern
nozzle guard
pressure 0.05 - 1 MPa (0.5 - 10 bar)
nominal voltage 220-240 V AC
main frequency 50-60 Hz
type of protection IPX4
complies with EN 1717
CE approved

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SENSIA ARENA

Ref. No.	Colour	EAN	Retail Guide Price (£)
39 596 000		4005176527494	277.04






Rapid SLX
Element for WC, 1.13 m installation height with integrated socket and shower toilet connection
flushing cistern GDX, 6 l
with integrated power socket
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern GDX, 6 l, containing following features:
factory set 6 l and 3 l
pneumatic discharge valve offering 2 modes of operation: dual flush or single flush
water supply from right, back or top
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation of the inspection shaft incl. protection during construction phase
for vertical use

including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of flush plates 156 x 197 mm please order revision shaft 66 791 000 (sold separately)


39 598 000		4005176527517	313.37





Rapid SLX
3-in-1 set for WC, 1.13 m installation height
flushing cistern GDX, 6 l
Consisting of:
Rapid SLX element for WC (39 596 000) with integrated power socket
Rapid SL front wall brackets (38 558 00M)
WC set for noise protection (37 131 000)
including flow manager


GROHE
SENSIA ARENA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	46 944 001		4005176479977	214.87

GROHE Sensia Arena
Installation kit for automatic flush and pre-flush
Suitable for Sensia Arena shower toilet on a 1.13 m Rapid SL frame
for Rapid SL and Rapid SLX with flushing cistern GD2 in combination with Sensia Arena shower toilet
Consisting of:
servo motor for GD 2
actuation rod for flushing valve
cable and blind cap
flexible hose
WC actuation plate not included
CE approved

	40 899 000		4005176413896	41.80

Retrofit kit for shower toilets Sensia Arena and IGS
retrofit of existing Rapid SL installations to shower toilets Sensia Arena or IGS
including:
conduit pipe with locking ring and flat seal
cable ties
WC connecting pipe Ø 45 mm
waste sleeve Ø 90 mm

 	14 926 002		4005176572128	275.33


GROHE Sensia Arena
Remote control
for 39 354 SH0 and 39 354 SH1
for Sensia Arena shower toilet system, wall hung including wall holder

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
MANUAL BIDET SEAT

	Ref. No.	Colour	EAN	Retail Guide Price (£)






39 648 SH0 **alpine white** **4005176575310** **266.70**

Bau Ceramic
Manual bidet seat
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8“
includes:
mounting plate
filter
pressure 0.1 - 1 MPa (1 - 10 bar)
complies with EN 1717






39 651 SH0 **alpine white** **4005176575327** **373.59**

Bau Ceramic
Manual bidet seat 2-in-1 set wall hung
Consisting of:
Bau manual bidet seat soft close (39 648 SH0)
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8“
Bau Ceramic wall hung WC (39 427 000)
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware






39 652 SH0 **alpine white** **4005176575334** **507.47**

Bau Ceramic
Manual bidet seat 3-in-1 set, wall hung
Consisting of:
Bau manual bidet seat soft close (39 648 SH0)
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8“
Bau Ceramic wall hung WC (39 427 000)
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware
Grohtherm Micro 34 487 000
small under-basin thermostat
thermostatic scalding protection
temperature adjustment 15-43° C (± 2° C)





14 074 000 **4005176575365** **39.95**

Accessory set shower hose and T piece
for manual bidet seat
Consisting of:
T unit 3/8“
flexible connection hose
795 mm
3/8“ x 3/8“

GROHE
CERAMICS





CONTENTS

Essence	636
Cube Ceramic	641
Euro Ceramic	645
Bau Ceramic	651
Acrylic shower trays	660

FOUR UNIQUE
CERAMIC DESIGN LINES

Create pure unison in your bathroom: with GROHE Ceramics. If you choose one of our perfect matches, you can be sure that you are composing a coherent and perfectly designed style.

Whatever your lifestyle, whatever your taste, you'll find the perfect combination of products within GROHE's four ceramic ranges. Each has its own distinctive qualities and they make creating a visually unified bathroom simple and fun.



ESSENCE
BEAUTY IN ITS PUREST FORM



CUBE CERAMIC
A CLEAR STYLE STATEMENT



EURO CERAMIC
IN TUNE WITH MY LIFESTYLE




BAU CERAMIC
VERSATILITY FOR A MODERN LIFE

FIVE COMPELLING **TECHNOLOGIES**

You may not see it at first sight – but our ceramics are equipped with the most advanced technology. At GROHE it is our aspiration to make your time in the bathroom as comfortable as possible without any restrictions. Discover our innovative GROHE technologies.

OUR KEY TECHNOLOGIES



TRIPLE VORTEX FLUSH
THE POWER OF THREE: CLEAN AND SILENT



RIMLESS TECHNOLOGY
LEAVES BACTERIA NOWHERE TO HIDE



PUREGUARD
STAYS SPARKLING WHITE – NO CHANCE FOR BACTERIA AND DIRT





QUICK RELEASE SEAT
EASY REMOVAL FOR EASY CLEANING

SEAT & COVER SOFT CLOSE
GENTLE AND QUIET

WITH OUR PERFECT MATCHES YOU CAN BE SURE **THAT EVERYTHING FITS**

A consistent design language and ergonomic use are essential for making your bathroom a place of true relaxation. With our perfect matches, we created four coordinated collections for a complete bathroom solution.

Each of our matches was tested to be perfect in design and function. Choose for yourself the line that complements your personal style.

BAU CERAMIC



EURO CERAMIC



ESSENCE



CUBE CERAMIC





BAUEDGE



BAULOOP



EUROSTYLE
COSMOPOLITAN



EUROSTYLE



EUROSMART
COSMOPOLITAN



EUROSMART



ESSENCE



LINEARE



GROHE PLUS



ATRIO



EUROCUBE



LINEARE









ALLURE



ALLURE
BRILLIANT


GROHE
ESSENCE

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		**39 564 00H**	**alpine white**	**4005176485602**	**297.83**
		Essence **Wash basin 70** wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet 700 x 485 mm suitable for half and full pedestal sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			
		**39 565 00H**	**alpine white**	**4005176485619**	**274.84**
		Essence **Wash basin 60** **wall fixings not included** wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet 600 x 485 mm suitable for half and full pedestal sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			
		**39 566 00H**	**alpine white**	**4005176485626**	**654.31**
		Essence **Vanity basin 100** wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 1000 x 460 mm sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			
		**39 567 00H**	**alpine white**	**4005176485633**	**470.32**
		Essence **Vanity basin 80** wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 800 x 460 mm sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			
		**39 568 00H**	**alpine white**	**4005176485640**	**320.84**
		Essence **Vanity basin 60** wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 600 x 460 mm sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			
		**39 608 00H**	**alpine white**	**4005176566493**	**625.56**
		Essence **Vessel basin 60** without overflow 600 x 400 mm including fixation set including ceramic waste, removable cover non-closable sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
ESSENCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**39 609 00H**	**alpine white**	**4005176566509**	**417.43**




Essence
Vessel basin 45
without overflow
450 x 450 mm
including fixation set
including ceramic waste, removable cover
non-closable
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)

	**39 570 000**	**alpine white**	**4005176484865**	**171.34**




Essence
Half pedestal
including fixation set
sanitary ware

	**39 571 00H**	**alpine white**	**4005176485671**	**412.82**




Essence
Wall hung WC
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
including fixation set
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
compatible with seat and cover 39 576 000 (standard) or 39 577 000 (soft close)

	**39 572 00H**	**alpine white**	**4005176485688**	**458.82**



Essence
Floor standing WC for close coupled combination
close coupled
universal trap for horizontal and vertical outlet
wash down
rimless
flush volume 6/3 l
including fixation set
cistern to be ordered separately
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
compatible with seat and cover 39 576 000 (standard) or 39 577 000 (soft close)

	**39 573 00H**	**alpine white**	**4005176485794**	**431.22**




Essence
Floor standing back to wall WC
universal trap for horizontal and vertical outlet
back to wall
for concealed cistern
rimless
flush volume 6/3 l
including fixation set
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
compatible with seat and cover 39 576 000 (standard) or 39 577 000 (soft close)

GROHE
ESSENCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)






39 578 000 **alpine white** **4005176485145** **263.34**

Essence
Exposed flushing cistern for close coupled combination
connection from the left/right hand side
including flushing set GROHE AV1
dual flush 4.5/3 l
including fixation set
sanitary ware






39 579 000 **alpine white** **4005176485152** **263.34**

Essence
Exposed flushing cistern for close coupled combination
bottom inlet
inlet and outlet concealed
including flushing set GROHE AV1
dual flush 4.5/3 l
including fixation set
sanitary ware






39 577 000 **alpine white** **4005176485138** **171.34**

Essence
WC seat soft close
with lid
quick release function
detachable
material: Duroplast
including fixation set
stainless steel hinges
easy fixation from above
weight bearing capacity 150 kg
compatible with all Essence bowls






39 574 00H **alpine white** **4005176485800** **412.82**


Essence
Wall hung bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)





39 575 00H **alpine white** **4005176485817** **431.22**

Essence
Floor standing bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)




39 611 000 **alpine white** **4005176571275** **7,124.78**

Essence
Bathtub
free standing
180 x 80 cm
height 57.5 cm
water volume 240 l
usable volume 170 l
without overflow
sanitary titan steel
mandatory waste set 49 113 000/SH0 (sold separately)
mains supply necessary for installation of waste set 49 113 000/SH0
includes noise suppression mats

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
ESSENCE

Ref. No.	Colour	EAN	Retail Guide Price (£)



39 729 000 **alpine white** **4005176594991** **6,490.44**


Essence
Bathtub
free standing
180 x 80 cm
height 57.5 cm
water volume 240 l
usable volume 170 l
with overflow
sanitary titan steel
suitable for Talento waste sets (28 943 000 + 19 025 000)
suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)
includes noise suppression mats



39 617 000 **alpine white** **4005176571312** **1,367.83**


Essence
Bathtub
built-in
180 x 80 cm
height 45 cm
water volume 240 l
usable volume 170 l
with overflow
sanitary titan steel
suitable for Talento (28 943 000 + 19 025 000) and Talentofill (28 991 000 + 19 952 000) waste sets
recommended Poresta installation set # 17156511
recommended Schedel installation set SW 80026
includes noise suppression mats
requires bathtub feet 49 115 000 and sealing system 49 114 000, sold separately





39 620 00H **alpine white** **4005176571336** **1,508.47**






Essence
Bathtub
built-in
180 x 80 cm
height 45 cm
water volume 240 l
usable volume 170 l
with EasyClean
with overflow
sanitary titan steel
suitable for Talento (28 943 000 + 19 025 000) and Talentofill (28 991 000 + 19 952 000) waste sets
recommended Poresta installation set # 17156511
recommended Schedel installation set SW 80026
includes noise suppression mats
requires bathtub feet 49 115 000 and sealing system 49 114 000, sold separately



39 622 000 **alpine white** **4005176571350** **6,817.23**







Essence
Bathtub
back-to-wall
180 x 85 cm
height 57.5 cm
water volume 240 l
usable volume 170 l
with overflow
sanitary titan steel
suitable for Talento waste sets (28 943 000 + 19 025 000)
suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)
includes noise suppression mats

GROHE
ESSENCE







	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	49 113 000 49 113 SH0	Chrome alpine white	4005176571398 4005176571404	2,193.85 2,198.49
	Essence **Waste set for free standing bathtubs** dual function of overflow and waste water drainage concealed overflow electric pressure sensor unlocks the overflow drainage mains supply necessary for installation			
 	19 025 000	Chrome	4005176209154	59.09
	Talento **Waste and overflow set for baths** set for final installation escutcheon waste plug fixing set in combination with Talento 28 939 000/28 943 000 **GROHE StarLight** chrome finish			
 	19 952 000	Chrome	4005176174230	53.08
	Talentofill **Inlet-, pop-up and waste-system** set for final installation escutcheon supply part waste plug fixing set **in combination with Talentofill** **28 990 000/28 991 000**			
 	28 943 000		4005176209178	102.11
	Talento **Pop-up bath waste and overflow** with bowden cable **without finishing trim set** bottle trap 45° waste elbow			
 	28 991 000		4005176174032	205.35
	Talentofill **Inlet-, pop-up and waste-system** for baths with waste up to 370 mm reach **without finishing trim set**			
	49 115 000	Chrome	4005176571411	110.16
	Essence **Feet for built-in bathtubs** individual height adjustment of each foot **GROHE FastFixation** system			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
CUBE CERAMIC

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		**39 386 00H**	**alpine white**	**4005176438356**	**581.91**
		Cube Ceramic **Wash basin 100** wall hung 1 hole punched, 2 holes pre-punched with overflow 1000 x 490 mm sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			
		**39 469 00H**	**alpine white**	**4005176438363**	**502.93**
		Cube Ceramic **Wash basin 80** wall hung 1 hole punched, 2 holes pre-punched with overflow 800 x 490 mm **wall fixings not included** sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			
		**39 473 00H**	**alpine white**	**4005176438370**	**272.12**
		Cube Ceramic **Wash basin 60** **wall fixings not included** wall hung 1 hole punched, 2 holes pre-punched with overflow 600 x 490 mm sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			
		**39 474 00H**	**alpine white**	**4005176438387**	**253.90**
		Cube Ceramic **Wash basin 50** **wall fixings not included** wall hung 1 hole punched, 2 holes pre-punched with overflow 500 x 490 mm sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			
		**39 475 00H**	**alpine white**	**4005176442599**	**581.91**
		Cube Ceramic **Counter top basin 100** flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 1000 x 490 mm including fixation set sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			
		**39 476 00H**	**alpine white**	**4005176442605**	**504.15**
		Cube Ceramic **Counter top basin 80** flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 800 x 490 mm **wall fixings not included** including fixation set sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			

GROHE
CUBE CERAMIC


		Ref. No.	Colour	EAN	Retail Guide Price (£)
		**39 477 00H**	**alpine white**	**4005176442612**	**273.34**
		Cube Ceramic **Counter top basin 60** flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 600 x 490 mm including fixation set sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			
		**39 478 00H**	**alpine white**	**4005176442629**	**256.33**
		Cube Ceramic **Counter top basin 50** flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 500 x 490 mm including fixation set sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			
		**39 481 00H**	**alpine white**	**4005176442650**	**245.39**
		Cube Ceramic **Vessel basin 50** without overflow 500 x 470 mm including fixation set sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			
		**39 482 00H**	**alpine white**	**4005176442667**	**217.45**
		Cube Ceramic **Vessel basin 40** without overflow 410 x 410 mm including fixation set sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			
		**39 480 00H**	**alpine white**	**4005176442643**	**245.39**
		Cube Ceramic **Under-counter wash basin 50** installation from below with overflow 492 x 370 mm including fixation set sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			
		**39 479 00H**	**alpine white**	**4005176442636**	**262.40**
		Cube Ceramic **Counter basin 60** flat back side glazed built-in 1 hole punched, 2 holes pre-punched with overflow 600 x 490 mm including fixation set sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
CUBE CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)






39 483 00H **alpine white** **4005176442674** **211.38**

Cube Ceramic
Hand rinse basin 45
wall hung
1 hole punched
with overflow
455 x 350 mm
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)






39 245 00H **alpine white** **4005176524479** **518.62**

Cube Ceramic
Wall hung WC
horizontal outlet
rimless
flush volume 6/3 l
including fixation set
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
compatible with seat and cover 39 488 000 (soft close)






39 485 00H **alpine white** **4005176442704** **454.35**

Cube Ceramic
Floor standing back to wall WC
universal trap for horizontal and vertical outlet
back to wall
wash down
rimless
flush volume 6/3 l
including fixation set
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
compatible with seat and cover 39 488 000 (soft close)






39 484 00H **alpine white** **4005176442698** **488.36**

Cube Ceramic
Floor standing WC for close coupled combination
close coupled
universal trap for horizontal and vertical outlet
rimless
flush volume 6/3 l
including fixation set
cistern to be ordered separately
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
compatible with seat and cover 39 488 000 (soft close)





39 489 000 **alpine white** **4005176442742** **256.35**


Cube Ceramic
Exposed flushing cistern for close coupled combination
connection from the left/right hand side
including flushing set GROHE AV1
including fixation set
sanitary ware

CERAMICS

GROHE
CUBE CERAMIC


	Ref. No.	Colour	EAN	Retail Guide Price (£)





39 490 000 **alpine white** **4005176442759** **256.35**

Cube Ceramic
Exposed flushing cistern for close coupled combination
bottom inlet
inlet and outlet concealed
including flushing set GROHE AV1
including fixation set
sanitary ware



39 488 000 **alpine white** **4005176442735** **188.31**


Cube Ceramic
WC seat soft close
with lid
quick release function
detachable
material: Duroplast
including fixation set
stainless steel hinges
easy fixation from above
weight bearing capacity 150 kg
compatible with all Cube Ceramic bowls

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EURO CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)






39 585 00H **alpine white** **4005176519178** **500.22**

Euro Ceramic
Vanity basin 100
wall hung
1 hole punched, 2 holes pre-punched
with overflow
1000 x 460 mm
suitable for vanity units
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)






39 584 00H **alpine white** **4005176519161** **387.53**

Euro Ceramic
Vanity basin 80
wall hung
1 hole punched, 2 holes pre-punched
with overflow
800 x 460 mm
suitable for vanity units
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)






39 323 000 **alpine white** **4005176407116** **110.17**
39 323 00H **alpine white** **4005176417344** **165.88**

Euro Ceramic
Wash basin 65
wall hung
1 hole punched
with overflow
650 x 514 mm
wall fixings not included
sanitary ware
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)






39 335 000 **alpine white** **4005176407239** **104.00**
39 335 00H **alpine white** **4005176417351** **153.53**

Euro Ceramic
Wash basin 60
wall fixings not included
wall hung
1 hole punched
with overflow
595 x 482 mm
sanitary ware
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)










39 337 000 **alpine white** **4005176407253** **110.18**
39 337 00H **alpine white** **4005176418334** **165.90**

Euro Ceramic
Counter top basin 60
1 hole punched
with overflow
596 x 483 mm
wall fixings not included
sanitary ware
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)

GROHE
EURO CERAMIC


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**39 336 000** **39 336 00H**	**alpine white** **alpine white**	**4005176407246** **4005176417368**	**102.39** **151.66**
	Euro Ceramic **Wash basin 55** wall hung 1 hole punched with overflow 550 x 450 mm **wall fixings not included** sanitary ware optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)			
 	**39 423 000**	**alpine white**	**4005176406201**	**120.29**
	Bau Ceramic **Undercounter wash basin 55** installation from below with overflow 560 x 420 mm **fixings included** sanitary ware			
 	**39 324 000** **39 324 00H**	**alpine white** **alpine white**	**4005176407123** **4005176417375**	**73.05** **128.76**
	Euro Ceramic **Hand rinse basin 45** wall hung 1 hole punched with overflow 450 x 396 mm **wall fixings not included** sanitary ware distance between installation holes: 160 mm optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)			
 	**39 327 000** **39 327 00H**	**alpine white** **alpine white**	**4005176390104** **4005176418341**	**91.61** **147.33**
	Euro Ceramic **Compact handrinse basin** wall hung 1 hole punched 370 x 180 mm **wall fixings not included** sanitary ware no pedestals recommended optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)			
 	**39 201 000**	**alpine white**	**4005176344947**	**79.24**
	Euro Ceramic **Semi pedestal for wash basin** **39230,39335 and 39336** invisible fixation set included sanitary ware suitable for all GROHE wash basins except 39 324 000, 39 324 00H, 39 327000, 39 327 00H			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EURO CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)






39 325 000 **alpine white** **4005176407130** **79.24**

Euro Ceramic
Semi pedestal for hand rinse basin
39 324 000
invisible fixation set included
sanitary ware
suitable for hand rinse basins 39 324 000/39 324 00H






39 202 000 **alpine white** **4005176344954** **91.61**

Euro Ceramic
Full pedestal for wash basin
39230,39335,39336 and 39324
invisible fixation set included
sanitary ware
suitable for all GROHE wash basins except
39 324 000, 39 324 00H, 39 327000, 39 327 00H






39 328 000 **alpine white** **4005176407161** **308.28**
39 328 00H **alpine white** **4005176417382** **364.00**

Euro Ceramic
Wall hung WC
for concealed cistern
horizontal outlet
Triple Vortex
rimless
flush volume 3/5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)
compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)






39 554 000 **alpine white** **4005176484452** **412.83**

Euro Ceramic
Wall hung WC set
Consisting of:
Euro Ceramic wall hung WC (39 328 000)
for concealed cistern
horizontal outlet
wash down
rimless
flush volume 3/5 l
sanitary ware
Euro Ceramic WC seat with lid (39 330 001)
soft close
quick release function
detachable
material: Duroplast
including fixation set
4 pieces per pallet






39 206 000 **alpine white** **4005176344992** **283.52**
39 206 00H **alpine white** **4005176418495** **339.23**

Euro Ceramic
Wall hung compact WC
horizontal outlet
Triple Vortex
rimless
flush volume 3/5 l
49 cm width
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)
compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)

GROHE
EURO CERAMIC

Ref. No.	Colour	EAN	Retail Guide Price (£)






39 693 000 **alpine white** **4005176581281** **382.65**

Euro Ceramic
Wall hung WC set
Consisting of:
Euro Ceramic wall hung compact WC (39 206 000)
horizontal outlet
Triple Vortex
rimless
flush volume 3/5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
Euro Ceramic WC seat with lid (39 330 001)
soft close
quick release function
detachable
material: Duroplast






39 538 000 **alpine white** **4005176468292** **241.49**

Euro Ceramic
Wall hung WC, basic
for concealed cistern
horizontal outlet
wash down
rimless
flush volume 3/5 l
sanitary ware
compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)






39 703 000 **alpine white** **4005176583896** **353.66**

Euro Ceramic
Wall hung WC set
Consisting of:
Euro Ceramic wall hung WC, 3/5 l (39 538 000)
for concealed cistern
horizontal outlet
wash down
rimless
flush volume 3/5 l
sanitary ware
Euro Ceramic WC seat with lid (39 330 001)
soft close
quick release function
detachable
material: Duroplast
including fixation set






39 338 000 **alpine white** **4005176407260** **240.20**
39 338 00H **alpine white** **4005176418501** **295.89**

Euro Ceramic
Floor standing WC for close coupled combination
close coupled
universal trap for horizontal and vertical outlet
Triple Vortex
rimless
flush volume 3/5 l
including fixation set
cistern to be ordered separately
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)
compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
EURO CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)



39 332 000 **alpine white** **4005176407208** **221.61**


Euro Ceramic
Exposed flushing cistern
bottom inlet
inlet and outlet concealed
including flushing set with dual flush
including fixation set
sanitary ware



39 333 000 **alpine white** **4005176407215** **221.61**

Euro Ceramic
Exposed flushing cistern
side or back inlet
for back inlet please order mounting set 49 522 000 (sold separately)
including flushing set with dual flush
including fixation set
sanitary ware






39 462 000 **alpine white** **4005176454608** **519.15**
39 462 00H **alpine white** **4005176454615** **572.58**

Euro Ceramic
Bundle close coupled WC
Consisting of:
Euro Ceramic WC (39 338 000)
wash down
rimless
horizontal outlet
flush volume 6/3 l
including fixation set
sanitary ware
Euro Ceramic cistern (39 332 000)
bottom inlet
including flushing set & button
sanitary ware
Euro Ceramic WC seat with lid (39 330 001)
soft close
quick release function
detachable
material: Duroplast
including fixation set
4 pieces per pallet






39 339 000 **alpine white** **4005176407277** **235.64**
39 339 00H **alpine white** **4005176418525** **291.36**

Euro Ceramic
Floor standing back to wall WC
horizontal outlet
back to wall
Triple Vortex
rimless
flush volume 3/5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)
compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)

GROHE
EURO CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)






39 330 001	**alpine white**	**4005176468834**	**110.21**

Euro Ceramic
WC seat soft close
with lid
quick release function
detachable
material: Duroplast
including fixation set
stainless steel hinges
easy fixation from above
weight bearing capacity 150 kg
compatible with all Euro Ceramic bowls






39 331 001	**alpine white**	**4005176468827**	**78.53**

Euro Ceramic
WC seat
with lid
quick release function
detachable
material: Duroplast
including fixation set
stainless steel hinges
easy fixation from above
weight bearing capacity 150 kg
suitable for all GROHE Euro Ceramic WCs






39 208 000	**alpine white**	**4005176345029**	**277.35**
39 208 00H	**alpine white**	**4005176418532**	**333.05**

Euro Ceramic
Wall hung bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)











39 340 000	**alpine white**	**4005176423697**	**240.17**
39 340 00H	**alpine white**	**4005176423703**	**295.89**

Euro Ceramic
Floor standing bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
BAU CERAMIC

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		39 420 000	alpine white	4005176405983	77.75
Bau Ceramic **Wash basin 65** wall hung 1 hole punched with overflow 646 x 468 mm **wall fixings not included** sanitary ware					
		39 421 000	alpine white	4005176428906	71.69
Bau Ceramic **Wash basin 60** **wall fixings not included** wall hung 1 hole punched with overflow 609 x 442 mm **wall fixings not included** sanitary ware					
		39 440 000	alpine white	4005176405976	65.59
Bau Ceramic **Wash basin 55** wall hung 1 hole punched with overflow 553 x 386 mm **wall fixings not included** sanitary ware					
		39 422 000	alpine white	4005176406195	120.29
Bau Ceramic **Counter Drop-in basin 55** built-in 1 hole punched with overflow 560 x 400 mm **fixings included** sanitary ware					
		39 423 000	alpine white	4005176406201	120.29
Bau Ceramic **Undercounter wash basin 55** installation from below with overflow 560 x 420 mm **fixings included** sanitary ware					
		39 424 000	alpine white	4005176406218	65.59
Bau Ceramic **Hand rinse basin 45** wall hung 1 hole punched with overflow 453 x 354 mm **wall fixings not included** sanitary ware distance between installation holes: 205 mm					

GROHE
BAU CERAMIC


	Ref. No.	Colour	EAN	Retail Guide Price (£)





39 426 000 **alpine white** **4005176406232** **71.70**


Bau Ceramic
Half pedestal
including fixation set
sanitary ware
suitable to all Bau Ceramic wash basins except 39 424 000



39 425 000 **alpine white** **4005176406225** **65.59**

Bau Ceramic
Full pedestal
including fixation set
sanitary ware






39 929 000 **alpine white** **4005176734427** **234.82**

Bau Ceramic
Wall hung WC
for concealed cistern
rimless
horizontal outlet
wash down
flush volume 3/6 l
including fixation set
sanitary ware
fully skirted with visible fixation
compatible with seat and cover 39 913 000 (soft close)
available July 2022






39 910 000 **alpine white** **4005176720444** **190.79**

Bau Ceramic
Floor standing WC for close coupled combination
wash down
rimless
universal outlet
flush volume 3/6 l
including fixation set
cistern to be ordered separately
sanitary ware
fully skirted with visible fixation
compatible with seat and cover 39 913 000 (soft close)
available July 2022





39 912 000 **alpine white** **4005176720468** **125.04**


Bau Ceramic
Exposed flushing cistern
bottom inlet
inlet and outlet concealed
including flushing set & button
sanitary ware
available July 2022

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BAU CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)






39 913 000 **alpine white** **4005176720475** **111.54**

Bau Ceramic
WC seat soft close slim
with lid
slim design
quick release function
detachable
material: Duroplast
including fixation set
stainless steel hinges
easy fixation from above
weight bearing capacity 150 kg
compatible with Bau Ceramic bowls 39 910 000 and 39 929 000
available July 2022






39 427 000 **alpine white** **4005176406249** **120.27**

Bau Ceramic
Wall hung WC
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware
compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 898 000 (slim seat soft close)






39 491 000 **alpine white** **4005176449994** **84.22**

Bau Ceramic
Wall hung WC
for concealed cistern
wash down
boxed rim
horizontal outlet
flush volume 6/3 l
sanitary ware
compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)






39 428 000 **alpine white** **4005176406256** **138.49**

Bau Ceramic
Floor standing WC for close coupled combination
wash down
boxed rim
horizontal outlet
flush volume 6/3 l
including fixation set
cistern to be ordered separately
sanitary ware
compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)






39 349 000 **alpine white** **4005176449659** **150.64**

Bau Ceramic
Floor standing WC for close coupled combination
wash down
rimless
horizontal outlet
flush volume 6/3 l
including fixation set
cistern to be ordered separately
sanitary ware
compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 923 000 (slim seat soft close)

GROHE
BAU CERAMIC


	Ref. No.	Colour	EAN	Retail Guide Price (£)






39 429 000 **alpine white** **4005176406263** **150.64**

Bau Ceramic
Floor standing WC for close coupled combination
wash down
rimless
vertical outlet, concealed
flush volume 6/3 l
including fixation set
cistern to be ordered separately
sanitary ware
compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 923 000 (slim seat soft close)



39 436 000 **alpine white** **4005176406331** **120.26**


Bau Ceramic
Exposed flushing cistern
bottom inlet
inlet and outlet concealed
including flushing set & button
sanitary ware



39 437 000 **alpine white** **4005176406348** **120.26**

Bau Ceramic
Exposed flushing cistern
connection from the left/right hand side
including flushing set & button
sanitary ware






39 430 000 **alpine white** **4005176406270** **102.06**

Bau Ceramic
Floor standing WC
wash down
rimless
horizontal outlet
flush volume 6/3 l
including fixation set
sanitary ware
compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 898 000 (slim seat soft close)





39 431 000 **alpine white** **4005176406287** **102.06**


Bau Ceramic
Floor standing WC
wash down
rimless
vertical outlet
flush volume 6/3 l
including fixation set
sanitary ware
compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 898 000 (slim seat soft close)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BAU CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)






39 898 000 **alpine white** **4005176713972** **100.53**

Bau Ceramic
WC seat soft close slim
with lid
slim design
quick release function
detachable
material: Duroplast
including fixation set
stainless steel hinges
easy fixation from above
weight bearing capacity 150 kg
compatible with Bau Ceramic bowls 39 427 000, 39 430 000 and 39 431 000






39 923 000 **alpine white** **4005176724008** **100.53**

Bau Ceramic
WC seat soft close slim
with lid
slim design
quick release function
detachable
material: Duroplast
including fixation set
stainless steel hinges
easy fixation from above
weight bearing capacity 150 kg
compatible with Bau Ceramic bowls 39 349 000 and 39 429 000






39 492 000 **alpine white** **4005176450013** **47.39**

Bau Ceramic
WC seat
with lid
quick release function
detachable
material: Duroplast
including fixation set
stainless steel hinges
easy fixation from above
weight bearing capacity 150 kg
compatible with all Bau Ceramic bowls






39 493 000 **alpine white** **4005176450020** **96.00**

Bau Ceramic
WC seat soft close
with lid
quick release function
detachable
material: Duroplast
including fixation set
stainless steel hinges
easy fixation from above
weight bearing capacity 150 kg
compatible with all Bau Ceramic bowls






39 433 000 **alpine white** **4005176406300** **205.31**


Bau Ceramic
Wall hung bidet
1 hole punched
with overflow
sanitary ware

CERAMICS


GROHE
BAU CERAMIC

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		**39 432 000**	**alpine white**	**4005176406294**	**205.29**


Bau Ceramic
Floor standing bidet
1 hole punched
with overflow
including fixation set
sanitary ware

		**39 438 000**	**alpine white**	**4005176406355**	**229.61**


Bau Ceramic
Urinal
concealed inlet
wall fixings Included
flush volume 1 l
including fixation set
sanitary ware
for installation please order urinal trap 39 732 000 (horizontal outlet)
or 39 733 000 (vertical outlet), sold separately
not compatible with temperature sensor 39 367 000

		**39 439 000**	**alpine white**	**4005176406362**	**229.61**

Bau Ceramic
Urinal
top inlet
wall fixings Included
flush volume 1 l
including fixation set
sanitary ware
for installation please order urinal trap 39 732 000 (horizontal outlet)
or 39 733 000 (vertical outlet), sold separately

		**39 351 000**	**alpine white**	**4005176450006**	**205.30**

Bau Ceramic
Wall hung WC set
Consisting of:
Bau Ceramic wall hung WC (39 427 000)
for concealed cistern
horizontal outlet
wash down
rimless
flush volume 3/6 l
sanitary ware
Bau Ceramic WC seat (39 493 000)
soft close
quick release function
detachable
material: Duroplast
including fixation set

		**39 497 000**	**alpine white**	**4005176450068**	**155.24**


Bau Ceramic
Wall hung WC set
Consisting of:
Bau Ceramic WC (39 491 000)
for concealed cistern
horizontal outlet
wash down
boxed rim
flush volume 3/5 l
sanitary ware
Bau Ceramic WC seat (39 492 000)
quick release function
detachable
material: Duroplast
including fixation set

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BAU CERAMIC

Ref. No.	Colour	EAN	Retail Guide Price (£)






39 347 000 **alpine white** **4005176449680** **326.78**

Bau Ceramic
Bundle close coupled WC
Consisting of:
Bau Ceramic floor standing toilet with horizontal outlet (39 428 000)
wash down
boxed rim
horizontal outlet, concealed
flush volume 6/3 l
including fixation set
sanitary ware
Bau Ceramic exposed flushing cistern (39 437 000)
connection from the left/right hand side
including flushing set & button
sanitary ware
Bau Ceramic WC seat (39 493 000)
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set






39 346 000 **alpine white** **4005176449673** **338.93**

Bau Ceramic
Bundle close coupled WC
Bau Ceramic floor standing toilet with vertical outlet (39 429 000)
wash down
rimless
vertical outlet
flush volume 6/3 l
including fixation set
sanitary ware
Bau Ceramic exposed flushing cistern (39 437 000)
connection from the left/right hand side
including flushing set & button
sanitary ware
Bau Ceramic WC seat (39 493 000)
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set






39 496 000 **alpine white** **4005176450051** **339.92**

Bau Ceramic
Bundle close coupled WC
Consisting of:
Bau Ceramic floor standing toilet with horizontal outlet (39 349 000)
wash down
rimless
horizontal outlet
flush volume 6/3 l
including fixation set
sanitary ware
Bau Ceramic exposed flushing cistern (39 494 000)
connection from the left/right hand side
including flushing set & button
sanitary ware
Bau Ceramic WC seat (39 493 000)
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set

GROHE
BAU CERAMIC

Ref. No.	Colour	EAN	Retail Guide Price (£)






39 604 000 **alpine white** **4005176524486** **355.31**

Bau Ceramic
Bundle close coupled WC
Consisting of:
Bau Ceramic floor standing toilet with horizontal outlet (39 349 000)
wash down
rimless
horizontal outlet
flush volume 6/3 l
including fixation set
sanitary ware
Bau Ceramic exposed flushing cistern (39 436 000)
bottom inlet
inlet and outlet concealed
including flushing set & button
sanitary ware
Bau Ceramic WC seat (39 493 000)
with lid
quick release function
detachable
material: Duroplast
including fixation set
4 pieces per pallet






39 648 SH0 **alpine white** **4005176575310** **266.70**

Bau Ceramic
Manual bidet seat
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8"
includes:
mounting plate
filter
pressure 0.1 - 1 MPa (1 - 10 bar)
complies with EN 1717





39 651 SH0 **alpine white** **4005176575327** **373.59**


Bau Ceramic
Manual bidet seat 2-in-1 set wall hung
Consisting of:
Bau manual bidet seat soft close (39 648 SH0)
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8"
Bau Ceramic wall hung WC (39 427 000)
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BAU CERAMIC

Ref. No.	Colour	EAN	Retail Guide Price (£)
39 652 SH0	**alpine white**	**4005176575334**	**507.47**






Bau Ceramic
Manual bidet seat 3-in-1 set, wall hung
Consisting of:
Bau manual bidet seat soft close (39 648 SH0)
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8"
Bau Ceramic wall hung WC (39 427 000)
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware
Grohtherm Micro 34 487 000
small under-basin thermostat
thermostatic scalding protection
temperature adjustment 15-43° C (± 2° C)

14 074 000		**4005176575365**	**39.95**






Accessory set shower hose and T piece
for manual bidet seat
Consisting of:
T unit 3/8"
flexible connection hose
795 mm
3/8" x 3/8"

GROHE
ACRYLIC SHOWER TRAYS

Ref. No.	Colour	EAN	Retail Guide Price (£)
39 300 000	**alpine white**	**4005176346026**	**268.86**






Acrylic shower tray 1000 x 1000
dimensions: 1000 x 1000 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA universal shower tray base unit BW 5 (# 150130) and
wall rails for shower trays (# 190032)
or
MEPA mounting frame SF (# 150183)
rim sealing (# 180040)
recommended Poresta installation set # 17014416
recommended Schedel installation set SD 90083

39 301 000	**alpine white**	**4005176346033**	**198.19**






Acrylic shower tray 900 x 900
dimensions: 900 x 900 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA universal shower tray base unit BW 5 (# 150130) and
wall rails for shower trays (# 190032)
or
MEPA mounting frame SF (# 150183)
rim sealing (# 180040)
recommended Poresta installation set # 17014408
recommended Schedel installation set SD 90081

39 302 000	**alpine white**	**4005176346040**	**190.07**






Acrylic shower tray 800 x 800
dimensions: 800 x 800 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA universal shower tray base unit BW 5 (# 150130) and
wall rails for shower trays (# 190032)
or
MEPA mounting frame SF (# 150183)
rim sealing (# 180040)
recommended Poresta installation set # 17014411
recommended Schedel installation set SD 90080

39 305 000	**alpine white**	**4005176346071**	**336.09**






Acrylic shower tray 800 x 1200
dimensions: 800 x 1200 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA mounting frame SF (# 150183)
extension set MR SF (# 150194)
height adjustment easy lift (# 150193)
wall rails for shower trays (# 190032)
rim sealing (# 180040)
recommended Poresta installation set # 17014413
recommended Schedel installation set SD 90084

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ACRYLIC SHOWER TRAYS

Ref. No.	Colour	EAN	Retail Guide Price (£)
39 306 000	**alpine white**	**4005176346088**	**219.03**






Acrylic shower tray 800 x 1000
dimensions: 800 x 1000 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA universal shower tray base unit BW 5 (# 150130) and
wall rails for shower trays (# 190032)
or
MEPA mounting frame SF (# 150183)
rim sealing (# 180040)
recommended Poresta installation set # 17014412
recommended Schedel installation set SD 90082

49 533 000	**Chrome**	**4005176478475**	**34.31**
49 533 SH0	**alpine white**	**4005176560033**	**52.61**






Waste set for universal shower tray
Ø 112 mm
vertical outlet
GROHE StarLight chrome finish
flow rate 1.1 l/s according to DIN EN 274

49 534 000	**Chrome**	**4005176478482**	**34.31**
49 534 SH0	**alpine white**	**4005176560040**	**52.61**





Waste set for universal shower tray
Ø 112 mm
horizontal outlet
GROHE StarLight chrome finish
flow rate 0.7 l/s (42 l/min) according to DIN EN 274

GROHE
INSTALLATION SYSTEMS






CONTENTS

Rapid SLX	Rapid SLX	664
Rapid SL	Rapid SL for WC	666
	Rapid SL for Urinal	677
	Rapid SL for Wash Basin and Bidet	679
	Rapid SL for the Disabled	682
	Rapid SL Fitting Supports	684
	Rapid SL Accessories	685

GROHE
RAPID SLX

Ref. No.	Colour	EAN	Retail Guide Price (£)
39 596 000		**4005176527494**	**277.04**






Rapid SLX
Element for WC, 1.13 m installation height with integrated socket and shower toilet connection
flushing cistern GDX, 6 l
with integrated power socket
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern GDX, 6 l, containing following features:
factory set 6 l and 3 l
pneumatic discharge valve offering 2 modes of operation: dual flush or single flush
water supply from right, back or top
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation of the inspection shaft incl. protection during construction phase
for vertical use

including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of flush plates 156 x 197 mm please order revision shaft 66 791 000 (sold separately)

39 603 000	**Chrome**	**4005176527562**	**336.08**






Rapid SLX
3-in-1 set for WC, 1.13 m installation height
flushing cistern GDX, 6 l
Consisting of:
Rapid SLX element for WC (39 596 000) with integrated power socket
Skate Cosmopolitan S flush plate, chrome (37 535 000)
Rapid SL front wall brackets (38 558 00M)
including flow manager

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SLX

Ref. No.	Colour	EAN	Retail Guide Price (£)
39 598 000		**4005176527517**	**313.37**






Rapid SLX
3-in-1 set for WC, 1.13 m installation height
flushing cistern GDX, 6 l
Consisting of:
Rapid SLX element for WC (39 596 000) with integrated power socket
Rapid SL front wall brackets (38 558 00M)
WC set for noise protection (37 131 000)
including flow manager

GROHE
RAPID SL FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
39 374 KS0	**velvet black**	**4005176344770**	**776.46**






Glass Cover Skate Cosmopolitan
for Rapid SL 1.13 m
with flushing cistern GD 2
for connecting shower toilet Sensia Arena or common wall-hung WCs
for tiled/plastered walls
two-piece glass cover made of tempered safety glass (8 mm)
upper part removable for maintenance
flush plate Skate Cosmopolitan, chrome, flush plate is kept flush with glass cover
HPL mounting plate with hole pattern for all connections
mounting plate with concealed water connection for shower toilet Sensia Arena
mounting plate with with quality edges in silver finish
Set for noise protection
including accessory for mounting glass plate and WC ceramic

Ref. No.	Colour	EAN	Retail Guide Price (£)
39 374 LS0	**moon white**	**4005176344787**	**776.46**






Glass Cover Skate Cosmopolitan
for Rapid SL 1.13 m
with flushing cistern GD 2
for connecting shower toilet Sensia Arena or common wall-hung WCs
for tiled/plastered walls
two-piece glass cover made of tempered safety glass (8 mm)
upper part removable for maintenance
flush plate Skate Cosmopolitan, chrome, flush plate is kept flush with glass cover
HPL mounting plate with hole pattern for all connections
mounting plate with concealed water connection for shower toilet Sensia Arena
mounting plate with with quality edges in silver finish
Set for noise protection
including accessory for mounting glass plate and WC ceramic

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
38 528 001		4005176863943	199.83






Rapid SL
Element for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 9 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (< 205 mm) require
additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
water supply from left/right or back
Insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

39 002 000		4005176936920	381.49





Rapid SL
Element for WC, 1.13 m installation height, for external odour extraction
with flushing cistern GD 2 , 6 l - 9 l
with flush pipe for external odour extraction
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (< 205 mm) require
additional accessory 38 779 000
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
PP reducer Ø 90/110 mm
inlet and outlet connecting set


flushing cistern GD 2, 6 - 9 l, containing following features:
factory set 6 l and 3 l
flush pipe with connection for odor extraction 50 mm
pneumatic discharge valve offering 2 modes of
operation: dual flush or single flush
water supply from left/right or back
low noise (group I acc. to
German Noise Specification)
Insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
inspection shaft for vertical or horizontal use
allows for flush plate to be installed vertically or horizontally.

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

GROHE
RAPID SL FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)






39 500 000 **Chrome** **4005176453861** **345.17**

Rapid SL
5-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l
Consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan S flush plate, chrome (37 535 000)
GROHE Fresh retro-fit set (38 796 000)
Rapid SL front wall brackets (38 558 00M)
WC set for noise protection (37 131 000)






38 827 000 **Chrome** **4005176870477** **336.08**

Rapid SL
5-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l
Consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan flush plate, chrome (38 732 000)
GROHE Fresh retro-fit set (38 796 000)
Rapid SL front wall brackets (38 558 00M)
including WC set for noise protection (37 131 000)






38 750 001 **Chrome** **4005176863363** **308.84**

Rapid SL
3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l
Consisting of:
Rapid SL element for WC (38 528 001)
Skate Air flush plate, chrome, vertical installation (38 505 000)
Rapid SL front wall brackets (38 558 00M)
including WC set for noise protection (37 131 000)





38 860 000 **Chrome** **4005176878084** **272.49**


Rapid SL
3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l
Consisting of:
Rapid SL element for WC (38 528 001)
Nova Cosmopolitan flush plate, chrome (38 765 000)
Rapid SL front wall brackets (38 558 00M)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)






38 888 000 **Chrome** **4005176879630** **481.42**

Rapid SL
4-in-1 set for WC, 1.00 m installation height
with flushing cistern 6 - 3 l
Consisting of:
Rapid SL element for WC (38 525 001)
Skate Cosmopolitan flush plate, chrome (38 732 000)
GROHE Fresh retro-fit set (38 796 000)
Rapid SL front wall brackets (38 558 00M)






38 885 000 **Chrome** **4005176879609** **413.30**

Rapid SL
4-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 3 l
Consisting of:
Rapid SL element for WC (38 526 000)
Skate Cosmopolitan flush plate, chrome (38 732 000)
GROHE Fresh retro-fit set (38 796 000)
Rapid SL front wall brackets (38 558 00M)






39 501 000 **Chrome** **4005176453878** **297.94**

Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 9 l
Consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan S flush plate, chrome (37 535 000)
Rapid SL front wall brackets (38 558 00M)
including revision shaft 40 911 000 for mounting of small flush plates






39 503 000 **Chrome** **4005176454097** **297.94**

Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 9 l
Consisting of:
Rapid SL element for WC (38 528 001)
Skate Air S flush plate, chrome, vertical installation (37 965 000)
Rapid SL front wall brackets (38 558 00M)

GROHE
RAPID SL FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)






39 504 000	Chrome	4005176454103	297.94

Rapid SL
3-in-1 set for WC, 1.13 m installation height
flushing cistern GD 2, 6 - 3 l
Consisting of:
Rapid SL element for WC (38 528 001)
Arena Cosmopolitan S flush plate, chrome (37 624 000)
Rapid SL front wall brackets (38 558 00M)
including revision shaft 40 911 000 for mounting of small flush plates






39 581 000	Chrome	4005176496011	331.54

Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 9 l
Consisting of:
Rapid SL element for WC (38 528 001)
Nova Cosmopolitan S flush plate, chrome (37 601 000)
GROHE Fresh retro-fit set (38 796 000)
Rapid SL front wall brackets (38 558 00M)






38 721 001	Chrome	4005176863431	272.49

Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 9 l
Consisting of:
Rapid SL element for WC (38 528 001)
Skate Air flush plate, chrome, vertical installation (38 505 000)
Rapid SL front wall brackets (38 558 00M)






38 722 001	alpine white	4005176863424	272.49


Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 9 l
Consisting of:
Rapid SL element for WC (38 528 001)
Skate Air flush plate, alpine white, vertical installation (38 505 SH0)
Rapid SL front wall brackets (38 558 00M)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
RAPID SL FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**38 772 001**	**Chrome**	**4005176863288**	**272.49**


Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 9 l
Consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan flush plate, chrome (38 732 000)
Rapid SL front wall brackets (38 558 00M)

 	**38 761 000**	**Chrome**	**4005176841620**	**313.37**

Rapid SL
3-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 3 l
Consisting of:
Rapid SL element for WC (38 526 000)
Skate Air flush plate, chrome, horizontal installation (38 506 000)
Rapid SL front wall brackets (38 558 00M)


 	**38 773 000**	**Chrome**	**4005176850288**	**313.37**

Rapid SL
3-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 3 l
Consisting of:
Rapid SL element for WC (38 526 000)
Skate Cosmopolitan flush plate, chrome (38 732 000)
Rapid SL front wall brackets (38 558 00M)


 	**38 868 000**	**Chrome**	**4005176878091**	**313.37**

Rapid SL
3-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 3 l
Consisting of:
Rapid SL element for WC (38 526 000)
Nova Cosmopolitan flush plate, chrome (38 765 000)
Rapid SL front wall brackets (38 558 00M)


GROHE
RAPID SL FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	38 764 001	alpine white	4005176863301	245.24

Rapid SL
2-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 9 l
Consisting of:
Rapid SL element for WC (38 528 001)
Skate Air flush plate, alpine white, vertical installation (38 505 SH0)

 	38 947 000		4005176911217	358.79

Rapid SL
2-in-1 set for WC, 1.00 m installation height
with flushing cistern 6 - 3 l
Consisting of:
Rapid SL element for WC (38 525 001)
Rapid SL front wall brackets (38 558 00M)

 	38 948 000		4005176911224	272.49


Rapid SL
2-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 3 l
Consisting of:
Rapid SL element for WC (38 526 000)
Rapid SL front wall brackets (38 558 00M)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)






38 536 001 **4005176863929** **227.08**

Rapid SL
Element for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 9 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
with fixed connections
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (< 205 mm) require
additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
water supply from left/right or back
1/2" water supply connection including integrated
angle valve and push fit flexible hose union

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)





38 539 001 **4005176863912** **258.87**

Rapid SL
Element for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 9 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (< 205 mm) require
additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set


flushing cistern GD 2, 6 - 9 l, containing following features:
factory set 6 l and 3 l
pneumatic discharge valve offering 2 modes of
operation: dual flush or single flush
water supply from left/right or back
low noise (group I acc. to
German Noise Specification)
Insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
inspection shaft for vertical or horizontal use
allows for flush plate to be installed vertically or horizontally.

including wall brackets 38 558 00M for on-the-wall installation
including WC set for noise protection (37 131 000)
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

GROHE
RAPID SL FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)






38 675 001 **4005176863516** **372.42**

Rapid SL
Element for WC, 1.13 m installation height, 0.42 m width
with flush cistern 6 - 3 l
for WC bowls 70 cm projection
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
Insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for the mounting of support rails for the disabled please order fixing element 38 559 001 (sold separately)






38 994 000 **4005176932335** **363.34**

Rapid SL
Element for WC with flushing cistern 80 mm, 1.13 m installation height
element width 0.62 m
for small, narrow bathrooms
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
with fixed connections
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
PP reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 80 mm, 6 - 9 l, containing following features:
water supply from top or back
water supply 1/2“ and push fit flexible hose union

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 949 000 (sold separately)





38 995 000 **4005176932342** **436.00**

Rapid SL
Element for WC with flushing cistern 80 mm, variable width
1.13 m finished installation height
for small, narrow bathrooms
variable element width 0.70 – 1.20 m
for on-the-wall installation
powder coated steel frame, self-supporting
with fixed connections
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
PP reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 80 mm, 6 - 9 l, containing following features:
water supply from top
water supply 1/2“ and push fit flexible hose union


including wall brackets 38 558 00M for on-the-wall installation

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
38 525 001		4005176863967	345.17






Rapid SL
Element for WC, 1.00 m installation height
with flushing cistern 6 - 3 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (< 205 mm) require
additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:
water supply from left/right or back
Insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)

38 526 000		4005176291050	258.87





Rapid SL
Element for WC, 0.82 m installation height
with flushing cistern 6 - 3 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:
water supply from left/right or back
Insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)


40 899 000		4005176413896	41.80



Retrofit kit for shower toilets Sensia Arena and IGS
retrofit of existing Rapid SL installations to
shower toilets Sensia Arena or IGS
including:
conduit pipe with locking ring and flat seal
cable ties
WC connecting pipe Ø 45 mm
waste sleeve Ø 90 mm



38 558 00M		4005176291418	28.95





Rapid SL
Front wall brackets
for against-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
adjustment from 130 - 230 mm
2 pieces

GROHE
RAPID SL FOR WC


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**42 333 000**		**4005176845888**	**15.76**
	4.5 l adapter for GD2 to reduce the maximum flush volume to 4.5 liters			
 	**42 327 000**		**4005176838705**	**13.89**
	PP-outlet bend Ø 90 mm variable depth adjustment			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL FOR URINAL

Ref. No.	Colour	EAN	Retail Guide Price (£)






38 786 001 | **4005176864025** | **299.75**

Rapid SL
Element for urinal with GROHE Rapido U
1.13 and 1.30 m installation height
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
for on-the-wall installations or studded walls
height adjustable fitting connections
HT-outlet bend Ø 50 mm
fixing bolts M8, with fixing device
for the ceramic
inlet connection and inlet connecting set
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply 230 V
installation box with gasket
inspection shaft incl. protection during construction phase
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 803 001 | **4005176864049** | **376.96**

Rapid SL
Element for urinal with infra-red electronic
with GROHE Rapido U
1.13 and 1.30 m installation height
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material
TÜV approved
HT-outlet bend Ø 50 mm
inlet connection and inlet connecting set
fixing bolts M8, with fixing device
for the ceramic
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply 230 V
installation box with gasket
inspection shaft incl. protection during construction phase
including wall brackets 38 558 00M for on-the-wall installation






39 376 000 | **4005176342998** | **308.84**

Rapid SL
Element for urinal with temperature sensor
with roughing-in set for T sensor
1.13 and 1.30 m installation height
for on-the-wall installations or studded walls
height adjustable fitting connections
HT-outlet bend Ø 50 mm
fixing bolts M8, with fixing device
for the ceramic
inlet connection and inlet connecting set
box for concealed installation
including roughing-in box
water group with stop valve and
flush elbow
for T sensor electronic please order installation set 39 368 000 or 39 369 000 (sold separately)
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

GROHE
RAPID SL FOR URINAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
38 558 00M		**4005176291418**	**28.95**






Rapid SL
Front wall brackets
for against-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
adjustment from 130 - 230 mm
2 pieces

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL FOR WASH BASIN AND BIDET

	Ref. No.	Colour	EAN	Retail Guide Price (£)






38 554 001 | **4005176863806** | **145.34**

Rapid SL
Element for wash basin, single hole installation with noise protection
1.13 m finished installation height
for on-the-wall installations or studded walls
Includes
wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






39 052 000 | **4005176935961** | **204.37**

Rapid SL
Element for wash basin, single hole installation, height adjustable with noise protection
1.13 m finished installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
fixing and connecting traverse, height adjustable
Includes
wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 557 001 | **4005176863783** | **136.24**

Rapid SL
Element for wash basin, single hole installation
1.13 m finished installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
Includes
wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

GROHE
RAPID SL FOR WASH BASIN AND BIDET

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	38 748 002	Chrome	4005176416323	626.76






Rapid SL
Element for wash basin with roughin-in set for infra-red electronic
for wall mounted fittings
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000 and Eurocube E 36 442 000
1.13 m finished installation height
for on-the-wall installations or studded walls
Includes
wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

	38 546 000	4005176291289	168.04






Rapid SL
Element for wash basin, for wall mounted fittings
1.30 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
Includes
wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)


	38 541 000	4005176291234	177.12






Rapid SL
Element for wash basin, single hole installation
1.0 m finished installation height
for on-the-wall installations or studded walls
Includes
wash basin fixing bolts with
fixing device for ceramic
HT-outlet bend Ø 50 mm
seal Ø 32 mm
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

	38 553 001	4005176863813	286.12






Rapid SL
Element for bidet, 1.13 m installation height
vertical support for ceramics with small bearing area (< 205 mm)
for on-the-wall installations or studded walls
height adjustable fitting connections
Includes:
bidet fixing bolts
HT-outlet bend Ø 50 mm, seal Ø 32 mm
2 noise protected fitting connections 1/2"
fixing material for bidet
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL FOR WASH BASIN AND BIDET


	Ref. No.	Colour	EAN	Retail Guide Price (£)






38 545 000 | **4005176291272** | **340.63**

Rapid SL
Element for bidet, 1.00 m installation height
for on-the-wall installations or studded walls
height adjustable fitting connections
Includes:
bidet fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
fixing material for bidet
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 543 000 | **4005176291258** | **331.54**

Rapid SL
Element for bidet, 0.82 m installation height
for on-the-wall installations or studded walls
height adjustable fitting connections
Includes:
bidet fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
fixing material for bidet
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 558 00M | **4005176291418** | **28.95**

Rapid SL
Front wall brackets
for against-the-wall installations
for fixing the elements at the brick-wall or in front of the studded wall
adjustment from 130 - 230 mm
2 pieces

GROHE
RAPID SL FOR THE DISABLED

Ref. No.	Colour	EAN	Retail Guide Price (£)






38 675 001 **4005176863516** **372.42**

Rapid SL
Element for WC, 1.13 m installation height, 0.42 m width
with flush cistern 6 - 3 l
for WC bowls 70 cm projection
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
Insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for the mounting of support rails for the disabled please order fixing element 38 559 001 (sold separately)





A	1080	1130
B	230	280
C	910	960
D	950	1000
E	1010	1060


39 140 000 **4005176315268** **749.38**

Rapid SL
Element for WC, 1.13 m installation height
with fixing element for back support and support rails
with flushing cistern GD 2 , 6 l - 9 l
for the disabled
for WC bowls 70 cm projection
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
with fixed connections
TÜV approved
2 WC fixing bolts
4 wall brackets
fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
PP reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
water supply from left/right or back
Insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)





A1	135-280
A2	320-410
B1	80
B2	120-200
B3	280-300
C	585-635

38 541 000 **4005176291234** **177.12**


Rapid SL
Element for wash basin, single hole installation
1.0 m finished installation height
for on-the-wall installations or studded walls
Includes
wash basin fixing bolts with
fixing device for ceramic
HT-outlet bend Ø 50 mm
seal Ø 32 mm
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL FOR THE DISABLED

Ref. No.	Colour	EAN	Retail Guide Price (£)
38 559 001		**4005176863776**	**213.46**






Rapid SL
Fixing element, 1.13 m installation height
to fix **support** for the disabled
0.31 m wide
powder coated steel frame
waterproof plywood
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

GROHE
RAPID SL FITTING SUPPORTS

Ref. No.	Colour	EAN	Retail Guide Price (£)
37 998 000		**4005176262586**	**118.23**











Rapid SL
Fitting support for exposed fittings
for **studded walls**
for empty elements
2 noise protected fitting connections 1/2"

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	38 558 00M		4005176291418	28.95
Rapid SL **Front wall brackets** for against-the-wall installations for fixing the elements at the brick-wall or in front of the studded wall adjustment from 130 - 230 mm **2 pieces**				
 	38 629 000		4005176293191	59.70
Rapid SL **Flush pipe extension** for floor constructions from 200 up to 350 mm fixing material not suitable for project elements				
 	38 733 000		4005176837289	34.61
Rapid SL **Xtra wall brackets, flexible placing** for additional fixation of WC elements or installation without floor fixing mounting angles including wall bracket and fixing material **2 pieces**				
 	38 562 001		4005176863752	106.28
Rapid SL **Set for corner installation** for WC, bidet, wash basin and urinal single installation or fitting to a rail fitting maximum 625 mm from the corner fixing material for corner installation 2 wall brackets **1.13 m** **135°**				
 	38 779 000		4005176855306	112.17
Rapid SL **Accessory** for WC bowls with a bearing area of less than 20 cm vertical support for ceramics with small bearing area (< 205 mm)				
 	37 131 000		4005176144585	44.44
Set for noise protection for WC sound insulation 2 rubber pipes				

GROHE
RAPID SL ACCESSORIES


Ref. No.	Colour	EAN	Retail Guide Price (£)
42 766 000		4005176222115	14.14



Distance pipe 3“

38 338 000		4005176286179	31.57






Water supply pipe connector

40 911 000		4005176416132	12.90






Inspection shaft for small flush plates
for combination with Rapid SL 1.13 m with GD 2 cistern

40 950 000	Chrome	4005176478994	18.31






Inspection shaft for small flush plates
for combination with Rapid SL and Uniset with 0.82 m/1.00 m installation height

40 949 000	Chrome	4005176477881	23.75





Inspection shaft for small flush plates
for combination with 80 mm cistern



66 791 000		4005176866562	16.89



Inspection shaft
for combination with Rapid SLX cisterns (for 156 x 197mm flush plates)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**43 617 000**		**4005176841163**	**78.18**

Motor support device
for Rapid SL 38 675
for the disabled
as of mid 2008
or installation of infra-red electronic

GROHE
FLUSHING SYSTEMS






CONTENTS

WC	Flushing Cisterns	690
	Accessories for Flushing Cisterns	693
	WC Flush Valves	699
	Electronic Actuations for WC	701
Urinal	Electronic Actuations for Urinal	706
	Urinal Flush Valves	711

GROHE
FLUSHING CISTERNS

	Ref. No.	Colour	EAN	Retail Guide Price (£)






37 762 SH0 **alpine white** **4005176213250** **80.53**

Flushing cistern for WC
for concealed bath furniture installation
non-interruptible flush cycle
flush button not included
min. recommended pressure 0.2 bar
ABS flush pipe 180 mm x 320 mm
connection from the left/right hand side






37 945 SH0 **alpine white** **4005176256387** **80.53**

Flushing cistern for WC 6L
for concealed bath furniture installation
non-interruptible flush cycle
flush button not included
ABS flush pipe 180 mm x 320 mm
min. recommended pressure 0.2 bar
connection from bottom left or right






37 791 SH0 **alpine white** **4005176217241** **180.16**

Flushing cistern for WC
6 l / 3 l
exposed installation
interruptible flush cycle
hidden flush pipe connection
servo actuation
low level
made of PS
low noise (group I acc. to
German Noise Specification)
fully insulated against condensation
with isolation valve 1/2“
copper pipe
mounting template
flush pipe bend
WC inlet connector






38 661 000 **4005176294907** **184.19**

WC concealed cistern
factory set 6 l and 3 l
pneumatic discharge valve offering 2 modes of
operation: dual flush or single flush
connection from left/right/back or top
Insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
inspection shaft for vertical or horizontal use
allows for flush plate to be installed vertically or horizontally.
flush pipe insulated against condensation
fixing brackets
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)






38 987 000 **4005176924798** **123.03**


WC concealed cistern
factory set 6 l and 3 l
pneumatic discharge valve offering 2 modes of
operation: dual flush or single flush
connection from left/right/back or top
Insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
inspection shaft for vertical or horizontal use
allows for flush plate to be installed vertically or horizontally.
flush pipe insulated against condensation
fixing brackets
flush pipe and connector
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
FLUSHING CISTERNS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**38 863 000**		**4005176832345**	**147.09**

Flushing cistern for WC 80 mm
6 l / 3 l
pneumatic discharge valve offering 2 modes of operation: dual flush or single flush
water supply connection from top
with push fit flexible hose union
with isolation valve 1/2“
Inspection shaft incl.
protection during construction phase,
for vertical flush plates only
fixing brackets
for mounting of small flush plates please order revision shaft 40 949 000 (sold separately)


 	**38 422 000**		**4005176275203**	**196.55**

Flushing cistern for WC
6 l / 3 l
0.82 m finished installation height
front/top actuation
water supply from left/right or back
Insulated against condensation
415 x 140 x 360 mm
fixing brackets
without wall plate/actuation
GROHE EcoJoy technology for less water and perfect flow

 	**38 691 000**		**4005176815454**	**196.55**


Eau2
WC Flushing cistern 0.82 m
6 l / 3 l, Dual Flush
water supply from left/right or back
with angle stop valve 1/2“ and flush pipe
fixing brackets
min. recommended pressure 0.2 bar

air button
front/top actuation
extended hose length for flexibility when positioning the actuation
sleek and minimal styling allows the button to be fitted in any 360° orientation
GROHE EcoJoy technology for less water and perfect flow


 	**39 053 000**		**4005176935978**	**85.27**

Concealed flushing cistern
6 l / 3 l
Dual Flush
water supply from bottom
min. recommended pressure 0.2 bar
mechnical round push button actuation Ø 50 mm with Eco button
mechanical actuation from front, top, left or right
for walls 18 -24 mm thickness
bowden cable 0.5 m length
for more flexibility in push button position
fixing brackets
flush pipe
WC inlet connector
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

GROHE
FLUSHING CISTERNS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**39 054 000**		**4005176936289**	**85.27**





Concealed flushing cistern
6 l / 3 l
Dual Flush
min. recommended pressure 0.2 bar
mechnical round push button actuation Ø 50 mm with Eco button
mechanical actuation from front, top, left or right
for walls 18 -24 mm thickness
bowden cable 0.5 m length
for more flexibility in push button position
fixing brackets
flush pipe
WC inlet connector
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

 	**39 056 000**	**Chrome**	**4005176936302**	**22.18**


Round push button actuation Ø 50 mm with Eco button
in combination with bath furniture
for combination with flushing cistern 39 053 000 & 39 054 000
for walls 18 -24 mm thickness
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ACCESSORIES FOR FLUSHING CISTERNS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**37 095 000**		**4005176145124**	**33.84**
	Filling valve 3/8" universal application			
	37 093 000 **ditto, but with stand pipe for bottom inlet**		**4005176145070**	**44.19**
	37 092 000 **ditto, with adaptor**		**4005176145049**	**37.62**
 	**43 537 000**		**4005176157653**	**44.19**
	Filling valve for concealed flushing cisterns 6 l			
 	**42 181 000**		**4005176286872**	**45.53**
	Filling valve 1/2"			
 	**42 297 PI0**	**matt chrome/chrome**	**4005176832048**	**70.48**
	Eco-discharge valve dual flush discharge valve AV1 push button actuation Ø 40 mm with Eco-knob with fixing device for lid **GROHE EcoJoy** technology for less water and perfect flow fixing set with 100 mm screws and cellular rubber joint 100 mm dia.			
	**42 253 000**		**4005176814532**	**68.86**
	Dual Flush discharge valve			
	**43 907 PI0**	**matt chrome/chrome**	**4005176177545**	**89.51**
	Replace kit set for close-coupled ceramic cisterns with filling valve, servo discharge valve interruptible flush cycle fixing set with 100 mm screws and cellular rubber joint 100 mm dia. centring for filling and discharge valve when having larger bore holes **GROHE StarLight** chrome finish **) max. shortening 100 mm			

GROHE
ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**37 078 PI0**	**matt chrome/chrome**	**4005176160783**	**89.34**

Servo-set
retrofit unit for close-coupled
flushing cisterns
connection from the side
with filling valve, servo discharge valve
interruptible flush cycle
fixing set with 100 mm screws and cellular rubber joint 100 mm dia.
centring for filling and discharge valve
when having larger bore holes
GROHE StarLight chrome finish


**) max. shortening 100 mm

 	**37 088 PI0**	**matt chrome/chrome**	**4005176149672**	**55.52**

Servo discharge valve
interruptible flush cycle
with short discharge valve housing
decide for maintenance opening
and complete before installation
escutcheon
push button for lid holes Ø 16 - 35 mm
fixing material
GROHE StarLight chrome finish

	37 085 PI0	**matt chrome/chrome**	**4005176149641**	**57.18**

ditto, with push button for lid hole Ø 40 mm

 	**37 100 SH0**	**alpine white**	**4005176142093**	**22.18**


Flush pipe
390 x 350 mm

	**43 733 000**		**4005176158926**	**10.20**

Membrane
filling valve

	43 758 00M		**4005176159121**	**44.19**






ditto, 10 pieces per set

 	**37 099 K00**	**black**	**4005176142086**	**33.19**






Flush pipe
for low level flushing cistern behind the wall
two-parts
180 x 70 mm
300 mm extension
including protecting plug

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ACCESSORIES FOR FLUSHING CISTERNS






	Ref. No.	Colour	EAN	Retail Guide Price (£)
	38 735 000		4005176837500	60.28
	Dual flush valve set dual flush discharge valve AV1 consisting of valve seat 6l/3l adjustable **GROHE EcoJoy** technology for less water and perfect flow			
 	38 736 000		4005176837517	47.98
	Dual flush valve set **for flushing cistern GD 2 / Rapid SL 1.13 m only** **6 l / 3 l** dual flush discharge valve AV1 consisting of valve seat **without wall plate/actuation**			
 	42 320 000		4005176837487	68.86
	Dual Flush discharge valve AV1 AV1 complete with pipe extension **6 l / 3 l** without valve seat **without actuation**			
 	42 314 000		4005176835636	68.86
	AV1 complete			
 	42 137 000		4005176259524	21.53
	Servo discharge valve			
 	43 486 000		4005176157158	57.18
	Servo discharge valve			

GROHE
ACCESSORIES FOR FLUSHING CISTERNS



	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**42 774 000**		**4005176221590**	**66.84**
	Waste pneumatic			
	**42 233 000**	**Chrome**	**4005176300653**	**21.53**
	Connecting hose			
 	**43 908 000**		**4005176160257**	**21.53**
	Flush pipe, concealed complete for concealed cisterns with polystyrine insulation and protective cover length 280 mm			
 	**37 311 K00**	**black**	**4005176160851**	**22.18**
	WC inlet and outlet connecting set for wall hung WC connecting pipe 45 mm dia waste sleeve Ø 90 mm 150 mm long 2 chrome finished caps for WC fixing bolts			
 	**37 489 000**		**4005176167386**	**10.49**
	Flush pipe extension length 200 mm			
	43 352 000		**4005176832413**	**10.49**
	Ditto, length 300 mm without connector 37 119 000			
 	**37 104 K00**	**black**	**4005176160844**	**22.18**
	WC inlet and outlet connecting set for wall hung WC connecting pipe 45 mm dia length 200 mm connector 150 mm long			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ACCESSORIES FOR FLUSHING CISTERNS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**37 105 K00**	**black**	**4005176141904**	**22.18**
Flush pipe extension length 300 mm				
 	**37 119 000**		**4005176144370**	**4.54**
Connector Ø 55 mm				
 	**42 327 000**		**4005176838705**	**13.89**
PP-outlet bend Ø 90 mm variable depth adjustment				
 	**42 333 000**		**4005176845888**	**15.76**
4.5 l adapter for GD2 to reduce the maximum flush volume to 4.5 liters				
 	**37 131 000**		**4005176144585**	**44.44**
Set for noise protection for WC sound insulation 2 rubber pipes				
	**43 544 000**		**4005176157738**	**10.49**
Outlet piston				

GROHE
ACCESSORIES FOR FLUSHING CISTERNS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**42 242 000**		**4005176804977**	**14.00**
	4" outlet adaptor for Rapid SL			
 	**38 714 000**		**4005176828454**	**15.76**
	WC wall plate extension set 70 mm with pneumatic discharge valve			
	**42 593 000**		**4005176566417**	**35.99**
	Valve seat including flow manager reduces flow of the flush prevents overspill in rimless toilets easy flow regulation via inspection shaft without removing the valves suitable for flushing cistern GD 2			
 	**40 911 000**		**4005176416132**	**12.90**
	Inspection shaft for small flush plates for combination with Rapid SL 1.13 m with GD 2 cistern			
	40 950 000	**Chrome**	**4005176478994**	**18.31**
	ditto, for Rapid SL and Uniset with 0.82 m/1.00 m installation height			
	40 949 000	**Chrome**	**4005176477881**	**23.75**
	ditto, for combination with 80 mm cistern			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
WC FLUSH VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	37 347 000	Chrome	4005176837999	225.74


Rondo A.S.
Flush valve for WC
¾"
brass
GROHE StarLight chrome finish
for wash-down and wash-out bowls
control cap and connection to
plastic flush pipe
with flow rate adjustment
6 l / 3 l
with escutcheon
flow pressure min 1.2 bar
operating pressure max 5 bar
low noise (group I acc. to
German Noise Specification)

 	37 141 000	Chrome	4005176143113	112.87


DAL-Full-automatic flush valve for WC
¾"
brass
GROHE StarLight chrome finish
for wash-down and wash-out bowls
with automatic flow rate
flow pressure range from 1.2 - 5.0 bar
low noise (group II according to
German noise specification)

 	37 139 000	Chrome	4005176143083	94.35

DAL-Automatic flush valve for WC
3/4"
brass
GROHE StarLight chrome finish
for wash-down and wash-out bowls
with flow rate adjustment


 	37 132 000	Chrome	4005176144608	20.45

Fixing device
hidden fixing screws
for flush pipes Ø 28 mm
for distance to the wall from 15 - 85 mm


 	37 133 000		4005176144622	33.77

Inlet adaptor
for corner installation
¾"


GROHE
WC FLUSH VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**37 107 000**	**Chrome**	**4005176141713**	**49.74**


Flush pipe
for WC flush valve
Ø 28 x 26 mm
600 x 200 mm
brass
flush pipe fixing device
for distance to the wall from 15 - 85 mm
connector

 	**37 112 000**		**4005176141911**	**77.22**


Flush pipe
for flush valves
Ø 28 x 26 mm
adjustable, 500 - 750 mm
brass

 	**37 108 000**	**Chrome**	**4005176141720**	**42.49**


Flush pipe
for WC flush valve
Ø 28 x 26 mm
1000 x 200 mm
straight
brass
without flush pipe fixing device
for distance to the wall from 15 - 85 mm
connector

 	**37 114 000**	**Chrome**	**4005176141935**	**20.45**

Flush pipe extension
Ø 28 x 26 mm
260 mm
brass

 	**37 135 000**		**4005176144653**	**6.52**

Connector
Ø 55 mm
for flush valve to pedestal WC

 	**37 131 000**		**4005176144585**	**44.44**


Set for noise protection
for WC
sound insulation
2 rubber pipes

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ELECTRONIC ACTUATIONS FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
38 698 SD1	**stainless steel**	**4005176929571**	**773.75**






Tectron Skate
Infra-red electronic for WC flushing cistern
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
for flushing cistern GD 2 / Rapid SL 1.13 m only
servo motor
concealed installation
front plate 156 x 197 mm
infra-red control
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
CE approved
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

38 699 001	**Chrome**	**4005176929588**	**650.74**






Tectron Surf
Infra-red electronic for WC flushing cistern
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
GROHE StarLight chrome finish
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
for flushing cistern GD 2 / Rapid SL 1.13 m only
servo motor
concealed installation
front plate 156 x 197 mm
infra-red control
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flush (3 - 9 l) by hand or remote
CE approved
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

37 419 000	**Chrome**	**4005176933806**	**872.18**
37 419 SD0	**stainless steel**	**4005176933813**	**872.18**






Tectron Skate
Infra-red electronic for WC flushing cistern
with additional manual actuation
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
for flushing cistern GD 2 / Rapid SL 1.13 m only
servo motor
concealed installation
front plate 156 x 197 mm
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flush (3 - 9 l) by hand or remote
CE approved
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

GROHE
ELECTRONIC ACTUATIONS FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
37 504 000	**Chrome**	**4005176320521**	**921.37**






Tectron Skate Bluetooth
Infra-red electronic for WC
for flushing cistern GD 2 / Rapid SL 1.13 m only
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with additional manual actuation
GROHE StarLight finish
front plate 156 x 197 mm
servo motor
for use with Rapid SLX please order shaft 66 791 000 (sold separately)
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
configuration
detection range and shut off delay
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards
*** Available for free via iTunes app or Google Play store.

39 881 000	**Chrome**	**4005176706790**	**375.40**
39 881 SH0	**alpine white**	**4005176706806**	**360.10**
39 881 KF0	**matt black**	**4005176715099**	**443.09**






Tectron Bau E
Infra-red electronic for WC flushing cistern
with infrared sensor for bi-directional communication for monitoring, configuration and servicing
GROHE StarLight chrome finish
with transformer 42 470 000 100-230 V AC 50-60 Hz, 6.75 V 4 W DC
for new installations and retrofit to all GD2 cisterns
servo motor
concealed installation
front plate 156 x 197 mm
hidden anti-theft device
infra-red control
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flush (3 - 9 l) by hand or remote
CE approved

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ELECTRONIC ACTUATIONS FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
39 882 000	**Chrome**	**4005176706813**	**295.44**
39 882 SH0	**alpine white**	**4005176706820**	**280.17**
39 882 KF0	**matt black**	**4005176715105**	**363.12**







Tectron Bau E
Infra-red electronic for WC flushing cistern
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
GROHE StarLight chrome finish
6V lithium battery, type CR-P2
for new installations and retrofit to all GD2 cisterns
servo motor
concealed installation
front plate 156 x 197 mm
hidden anti-theft device
infra-red control
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flush (3 - 9 l) by hand or remote
CE approved

---

43 617 000	**4005176841163**	**78.18**







Motor support device
for Rapid SL 38 675
for the disabled
as of mid 2008
or installation of infra-red electronic

---

38 778 000	**4005176855269**	**718.38**






Radio transmitter
for an additional flush plate for manual actuation
for WC
receiver modul 868,4 MHz
for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB
for flushing cistern GD 2 / Rapid SL 1.13 m only
for flushing cistern 6 l
concealed installation
servo motor
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
adjustable flush volume
adjustable flow time
72 h flushing can be activated
with extension cable, 3.00 m length,
for connecting transformer and
electronic

---


36 340 000	**4005176911385**	**58.53**





Power extension cable
length 3.00 m

GROHE
ELECTRONIC ACTUATIONS FOR WC


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**36 341 000**		**4005176911392**	**105.24**
	Power extension cable length 10.00 m			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
PNEUMATIC ACTUATIONS FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
43 977 000	**Chrome**	**4005176164798**	**225.48**






Air button
GROHE StarLight chrome finish
remote **hand**-actuation for
institutional requirements
white push button with escutcheon
Ø 100 mm
for walls of 80 - 240 mm thickness
actuation stop
pneumatic hose 1500 mm long

36 407 001		**4005176368974**	**282.14**






Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply

GROHE
ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
37 421 000	**Chrome**	**4005176935572**	**471.55**






Tectron Rondo
Infra-red electronic for Urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
metal housing
exposed installation
flow pressure min 0.5 bar
operating pressure max 10 bar
G 1/2
with **integrated stop valve**
flush pipe with rubber connector
multistage battery status display
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flow time by hand or remote
CE approved

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
37 336 001	**Chrome**	**4005176929540**	**576.93**






Tectron Surf
Infra-red electronic for Urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
infra-red control
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flow time by hand or remote
compatible with
for Rapido U
CE approved

37 337 001	**Chrome**	**4005176929557**	**543.71**






Tectron Surf
Infra-red electronic for Urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
infra-red control
multistage battery status display
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flow time by hand or remote
compatible with
Rapido U or Rapido UMB
CE approved

37 321 001	**Chrome**	**4005176929496**	**576.93**
37 321 SD1	**stainless steel**	**4005176929502**	**576.93**






Tectron Skate
Infra-red electronic for Urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flow time by hand or remote
compatible with
for Rapido U
CE approved

GROHE
ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
37 324 001	**Chrome**	**4005176929526**	**576.93**
37 324 SD1	**stainless steel**	**4005176929533**	**543.71**






Tectron Skate
Infra-red electronic for Urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
multistage battery status display
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flow time by hand or remote
compatible with
Rapido U or Rapido UMB
CE approved

37 503 000	**Chrome**	**4005176320507**	**736.87**





Tectron Skate Bluetooth
Infra-red electronic for Urinal
for Rapido U 37 338 000
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
GROHE StarLight finish
flow pressure min 0.5 bar
operating pressure max 10 bar

with Bluetooth 4.0* for wireless data communication
Bluetooth transmitter frequency: 2.4 GHz
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
configuration
detection range and shut off delay
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
CE approved
hard and software version

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards


*** Available for free via iTunes app or Google Play store.

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
ELECTRONIC ACTUATIONS FOR URINAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	37 338 000		4005176837920	146.37


GROHE Rapido U
roughing-in set for urinal
for manual actuation or Tectron infra-red electronic 6 V or 230 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply
installation box with gasket
fixing points for dry cladding and masonry-in
inspection shaft incl. protection

 	38 787 000		4005176855689	121.80

GROHE Rapido UMB
roughing-in set for urinal
for manual actuation or Tectron infra-red electronic 6 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
installation box with gasket
fixing points for dry cladding and masonry-in
inspection shaft incl. protection during construction phase


 	36 407 001		4005176368974	282.14

Remote control
for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply


 	39 368 000		4005176341540	555.96

Temperature sensor for urinal
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
39 376 000 Rapid SL required
Waste trap with temperature sensor
cartridge with solenoid valve and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
CE approved

GROHE
ELECTRONIC ACTUATIONS FOR URINAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	39 367 000		4005176341533	572.64

Temperature sensor for urinal
6V lithium battery, type CR-P2
with water connection set and stop valve
Waste trap with temperature sensor
cartridge with solenoid valve and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
CE approved
only for certain urinal ceramics, check online TPI






	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	39 369 000		4005176341557	739.69

Temperature sensor with Bluetooth for urinal
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
39 376 000 Rapid SL required
Waste trap with temperature sensor
cartridge with solenoid valve and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
with Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with Bluetooth 4.0* for wireless data communication
Bluetooth transmitter frequency: 2.4 GHz
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
for Apple** and Android devices
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
configuration
shut-off delay
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved




Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards
*** Available for free via iTunes app or Google Play store.

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
URINAL FLUSH VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**37 339 000**	**Chrome**	**4005176837937**	**118.22**
	Rondo **Flush valve for urinal** **1/2“** brass integrated stop valve **GROHE StarLight** chrome finish with control cap and flush pipe connection flow rate adjustment flush volume adjustable 1.0 - 4.0 l with wall escutcheon flush pipe 200 mm rubber connector with escutcheon flow pressure min 0.5 bar operating pressure max 5 bar			
 	**37 396 000**	**Chrome**	**4005176907968**	**134.09**
	Press urinal flush valve **1/2“** brass **GROHE StarLight** chrome finish with wall escutcheon			
 	**37 044 000**		**4005176160776**	**22.18**
	Urinal inlet connector, 1/2“			
 	**37 035 000**	**Chrome**	**4005176143731**	**13.36**
	Urinal flush pipe Ø 18 mm 200 mm brass **chrome plated** straight			
 	**37 036 000**	**Chrome**	**4005176143748**	**21.07**
	Urinal flush pipe Ø 18 mm 200 mm brass **chrome plated** offset 10 mm			
	37 037 000 **Offset 20 mm**	**Chrome**	**4005176143762**	**23.29**

GROHE
URINAL FLUSH VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**37 038 000** **Urinal flush pipe** Ø 18 mm 200 mm brass **chrome plated** offset 30 mm	**Chrome**	**4005176143786**	**25.50**
	37 039 000 **ditto, offset 40 mm**	**Chrome**	**4005176143793**	**27.69**
 	**37 040 000** **Urinal flush pipe** Ø 18 mm 200 mm brass **chrome plated** offset 50 mm	**Chrome**	**4005176143861**	**30.94**
 	**37 043 000** **Urinal flush pipe** Ø 18 mm 400 mm brass straight	**Chrome**	**4005176143922**	**41.65**
 	**37 042 000** **Flush pipe extension** Ø 16 mm 200 mm brass	**Chrome**	**4005176143908**	**18.81**

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ACTUATIONS






CONTENTS

WC	Flush Plates for WC	716
	GROHE Fresh	724
	Flush Plates for WC Flush Valves	725
Urinal	Flush Plates for Urinal	726

GROHE
FLUSH PLATES FOR WC






Ref. No.	Colour	EAN	Retail Guide Price (£)
37 535 000	**Chrome**	**4005176416019**	**71.12**
37 535 P00	**matt chrome**	**4005176416026**	**71.12**
37 535 SH0	**alpine white**	**4005176416033**	**73.80**
37 535 DC0	**supersteel**	**4005176416040**	**184.17**
37 535 BE0	**polished nickel**	**4005176431340**	**184.17**
37 535 EN0	**brushed nickel**	**4005176431319**	**184.17**
37 535 GL0	**cool sunrise**	**4005176431302**	**184.17**
37 535 GN0	**brushed cool sunrise**	**4005176431296**	**184.17**
37 535 DA0	**warm sunset**	**4005176431333**	**184.17**
37 535 DL0	**brushed warm sunset**	**4005176431326**	**184.17**
37 535 A00	**hard graphite**	**4005176431364**	**184.17**
37 535 AL0	**Brushed Hard Graphite**	**4005176431357**	**184.17**

Skate Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)





37 601 000	**Chrome**	**4005176416057**	**81.44**
37 601 P00	**matt chrome**	**4005176416064**	**108.26**
37 601 SH0	**alpine white**	**4005176416071**	**67.01**
37 601 DC0	**supersteel**	**4005176416088**	**184.25**
37 601 BE0	**polished nickel**	**4005176529009**	**184.25**
37 601 EN0	**brushed nickel**	**4005176529047**	**184.25**
37 601 GL0	**cool sunrise**	**4005176524271**	**184.25**
37 601 GN0	**brushed cool sunrise**	**4005176529016**	**184.25**
37 601 DA0	**warm sunset**	**4005176524288**	**184.25**
37 601 DL0	**brushed warm sunset**	**4005176529023**	**184.25**
37 601 A00	**hard graphite**	**4005176528996**	**184.25**
37 601 AL0	**Brushed Hard Graphite**	**4005176529030**	**184.25**


Nova Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
FLUSH PLATES FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
37 624 000	**Chrome**	**4005176416095**	**81.44**
37 624 P00	**matt chrome**	**4005176416101**	**108.26**
37 624 SH0	**alpine white**	**4005176416118**	**67.01**
37 624 DC0	**supersteel**	**4005176416125**	**184.28**
37 624 BE0	**polished nickel**	**4005176529085**	**184.25**
37 624 EN0	**brushed nickel**	**4005176529122**	**184.25**
37 624 GL0	**cool sunrise**	**4005176529054**	**184.25**
37 624 GN0	**brushed cool sunrise**	**4005176529092**	**184.25**
37 624 DA0	**warm sunset**	**4005176529061**	**184.25**
37 624 DL0	**brushed warm sunset**	**4005176529108**	**184.25**
37 624 A00	**hard graphite**	**4005176529078**	**184.25**
37 624 AL0	**Brushed Hard Graphite**	**4005176529115**	**184.25**






Arena Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

37 973 000	**Chrome**	**4005176479021**	**81.44**
37 973 DC0	**supersteel**	**4005176479052**	**184.28**
37 973 SH0	**alpine white**	**4005176479038**	**67.01**
37 973 P00	**matt chrome**	**4005176479045**	**108.26**






Arena Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for horizontal installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
for use with Rapid SL and Uniset 0.82 m installation height please order shaft 40 950 000 (sold separately)

37 965 000	**Chrome**	**4005176442506**	**71.34**
37 965 SH0	**alpine white**	**4005176442513**	**54.93**






Skate Air S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

40 911 000		**4005176416132**	**12.90**





Inspection shaft for small flush plates
for combination with Rapid SL 1.13 m with GD 2 cistern

40 950 000	**Chrome**	**4005176478994**	**18.31**

ditto, for Rapid SL and Uniset with 0.82 m/1.00 m installation height


40 949 000	**Chrome**	**4005176477881**	**23.75**

ditto, for combination with 80 mm cistern

GROHE
FLUSH PLATES FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
38 915 KS0	**velvet black**	**4005176897108**	**939.37**
38 915 LS0	**moon white**	**4005176897115**	**954.24**






Veris Light
Flush plate
for dual flush or start & stop actuation
for SoftTouch flushing activation
external highlighted outline
with LEDs in blue, red, yellow, green
colour gradient adjustable
on/off timer for individual regulation of illuminating period
3 m connecting cable
transformer for external installation
servo motor
110 V to 240 V 50/60 Hz broad range power supply
9 VA
CE approved
with function check lamps
for GD 2 cisterns with pneumatic discharge valve AV1
200 x 200 mm
made of security glass
GROHE EcoJoy technology for less water and perfect flow
not suitable for GROHE Fresh

---

38 809 000	**Chrome**	**4005176864681**	**638.42**






Nova Cosmopolitan Light
Flush plate
for dual flush or start & stop actuation
external highlighted outline
with LEDs in blue, red, yellow, green
colour gradient adjustable, on/off button
timer for individual regulation of
illuminating period
3 m connecting cable
transformer for external installation
supply voltage 230 V AC, 50/60 Hz, 2.0 VA
this product contains built-in LED lamps, which
cannot be changed: energy efficiency class: A+
CE approved
for pneumatic drop valve AV1
for vertical and horizontal installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL 1.13 m with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

---

38 765 000	**Chrome**	**4005176846830**	**78.72**
38 765 SH0	**alpine white**	**4005176846854**	**60.29**
38 765 P00	**matt chrome**	**4005176846847**	**77.49**






Nova Cosmopolitan
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical and horizontal installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL 1.13 m with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

---

38 845 LS0	**moon white**	**4005176878336**	**269.40**
38 845 KS0	**velvet black**	**4005176878343**	**269.40**
38 845 MF0	**chrome/ daVinci satin**	**4005176878619**	**269.40**






Skate Cosmopolitan
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical and horizontal installation
156 x 197 mm
made of security glass
mounting-set
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL 1.13 m with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
FLUSH PLATES FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
38 916 0A0	**mirror glass**	**4005176896941**	**321.27**






Skate Cosmopolitan
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical and horizontal installation
156 x 197 mm
made of security glass
mounting-set
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL 1.13 m with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

---

38 957 000 **Chrome** **4005176914409** **118.24**






Mounting set
for wall-aligned installation of Skate Cosmopolitan
with glass surface
for GD 2 and flushing cistern 80 mm
plastic mounting frame, chrome plated
minimum 8 mm tile thickness
protection plate
dismantling tool for wall plate

---

38 821 000 **Chrome** **4005176868986** **257.11**






Skate Cosmopolitan
Flush plate
for dual flush or start & stop actuation
vandal-proof
for pneumatic drop valve AV1
for vertical installation
made of metal
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL 1.13 m with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

---

38 732 SD0 **stainless steel** **4005176847691** **170.99**






Skate Cosmopolitan
Wall plate, stainless steel
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical installation
plastic fixing frame
hidden fixing screws
not suitable for GROHE Fresh
GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL 1.13 m with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

38 776 SD0 **stainless steel** **4005176853555** **170.98**
ditto, horizontal installation

GROHE
FLUSH PLATES FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
38 732 000	Chrome	4005176836114	78.74
38 732 DC0	supersteel	4005176431371	143.46
38 732 SH0	alpine white	4005176836138	60.24
38 732 P00	matt chrome	4005176836121	57.87
38 732 BE0	polished nickel	4005176427749	154.93
38 732 EN0	brushed nickel	4005176427756	154.93
38 732 GL0	cool sunrise	4005176339103	154.93
38 732 GN0	brushed cool sunrise	4005176427725	154.93
38 732 DA0	warm sunset	4005176339097	154.93
38 732 DL0	brushed warm sunset	4005176427732	154.93
38 732 A00	hard graphite	4005176339110	154.93
38 732 AL0	Brushed Hard Graphite	4005176339127	154.93






Skate Cosmopolitan
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical and horizontal installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL 1.13 m with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

38 732 BR0	titanium	4005176873676	134.07

ditto, with anti-fingerprint surface

38 844 000	Chrome	4005176874963	78.72
38 844 SH0	alpine white	4005176874970	60.28
38 844 P00	matt chrome	4005176875687	72.57






Arena Cosmopolitan
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical installation
GROHE EcoJoy technology for less water and perfect flow
GROHE StarLight chrome finish
for combination with Rapid SL 1.13 m with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

38 858 000	Chrome	4005176876714	78.72
38 858 P00	matt chrome	4005176876721	72.57
38 858 SH0	alpine white	4005176876738	60.28

ditto, horizontal installation

38 505 000	Chrome	4005176290053	54.10
38 505 SH0	alpine white	4005176290046	35.68
38 505 P00	matt chrome	4005176290060	94.32






Skate Air
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL 1.13 m with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

38 506 000	Chrome	4005176290121	78.70
38 506 SH0	alpine white	4005176290114	72.61
38 506 P00	matt chrome	4005176290138	80.53

ditto, horizontal installation

38 862 000	Chrome	4005176832314	78.72
38 862 SH0	alpine white	4005176832338	58.50
38 862 P00	matt chrome	4005176832321	69.80







Skate
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical and horizontal installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL 1.13 m with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
FLUSH PLATES FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**38 862 SD0**	**stainless steel**	**4005176834721**	**177.94**

Skate
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical installation
156 x 197 mm
material: stainless steel
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL 1.13 m with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)


 	**38 861 000**	**Chrome**	**4005176832284**	**72.58**

Surf
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical and horizontal installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL 1.13 m with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

GROHE
FLUSH PLATES FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
38 564 000	**Chrome**	**4005176291784**	**84.91**
38 564 SH0	**alpine white**	**4005176291777**	**65.10**





Skate Air
Flush plate
for single flush actuation
for pneumatic drop valve
for vertical installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow


38 565 000	**Chrome**	**4005176291845**	**54.15**

ditto, horizontal installation

---

38 573 000	**Chrome**	**4005176292316**	**60.30**
38 573 SH0	**alpine white**	**4005176292309**	**66.84**
38 573 P00	**matt chrome**	**4005176292323**	**80.53**






Skate
Flush plate
for single flush actuation
for pneumatic drop valve
for vertical and horizontal installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

---

38 672 SD0	**stainless steel**	**4005176296468**	**134.09**






Skate
Wall plate, stainless steel
for single flush actuation
vandal-proof
for pneumatic drop valve
for vertical installation
156 x 197 mm
GROHE EcoJoy technology for less water and perfect flow

---

38 574 000	**Chrome**	**4005176292385**	**66.84**






Surf
Flush plate
for single flush actuation
for pneumatic drop valve
for vertical and horizontal installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

---

37 059 000	**Chrome**	**4005176142857**	**151.71**








Surf
Air button
GROHE StarLight chrome finish
made of ABS
escutcheon 100 mm dia
wall plate Surf 156 x 197 mm

---

43 977 000	**Chrome**	**4005176164798**	**225.48**






Air button
GROHE StarLight chrome finish
remote **hand**-actuation for
institutional requirements
white push button with escutcheon
Ø 100 mm
for walls of 80 - 240 mm thickness
actuation stop
pneumatic hose 1500 mm long

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
FLUSH PLATES FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
37 060 000	**Chrome**	**4005176142901**	**68.86**





Air button
GROHE StarLight chrome finish
made of ABS
escutcheon 100 mm dia
pneumatic hose 1500 mm long
for use with Adagio cistern 37 762 SH / 37 945 SH comes with nipple adaptor 42267

---

38 488 000	**Chrome**	**4005176289866**	**45.53**




Air button
with 750 mm air hose
for panel thickness up to 30 mm
for use with Adagio cistern 37 762 SH / 37 945 SH
GROHE StarLight finish

---

38 496 000	**Chrome**	**4005176289958**	**208.91**






Air button
air button 63 mm dia.
with 750 mm air hose
for panel thickness up to 30 mm
only for use with a removable shelf / panel
chrome plated brass
for use with Adagio cistern 37 762 SH / 37 945 SH
GROHE StarLight finish

---

38 771 000	**Chrome**	**4005176848551**	**47.98**





Pneumatic push button actuation
for dual flush or start & stop actuation
Ø 48 mm
in combination with bath furniture
for material thickness from 18 -24 mm
with 600 mm air hose
GROHE StarLight chrome finish

---

37 761 000	**Chrome**	**4005176213243**	**45.74**






Air button
GROHE StarLight chrome finish
for use with Adagio cistern 37 762 SH / 37 945 SH

---

38 714 000		**4005176828454**	**15.76**






WC wall plate extension set 70 mm
with pneumatic discharge valve

GROHE FRESH


	Ref. No.	Colour	EAN	Retail Guide Price (£)






38 805 000 **Chrome** **4005176865596** **146.37**

Skate Cosmopolitan Set Fresh
Flush plate
for dual flush or start & stop actuation
with **GROHE Fresh**
fixing frame with opening function
for chlorine-free tablets only
for pneumatic drop valve AV1
for vertical and horizontal installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL 1.13 m with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)





38 796 000 **4005176857034** **72.57**

GROHE Fresh
Dual flush valve set
for GROHE flushing cistern GD 2 with pneumatic
discharge valve and regular inspection shaft
not suitable for flush plates with
wood or glass or metal surface or new small flush plates
fixing frame with opening function
for chlorine-free tablets only
for all GROHE wall plates
156 x 197 mm







38 882 000 **4005176879197** **9.07**

GROHE Fresh
Tabs
2 x 50 g WC-Tabs
every flush creates foam which cleans the toilet
fragrance ensures long-lasting freshness
protects against re-pollution and maintains long term cleanliness
reduces limescale and ensures radiant purity in the toilet
true feeling of freshness
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
FLUSH PLATES FOR WC FLUSH VALVES

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		**37 547 000** **37 547 P00** **37 547 SH0**	**Chrome** **matt chrome** **alpine white**	**4005176189425** **4005176189449** **4005176189418**	**80.53** **74.92** **66.84**
		Skate **Flush plate** **for vertical installation** 156 x 197 mm manual activation push button actuation made of ABS **GROHE StarLight** chrome finish			
		**38 445 SD0**	**stainless steel**	**4005176282850**	**114.32**
		Skate **Wall plate, stainless steel** **for vertical installation** 156 x 197 mm push button actuation plastic fixing frame hidden fixing screws			
		**37 063 000** **37 063 SH0**	**Chrome** **alpine white**	**4005176142185** **4005176142307**	**66.84** **66.84**
		Surf **Flush plate** 156 x 197 mm manual activation push button actuation made of ABS **GROHE StarLight** chrome finish			
		**37 069 000**	**Chrome**	**4005176142352**	**115.80**
		Surf **Flush plate** **for vertical installation** 156 x 197 mm for concealed flush valve 6 - 9 l brass push button actuation fixing frame hidden fixing screws **GROHE StarLight** chrome finish			

GROHE
FLUSH PLATES FOR URINAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
38 846 LS0	**moon white**	**4005176878367**	**320.01**
38 846 KS0	**velvet black**	**4005176878268**	**320.01**






Skate Cosmopolitan
Actuation plate
with glass surface
made of security glass
manual activation for urinal
plastic actuation button, chrome plated
compatible with
Rapido U or Rapido UMB
fixing frame with mounting-set
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 adjustable

38 784 000	**Chrome**	**4005176855535**	**121.76**
38 784 SH0	**alpine white**	**4005176855559**	**112.03**
38 784 P00	**matt chrome**	**4005176855542**	**125.46**






Skate Cosmopolitan
Actuation plate
manual activation for urinal
compatible with
Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 adjustable
GROHE StarLight chrome finish

38 784 SD0	**stainless steel**	**4005176877407**	**179.62**






Skate Cosmopolitan
Wall plate, stainless steel
manual activation for urinal
compatible with
Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 adjustable
low noise (group II according to
German noise specification)
plastic fixing frame
hidden fixing screws

38 804 000	**Chrome**	**4005176861512**	**130.17**
38 804 SH0	**alpine white**	**4005176861529**	**118.25**
38 804 P00	**matt chrome**	**4005176861536**	**121.82**






Nova Cosmopolitan
Actuation plate
manual activation for urinal
compatible with
Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 adjustable
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
FLUSH PLATES FOR URINAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
38 857 000	**Chrome**	**4005176875694**	**121.82**
38 857 SH0	**alpine white**	**4005176875793**	**112.27**
38 857 P00	**matt chrome**	**4005176875663**	**118.23**






Arena Cosmopolitan
Actuation plate
manual activation for urinal
compatible with
Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 adjustable
GROHE StarLight chrome finish

38 808 000	**Chrome**	**4005176864056**	**109.47**
38 808 SH0	**alpine white**	**4005176864070**	**95.89**
38 808 P00	**matt chrome**	**4005176864063**	**123.03**





Surf
Actuation plate
manual activation for urinal
compatible with
Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 adjustable
GROHE StarLight chrome finish

GROHE
CONNECTION AND SECURITY TECHNOLOGY






CONTENTS

Angle Valves	730
WAS valves	734
Safety Systems	735

GROHE
ANGLE VALVES

Ref. No.	Colour	EAN	Retail Guide Price (£)
22 039 AL0	**Brushed Hard Graphite**	**4005176467936**	**77.29**






Angle valve 1/2"
self-sealing connection thread
wall connection 1/2"
outlet thread 3/8"
with length compensation
with compression nut Ø 10 mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish

22 043 000	**Chrome**	**4005176305597**	**16.97**






Angle valve 1/2"
self-sealing connection thread
wall connection 1/2"
outlet 1/2"
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish

22 037 000	**Chrome**	**4005176305535**	**10.95**






Angle valve 1/2"
pre-roughened connection thread for easy sealing
wall connection 1/2"
outlet thread 3/8"
with length compensation
with compression nut Ø 10 mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish

22 046 000	**Chrome**	**4005176305627**	**9.72**






Angle valve 1/2"
pre-roughened connection thread for easy sealing
wall connection 1/2"
outlet 1/2"
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
blister packaging
GROHE StarLight finish

22 023 000	**Chrome**	**4005176305405**	**7.29**






Angle valve 1/2"
self-sealing connection thread
wall connection 1/2"
outlet thread 3/8"
with length compensation
with compression nut Ø 10 mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
ergonomic handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ANGLE VALVES

Ref. No.	Colour	EAN	Retail Guide Price (£)
22 018 000	**Chrome**	**4005176305382**	**6.07**






Angle valve 1/2"
pre-roughened connection thread for easy sealing
wall connection 1/2"
outlet thread 3/8"
with length compensation
with compression nut Ø 10 mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
ergonomic handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish

22 029 000	**Chrome**	**4005176305467**	**10.94**






Angle valve 1/2"
pre-roughened connection thread for easy sealing
wall connection 1/2"
outlet thread 3/8"
with length compensation
with compression nut Ø 10 mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
ergonomic handle
marking: neutral
metal push-on escutcheon Ø 55 mm
blister packaging
GROHE StarLight finish

22 032 000	**Chrome**	**4005176305481**	**10.97**






Angle valve 1/2"
pre-roughened connection thread for easy sealing
wall connection 1/2"
outlet 1/2"
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
ergonomic handle
marking: neutral
metal push-on escutcheon Ø 55 mm
blister packaging
GROHE StarLight finish

22 053 000	**Chrome**	**4005176349027**	**12.19**






Angle valve 3/8"
pre-roughened connection thread for easy sealing
wall connection 3/8"
outlet thread 3/8"
with length compensation
with compression nut Ø 10 mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic handle
marking: neutral
metal push-on escutcheon Ø 55 mm

22 017 00M	**Chrome**	**4005176940613**	**59.69**






Universal angle valve 1/2"
with compression coupling
3/8"
for copper pipe Ø 10 mm
plastic handle
marking: neutral
screw escutcheon
metal
GROHE StarLight finish
sales unit 10 pieces

GROHE
ANGLE VALVES

Ref. No.	Colour	EAN	Retail Guide Price (£)
22 016 00M	**Chrome**	**4005176940606**	**84.06**






Universal angle valve 1/2"
with connection 1/2"
plastic handle
marking: neutral
screw escutcheon
metal
GROHE StarLight finish
sales unit 10 pieces

---

22 939 000	**Chrome**	**4005176829369**	**21.53**






Angle valve 1/2"
with compression nut
for copper pipe Ø 10 mm
TDL handle
marking: neutral
escutcheon
GROHE StarLight finish

---

22 940 000	**Chrome**	**4005176829376**	**21.53**






Angle valve 1/2"
without compression nut
for copper pipe Ø 10 mm
TDL handle
marking: neutral
escutcheon
GROHE StarLight finish

---

22 958 00M	**Chrome**	**4005176034237**	**438.78**






Service valve
connection thread 1/2"
TDL handle
marking: neutral
escutcheon
GROHE StarLight finish
sales unit 1 piece

---

22 917 000	**Chrome**	**4005176501388**	**50.13**






Atlanta
Angle valve 1/2"
wall connection 1/2"
outlet thread 3/8"
socket spanner headpart
closed cap
with compression nut Ø 10 mm
marking: neutral
escutcheon
GROHE StarLight finish

---

22 012 000	**Chrome**	**4005176906343**	**47.51**
22 012 DC0	**supersteel**	**4005176525742**	**69.38**
22 012 AL0	**Brushed Hard Graphite**	**4005176585944**	**79.29**






Eurocube
Angle valve 1/2"
wall connection 1/2"
outlet thread 3/8"
cartridge headpart
metal handle
marking: neutral
metal push-on escutcheon

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ANGLE VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**22 013 000**	**Chrome**	**4005176909689**	**47.51**


Eurocube
Angle valve 1/2"
wall connection 1/2"
outlet 1/2"
cartridge headpart
metal handle
marking: neutral
metal push-on escutcheon

CONNECTION AND SECURITY TECHNOLOGY

GROHE
WAS VALVES

Ref. No.	Colour	EAN	Retail Guide Price (£)
22 035 000	**Chrome**	**4005176305511**	**23.14**






Original WAS combination service valve 1/2“
pre-roughened connection thread for easy sealing
wall connection 1/2“
outlet thread 3/8“
with length compensation
with compression nut Ø 10 mm
outlet 3/4“
with hose connection
grease chamber headpart
non-return valve type EB
long connecting shaft
ergonomic handle
marking: neutral
metal push-on escutcheon Ø 55 mm
for combination with pipe ventilating valve type HB 41 239 000

22 033 000	**Chrome**	**4005176305498**	**28.02**






Original WAS combination service valve 3/8“
wall connection 3/8“
outlet thread 3/8“
with length compensation
with compression nut Ø 10 mm
outlet 3/4“
with hose connection
grease chamber headpart
non-return valve type EB
long connecting shaft
ergonomic handles
marking: neutral
metal push-on escutcheon Ø 55 mm
for combination with pipe ventilating valve type HB 41 239 000

41 007 000	**Chrome**	**4005176281815**	**15.76**






Eggemann
Original WAS T-piece 3/8“
for service valve
with compression nut
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SAFETY SYSTEMS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**41 275 000**	**Chrome**	**4005176280481**	**43.91**

Original WAS inclined filter 3/4“
suitable for cold and warm water up to + 80 C
transparent cap
mesh width 315 µm
stainless steel filter insert
GROHE StarLight chrome finish

GROHE
SPARE PARTS





CONTENTS

Cartridges	738
Thermo elements and thermostatic cartridges	740
Aquadimmer	743
Head parts	744
Spare parts for two-handle faucets	747
Extension sets	748
Unions	749
Outlets and spouts	750
Flow straighteners	751
Waste sets and traps	753
Connections and non-return valves	756
Spare parts for electronics	757
Diverters	758
Hoses	759
Spare parts for kitchen faucets	760
Spare parts for showers	761
Miscellaneous	763
Special tools	764
Cleaning and care	765
Spare parts for sanitary systems	766
Spare parts for shower toilet	768
Spare parts for Ceramics	769

GROHE CARTRIDGES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	46 580 000		4005176831867	100.85
	Cartridge 28 mm **GROHE SilkMove** with ceramic sealing system with temperature limiter for all single lever mixers			
	46 374 000		4005176169076	100.85
	Cartridge 35 mm **GROHE SilkMove** with ceramic sealing system with temperature limiter adjustable flow rate limiter for all single lever mixers			
	46 048 000		4005176008283	100.85
	Cartridge **GROHE SilkMove** adjustable flow rate limiter for all single lever mixers			
	46 386 000		4005176169410	123.50
	Cartridge **GROHE SilkMove**			
	46 278 000		4005176131868	112.17
	Ceramic cartridge for Euroeco special mixer			
	46 308 000		4005176131769	44.19
	Temperature limiter for cartridge 46 048 000 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE CARTRIDGES

Ref. No.	Colour	EAN	Retail Guide Price (£)



46 375 000 **4005176169083** **44.19**

Temperature limiter
for 35 mm cartridge 46 374 000
please see possible utilisation in current Technical Product Information and spare part documentation in print/online media



48 359 000 **4005176442810** **46.45**

Cartridge
for SmartControl concealed push button
including fastening nut and fitting template
including extension and spindle from extension set 14 048 000



07 000 000 **4005176016899** **128.54**

Cartridge from 1974
for Euromix and Ladylux



42 383 000 **Chrome** **4005176903281** **44.19**

Cartridge
for Euroeco Cosmopolitan T self-closing valves 1/2": pillar tap, wall mounted, exposed shower
marking: blue/red
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)



42 384 000 **Chrome** **4005176903298** **55.52**

Cartridge
for Euroeco Cosmopolitan T self-closing gate valve 1/2"
marking: blue/red
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)

GROHE
THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**47 450 000**		**4005176076190**	**180.16**
	Thermo-element wax element with stainless steel slider to avoid corrosion			
	47 282 000		**4005176061592**	**157.50**
	ditto, for reverse waterways, 1/2“			
	**47 310 000**		**4005176079238**	**202.81**
	Wax thermo-element-cartridge wax element			
	**47 349 000**		**4005176141461**	**134.84**
	Wax thermo-element-cartridge 3/8“ wax element			
	**47 217 000**		**4005176241246**	**157.50**
	Thermo-element wax element with non-rising spindle			
	**47 220 000**		**4005176241253**	**202.81**
	Wax thermo-element-cartridge wax element with non-rising spindle			
	**47 111 000**		**4005176009921**	**338.79**
	Thermo-element wax element for Grohmix Thermostat			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	47 025 000		4005176009549	474.75
	Wax thermo-element-cartridge wax element for Grohmix Thermostat			
	47 532 000		4005176206795	214.14
	Thermostatic cartridge			
	00 798 000	Chrome	4005176229008	31.32
	Wax thermo-element			
	47 598 000		4005176229169	304.80
	Control unit			
	47 600 000		4005176228995	259.47
	Control unit			
	47 439 000		4005176811975	168.83
	Thermostatic compact cartridge 1/2“ **GROHE TurboStat** compact cartridge with wax thermoelement			
	47 175 000		4005176803895	168.83
	ditto, for reverse waterways, 1/2“			

GROHE
THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	47 885 000		4005176924729	44.19
	Thermostatic compact cartridge 1/2“ GROHE Turbostat C3 compact cartridge with wax thermoelement			
	47 483 000		4005176815409	202.81
	Thermostatic compact cartridge 3/4“ **GROHE TurboStat** compact cartridge with wax thermoelement			
	47 186 000 **ditto, for reverse waterways, 3/4“**		4005176803901	202.81
	49 028 000		4005176442827	54.39
	Thermostatic compact cartridge 3/4“ for Grohtherm SmartControl concealed **GROHE TurboStat** compact cartridge with wax thermoelement including fastening nut			
	47 167 000		4005176010125	21.53
	Stop ring and regulating nut			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
AQUADIMMER


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**47 364 000**		**4005176171819**	**89.51**
	Aquadimmer for thermostatic mixers			
	**12 433 000**		**4005176272752**	**89.51**
	Aquadimmer for exposed fittings			
	**47 262 000**		**4005176118722**	**214.14**
	Aquadimmer for concealed thermostatic shower mixer 3/4“ for three and four-hole bath combination 3/4“			

GROHE
HEAD PARTS



	Ref. No.	Colour	EAN	Retail Guide Price (£)
	07 146 000 **Headpart 1/2"** short spindle, 1/2"		4005176017261	20.52
	45 346 000 **Ceramic headpart, 1/2"** with ceramic sealing disks rotation angle 180° stop: right-hand		4005176104572	55.52
	45 342 000 **Ceramic headpart, 1/2"** with ceramic sealing disks rotation angle 180° stop: left-hand		4005176129865	55.52
	45 885 000 **Ceramic headpart 3/4", 180°** with ceramic sealing disks rotation angle 180° stop: right-hand		4005176189913	112.17
	45 869 000 **Concealed headpart 1/2"** with ceramic sealing disks rotation angle 180° stop: right-hand		4005176189876	32.85
	45 882 000 **Ceramic headpart, 1/2"** with ceramic sealing disks rotation angle 90° stop: right-hand		4005176189883	44.19

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD PARTS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**45 883 000**		**4005176189890**	**44.19**
	Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 90° stop: left-hand			
	**45 888 000**		**4005176189944**	**78.18**
	Ceramic headpart 3/4", 180° with ceramic sealing disks rotation angle 90°			
	**06 188 000**		**4005176002519**	**106.93**
	Headpart without lever without cap without escutcheon for 3- and 4-way-diverter, 1/2"			
	**07 025 000**		**4005176016929**	**31.32**
	Screw-down valve, 3/4" short spindle for 1/2" handles for concealed valves, 3/4"			
 	**19 830 000**	**Chrome**	**4005176030697**	**29.74**
	Atlanta **Concealed stop-valve trim** set for final installation for 35 028 000 for concealed valves, 1/2", 3/4" installation depth adjustable 20-80 mm escutcheon with screwable wall sealing brilliant handle marking: blue (cold) **GROHE StarLight** chrome finish			
	19 831 000	**Chrome**	**4005176030703**	**29.15**
	ditto, marking red			

GROHE
HEAD PARTS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**19 841 000**	**Chrome**	**4005176030765**	**47.37**
	Atlanta **Concealed stop-valve trim** set for final installation for 35 028 000 for concealed valves, 1/2", 3/4" installation depth adjustable 20 - 200 mm escutcheon with screwable wall sealing socket spanner **GROHE StarLight** chrome finish			
	19 840 000	**Chrome**	**4005176030758**	**37.78**
	ditto, installation depth infinitely adjustable 20-80 mm			
 	**19 470 000**	**Chrome**	**4005176848018**	**72.95**
	Grohtherm 3000 Cosmopolitan **Concealed stop-valve trim** set for final installation for 35 028 000 **GROHE StarLight** chrome finish installation depth adjustable 20-80 mm metal escutcheon with wall sealing shut-off valve			





All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SPARE PARTS FOR TWO-HANDLE FAUCETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**10 099 00M**	**Chrome**	**4005176812965**	**14.73**





Cover Cap
multi-packaging: 2 pieces

GROHE
EXTENSION SETS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	14 048 000		4005176413483	166.90
	GROHE Rapido SmartBox **Universal extension set single-lever mixers, 25 mm** fits Grohtherm SmartControl and SmartControl Mixer sets for final installation with up to three functions in combination with GROHE Rapido SmartBox			
 	14 056 000		4005176466298	123.23
	Universal extension set single-lever mixers, 25 mm fits for concealed single-lever mixers in combination with **GROHE Rapido SmartBox**			
 	14 057 000		4005176466304	159.40
	Universal extension set single-lever mixers, 50 mm fits for concealed single-lever mixers in combination with **GROHE Rapido SmartBox**			
 	14 058 000		4005176466311	159.41
	Universal extension set 2-handle thermostats, 25 mm fits for concealed 2-handle thermostats in combination with **GROHE Rapido SmartBox**			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE UNIONS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**12 400 000**	**Chrome**	**4005176004582**	**44.19**
	S-union 1/2" x 3/4" **adjustment range 10 mm** **GROHE StarLight** chrome finish			
 	**12 051 000**	**Chrome**	**4005176213588**	**44.19**
	S-union 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections **GROHE StarLight** chrome finish			
	**12 693 000**	**Chrome**	**4005176829918**	**21.53**
	S-union 1/2" x 3/4" **adjustment range 7.5 mm** with sound absorber screw escutcheon **GROHE StarLight** chrome finish			
 	**18 862 000**	**Chrome**	**4005176028120**	**66.84**
	Wall union			
 	**18 121 000**	**Chrome**	**4005176815812**	**56.64**
	Pillar union, pair **GROHE StarLight** chrome finish			

GROHE
OUTLETS AND SPOUTS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**13 034 000**	**Chrome**	**4005176022869**	**56.27**

Swivel tube spout
for kitchen wall mixers, 1/2"
tubular spout
mousseur
projection 300 mm
coupling nut 3/4"
DR-brass
GROHE StarLight finish

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**13 071 000**	**Chrome**	**4005176023132**	**37.90**

Swivel tube spout
swivelling, without stop
mousseur
coupling nut 3/4"
projection 140 mm
DR-brass
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
FLOW STRAIGHTENERS

Ref. No.	Colour	EAN	Retail Guide Price (£)
48 189 000	**Chrome**	**4005176928772**	**31.08**



Water saving set
includes two supply adapters incl. flow regulator
and one mousseur insert
for combination with M22/24 mousseurs
connection size G 3/8“
low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence

48 190 000	**Chrome**	**4005176928987**	**35.85**



Water saving set
includes two supply adapters incl. flow regulator
and one mousseur insert
for combination with M22/24 mousseurs
connection size G 3/8“
low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence


48 191 000	**Chrome**	**4005176928994**	**35.85**



Water saving set
includes two supply adapters incl. flow regulator
and one mousseur insert
for combination with M22/24 mousseurs
connection size G 3/8“
low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence

13 928 000	**Chrome**	**4005176025365**	**13.60**






Flow restrictor
internal thread
M 22 x 1(LP)
13.5 l/min at 3 bar
GROHE StarLight finish
female thread

13 960 000	**Chrome**	**4005176109522**	**16.99**





Flow straightener
external thread
M 24 x 1
7.5 l/min at 3 bar
GROHE StarLight finish
male thread


13 929 000	**Chrome**	**4005176025440**	**13.60**





Flow restrictor
external thread
M 24 x 1
13.5 l/min at 3 bar
GROHE StarLight finish
male thread

GROHE
FLOW STRAIGHTENERS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**13 952 000**	**Chrome**	**4005176079818**	**13.60**
	Flow restrictor external thread M 24 x 1 flow class C 30 l/min. at 3 bar **GROHE StarLight** finish male thread			
 	**13 927 000**	**Chrome**	**4005176005541**	**21.53**
	Flow restrictor external thread M 28 x 1 30 l/min. at 3 bar **GROHE StarLight** finish male thread			
 	**13 220 000**		**4005176855504**	**21.53**
	Flow restrictor flow class Z 7.5 l/min at 3 bar including disassembly key			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
WASTE SETS AND TRAPS

Ref. No.	Colour	EAN	Retail Guide Price (£)
28 910 000	**Chrome**	**4005176603846**	**66.84**






Pop-up waste set 1 1/4"
for wash basins with overflow
for basin/bidet fittings

40 565 000	**Chrome**	**4005176912757**	**82.41**
40 565 DC0	**supersteel**	**4005176491702**	**89.62**
40 565 AL0	**Brushed Hard Graphite**	**4005176491696**	**101.49**






Waste set with push-open plug
for wash basins with overflow
for replacement in an existing system
GROHE StarLight chrome finish

65 807 000	**Chrome**	**4005176849893**	**44.97**
65 807 BE0	**polished nickel**	**4005176467691**	**67.61**
65 807 GL0	**cool sunrise**	**4005176467738**	**98.14**
65 807 DA0	**warm sunset**	**4005176467752**	**98.14**
65 807 A00	**hard graphite**	**4005176467721**	**107.96**






Waste set with push-open plug
with push-open cover
for wash basins with overflow
removable cover
removable plug
closable
GROHE StarLight chrome finish

65 807 DC0	**supersteel**	**4005176442797**	**109.57**
65 807 EN0	**brushed nickel**	**4005176467707**	**74.15**
65 807 GN0	**brushed cool sunrise**	**4005176467745**	**80.30**
65 807 DL0	**brushed warm sunset**	**4005176467769**	**134.14**
65 807 AL0	**Brushed Hard Graphite**	**4005176467714**	**80.30**






Waste set with push-open plug
with push-open cover
for wash basins with overflow
removable cover
closable
GROHE StarLight finish

65 808 000	**Chrome**	**4005176860065**	**47.04**





Waste 1 1/4"
for basins mixers without Pop Up Waste
removable cover
non-closable
GROHE StarLight chrome finish

40 824 000	**Chrome**	**4005176332975**	**22.70**





Waste set with push-open plug
for wash basins with overflow
removable plug
closable

GROHE
WASTE SETS AND TRAPS

Ref. No.	Colour	EAN	Retail Guide Price (£)
07 182 000	**Chrome**	**4005176017438**	**25.93**



Chrome bath plug
for waste set 1 1/4"
GROHE StarLight chrome finish

---

07 052 000		**4005176003370**	**31.32**



Eccentric rod
for waste set 1 1/4"
length 180 mm
GROHE StarLight chrome finish

---

07 341 000	**Chrome**	**4005176017728**	**42.13**




Eccentric rod
for waste set 1 1/4"
length 350 mm
GROHE StarLight chrome finish

---

28 920 000	**Chrome**	**4005176603914**	**34.97**






Bottle trap, 1 1/4"
for basins
with fixed dip tube
wall connection
escutcheon
GROHE StarLight chrome finish

---

40 564 000	**Chrome**	**4005176912740**	**276.24**
40 564 DC0	**supersteel**	**4005176491795**	**358.79**
40 564 A00	**hard graphite**	**4005176491849**	**384.96**
40 564 AL0	**Brushed Hard Graphite**	**4005176491788**	**410.04**






Bottle trap
for **wash basin**
GROHE StarLight chrome finish
brass body

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
WASTE SETS AND TRAPS





Ref. No.	Colour	EAN	Retail Guide Price (£)
28 912 000	**Chrome**	**4005176266751**	**253.36**
28 912 DC0	**supersteel**	**4005176467905**	**234.46**
28 912 EN0	**brushed nickel**	**4005176467837**	**290.54**
28 912 GN0	**brushed cool sunrise**	**4005176467875**	**290.54**
28 912 DL0	**brushed warm sunset**	**4005176467899**	**265.00**
28 912 AL0	**Brushed Hard Graphite**	**4005176467844**	**265.00**

Bottle trap, 1 1/4"
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE StarLight chrome finish

GROHE
CONNECTIONS AND NON-RETURN VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	46 914 000		4005176326424	7.82
	Compression MI coupling for all basin and kitchen mixers 15 mm x 3/8" including nut & olive			
	47 189 000	**Chrome**	4005176010330	44.19
	Non-return valve multi-packaging: 2 pieces **GROHE StarLight** chrome finish			
	14 116 00M		4005176006005	56.81
	Non-return valve 1/2" multi-packaging: 2 pieces			
	14 117 00M		4005176006012	69.93
	Backflow preventer multi-packaging: 2 pieces			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SPARE PARTS FOR ELECTRONICS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**42 229 000**		**4005176299223**	**225.48**
	Solenoid valve for Europlus E			
	**42 886 000**		**4005176200670**	**44.19**
	Battery 6V lithium battery, type CR-P2			

GROHE
DIVERTERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**08 915 000**	**Chrome**	**4005176020124**	**52.93**

Diverter
for single-lever and thermostatic bath mixer 1/2", wall mounted
automatic diverter: bath/shower

	**46 058 000**	**Chrome**	**4005176008467**	**66.84**

Diverter
for universal single-lever mixer for concealed installation 1/2" bath
including diverter knob
until 2010
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HOSES

Ref. No.	Colour	EAN	Retail Guide Price (£)
48 293 000		4005176358593	32.85



Shower hose
for sink mixer with pull-out dual spray or mousseur
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
including weight and knurled nuts G 1/2
approx. 1425 mm
M15 x 1
GROHE StarLight finish




GROHE
SPARE PARTS FOR KITCHEN FAUCETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**46 575 000**	**Chrome**	**4005176830099**	**78.18**




K4
Hand shower
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SPARE PARTS FOR SHOWERS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 634 XX0	dark grey	4005176041440	33.73
Relexa **Quick coupling** for combination with average showers without integrated **Grohclick** with new system only in connection with coupling piece (28 635/28 637)				
 	28 817 000	Chrome	4005176602962	14.62
Adapter 1/2" x 1/4" female thread 3/4" x 1/2" male thread **GROHE StarLight** chrome finish				
	06 765 000	Chrome	4005176831973	96.14
Sliding piece suitable for shower rails of Relexa, Rainshower and Euphoria range with diameter of 25 mm glider with swivel holder for height adjustability of the hand shower **GROHE StarLight** chrome finish				
 	07 659 000	Chrome	4005176003707	53.99
Sliding piece suitable for shower rails of Tempesta range with diameter of 25 mm glider with swivel holder for height adjustability of the hand shower **GROHE StarLight** chrome finish				
	12 140 000	Chrome	4005176288319	66.84
Sliding piece suitable for shower rails with diameter of 22 mm glider with swivel holder for height adjustability of the hand shower **GROHE StarLight** chrome finish				
	45 650 IP0	chrome/ matt chrome	4005176137228	55.52
Sliding piece suitable for shower rails Relexa 28 620/28 621 with diameter of 27.8 mm glider with swivel holder for height adjustability of the hand shower **GROHE StarLight** chrome finish				

GROHE
SPARE PARTS FOR SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	12 435 000	Chrome	4005176272141	57.46
Relexa Plus **Gliding element with metal sleeve** for shower rail 28 620 / 28 621 Ø 28 mm angle of inclination adjustable by click stop device height adjustment via locking nut **GROHE StarLight** chrome finish				
	48 099 000	Chrome	4005176908583	21.53
Sliding piece suitable for shower rails of Tempesta range with diameter of 21.8 mm glider with swivel holder for height adjustability of the hand shower **GROHE StarLight** chrome finish				
	48 177 000	Chrome	4005176924248	45.08
Sliding piece suitable for shower rails range with diameter 24.7 mm glider with swivel holder for height adjustability of the hand shower **GROHE StarLight** chrome finish				
	45 363 000	Chrome	4005176112324	21.53
Cover plate for shower rail Relexa and Tempesta ø 25 mm				

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
MISCELLANEOUS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**07 264 00M**	**Chrome**	**4005176228797**	**10.20**
	Filter multi-packaging: 2 pieces			
	**49 002 00M**		**4005176372193**	**6.80**
	Temperature limiter GROHE SafeStop Plus at 43°C contains two types of temperature limiters to be retrofitted in thermostat handles 10 pcs.			
	**07 587 000**	**Chrome**	**4005176229015**	**20.52**
	Slider			

GROHE
SPECIAL TOOLS

Ref. No.	Colour	EAN	Retail Guide Price (£)
19 332 000		**4005176823695**	**78.18**





Socket Spanner
34 mm for dis-/assembly of central screw coupling and GROHE TurboStat thermostatic compact cartridge
32 mm for disassembly of 35 mm cartridge

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
CLEANING AND CARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**45 937 000**		**4005176279683**	**26.56**
	Grohe Special grease 25 g sales unit 15 pieces			
	**48 166 000**		**4005176923197**	**16.30**
	Grohclean **Detergent for fittings and bathrooms** 500 ml spray bottle based on citric acid in display box sales unit 10 pieces			

GROHE
SPARE PARTS FOR SANITARY SYSTEMS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	42 303 000	Chrome	4005176835391	80.53
	Skate **Flush plate** for retrofit for pneumatic discharge valve with 2 hoses (42 253 and 42 774) for dual flush or start & stop actuation **for vertical and horizontal installation** 156 x 197 mm made of ABS **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow			
	42 304 000	Chrome	4005176835469	80.53
	Skate Air **Flush plate** for dual flush or start & stop actuation for retrofit for pneumatic drop valve AV1 for pneumatic discharge valve with 2 hoses (42 253 and 42 774) **for vertical installation** 156 x 197 mm made of ABS **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow			
	42 305 000	Chrome	4005176835490	80.53
	Skate Air **Flush plate** for dual flush or start & stop actuation for pneumatic drop valve AV1 for pneumatic discharge valve with 2 hoses (42 253 and 42 774) for horizontal installation 156 x 197 mm made of ABS **GROHE EcoJoy** technology for less water and perfect flow **GROHE StarLight** chrome finish			
	42 740 000		4005176230653	395.44
	Solenoid Valve			
	43 544 000		4005176157738	10.49
	Outlet piston			
	43 506 000		4005176157356	10.59
	Bellow			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SPARE PARTS FOR SANITARY SYSTEMS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	42 593 000		4005176566417	35.99
	Valve seat including flow manager reduces flow of the flush prevents overspill in rimless toilets easy flow regulation via inspection shaft without removing the valves suitable for flushing cistern GD 2			
	42 764 00M		4005176222092	16.89
	Threaded bolt for WC fixation for Rapid SL 1.13 m multi-packaging: 2 pieces			
	42 233 000	Chrome	4005176300653	21.53
	Connecting hose			
	43 758 00M		4005176159121	44.19
	Membrane filling valve multi-packaging: 10 pieces			

GROHE
SPARE PARTS FOR SHOWER TOILET

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**14 917 000**		**4005176307607**	**71.96**
	Connecting PIPE for Sensia IGS shower WC system flush- and waste pipe			
 	**14 926 002**		**4005176572128**	**275.33**
	GROHE Sensia Arena **Remote control** for 39 354 SH0 and 39 354 SH1 for Sensia Arena shower toilet system, wall hung including wall holder			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SPARE PARTS FOR CERAMICS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**49 510 000**		**4005176373329**	**63.97**
	Fixing set for Euro Ceramic wall hung WC 203 mm 39 328 000, 39 328 00H			
	**49 024 000**	**Chrome**	**4005176454196**	**68.72**
	Fixing set for Euro Ceramic compact wall hung WC 203 mm 39 206 000, 39 206 00H			
 	**37 095 000**		**4005176145124**	**33.84**
	Filling valve 3/8“ universal application			

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
00			
00 798 000	4005176229008	741	31.32
06			
06 188 000	4005176002519	745	106.93
06 765 000	4005176831973	761	96.14
07			
07 000 000	4005176016899	739	128.54
07 025 000	4005176016929	745	31.32
07 052 000	4005176003370	754	31.32
07 146 000	4005176017261	744	20.52
07 182 000	4005176017438	754	25.93
07 264 00M	4005176228797	763	10.20
07 341 000	4005176017728	754	42.13
07 587 000	4005176229015	763	20.52
07 659 000	4005176003707	761	53.99
08			
08 915 000	4005176020124	758	52.93
10			
10 099 00M	4005176812965	747	14.73
12			
12 051 000	4005176213588	595, 610	44.19
12 140 000	4005176288319	761	66.84
12 400 000	4005176004582	749	44.19
12 433 000	4005176272752	743	89.51
12 435 000	4005176272141	450, 762	57.46
12 693 000	4005176829918	749	21.53
13			
13 034 000	4005176022869	538, 750	56.27
13 071 000	4005176023132	538, 750	37.90
13 139 003	4005176455131	62	236.41
13 139 AL3	4005176455155	62	429.35
13 139 DA3	4005176493287	62	366.74
13 139 DC3	4005176455148	62	375.65
13 139 GL3	4005176493263	62	366.74
13 220 000	4005176855504	752	21.53
13 255 001	4005176556722	200, 206	75.49
13 261 000	4005176877384	177	91.91
13 262 000	4005176877391	177	101.51
13 264 001	4005176515149	42	198.54
13 276 002	4005176887246	155	108.41
13 278 002	4005176887871	139	108.39
13 280 001	4005176888687	148	99.00
13 281 001	4005176888694	148	129.77
13 299 000	4005176899003	31	352.02
13 299 AL0	4005176490705	31	516.12
13 299 DC0	4005176490712	31	452.41
13 303 000	4005176906350	100	132.78
13 303 AL0	4005176585562	100	204.85
13 303 DC0	4005176525100	100	179.52
13 304 000	4005176906367	100	144.95
13 317 001	4005176514869	42	889.46
13 317 A01	4005176514845	42	1,334.19
13 317 DL1	4005176514746	42	1,423.14
13 317 GN1	4005176514685	42	1,423.14
13 319 000	4005176912627	31	814.97
13 319 AL0	4005176353284	31	1,194.19
13 319 DC0	4005176490651	31	1,045.18
13 341 000	4005176931000	72	249.61
13 341 IG0	4005176931017	72	333.20
13 378 000	4005176351532	593	89.51
13 380 000	4005176351549	593	98.93
13 383 001	4005176418167	84	218.06
13 383 DC1	4005176418174	84	363.69
13 404 003	4005176529788	111	150.08
13 404 DC3	4005176574115	111	202.99
13 448 003	4005176613555	188	94.40
13 540 000	4005176005411	211	112.17
13 927 000	4005176005541	752	21.53
13 928 000	4005176025365	751	13.60
13 929 000	4005176025440	751	13.60
13 952 000	4005176079818	752	13.60
13 960 000	4005176109522	751	16.99
14			
14 014 000	4005176929274	365	60.56
14 015 000	4005176932748	334	151.29
14 048 000	4005176413483	312, 748	166.90
14 053 00M	4005176413513	312	54.94
14 055 000	4005176413520	215, 312	174.39
14 056 000	4005176466298	312, 748	123.23
14 057 000	4005176466304	313, 748	159.40
14 058 000	4005176466311	313, 748	159.41
14 074 000	4005176575365	627, 659	39.95
14 116 00M	4005176006005	756	56.81
14 117 00M	4005176006012	756	69.93
14 917 000	4005176307607	768	71.96
14 926 002	4005176572128	626, 768	275.33
18			
18 121 000	4005176815812	749	56.64
18 349 000	4005176874796	173	28.51
18 608 001	4005176985140	280	48.21
18 700 000	4005176940811	284	48.20
18 862 000	4005176028120	749	66.84
18 968 001	4005176514586	38	122.30
18 968 A01	4005176514562	38	183.45
18 968 DL1	4005176514463	38	195.68
18 968 GN1	4005176514401	38	195.68
19			
19 025 000	4005176209154	84, 113	59.09
19 069 003	4005176455469	60	92.00
19 069 AL3	4005176455483	60	166.96
19 069 DA3	4005176494031	60	143.18
19 069 DC3	4005176455476	60	146.07
19 069 GL3	4005176494017	60	143.18
19 088 003	4005176455162	60	118.78
19 088 AL3	4005176455186	60	165.37
19 088 DA3	4005176493348	60	143.18
19 088 DC3	4005176455179	60	153.71
19 088 GL3	4005176493324	60	143.18
19 287 003	4005176454738	51	393.64
19 287 AL3	4005176454752	51	715.55
19 287 DA3	4005176492372	51	611.24
19 287 DC3	4005176454745	51	626.11
19 287 GL3	4005176492358	51	611.24
19 309 002	4005176499982	37	587.68
19 309 A02	4005176514302	37	881.52
19 309 DL2	4005176514227	37	940.29
19 309 GN2	4005176514173	37	940.29
19 315 001	4005176514159	39	262.07
19 315 A01	4005176514135	39	393.11
19 315 DL1	4005176514036	39	419.32
19 315 GN1	4005176513978	39	419.32
19 316 001	4005176513954	41	1,124.53
19 316 A01	4005176513930	41	1,686.80
19 316 DL1	4005176513831	41	1,799.25

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
19 316 GN1	4005176513770	41	1,799.25
19 317 001	4005176513756	39	230.31
19 317 A01	4005176513732	39	345.46
19 317 DL1	4005176513633	39	368.49
19 317 GN1	4005176513572	39	368.49
19 332 000	4005176823695	764	78.18
19 334 001	4005176513558	43	79.42
19 334 A01	4005176513534	43	119.12
19 334 DL1	4005176513435	43	127.07
19 334 GN1	4005176513374	43	127.07
19 345 001	4005176888953	146	162.49
19 346 001	4005176889080	147	176.86
19 380 002	4005176513190	40	304.75
19 380 A02	4005176513176	40	452.67
19 380 DL2	4005176513077	40	482.85
19 380 GN2	4005176513015	40	482.85
19 381 000	4005176874673	172	196.64
19 382 000	4005176874697	177	138.45
19 383 000	4005176874765	176	115.19
19 384 000	4005176875755	49	154.07
19 386 002	4005176512995	37	603.56
19 386 A02	4005176512971	37	905.34
19 386 DL2	4005176512872	37	965.70
19 386 GN2	4005176512810	37	965.70
19 408 001	4005176307133	121	205.86
19 408 A01	4005176426209	121	339.10
19 408 AL1	4005176426193	121	361.71
19 408 DA1	4005176426179	121	332.45
19 408 DC1	4005176369964	121	310.27
19 408 DL1	4005176426186	121	361.71
19 408 GL1	4005176426155	121	332.45
19 408 GN1	4005176426162	121	354.60
19 409 001	4005176409158	79	303.33
19 409 AL1	4005176586170	79	411.90
19 409 DC1	4005176412752	79	388.61
19 446 002	4005176512797	41	317.66
19 446 A02	4005176512773	41	476.50
19 446 DL2	4005176512674	41	508.26
19 446 GN2	4005176512612	41	508.26
19 470 000	4005176848018	746	72.95
19 506 002	4005176887185	154	169.31
19 506 003	4005176334399	166	157.14
19 506 LS3	4005176334542	166	205.88
19 507 002	4005176887079	154	169.30
19 507 003	4005176334337	165	132.77
19 507 LS3	4005176334528	165	185.02
19 571 002	4005176886973	151	242.42
19 571 003	4005176334269	160	242.43
19 571 LS3	4005176334498	160	303.34
19 573 002	4005176887659	136	230.26
19 575 001	4005176888366	143	199.11
19 576 002	4005176429088	148	764.19
19 577 001	4005176409233	82	729.69
19 577 AL1	4005176586224	82	1,406.39
19 577 DC1	4005176412820	82	1,334.49
19 577 EN1	4005176413018	82	1,582.62
19 578 001	4005176307195	127	814.98
19 578 A01	4005176426520	127	1,199.34
19 578 AL1	4005176426513	127	1,279.31
19 578 DA1	4005176426490	127	1,199.34
19 578 DC1	4005176371103	127	1,119.40
19 578 DL1	4005176426506	127	1,279.31
19 578 GL1	4005176426476	127	1,199.34
19 578 GN1	4005176426483	127	1,279.31
19 590 001	4005176512599	43	135.01
19 590 A01	4005176512575	43	202.51
19 590 DL1	4005176512476	43	216.01
19 590 GN1	4005176512414	43	216.01
19 781 000	4005176898822	28	739.27
19 781 AL0	4005176490385	28	1,116.45
19 781 DC0	4005176490392	28	977.16
19 783 000	4005176898846	28	802.81
19 783 AL0	4005176490477	28	1,190.95
19 783 DC0	4005176490484	28	1,041.94
19 787 001	4005176429057	29	1,687.81
19 787 AL1	4005176489563	29	2,456.40
19 787 DC1	4005176489570	29	2,148.68
19 796 000	4005176899133	31	205.89
19 796 AL0	4005176353062	31	278.57
19 796 DC0	4005176490019	31	265.62
19 798 000	4005176899157	31	285.43
19 798 AL0	4005176353079	31	387.63
19 798 DC0	4005176489969	31	369.27
19 808 001	4005176843204	211	22.69
19 809 001	4005176853876	211	23.14
19 830 000	4005176030697	745	29.74
19 831 000	4005176030703	745	29.15
19 840 000	4005176030758	746	37.78
19 841 000	4005176030765	746	47.37
19 895 000	4005176901072	94	278.97
19 895 AL0	4005176585494	94	422.18
19 897 001	4005176429101	99	1,181.65
19 897 AL1	4005176585548	99	1,662.79
19 897 DC1	4005176525087	99	1,455.49
19 910 000	4005176987014	101	59.67
19 918 003	4005176454769	52	446.05
19 918 AL3	4005176454783	52	810.98
19 918 DA3	4005176492440	52	692.74
19 918 DC3	4005176454776	52	709.61
19 918 GL3	4005176492426	52	692.74
19 919 000	4005176924125	71	1,252.83
19 919 IG0	4005176924132	71	1,635.00
19 922 003	4005176455568	61	1,344.50
19 922 AL3	4005176455582	61	1,955.97
19 922 DA3	4005176494697	61	1,833.71
19 922 DC3	4005176455575	61	1,668.52
19 922 GL3	4005176494673	61	1,833.71
19 923 003	4005176455537	61	1,344.50
19 923 AL3	4005176455551	61	1,797.37
19 923 DA3	4005176494635	61	1,833.71
19 923 DC3	4005176455544	61	1,878.36
19 923 GL3	4005176494611	61	1,833.71
19 929 000	4005176930430	69	432.89
19 929 IG0	4005176930447	69	595.95
19 930 000	4005176930454	69	500.40
19 930 IG0	4005176930461	69	655.66
19 936 000	4005176930812	70	1,204.78
19 936 IG0	4005176930829	70	1,527.51
19 944 000	4005176931086	72	118.21
19 944 IG0	4005176931093	72	142.12
19 952 000	4005176174230	84, 113	53.08
19 952 A00	4005176352874	214	130.86
19 952 AL0	4005176353376	84, 113	143.95
19 952 BE0	4005176468094	214	price on request
19 952 DA0	4005176351945	214	price on request
19 952 DC0	4005176467776	84, 113	66.53
19 952 DL0	4005176468124	214	119.96
19 952 EN0	4005176468100	214	273.73
19 952 GL0	4005176352423	214	104.69
19 952 GN0	4005176468117	214	208.93
19 954 000	4005176175732	215	22.54
19 965 001	4005176409240	83	534.77
19 966 000	4005176986864	99	734.22
19 967 001	4005176307140	122	230.25

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
19 967 A01	4005176426285	122	374.55
19 967 AL1	4005176426278	122	399.50
19 967 DA1	4005176426254	122	374.55
19 967 DC1	4005176369971	122	349.59
19 967 DL1	4005176426261	122	399.50
19 967 GL1	4005176426230	122	374.55
19 967 GN1	4005176426247	122	399.50
19 968 000	4005176993657	130	230.23
19 969 000	4005176993671	130	249.62
19 974 002	4005176305948	136	242.41
19 976 001	4005176307218	127	486.04
19 997 000	4005176342189	87	266.77
19 998 000	4005176342196	87	303.33
20			
20 008 003	4005176455285	58	525.23
20 008 AL3	4005176455308	58	954.09
20 008 DA3	4005176493621	58	814.99
20 008 DC3	4005176455292	58	834.84
20 008 GL3	4005176493607	58	814.99
20 009 003	4005176454974	58	420.42
20 009 AL3	4005176454998	58	954.09
20 009 DA3	4005176492853	58	814.99
20 009 DC3	4005176454981	58	834.84
20 009 GL3	4005176492839	58	814.99
20 021 003	4005176455193	57	263.22
20 021 AL3	4005176455216	57	477.05
20 021 DA3	4005176493416	57	407.49
20 021 DC3	4005176455209	57	417.45
20 021 GL3	4005176493393	57	407.49
20 025 000	4005176099403	611	134.84
20 143 000	4005176832581	47	693.16
20 164 003	4005176455315	58	446.05
20 164 AL3	4005176455339	58	810.98
20 164 DA3	4005176493690	58	692.74
20 164 DC3	4005176455322	58	709.61
20 164 GL3	4005176493676	58	692.74
20 169 003	4005176455001	58	446.05
20 169 AL3	4005176455025	58	810.98
20 169 DA3	4005176492921	58	692.74
20 169 DC3	4005176455018	58	709.61
20 169 GL3	4005176492907	58	692.74
20 186 001	4005176874437	209	70.46
20 187 000	4005176874680	172	219.90
20 188 001	4005176499685	36	540.03
20 188 A01	4005176499753	36	810.04
20 188 DL1	4005176499746	36	864.05
20 188 GN1	4005176499722	36	864.05
20 189 002	4005176499784	36	389.56
20 189 A02	4005176499852	36	662.26
20 189 DL2	4005176499845	36	701.21
20 189 GN2	4005176499821	36	701.21
20 190 000	4005176875748	48	607.89
20 192 000	4005176875991	48	656.60
20 193 002	4005176499883	37	428.52
20 193 A02	4005176499951	37	623.30
20 193 DL2	4005176499944	37	701.21
20 193 GN2	4005176499920	37	701.21
20 201 000	4005176883354	213	115.72
20 203 000	4005176883378	213	102.31
20 205 000	4005176883682	213	84.07
20 208 002	4005176886980	151	278.97
20 216 001	4005176888373	143	243.60
20 296 001	4005176307072	121	278.97
20 299 001	4005176307096	121	345.15
20 301 003	4005176529757	106	326.07
20 304 001	4005176409141	78	388.61
20 342 000	4005176898860	27	766.26
20 342 AL0	4005176490064	27	1,122.92
20 342 DC0	4005176490071	27	982.56
20 344 000	4005176898884	27	894.53
20 344 AL0	4005176353185	27	1,469.98
20 344 DC0	4005176489815	27	1,172.59
20 346 000	4005176898907	27	790.60
20 346 AL0	4005176490200	27	1,166.11
20 346 DC0	4005176490217	27	1,020.35
20 348 000	4005176898921	27	839.35
20 348 AL0	4005176490293	27	1,240.62
20 348 DC0	4005176490309	27	1,085.14
20 351 000	4005176901041	94	327.69
20 351 AL0	4005176584688	94	512.88
20 351 DC0	4005176525001	94	449.17
20 389 000	4005176924101	68	607.89
20 389 IG0	4005176924118	68	775.11
20 393 001	4005176842993	209	77.64
20 404 001	4005176842986	209	58.50
20 414 000	4005176930492	68	449.52
20 414 IG0	4005176930508	68	547.10
20 415 000	4005176930515	68	465.91
20 415 IG0	4005176930522	68	643.73
20 417 000	4005176930553	68	546.96
20 417 IG0	4005176930560	68	703.44
20 421 001	4005176556173	194	54.51
20 421 10M	4005176556180	194	108.92
20 422 001	4005176529504	201	54.52
20 575 000	4005176388422	207	58.68
21			
21 019 003	4005176455223	57	420.44
21 019 AL3	4005176455247	57	763.29
21 019 DA3	4005176493485	57	651.98
21 019 DC3	4005176455230	57	667.87
21 019 GL3	4005176493461	57	651.98
21 022 003	4005176454943	57	420.44
21 022 AL3	4005176454967	57	763.29
21 022 DA3	4005176492792	57	651.98
21 022 DC3	4005176454950	57	667.87
21 022 GL3	4005176492778	57	651.98
21 044 003	4005176455254	57	577.66
21 044 AL3	4005176455278	57	1,049.51
21 044 DA3	4005176493553	57	896.49
21 044 DC3	4005176455261	57	918.34
21 044 GL3	4005176493539	57	896.49
21 107 000	4005176930393	67	461.70
21 107 IG0	4005176930409	67	595.95
21 375 001	4005176843037	209	106.28
21 390 001	4005176843006	209	157.14
22			
22 012 000	4005176906343	102, 732	47.51
22 012 AL0	4005176585944	102, 732	79.29
22 012 DC0	4005176525742	102, 732	69.38
22 013 000	4005176909689	102, 733	47.51
22 016 00M	4005176940606	732	84.06
22 017 00M	4005176940613	731	59.69
22 018 000	4005176305382	731	6.07
22 023 000	4005176305405	730	7.29
22 029 000	4005176305467	731	10.94
22 032 000	4005176305481	731	10.97
22 033 000	4005176305498	734	28.02
22 035 000	4005176305511	734	23.14
22 037 000	4005176305535	730	10.95
22 039 AL0	4005176467936	730	77.29
22 043 000	4005176305597	730	16.97

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
22 046 000	4005176305627	730	9.72
22 053 000	4005176349027	731	12.19
22 054 001	4005176554162	201	76.37
22 917 000	4005176501388	732	50.13
22 939 000	4005176829369	732	21.53
22 940 000	4005176829376	732	21.53
22 958 00M	4005176034237	732	438.78
23			
23 029 000	4005176898709	26	620.05
23 029 AL0	4005176353154	26	1,007.22
23 029 DC0	4005176489471	26	803.32
23 033 000	4005176898716	26	620.05
23 033 AL0	4005176489648	26	917.78
23 033 DC0	4005176489488	26	803.32
23 037 002	4005176886355	149	157.12
23 039 002	4005176886881	149	96.25
23 043 003	4005176472732	151	203.82
23 048 003	4005176429132	154	912.43
23 049 002	4005176887536	133	201.85
23 051 002	4005176887567	133	108.41
23 054 003	4005176472596	135	199.84
23 055 002	4005176887680	136	254.58
23 058 003	4005176313790	358	737.39
23 060 001	4005176888021	140	140.68
23 076 000	4005176890505	47	559.14
23 106 001	4005176409110	78	254.59
23 106 AL1	4005176586149	78	361.23
23 106 DC1	4005176412721	78	342.28
23 109 000	4005176898754	26	778.42
23 109 AL0	4005176353161	26	1,155.32
23 109 DC0	4005176489860	26	998.75
23 112 000	4005176898778	26	778.42
23 112 AL0	4005176489785	26	1,141.28
23 114 000	4005176898792	26	942.30
23 114 AL0	4005176353178	26	1,414.45
23 114 DC0	4005176489914	26	1,237.38
23 117 000	4005176898938	28	691.50
23 117 AL0	4005176490569	28	1,041.94
23 117 DC0	4005176490576	28	912.38
23 119 000	4005176899027	30	2,800.63
23 119 001	4005176428883	30	2,604.32
23 119 AL0	4005176353208	30	4,518.82
23 119 DC0	4005176489679	30	3,620.35
23 127 000	4005176900341	92	242.42
23 127 00E	4005176901591	92	242.42
23 132 00E	4005176906725	92	230.25
23 135 000	4005176901027	93	266.77
23 135 00E	4005176906732	93	249.61
23 137 000	4005176901096	92	181.53
23 138 000	4005176901133	95	230.26
23 140 000	4005176901157	96	285.44
23 140 AL0	4005176585531	96	450.25
23 140 DC0	4005176525056	96	394.10
23 141 000	4005176901164	96	364.21
23 145 000	4005176901270	95	261.54
23 145 AL0	4005176585524	95	386.55
23 145 DC0	4005176525049	95	337.96
23 147 001	4005176313271	358	1,309.05
23 200 000	4005176908354	28, 94	254.61
23 200 002	4005176519901	28, 95	237.55
23 293 000	4005176921148	606	216.27
23 296 001	4005176409127	78	327.69
23 296 DC1	4005176412738	78	449.23
23 302 000	4005176923876	602	353.53
23 303 000	4005176924088	67	388.63
23 303 IG0	4005176924095	67	500.40
23 310 000	4005176930331	67	388.63
23 310 IG0	4005176930348	67	500.40
23 313 000	4005176930614	67	510.41
23 313 IG0	4005176930621	67	655.66
23 315 000	4005176930652	69	437.34
23 315 IG0	4005176930669	69	560.13
23 316 000	4005176930690	69	420.85
23 316 IG0	4005176930706	69	547.10
23 317 000	4005176930799	70	560.12
23 317 IG0	4005176930805	70	683.87
23 318 000	4005176930874	71	1,826.07
23 318 IG0	4005176930881	71	2,315.76
23 319 000	4005176931192	69	249.62
23 322 003	4005176613302	181	115.19
23 323 003	4005176613319	182	115.19
23 324 003	4005176613326	181	103.55
23 325 000	4005176933974	169	138.45
23 327 000	4005176934094	170	126.81
23 327 KW0	4005176565205	170	165.74
23 328 001	4005176556241	194	75.64
23 330 001	4005176556302	194	71.20
23 331 001	4005176556494	198	75.64
23 335 001	4005176529566	201	87.89
23 337 001	4005176555725	201	71.20
23 338 001	4005176555893	204	99.00
23 372 003	4005176613241	182	101.23
23 373 20E	4005176936661	150	132.75
23 374 003	4005176334153	157	132.78
23 374 20E	4005176936678	150	132.76
23 374 LS3	4005176334450	157	181.52
23 376 00E	4005176936623	169	121.00
23 377 00E	4005176936630	168	126.81
23 378 00E	4005176936647	169	112.92
23 379 001	4005176306891	117	181.52
23 380 10E	4005176938245	141	154.62
23 382 20E	4005176936708	134	193.72
23 384 20E	4005176936722	134	225.73
23 385 10E	4005176938269	141	143.49
23 387 20E	4005176938382	149	132.76
23 389 20E	4005176938412	134	201.86
23 390 00E	4005176938436	92	242.42
23 392 00E	4005176938450	92	242.41
23 393 30E	4005176613340	181	115.19
23 394 30E	4005176613364	183	103.55
23 395 30E	4005176613357	181	103.55
23 396 00E	4005176938504	170	138.46
23 403 001	4005176499487	35	428.52
23 403 A01	4005176499555	35	584.34
23 403 DL1	4005176499548	35	638.88
23 403 GN1	4005176499524	35	638.88
23 405 001	4005176409134	78	303.33
23 405 AL1	4005176586163	78	505.51
23 405 DC1	4005176412745	78	479.18
23 406 000	4005176941658	93	303.31
23 406 AL0	4005176584671	93	474.00
23 406 DC0	4005176524998	93	414.62
23 425 000	4005176993596	130	193.69
23 427 000	4005176993619	130	218.06
23 428 000	4005176993633	130	327.69
23 429 000	4005176993695	37, 37	254.60
23 430 000	4005176993725	131	237.67
23 431 000	4005176993749	131	242.41
23 432 000	4005176993763	135	315.51
23 444 001	4005176411977	79	303.32
23 444 AL1	4005176586187	79	446.03
23 444 DC1	4005176412769	79	422.71
23 445 000	4005176998706	93	254.61

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
23 445 AL0	4005176584657	93	359.56
23 445 DC0	4005176524974	93	314.21
23 446 000	4005176998720	93	242.40
23 447 000	4005176998737	94	278.97
23 448 002	4005176998744	135	205.89
23 449 002	4005176998768	135	193.69
23 450 001	4005176998775	142	165.74
23 451 001	4005176998799	142	154.62
23 456 003	4005176613272	180	101.23
23 462 001	4005176306907	118	205.87
23 462 A01	4005176425325	118	303.00
23 462 AL1	4005176426070	118	323.20
23 462 DA1	4005176426056	118	303.00
23 462 DC1	4005176369933	118	282.78
23 462 DL1	4005176426063	118	323.20
23 462 GL1	4005176426032	118	303.00
23 462 GN1	4005176426049	118	323.20
23 463 001	4005176306914	118	193.69
23 480 001	4005176306921	118	198.67
23 491 001	4005176307263	128	1,253.53
23 491 A01	4005176407598	128	1,893.72
23 491 AL1	4005176407604	128	2,019.94
23 491 DA1	4005176407574	128	1,893.72
23 491 DC1	4005176371127	128	1,767.46
23 491 DL1	4005176426599	128	2,019.94
23 491 GL1	4005176407581	128	1,893.72
23 491 GN1	4005176426582	128	2,019.94
23 537 003	4005176613395	182	138.46
23 541 001	4005176313912	119	205.87
23 559 001	4005176556326	194	78.90
23 564 003	4005176334146	156	131.06
23 567 003	4005176334214	158	132.78
23 569 003	4005176334238	159	230.25
23 569 LS3	4005176334467	159	254.40
23 570 003	4005176334245	159	254.60
23 570 LS3	4005176334474	159	303.34
23 571 000	4005176334276	79, 122	242.40
23 590 001	4005176339189	116	163.25
23 590 A01	4005176426001	116	250.43
23 590 AL1	4005176425998	116	267.11
23 590 DA1	4005176425875	116	250.43
23 590 DC1	4005176369926	116	233.71
23 590 DL1	4005176425882	116	267.11
23 590 GL1	4005176425851	116	250.43
23 590 GN1	4005176425868	116	267.11
23 591 001	4005176339196	116	144.95
23 602 001	4005176556029	205	99.64
23 604 001	4005176556593	199	99.64
23 633 001	4005176555923	204	76.04
23 635 001	4005176556524	199	76.04
23 654 000	4005176342080	86	254.62
23 656 000	4005176342103	86	230.23
23 657 000	4005176342110	86	315.51
23 658 000	4005176342127	86	242.41
23 661 000	4005176342158	86	327.69
23 664 000	4005176342202	87	266.78
23 665 000	4005176342219	87	291.14
23 666 000	4005176342226	88	339.89
23 667 001	4005176429019	90	1,779.81
23 672 001	4005176429002	100	1,762.74
23 672 AL1	4005176585555	100	2,554.65
23 672 DC1	4005176525094	100	2,235.05
23 707 003	4005176364778	156	120.59
23 707 LS3	4005176364785	156	169.31
23 708 003	4005176364990	156	114.51
23 709 003	4005176365003	157	120.59
23 709 LS3	4005176365010	157	157.12
23 715 003	4005176365065	158	108.42
23 716 003	4005176365072	158	157.13
23 717 30L	4005176365089	159	108.42
23 718 003	4005176365096	159	205.89
23 718 LS3	4005176365102	159	242.41
23 719 003	4005176365119	160	242.43
23 719 LS3	4005176365126	160	278.97
23 720 003	4005176365157	161	120.59
23 720 LS3	4005176365164	161	169.30
23 722 003	4005176365188	161	181.55
23 722 LS3	4005176365195	161	181.52
23 725 003	4005176365249	166	169.34
23 726 003	4005176365256	163	181.53
23 726 LS3	4005176365263	163	242.39
23 730 003	4005176365324	166	181.52
23 739 002	4005176472602	142	219.17
23 741 001	4005176371509	128	1,887.00
23 741 DC1	4005176371516	128	3,313.76
23 743 003	4005176613401	183	138.46
23 751 000	4005176388149	207	81.44
23 752 000	4005176388156	207	76.65
23 753 000	4005176388163	207	117.39
23 754 000	4005176388170	207	106.59
23 755 000	4005176388187	208	82.64
23 756 000	4005176388392	208	94.62
23 757 001	4005176556340	196	105.93
23 758 001	4005176556364	196	95.67
23 759 001	4005176556388	197	95.67
23 760 001	4005176556418	197	109.02
23 761 001	4005176556449	198	129.05
23 762 001	4005176555763	202	95.67
23 763 001	4005176555800	203	109.02
23 764 001	4005176555848	204	129.05
23 790 001	4005176408380	77	242.41
23 791 001	4005176409097	77	242.41
23 791 AL1	4005176586125	77	339.20
23 791 DC1	4005176412707	77	320.89
23 792 001	4005176409257	83	1,801.70
23 792 AL1	4005176586231	83	2,615.66
23 792 DC1	4005176412837	83	2,481.52
23 792 EN1	4005176413001	83	2,505.53
23 797 001	4005176415531	117	173.42
23 843 003	4005176496547	105	355.23
23 843 DC3	4005176574085	105	470.76
23 844 003	4005176496554	106	355.23
23 845 003	4005176496677	110	733.14
23 846 003	4005176496684	111	1,618.52
23 846 AL3	4005176585722	111	2,515.79
23 846 DC3	4005176574177	111	2,201.58
23 851 003	4005176496523	105	301.24
23 851 AL3	4005176585623	105	464.29
23 851 DC3	4005176574078	105	405.98
23 856 001	4005176499586	36	1,111.83
23 856 A01	4005176499654	36	1,667.74
23 856 DL1	4005176499647	36	1,778.92
23 856 GN1	4005176499623	36	1,778.92
23 870 003	4005176529719	104	214.87
23 871 003	4005176529726	104	268.86
23 871 AL3	4005176585616	104	414.62
23 871 DC3	4005176574061	104	362.79
23 872 003	4005176529733	105	268.86
23 873 003	4005176529986	105	301.24
23 877 001	4005176554025	202	87.89
23 878 001	4005176554032	201	87.89
23 879 001	4005176554049	202	87.89
23 883 001	4005176554179	202	76.37
23 885 001	4005176554216	203	95.67

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
23 886 001	4005176554247	203	95.67
23 887 001	4005176554254	203	95.67
23 891 001	4005176554322	204	109.02
23 894 001	4005176554896	195	75.64
23 895 001	4005176554902	194	75.64
23 896 001	4005176554919	195	75.64
23 899 001	4005176555022	195	78.90
23 901 001	4005176555084	196	95.67
23 902 001	4005176555091	197	95.67
23 904 001	4005176555114	196	95.67
23 908 001	4005176555176	197	95.67
23 911 001	4005176555237	198	109.02
23 917 001	4005176555787	203	95.67
23 920 001	4005176583421	143	214.87
23 921 000	4005176583438	171	182.47
23 922 003	4005176613227	179	103.53
23 923 003	4005176613333	181	115.19
23 924 003	4005176613265	180	104.71
23 925 000	4005176583353	167	118.87
23 926 000	4005176583360	170	135.73
23 927 000	4005176583377	169	135.73
23 928 000	4005176583384	170	124.33
23 929 003	4005176583995	156	126.81
23 930 003	4005176584008	157	126.81
23 931 001	4005176584015	140	140.68
23 932 001	4005176584022	142	151.58
23 933 001	4005176584039	171	156.98
23 958 003	4005176605642	103	733.14
23 959 003	4005176605659	103	754.73
23 965 003	4005176611544	178	104.71
23 967 003	4005176611568	178	91.91
23 968 003	4005176611575	178	91.91
23 969 003	4005176613180	178	91.91
23 970 003	4005176613418	182	138.46
23 971 003	4005176613425	183	196.15
23 972 001	4005176634451	195	72.37
23 975 003	4005176644153	179	347.11
23 976 003	4005176644160	182	219.93
23 980 003	4005176644207	190, 598	105.52
23 981 003	4005176644214	190, 598	118.58
23 982 003	4005176644245	191, 600	105.52
23 983 003	4005176644313	192, 600	118.58
23 984 003	4005176643835	191, 600	171.89
23 985 003	4005176643842	191, 600	184.94
23 986 003	4005176643859	189, 597	171.89
23 987 003	4005176644344	190, 598	184.94
23 988 003	4005176644351	189, 597	131.90
23 989 003	4005176644368	189, 597	144.95
24			
24 027 003	4005176455346	59	446.05
24 027 AL3	4005176455360	59	810.98
24 027 DA3	4005176493768	59	692.74
24 027 DC3	4005176455353	59	709.61
24 027 GL3	4005176493744	59	692.74
24 036 000	4005176993701	131	230.23
24 042 003	4005176613616	187	129.96
24 043 003	4005176613548	187	143.18
24 044 000	4005176465185	176	142.08
24 045 000	4005176465291	176	156.38
24 046 003	4005176465307	164	142.98
24 046 LS3	4005176465314	164	185.65
24 047 003	4005176465321	165	157.97
24 047 LS3	4005176465338	165	204.09
24 048 003	4005176465345	164	149.90
24 048 LS3	4005176465352	164	194.86
24 049 003	4005176465369	164	164.89
24 049 LS3	4005176465376	164	214.49
24 051 002	4005176465383	154	163.73
24 052 002	4005176465390	154	179.88
24 053 001	4005176465406	146	155.48
24 054 001	4005176465413	146	170.60
24 055 002	4005176465420	131, 138	167.31
24 056 002	4005176465437	132, 139	183.13
24 059 003	4005176529832	109	204.07
24 059 AL3	4005176585708	109	315.29
24 059 DC3	4005176574153	109	275.33
24 060 003	4005176529825	109	214.87
24 060 AL3	4005176585692	109	331.48
24 060 DC3	4005176574146	109	290.45
24 061 000	4005176465680	88, 96	199.47
24 061 AL0	4005176585586	96	288.29
24 062 000	4005176465697	88, 97	220.25
24 062 AL0	4005176585579	97	317.44
24 062 DC0	4005176553905	97	277.49
24 063 001	4005176465703	81	207.57
24 063 AL1	4005176586248	81	305.07
24 063 DC1	4005176465727	81	289.34
24 064 001	4005176465710	81	228.31
24 064 AL1	4005176586255	81	335.91
24 064 DC1	4005176465734	81	318.28
24 065 003	4005176465741	53	343.62
24 065 AL3	4005176465765	53	547.46
24 065 DA3	4005176564550	53	473.57
24 065 DC3	4005176465758	53	479.04
24 065 GL3	4005176564574	53	468.06
24 066 003	4005176465772	53	377.06
24 066 AL3	4005176465796	53	602.19
24 066 DA3	4005176564628	53	520.93
24 066 DC3	4005176465789	53	526.92
24 066 GL3	4005176564642	53	515.43
24 067 000	4005176465802	70	319.92
24 067 IG0	4005176465819	70	384.36
24 068 000	4005176465840	70	359.79
24 068 IG0	4005176465857	70	422.79
24 071 000	4005176465901	29	393.42
24 071 AL0	4005176465925	29	579.81
24 071 DC0	4005176465918	29	507.47
24 072 000	4005176465932	29	432.99
24 072 AL0	4005176465956	29	637.05
24 072 DC0	4005176465949	29	558.23
24 075 000	4005176465987	271	402.42
24 076 000	4005176465994	271	448.54
24 077 000	4005176466007	271	448.54
24 078 000	4005176466038	269	402.42
24 079 000	4005176466045	269	448.54
24 080 000	4005176466052	269	448.54
24 092 001	4005176480522	126	226.01
24 092 A01	4005176481291	126	330.52
24 092 AL1	4005176481307	126	352.53
24 092 DA1	4005176480560	126	330.52
24 092 DC1	4005176480539	126	308.47
24 092 DL1	4005176480577	126	352.53
24 092 GL1	4005176480546	126	330.52
24 092 GN1	4005176480553	126	352.53
24 093 003	4005176530050	109	236.47
24 093 AL3	4005176585760	109	372.51
24 093 DC3	4005176574214	109	326.08
24 094 000	4005176480638	89, 97	245.59
24 094 AL0	4005176585593	97	354.15
24 094 DC0	4005176574047	97	309.89
24 095 001	4005176480645	82	254.84
24 095 AL1	4005176586262	82	374.45
24 095 DC1	4005176480652	82	354.78

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
24 096 003	4005176480669	54	403.58
24 096 AL3	4005176480683	54	643.87
24 096 DA3	4005176564697	54	557.27
24 096 DC3	4005176480676	54	563.42
24 096 GL3	4005176564710	54	550.66
24 099 000	4005176480744	29	458.96
24 099 AL0	4005176480768	29	731.64
24 099 DC0	4005176480751	29	640.16
24 134 003	4005176480959	54	648.90
24 134 AL3	4005176480997	54	1,036.64
24 134 DA3	4005176564345	54	546.35
24 134 DC3	4005176480973	54	907.07
24 134 GL3	4005176564369	54	886.47
24 135 003	4005176480966	55	694.12
24 135 AL3	4005176481000	55	1,108.85
24 135 DA3	4005176564413	55	958.81
24 135 DC3	4005176480980	55	970.24
24 135 GL3	4005176564437	55	948.01
24 138 003	4005176481017	55	694.12
24 138 AL3	4005176481031	55	1,108.85
24 138 DA3	4005176564482	55	958.81
24 138 DC3	4005176481024	55	970.24
24 138 GL3	4005176564505	55	948.01
24 153 000	4005176481178	89, 97	530.04
24 153 AL0	4005176585913	89, 97	754.73
24 153 DC0	4005176574221	89, 97	660.80
24 154 000	4005176481185	89, 98	590.87
24 154 AL0	4005176585920	89, 98	841.11
24 154 DC0	4005176574238	89, 98	736.38
24 155 000	4005176481192	90, 98	590.87
24 155 AL0	4005176585937	90, 98	841.11
24 155 DC0	4005176574245	90, 98	736.38
24 160 001	4005176596230	38	249.32
24 160 A01	4005176598708	38	342.81
24 160 DL1	4005176598692	38	373.98
24 160 GN1	4005176596278	38	373.98
24 167 001	4005176698422	125	199.47
24 167 A01	4005176712227	125	298.02
24 167 AL1	4005176712234	125	311.67
24 167 DA1	4005176712258	125	292.18
24 167 DC1	4005176712265	125	272.70
24 167 DL1	4005176712272	125	311.67
24 167 GL1	4005176712296	125	292.18
24 167 GN1	4005176712302	125	311.67
24 168 001	4005176698453	125	181.04
24 168 A01	4005176712135	125	265.65
24 168 AL1	4005176712142	125	283.35
24 168 DA1	4005176712166	125	265.65
24 168 DC1	4005176712173	125	247.93
24 168 DL1	4005176712180	125	283.35
24 168 GL1	4005176712203	125	265.65
24 168 GN1	4005176712210	125	283.35
24 169 001	4005176698477	126	226.01
24 169 A01	4005176712319	126	330.52
24 169 AL1	4005176712326	126	352.53
24 169 DA1	4005176712340	126	330.52
24 169 DC1	4005176712357	126	308.47
24 169 DL1	4005176712364	126	352.53
24 169 GL1	4005176711503	126	330.52
24 169 GN1	4005176711510	126	352.53
24 170 001	4005176698293	120	291.15
24 170 A01	4005176711619	120	450.31
24 170 AL1	4005176711626	120	480.32
24 170 DA1	4005176711640	120	450.31
24 170 DC1	4005176711657	120	420.27
24 170 DL1	4005176711664	120	480.32
24 170 GL1	4005176711688	120	450.31
24 170 GN1	4005176711695	120	480.32
24 171 001	4005176698309	116	175.42
24 171 A01	4005176711428	116	258.83
24 171 AL1	4005176711435	116	281.60
24 171 DA1	4005176711459	116	258.83
24 171 DC1	4005176711466	116	241.55
24 171 DL1	4005176711473	116	276.08
24 171 GL1	4005176711497	116	264.01
24 171 GN1	4005176712036	116	276.08
24 172 001	4005176698316	116	163.25
24 172 A01	4005176712043	116	250.43
24 172 AL1	4005176712050	116	267.11
24 172 DA1	4005176712074	116	250.43
24 172 DC1	4005176712081	116	233.71
24 172 DL1	4005176712098	116	267.11
24 172 GL1	4005176712111	116	250.43
24 172 GN1	4005176712128	116	267.11
24 173 001	4005176698323	118	205.87
24 173 A01	4005176712005	118	303.00
24 173 AL1	4005176712012	118	323.20
24 173 DA1	4005176711275	118	303.00
24 173 DC1	4005176711282	118	282.78
24 173 DL1	4005176711299	118	323.20
24 173 GL1	4005176711312	118	303.00
24 173 GN1	4005176711329	118	323.20
24 174 001	4005176698330	119	218.03
24 174 A01	4005176711527	119	332.45
24 174 AL1	4005176711534	119	354.60
24 174 DA1	4005176711558	119	332.45
24 174 DC1	4005176711565	119	310.27
24 174 DL1	4005176711572	119	354.60
24 174 GL1	4005176711596	119	332.45
24 174 GN1	4005176711602	119	354.60
24 175 001	4005176698347	117	169.32
24 176 001	4005176698378	118	193.69
24 177 001	4005176698408	119	205.87
24 178 001	4005176698415	123	169.32
24 178 A01	4005176711701	123	258.83
24 178 AL1	4005176711718	123	276.08
24 178 DA1	4005176712388	123	258.83
24 178 DC1	4005176712395	123	241.55
24 178 DL1	4005176712401	123	276.08
24 178 GL1	4005176712425	123	258.83
24 178 GN1	4005176712432	123	276.08
24 179 001	4005176698439	117	173.42
24 180 001	4005176698446	116	144.95
24 192 003	4005176723964	181	128.55
24 193 001	4005176723971	196	96.31
25			
25 010 003	4005176455407	59	630.08
25 010 AL3	4005176455421	59	1,144.92
25 010 DA3	4005176493904	59	977.98
25 010 DC3	4005176455414	59	1,001.82
25 010 GL3	4005176493881	59	977.98
25 044 003	4005176455438	60	1,968.23
25 044 AL3	4005176455452	60	3,577.89
25 044 DA3	4005176493973	60	3,056.19
25 044 DC3	4005176455445	60	3,130.63
25 044 GL3	4005176493959	60	3,056.19
25 098 003	4005176644290	186	209.79
25 102 000	4005176881671	147	254.73
25 104 000	4005176881794	82	449.51
25 105 003	4005176644306	186	241.26
25 109 000	4005176881848	147	288.10
25 113 000	4005176881862	82	486.06
25 128 000	4005176905209	175	219.90

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
25 129 000	4005176905216	176	266.45
25 132 003	4005176529870	110	398.42
25 133 003	4005176529887	110	430.81
25 136 000	4005176906763	99	339.86
25 137 000	4005176906770	99	388.61
25 216 001	4005176556654	200	146.85
25 217 001	4005176556661	200	178.32
25 219 001	4005176466373	176	449.34
25 221 001	4005176509438	41	790.98
25 221 A01	4005176509414	41	1,186.48
25 221 DL1	4005176509315	41	1,265.58
25 221 GN1	4005176509254	41	1,265.58
25 222 001	4005176509230	42	1,397.72
25 222 A01	4005176509216	42	2,096.59
25 222 DL1	4005176509117	42	2,236.36
25 222 GN1	4005176509056	42	2,236.36
25 231 001	4005176554599	206	146.85
25 232 001	4005176554605	206	178.32
25 241 003	4005176644221	190, 598	131.07
25 242 003	4005176644238	191, 599	114.13
25 243 003	4005176644320	192, 601	131.07
25 244 003	4005176644337	192, 601	114.13
25 246 001	4005176674228	200	209.79
25 248 001	4005176698255	128	1,253.53
25 248 A01	4005176711336	128	1,893.72
25 248 AL1	4005176711343	128	2,019.94
25 248 DA1	4005176711367	128	1,893.72
25 248 DC1	4005176711374	128	1,767.46
25 248 DL1	4005176711381	128	2,019.94
25 248 GL1	4005176711404	128	1,893.72
25 248 GN1	4005176711411	128	2,019.94
25 249 001	4005176698262	124	266.77
25 250 001	4005176698354	124	218.08
25 250 A01	4005176712449	124	351.40
25 250 AL1	4005176712456	124	374.82
25 250 DA1	4005176712470	124	351.40
25 250 DC1	4005176712487	124	327.99
25 250 DL1	4005176712494	124	374.82
25 250 GL1	4005176711169	124	351.40
25 250 GN1	4005176711176	124	374.82
25 251 001	4005176698361	127	803.64
25 251 A01	4005176711824	127	1,205.45
25 251 AL1	4005176711831	127	1,285.81
25 251 DA1	4005176711855	127	1,205.45
25 251 DC1	4005176711862	127	1,125.09
25 251 DL1	4005176711114	127	1,285.81
25 251 GL1	4005176711893	127	1,205.45
25 252 001	4005176698385	123	181.53
25 252 A01	4005176711183	123	286.19
25 252 AL1	4005176711190	123	305.25
25 252 DA1	4005176711213	123	286.19
25 252 DC1	4005176711220	123	267.09
25 252 DL1	4005176711237	123	305.25
25 252 GL1	4005176711251	123	286.19
25 252 GN1	4005176711268	123	305.25
25 450 001	4005176843372	210	142.11
25 452 001	4005176843075	210	133.03
25 460 10A	4005176456541	210	165.99
26			
26 003 003	4005176455377	59	472.83
26 003 AL3	4005176455391	59	858.68
26 003 DA3	4005176493836	59	733.48
26 003 DC3	4005176455384	59	751.34
26 003 GL3	4005176493812	59	733.48
26 037 001	4005176487392	73	117.02
26 037 IG0	4005176936210	73	159.45
26 038 000	4005176935404	74	242.16
26 042 000	4005176935954	379	219.92
26 050 001	4005176444166	389, 432	51.94
26 051 001	4005176443954	389, 424	58.09
26 052 000	4005176937064	374	419.04
26 054 000	4005176937088	32, 373	592.10
26 056 000	4005176937101	372	579.73
26 060 000	4005176937149	50, 373	517.93
26 062 000	4005176937163	374	419.04
26 063 000	4005176937170	374	419.04
26 064 000	4005176937187	373	592.10
26 065 000	4005176937194	373	542.65
26 066 000	4005176937200	372	579.73
26 066 A00	4005176427237	372	956.35
26 066 AL0	4005176427220	372	1,016.16
26 066 DA0	4005176427206	372	956.36
26 066 DC0	4005176371172	372	836.85
26 066 DL0	4005176427213	372	1,016.16
26 066 GL0	4005176427183	372	956.36
26 066 GN0	4005176427190	372	1,016.13
26 067 000	4005176937217	372	579.73
26 067 A00	4005176427312	372	956.36
26 067 AL0	4005176427305	372	1,016.16
26 067 DA0	4005176427282	372	956.35
26 067 DC0	4005176371189	372	836.85
26 067 DL0	4005176427299	372	1,016.16
26 067 GL0	4005176427268	372	956.36
26 067 GN0	4005176427275	372	1,016.13
26 070 000	4005176937248	50, 373	517.93
26 071 000	4005176937255	50, 373	517.93
26 073 000	4005176937279	375, 419	258.36
26 075 001	4005176648014	350	771.74
26 075 A00	4005176425387	352	1,852.93
26 075 AL0	4005176425370	352	2,475.93
26 075 DA0	4005176425356	352	1,852.93
26 075 DC0	4005176371219	352	1,350.52
26 075 DL0	4005176425363	352	1,852.92
26 075 GL0	4005176425332	352	1,852.93
26 075 GN0	4005176425349	352	1,852.92
26 082 002	4005176443268	420	24.72
26 083 002	4005176451546	421	71.70
26 084 002	4005176451645	423	39.53
26 085 001	4005176444036	434	50.70
26 086 001	4005176451904	434	102.61
26 087 000	4005176940828	353	1,358.49
26 089 001	4005176444067	377, 434	76.62
26 090 001	4005176443992	377, 423	80.33
26 130 001	4005176443909	420	30.90
26 145 000	4005176986000	392	147.11
26 146 000	4005176986017	392	122.39
26 146 LS0	4005176997266	392	122.37
26 161 001	4005176444104	425	27.19
26 162 001	4005176451713	427	62.63
26 164 001	4005176451867	429	38.98
26 171 000	4005176997310	374	443.76
26 187 000	4005176310744	353	1,049.47
26 223 001	4005176408144	363	702.46
26 224 001	4005176408168	364	487.60
26 243 000	4005176316326	358	648.98
26 249 000	4005176317156	355	653.89
26 250 000	4005176316999	338	1,568.64
26 250 LS0	4005176317002	338	1,543.92
26 254 000	4005176317026	340, 368	653.89
26 254 LS0	4005176409806	340, 368	777.51
26 256 000	4005176318597	372	851.66
26 257 000	4005176317927	372	616.83
26 264 001	4005176417108	340, 368	221.27

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
26 267 001	4005176444197	376, 430	64.25
26 302 001	4005176408137	362	548.99
26 308 001	4005176843129	210	106.30
26 328 000	4005176332111	436	74.16
26 329 000	4005176332128	436	184.19
26 330 001	4005176843112	210	89.57
26 332 000	4005176332135	436	196.54
26 333 000	4005176332142	436	79.13
26 334 000	4005176332159	440	18.19
26 335 000	4005176332166	440	20.19
26 346 000	4005176332173	440	22.64
26 352 000	4005176333835	437	37.46
26 353 000	4005176333866	437	35.83
26 354 000	4005176333873	437	48.21
26 355 IL0	4005176333880	437	35.84
26 356 IL0	4005176333903	438	35.76
26 357 000	4005176333927	438	97.63
26 358 000	4005176333941	438	128.57
26 361 000	4005176347580	338	1,432.64
26 361 LS0	4005176409707	338	1,420.30
26 363 000	4005176339264	354	777.53
26 370 000	4005176341380	331, 447	35.83
26 373 001	4005176415593	330, 378	23,176.74
26 374 000	4005176350825	334	1,000.02
26 376 001	4005176415609	330, 378	2,206.49
26 381 001	4005176451980	364	266.45
26 383 000	4005176369025	355	812.11
26 385 000	4005176375057	341, 366	22.28
26 405 000	4005176385162	418	87.17
26 406 001	4005176451881	429	57.92
26 408 000	4005176390111	388, 432	101.39
26 409 000	4005176390128	388, 432	101.39
26 410 000	4005176390142	388, 432	101.39
26 412 000	4005176390173	376, 430	179.25
26 413 000	4005176390180	431	179.26
26 414 000	4005176408090	431	150.83
26 418 000	4005176407666	356	526.36
26 443 000	4005176409875	339	1,432.67
26 443 LS0	4005176409882	339	1,420.30
26 446 000	4005176409905	339	1,534.01
26 446 LS0	4005176409912	339	1,534.04
26 449 000	4005176409790	267, 341	307.77
26 450 000	4005176409813	340, 368	606.96
26 450 LS0	4005176409820	340, 368	606.95
26 455 000	4005176416903	386, 415	148.36
26 457 000	4005176416934	386, 415	148.36
26 458 000	4005176416958	374, 414	247.24
26 459 000	4005176416965	374, 414	247.24
26 460 000	4005176416972	375, 414	196.55
26 461 000	4005176416989	375, 414	196.55
26 465 000	4005176423918	395	162.66
26 465 A00	4005176459146	395	260.01
26 465 AL0	4005176459153	395	276.25
26 465 BE0	4005176459160	395	260.01
26 465 DA0	4005176459122	395	260.01
26 465 DC0	4005176459092	395	227.52
26 465 DL0	4005176459139	395	276.24
26 465 EN0	4005176423925	395	276.24
26 465 GL0	4005176459108	395	260.01
26 465 GN0	4005176459115	395	276.24
26 467 000	4005176423956	417	98.35
26 468 000	4005176423963	387	164.99
26 469 000	4005176423970	383	524.12
26 472 000	4005176424908	383	540.90
26 474 000	4005176424939	385	391.13
26 474 BE0	4005176424953	385	508.48
26 474 EN0	4005176424946	385	508.48
26 474 ZB0	4005176424960	385	508.48
26 475 000	4005176423758	368	580.98
26 475 A00	4005176557095	368	839.26
26 475 AL0	4005176557101	368	891.79
26 475 DA0	4005176557125	368	839.26
26 475 DC0	4005176526237	368	734.22
26 475 DL0	4005176557132	368	891.79
26 475 GL0	4005176557156	368	839.26
26 475 GN0	4005176557163	368	891.79
26 475 LS0	4005176425899	368	762.68
26 477 000	4005176423772	369	580.98
26 477 A00	4005176557170	369	839.26
26 477 AL0	4005176557187	369	891.79
26 477 DA0	4005176557200	369	839.26
26 477 DC0	4005176526244	369	734.22
26 477 DL0	4005176557217	369	891.79
26 477 GL0	4005176557231	369	839.26
26 477 GN0	4005176557248	369	891.79
26 477 LS0	4005176425912	369	762.68
26 479 000	4005176425196	369	611.88
26 479 A00	4005176557255	369	883.97
26 479 AL0	4005176557262	369	939.84
26 479 DC0	4005176526251	369	773.33
26 479 DL0	4005176557293	369	939.84
26 479 GN0	4005176557323	369	939.84
26 479 LS0	4005176425936	369	793.60
26 481 000	4005176425219	369	611.89
26 481 A00	4005176557330	369	883.97
26 481 AL0	4005176557347	369	939.84
26 481 DC0	4005176526268	369	773.33
26 481 DL0	4005176557378	369	939.84
26 481 GN0	4005176557408	369	939.84
26 481 LS0	4005176425950	369	793.60
26 483 000	4005176425103	370	121.14
26 484 000	4005176425110	370	121.14
26 507 000	4005176457586	112, 348	1,222.53
26 507 A00	4005176557415	348	1,864.03
26 507 AL0	4005176557422	112, 348	1,973.55
26 507 DA0	4005176557446	348	1,864.03
26 507 DC0	4005176526374	112, 348	1,645.00
26 507 DL0	4005176557453	348	1,973.55
26 507 GL0	4005176557477	348	1,864.03
26 507 GN0	4005176557484	348	1,973.55
26 507 LS0	4005176457609	112, 348	1,407.95
26 508 000	4005176457593	112, 348	1,222.53
26 508 A00	4005176557491	348	1,864.03
26 508 AL0	4005176557507	112, 348	1,973.55
26 508 DC0	4005176526367	112, 348	1,645.00
26 508 DL0	4005176557538	348	1,973.55
26 508 GN0	4005176557569	348	1,973.55
26 508 LS0	4005176457616	112, 348	1,407.95
26 509 000	4005176457623	349	1,061.82
26 510 000	4005176457630	349	1,234.89
26 513 000	4005176457722	410	75.41
26 514 000	4005176476099	361	631.63
26 544 000	4005176478888	397	80.46
26 546 000	4005176479816	397	172.10
26 550 000	4005176479854	399	80.46
26 552 000	4005176486272	399	80.46
26 553 000	4005176479885	402	100.58
26 557 000	4005176481710	371	409.53
26 558 000	4005176481727	371	409.53
26 559 000	4005176481734	371	409.53
26 560 000	4005176481741	371	409.53
26 561 000	4005176481758	382	335.81
26 561 LS0	4005176482137	382	436.44
26 562 000	4005176481765	381	335.81

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
26 562 LS0	4005176482144	381	436.44
26 563 000	4005176481772	371	438.79
26 564 000	4005176481789	371	438.79
26 564 A00	4005176557736	371	767.74
26 564 AL0	4005176557743	371	807.98
26 564 DL0	4005176557774	371	807.98
26 564 GN0	4005176557804	371	807.98
26 565 000	4005176482090	371	438.79
26 566 000	4005176482106	371	438.79
26 566 A00	4005176557811	371	767.74
26 566 AL0	4005176557828	371	807.98
26 566 DC0	4005176526282	371	779.78
26 566 DL0	4005176557859	371	807.98
26 566 GN0	4005176557880	371	807.98
26 567 000	4005176482113	382	365.07
26 567 LS0	4005176482151	382	475.03
26 568 000	4005176482120	382	365.07
26 568 LS0	4005176482168	382	475.03
26 569 000	4005176482175	381	320.73
26 569 EN0	4005176482182	381	480.54
26 570 000	4005176482199	382	348.68
26 570 EN0	4005176482205	382	523.00
26 574 000	4005176485916	397	80.46
26 574 A00	4005176558450	397	137.46
26 574 AL0	4005176558467	397	145.28
26 574 DA0	4005176558481	397	137.46
26 574 DC0	4005176526459	397	143.04
26 574 DL0	4005176558498	397	145.28
26 574 GL0	4005176558511	397	137.46
26 574 GN0	4005176558528	397	145.28
26 574 LS0	4005176485923	397	80.46
26 575 000	4005176485947	397	172.10
26 578 000	4005176485985	398	176.57
26 578 LS0	4005176486197	398	176.57
26 579 LS0	4005176486203	398	177.69
26 580 000	4005176486210	399	132.99
26 580 LS0	4005176486227	399	132.99
26 581 000	4005176486234	398	112.87
26 581 LS0	4005176486241	398	112.87
26 582 000	4005176486258	399	80.46
26 582 A00	4005176558535	399	137.46
26 582 AL0	4005176558542	399	145.28
26 582 DC0	4005176526466	399	124.96
26 582 DL0	4005176558573	399	145.28
26 582 GN0	4005176558603	399	145.28
26 582 LS0	4005176486265	399	80.46
26 583 000	4005176486289	400	172.10
26 584 000	4005176486296	400	172.10
26 584 LS0	4005176486302	400	172.10
26 585 000	4005176486319	400	172.10
26 586 000	4005176486333	400	176.57
26 586 LS0	4005176486357	401	176.57
26 587 000	4005176486340	400	177.69
26 587 LS0	4005176486364	401	177.69
26 588 000	4005176486371	401	132.99
26 588 LS0	4005176486388	402	132.99
26 589 000	4005176486395	401	112.87
26 589 LS0	4005176486401	401	112.87
26 590 000	4005176486418	402	100.58
26 591 000	4005176486425	402	203.39
26 592 000	4005176486449	402	203.39
26 592 LS0	4005176486432	402	204.51
26 593 000	4005176486456	403	208.98
26 594 000	4005176486470	403	210.09
26 594 LS0	4005176486463	403	210.09
26 602 000	4005176486531	403, 449	103.93
26 603 000	4005176486548	403, 449	109.52
26 603 A00	4005176558696	403, 449	219.03
26 603 AL0	4005176558702	403, 449	240.27
26 603 BE0	4005176558719	403, 449	219.03
26 603 DA0	4005176558726	403, 449	219.03
26 603 DL0	4005176558733	403, 449	240.27
26 603 EN0	4005176558740	403, 449	240.27
26 603 GL0	4005176558757	403, 449	219.03
26 603 GN0	4005176558764	403, 449	240.27
26 638 000	4005176528347	426	64.82
26 639 000	4005176528354	429	48.05
26 640 000	4005176530203	370	632.52
26 641 000	4005176530210	381	583.35
26 642 000	4005176530227	370	658.23
26 643 000	4005176530234	381	610.17
26 647 000	4005176533013	342	955.49
26 647 LS0	4005176533051	342	1,099.65
26 648 000	4005176533020	342	955.49
26 648 LS0	4005176533068	342	1,099.65
26 649 000	4005176533037	343	955.49
26 652 000	4005176533044	343	955.49
26 657 000	4005176533075	343	1,099.65
26 662 000	4005176580499	388, 431	124.12
26 663 000	4005176580505	375, 430	204.45
26 664 000	4005176580512	375, 431	165.07
26 666 000	4005176580536	388, 431	111.18
26 668 000	4005176580550	375, 430	191.53
26 669 000	4005176580567	375, 431	152.15
26 670 000	4005176580574	360	558.75
26 681 000	4005176580680	388, 432	128.46
26 682 000	4005176580697	376, 430	211.60
26 683 000	4005176580703	376, 431	170.85
26 685 000	4005176580727	388, 432	115.06
26 687 000	4005176580741	376, 430	198.23
26 688 000	4005176580758	376, 431	157.47
26 689 000	4005176580765	360	558.75
26 690 000	4005176580772	361	670.51
26 691 000	4005176580789	363	726.38
26 723 000	4005176648021	350	822.90
26 801 000	4005176722769	367	123.07
26 801 A00	4005176722806	367	196.91
26 801 AL0	4005176722844	367	209.22
26 801 BE0	4005176722813	367	196.91
26 801 DA0	4005176722851	367	196.91
26 801 DC0	4005176722837	367	172.29
26 801 DL0	4005176722868	367	209.22
26 801 EN0	4005176722783	367	209.22
26 801 GL0	4005176722790	367	196.91
26 801 GN0	4005176722820	367	209.22
26 802 000	4005176722776	367	123.07
26 802 A00	4005176722875	367	196.91
26 802 AL0	4005176722905	367	209.22
26 802 DC0	4005176722899	367	172.29
26 802 DL0	4005176722912	367	209.22
26 802 GN0	4005176722882	367	209.22
26 803 000	4005176723766	427	88.44

27

27 032 001	4005176877155	346	1,098.91
27 055 000	4005176830433	443	48.22
27 056 000	4005176830440	443	35.82
27 057 000	4005176830457	446	60.55
27 057 A00	4005176338953	446	92.65
27 057 AL0	4005176338960	446	98.39
27 057 DA0	4005176338939	446	92.65
27 057 DC0	4005176371196	446	80.65
27 057 DL0	4005176426940	446	98.39
27 057 GL0	4005176338946	446	92.65

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
27 057 GN0	4005176426933	446	98.39
27 058 000	4005176830464	347	777.51
27 062 000	4005176831669	386, 407	221.24
27 067 000	4005176832123	386, 407	147.08
27 074 000	4005176833083	444	35.83
27 074 A00	4005176338991	444	66.73
27 074 AL0	4005176339004	444	66.72
27 074 BE0	4005176834325	444	66.73
27 074 DA0	4005176338977	444	66.73
27 074 DC0	4005176374487	444	60.56
27 074 DL0	4005176427091	444	66.72
27 074 EN0	4005176834301	444	66.72
27 074 GL0	4005176338984	444	66.73
27 074 GN0	4005176427084	444	66.72
27 074 LS0	4005176873591	444	48.19
27 075 000	4005176833090	444	35.83
27 076 000	4005176833106	447	60.55
27 102 000	4005176600074	454	61.39
27 134 000	4005176836060	385, 404	134.73
27 135 000	4005176836077	384	133.37
27 135 EN0	4005176836084	384	247.00
27 137 000	4005176836237	440	21.93
27 151 000	4005176837012	446	110.02
27 174 001	4005176877162	345	1,407.96
27 180 000	4005176839306	366	48.19
27 206 000	4005176845444	451	23.50
27 220 000	4005176854118	411	48.19
27 221 000	4005176854125	410	60.57
27 221 001	4005176457708	410	69.23
27 222 000	4005176854132	410	72.92
27 224 000	4005176854156	411	35.82
27 225 001	4005176899508	413	110.02
27 226 001	4005176899515	413	122.37
27 227 001	4005176899522	413	122.37
27 230 001	4005176899546	412	103.81
27 231 001	4005176899553	412	110.02
27 232 001	4005176899560	411	122.38
27 237 000	4005176854286	387, 415	85.28
27 238 000	4005176854293	411	47.15
27 239 000	4005176854323	410	66.73
27 239 001	4005176457715	410	75.41
27 242 001	4005176899782	412	109.98
27 243 001	4005176899799	412	110.02
27 251 000	4005176856327	380	122.36
27 251 A00	4005176338878	380	201.84
27 251 AL0	4005176338885	380	214.44
27 251 DA0	4005176338854	380	186.63
27 251 DC0	4005176431586	380	163.16
27 251 DL0	4005176431579	380	197.81
27 251 GL0	4005176338861	380	186.63
27 251 GN0	4005176431555	380	197.81
27 252 000	4005176856334	380	122.36
27 253 000	4005176856365	381	184.17
27 254 000	4005176856372	380	184.17
27 256 001	4005176899805	412	91.46
27 265 000	4005176856983	411	35.82
27 265 00E	4005176885693	411	35.82
27 266 001	4005176899812	412	97.65
27 266 00E	4005176890710	412	88.25
27 267 001	4005176899829	413	106.28
27 271 000	4005176860690	380	493.20
27 272 000	4005176860836	405	122.38
27 273 001	4005176875502	405	270.70
27 274 000	4005176861383	406	122.38
27 276 000	4005176861437	404	97.66
27 276 LS0	4005176861451	404	97.66
27 277 001	4005176875489	404	233.63

Ref. No.	EAN	Page	Retail Guide Price (£)
27 285 000	4005176860713	380	493.20
27 286 000	4005176860737	379	1,976.57
27 296 001	4005176896293	356	648.17
27 296 003	4005176647963	351	651.48
27 320 000	4005176600159	453	87.37
27 354 000	4005176874444	414	60.57
27 355 000	4005176874451	414	110.01
27 367 000	4005176875939	416	48.22
27 368 000	4005176875946	416	184.18
27 369 000	4005176875953	416	85.27
27 400 000	4005176877292	416	48.22
27 406 000	4005176600166	394, 433	57.46
27 421 002	4005176417924	359	510.52
27 467 000	4005176882609	379	678.63
27 469 000	4005176882593	50, 346	1,247.25
27 470 000	4005176882531	382	517.93
27 470 LS0	4005176997235	382	619.22
27 475 001	4005176417863	357	799.77
27 475 002	4005176647840	352	822.19
27 477 000	4005176883286	384	542.66
27 478 000	4005176883293	384	542.66
27 479 000	4005176883309	383	530.31
27 480 000	4005176883316	383	530.30
27 484 000	4005176885488	393	72.94
27 485 000	4005176885495	393	60.58
27 488 000	4005176885525	392	85.28
27 492 000	4005176885556	387, 416	147.09
27 499 000	4005176886041	415, 450	48.21
27 500 000	4005176886058	415, 450	60.56
27 512 001	4005176333804	437	23.49
27 513 001	4005176333842	437	35.83
27 514 001	4005176333910	438	72.94
27 519 000	4005176886485	435, 450	60.57
27 520 000	4005176886492	450	60.58
27 521 000	4005176886508	424, 450	48.20
27 522 000	4005176886515	424, 450	60.57
27 523 000	4005176886522	432, 450	48.19
27 524 000	4005176886539	432, 450	72.92
27 530 000	4005176889219	386, 407	517.92
27 531 000	4005176889486	446	292.01
27 541 001	4005176451676	389, 424	92.69
27 569 000	4005176894275	346	1,247.23
27 571 002	4005176443893	420	30.90
27 571 20E	4005176443275	420	30.90
27 572 002	4005176443923	420	39.54
27 573 002	4005176443947	420	51.90
27 574 002	4005176443916	420	39.54
27 575 002	4005176443930	420	51.90
27 576 002	4005176451560	421	91.45
27 577 002	4005176451584	421	93.94
27 578 002	4005176451386	422	68.53
27 578 20E	4005176451362	422	68.53
27 579 002	4005176451492	422	80.36
27 580 002	4005176451515	421	89.02
27 584 002	4005176451621	422	59.35
27 588 002	4005176451669	423	55.63
27 591 001	4005176443985	389, 423	72.94
27 594 000	4005176895920	445	13.47
27 595 000	4005176895937	443	19.79
27 596 000	4005176895944	415, 424	11.12
27 597 001	4005176985508	425	27.19
27 597 10E	4005176985409	425	27.19
27 598 001	4005176985515	427	62.64
27 598 10E	4005176985416	427	62.64
27 600 001	4005176451775	426	82.83
27 601 10E	4005176985430	428	44.92
27 606 001	4005176444180	389, 432	65.51

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
27 608 001	4005176444029	434	58.10
27 609 001	4005176451898	434	108.79
27 610 001	4005176444050	389, 434	66.74
27 615 002	4005176647970	351	651.48
27 621 000	4005176898310	446	344.88
27 641 000	4005176901645	347	1,247.25
27 644 001	4005176451720	427	72.91
27 645 001	4005176451744	426	80.33
27 646 001	4005176985522	428	69.72
27 646 10E	4005176985423	428	69.72
27 693 000	4005176907043	444	23.50
27 696 000	4005176907074	359	765.16
27 698 000	4005176907098	418	48.20
27 699 000	4005176907104	418	48.20
27 700 000	4005176907111	418	233.61
27 702 000	4005176907135	419	85.26
27 703 000	4005176907142	419	85.26
27 704 000	4005176907159	447	35.82
27 705 000	4005176907166	388, 419	159.46
27 706 000	4005176908439	32, 444	35.84
27 706 A00	4005176491030	444	52.53
27 706 AL0	4005176490972	32, 444	55.88
27 706 DC0	4005176490989	32, 444	45.82
27 707 000	4005176908446	32, 447	48.22
27 707 A00	4005176490941	447	83.82
27 707 AL0	4005176490880	32, 447	88.29
27 707 DC0	4005176490897	32, 447	72.64
27 709 000	4005176909092	393	122.37
27 711 000	4005176909115	393	97.65
27 786 002	4005176451508	422	80.36
27 787 002	4005176451522	421	89.02
27 790 002	4005176451614	422	86.06
27 794 001	4005176451737	427	72.91
27 795 001	4005176451751	426	80.33
27 796 001	4005176451850	428	80.33
27 798 10E	4005176985447	429	38.98
27 799 001	4005176985539	429	38.98
27 803 10E	4005176985454	429	41.35
27 805 001	4005176451911	434	75.41
27 812 IL1	4005176333897	437	37.07
27 841 000	4005176916670	419, 449	221.27
27 852 001	4005176444081	425	21.26
27 853 001	4005176451706	427	52.00
27 854 001	4005176451829	428	59.10
27 863 000	4005176918155	383	740.43
27 865 000	4005176918179	332, 378	4,712.44
27 869 001	4005176444005	377, 423	86.55
27 884 001	4005176919695	417	97.66
27 888 000	4005176921179	331, 417	97.66
27 888 A00	4005176557972	417	165.34
27 888 AL0	4005176557989	417	175.69
27 888 DC0	4005176526442	417	144.68
27 888 DL0	4005176558016	417	175.69
27 888 GN0	4005176558047	417	175.69
27 889 000	4005176921186	418	147.09
27 890 000	4005176921193	417	283.08
27 891 000	4005176921209	417	270.73
27 892 000	4005176921216	449	208.93
27 922 000	4005176923364	362	530.00
27 923 001	4005176444074	425	21.26
27 924 001	4005176451690	427	52.00
27 925 001	4005176451812	428	59.10
27 926 001	4005176451768	426	72.10
27 929 002	4005176451577	421	91.45
27 932 000	4005176924231	357	616.84
27 934 000	4005176927157	333	3,657.71
27 936 000	4005176927058	418	212.18
27 938 001	4005176927072	379	3,385.72
27 939 001	4005176927287	379	3,385.77
27 964 000	4005176929595	354	802.24
27 966 000	4005176929250	345	1,247.25
27 966 001	4005176532993	344	1,162.23
27 967 000	4005176929670	346	1,098.91
27 968 000	4005176929687	345	1,247.25
27 968 001	4005176533006	344	1,162.23
27 969 000	4005176931123	74	97.65
27 969 IG0	4005176931130	74	122.37
27 970 000	4005176931154	74	134.74
27 970 IG0	4005176931161	74	184.16
27 974 000	4005176932793	72, 385	480.86
27 974 IG0	4005176933486	72, 385	629.17
27 978 000	4005176932830	73, 394	85.27
27 986 000	4005176933011	73, 393	110.01
27 986 IG0	4005176933547	73, 393	147.08
27 993 000	4005176933080	73	171.81
27 993 IG0	4005176933585	73	221.24
28			
28 002 000	4005176858796	390, 408	208.89
28 020 L01	4005176333828	437	15.94
28 025 000	4005176284830	439	28.28
28 034 000	4005176231810	50, 395	159.46
28 094 000	4005176601132	390, 408	57.46
28 105 000	4005176601217	439	20.19
28 139 000	4005176601316	439	22.14
28 140 000	4005176601323	439	24.63
28 142 000	4005176601330	439, 604	21.93
28 143 000	4005176601347	331, 439	24.37
28 143 KS0	4005176842252	439, 604	31.99
28 143 LS0	4005176842269	439, 604	31.99
28 145 000	4005176601354	439, 604	28.74
28 146 000	4005176121753	441	55.52
28 150 001	4005176933196	441	9.65
28 151 001	4005176933202	441	11.69
28 151 L01	4005176935091	441	22.24
28 154 001	4005176933219	441	13.65
28 155 001	4005176933226	441	15.11
28 158 000	4005176601606	441	34.47
28 161 001	4005176935107	440, 603	18.70
28 198 000	4005176038686	391	139.56
28 214 003	4005176444098	425	25.99
28 233 000	4005176868016	387, 416	97.67
28 261 002	4005176444135	425	35.83
28 280 004	4005176306624	427	60.56
28 286 000	4005176198526	390, 409	110.01
28 308 000	4005176254949	385, 395	139.56
28 341 000	4005176259463	395	159.46
28 348 000	4005176263262	395	151.29
28 361 000	4005176295157	392	110.01
28 362 000	4005176295225	440	15.60
28 362 A00	4005176427633	440	23.88
28 362 DA0	4005176427602	440	23.88
28 362 DC0	4005176386435	440	20.96
28 362 GL0	4005176427589	440	23.88
28 364 000	4005176295294	440	17.54
28 368 000	4005176267253	384	251.93
28 368 00E	4005176867385	384	369.59
28 368 LS0	4005176997242	384	468.47
28 369 000	4005176267260	385, 404	394.33
28 373 000	4005176267277	384	381.95
28 388 000	4005176295362	440	19.97
28 388 A00	4005176427701	440	30.19
28 388 DA0	4005176427671	440	30.19
28 388 DC0	4005176386428	440	26.80

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
28 388 GL0	4005176427657	440	30.19
28 389 000	4005176269837	396, 453	13.96
28 401 000	4005176264474	443	51.48
28 403 000	4005176264511	444	45.74
28 404 000	4005176601736	390, 408	22.40
28 405 000	4005176264559	447, 603	57.46
28 406 000	4005176264566	448, 603	57.46
28 409 001	4005176933233	441	13.78
28 410 001	4005176933240	441	20.99
28 413 001	4005176933257	441	17.24
28 417 000	4005176264702	439	26.30
28 419 002	4005176444128	425	35.83
28 421 002	4005176444142	425	48.21
28 422 002	4005176444111	425	27.19
28 429 000	4005176601910	394, 433	57.46
28 436 002	4005176451799	426	90.25
28 438 001	4005176985553	427	63.83
28 448 000	4005176265167	386	189.09
28 497 000	4005176270338	393	72.95
28 537 000	4005176040443	408	116.10
28 541 000	4005176040528	394, 433	45.74
28 576 000	4005176274022	392	85.28
28 578 002	4005176444159	425	48.21
28 587 000	4005176282966	449, 603	206.87
28 605 000	4005176041105	445	22.28
28 620 000	4005176041259	449	151.29
28 621 000	4005176041273	449	186.46
28 622 000	4005176041297	445	34.29
28 623 000	4005176031595	443	34.01
28 626 000	4005176041358	448	57.46
28 628 000	4005176041396	448	57.90
28 631 000	4005176019142	451	57.46
28 634 XX0	4005176041440	453, 761	33.73
28 636 000	4005176078606	448	60.57
28 671 000	4005176103070	447, 603	35.83
28 678 000	4005176116711	448	49.97
28 679 000	4005176116759	448	57.46
28 680 000	4005176116780	447	45.74
28 690 000	4005176256196	395, 443	104.38
28 724 000	4005176812644	393	60.57
28 737 000	4005176872983	387, 419	60.56
28 778 000	4005176820526	383	715.72
28 789 002	4005176451843	428	80.33
28 796 000	4005176824296	407	147.08
28 799 000	4005176602511	454	110.35
28 817 000	4005176602962	761	14.62
28 856 000	4005176603495	451	34.01
28 874 000	4005176042348	453, 595	81.07
28 910 000	4005176603846	753	66.84
28 912 000	4005176266751	85, 113	253.36
28 912 AL0	4005176467844	85, 113	265.00
28 912 DC0	4005176467905	85, 113	234.46
28 912 DL0	4005176467899	755	265.00
28 912 EN0	4005176467837	755	290.54
28 912 GN0	4005176467875	755	290.54
28 920 000	4005176603914	754	34.97
28 939 000	4005176209161	215	90.63
28 943 000	4005176209178	215, 640	102.11
28 948 000	4005176209871	390, 408	151.29
28 964 001	4005176877254	407	246.00
28 982 000	4005176829987	392	147.11
28 988 000	4005176042805	453, 595	111.12
28 990 000	4005176174025	214	144.24
28 991 000	4005176174032	214, 640	205.35
28 993 000	4005176174056	214	101.54
28 995 000	4005176175725	214	287.78

29

Ref. No.	EAN	Page	Retail Guide Price (£)
29 007 000	4005176837678	595	168.71
29 025 002	4005176519895	27, 36	247.26
29 032 000	4005176845277	32, 43	34.64
29 033 000	4005176845338	31, 43	273.50
29 037 000	4005176865749	30, 71	839.33
29 037 001	4005176455490	41	828.15
29 037 002	4005176519918	42, 62	781.73
29 069 000	4005176918384	332	147.09
29 072 000	4005176918421	332	270.72
29 073 000	4005176918445	333	270.72
29 074 000	4005176918469	333	431.41
29 078 001	4005176556555	199	125.87
29 079 001	4005176556692	200	138.33
29 080 001	4005176555961	205	125.87
29 081 001	4005176556081	205	138.33
29 086 000	4005176935497	26, 26	249.61
29 094 000	4005176354106	594	233.06
29 095 000	4005176354113	594	237.89
29 096 000	4005176354120	594	192.23
29 097 003	4005176365133	160	224.67
29 097 LS3	4005176365140	160	296.26
29 098 003	4005176365225	165	132.76
29 098 LS3	4005176365232	165	178.41
29 099 003	4005176365300	166	157.13
29 099 LS3	4005176365317	166	193.44
29 118 000	4005176412240	62, 261	531.78
29 118 A00	4005176493010	261	719.10
29 118 AL0	4005176455049	62, 261	738.18
29 118 DA0	4005176492990	62, 261	719.10
29 118 DC0	4005176455032	62, 261	654.32
29 118 DL0	4005176493003	261	767.69
29 118 GL0	4005176492976	62, 261	719.10
29 118 GN0	4005176492983	261	767.69
29 119 000	4005176412257	63, 262	613.33
29 119 A00	4005176493089	262	783.89
29 119 AL0	4005176455063	63, 262	803.75
29 119 DA0	4005176493065	63, 262	783.89
29 119 DC0	4005176455056	63, 262	802.09
29 119 DL0	4005176493072	262	835.72
29 119 GL0	4005176493041	63, 262	783.89
29 119 GN0	4005176493058	262	835.72
29 120 000	4005176412264	262	694.86
29 121 000	4005176412271	63, 263	626.35
29 121 A00	4005176493225	263	847.59
29 121 AL0	4005176455100	63, 263	991.53
29 121 DA0	4005176493201	63, 263	847.59
29 121 DC0	4005176455094	63, 263	770.93
29 121 DL0	4005176493218	263	903.73
29 121 GL0	4005176493188	63, 263	847.59
29 121 GN0	4005176493195	263	914.54
29 122 000	4005176412288	64, 263	381.72
29 122 A00	4005176515231	263	517.19
29 122 AL0	4005176455124	64, 263	506.39
29 122 BE0	4005176493232	263	517.19
29 122 DA0	4005176515217	64, 263	517.19
29 122 DC0	4005176455117	64, 263	470.76
29 122 DL0	4005176515224	263	551.74
29 122 EN0	4005176413728	263	506.39
29 122 GL0	4005176515194	64, 263	517.19
29 122 GN0	4005176515200	263	551.74
29 123 000	4005176413292	257	556.24
29 123 A00	4005176558054	257	727.74
29 123 AL0	4005176558061	257	776.33
29 123 DL0	4005176558092	257	776.33
29 123 GN0	4005176558122	257	776.33

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
29 124 000	4005176413308	257	605.70
29 124 A00	4005176558139	257	792.53
29 124 AL0	4005176558146	257	845.43
29 124 DC0	4005176526329	257	739.62
29 124 DL0	4005176558177	257	845.43
29 124 GN0	4005176558207	257	845.43
29 125 000	4005176413315	258	726.82
29 126 000	4005176413322	258, 331	655.15
29 126 A00	4005176558290	258	857.31
29 126 AL0	4005176558306	258	914.54
29 126 DC0	4005176526343	258	800.08
29 126 DL0	4005176558337	258	914.54
29 126 GN0	4005176558368	258	914.54
29 127 000	4005176413339	259	399.27
29 127 A00	4005176558375	259	523.67
29 127 AL0	4005176558382	259	558.23
29 127 DC0	4005176526350	259	489.12
29 127 DL0	4005176558412	259	558.23
29 127 GN0	4005176558443	259	558.23
29 150 LS0	4005176413544	264	715.72
29 151 LS0	4005176413551	264	765.17
29 152 LS0	4005176413575	265	505.56
29 153 LS0	4005176413582	259	715.73
29 156 LS0	4005176413599	260	765.17
29 157 LS0	4005176413605	260	814.58
29 158 LS0	4005176413612	261	505.56
29 176 001	4005176507779	39	285.90
29 176 A01	4005176507755	39	428.85
29 176 DL1	4005176507670	39	457.44
29 176 GN1	4005176507618	39	457.44
29 181 002	4005176558993	40	317.66
29 181 A02	4005176559068	40	476.50
29 181 DL2	4005176559051	40	508.26
29 181 GN2	4005176559037	40	508.26
29 192 001	4005176698279	121	205.86
29 192 A01	4005176711732	121	339.10
29 192 AL1	4005176711749	121	361.71
29 192 DA1	4005176711763	121	332.45
29 192 DC1	4005176711770	121	310.27
29 192 DL1	4005176711787	121	361.71
29 192 GL1	4005176711800	121	332.45
29 192 GN1	4005176711817	121	354.60
29 193 001	4005176698286	122	230.25
29 193 A01	4005176711916	122	374.55
29 193 AL1	4005176711923	122	399.50
29 193 DA1	4005176711947	122	374.55
29 193 DC1	4005176711954	122	349.59
29 193 DL1	4005176711961	122	399.50
29 193 GL1	4005176711985	122	374.55
29 193 GN1	4005176711992	122	399.50
29 303 003	4005176529764	106	268.86
29 303 AL3	4005176585654	106	403.82
29 303 DC3	4005176574108	106	354.15
29 306 003	4005176529771	106	279.65
29 307 003	4005176529993	110	862.71
29 307 AL3	4005176585715	110	1,365.86
29 307 DC3	4005176574160	110	1,195.27
29 337 003	4005176613432	183	182.17
29 338 003	4005176613449	184	198.55
29 708 000	4005176102653	74	316.13
29 800 000	4005176504839	49, 101	32.85
29 801 000	4005176504846	49, 101	27.07
29 802 000	4005176504853	49, 72	55.52
29 804 000	4005176504877	49, 101	43.06
29 805 000	4005176504884	49, 101	93.25
29 811 000	4005176062711	49, 72	55.52
29 813 000	4005176062735	315	89.51
29 904 LS0	4005176413568	265	814.58

30

Ref. No.	EAN	Page	Retail Guide Price (£)
30 008 001	4005176843242	211	34.63
30 058 001	4005176989162	501	1,385.66
30 058 AL1	4005176489266	501	1,709.58
30 058 DC1	4005176989179	501	1,592.60
30 058 DL1	4005176489280	501	1,709.58
30 060 001	4005176989186	502	1,277.68
30 064 001	4005176843259	534	46.58
30 098 001	4005176843266	211, 533	34.63
30 193 000	4005176919459	526	138.45
30 193 DC0	4005176938559	526	161.72
30 195 000	4005176919473	527	189.66
30 199 000	4005176922022	527	108.21
30 208 000	4005176927836	606	278.97
30 219 002	4005176466540	513	731.85
30 219 DC2	4005176466557	513	987.82
30 260 003	4005176635434	530	115.19
30 269 000	4005176314902	517	291.15
30 269 A00	4005176428661	517	376.42
30 269 AL0	4005176428654	517	376.44
30 269 DA0	4005176428630	517	376.42
30 269 DC0	4005176314919	517	364.24
30 269 DL0	4005176428647	517	376.44
30 269 GL0	4005176428616	517	376.42
30 269 GN0	4005176428623	517	376.44
30 270 000	4005176314926	517	364.21
30 270 A00	4005176427473	517	486.02
30 270 AL0	4005176427466	517	486.02
30 270 DA0	4005176427442	517	486.05
30 270 DC0	4005176314933	517	425.15
30 270 DL0	4005176427459	517	486.02
30 270 GL0	4005176427428	517	486.05
30 270 GN0	4005176427435	517	486.02
30 273 001	4005176314964	522	289.70
30 273 DC1	4005176314971	522	371.16
30 274 000	4005176314988	509	289.70
30 274 A00	4005176488658	509	392.07
30 274 AL0	4005176488665	509	392.07
30 274 DA0	4005176488672	509	392.07
30 274 DC0	4005176314995	509	363.34
30 274 DL0	4005176488689	509	392.07
30 294 000	4005176341472	516	461.69
30 294 A00	4005176488054	516	601.33
30 294 AL0	4005176488061	516	601.33
30 294 DA0	4005176488498	516	601.33
30 294 DC0	4005176341489	516	595.71
30 294 DL0	4005176488504	516	601.33
30 294 GL0	4005176488078	516	601.33
30 294 GN0	4005176488085	516	601.33
30 305 001	4005176635465	530	173.35
30 305 DC1	4005176635472	530	219.91
30 309 000	4005176351235	507	381.00
30 321 DG0	4005176438219	516	106.30
30 321 DP0	4005176438264	516	106.30
30 321 DU0	4005176438257	516	106.30
30 321 GE0	4005176438271	516	106.30
30 321 HG0	4005176385742	516	65.70
30 321 MW0	4005176385728	516	65.70
30 321 TY0	4005176438240	516	106.30
30 321 XC0	4005176385735	516	65.70
30 321 YF0	4005176438233	516	65.70
30 321 YR0	4005176438226	516	106.30
30 328 001	4005176414107	500	1,439.65
30 328 DC1	4005176414114	500	1,646.58
30 329 001	4005176414121	502	1,277.68

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
30 340 001	4005176414893	500	1,484.63
30 340 DC1	4005176414909	500	1,709.58
30 341 001	4005176414916	501	1,385.66
30 341 AL1	4005176489303	501	1,709.58
30 341 DC1	4005176414923	501	1,592.60
30 341 DL1	4005176489327	501	1,709.58
30 348 001	4005176464973	511	223.57
30 362 000	4005176496479	515	487.42
30 362 AL0	4005176497292	515	729.93
30 362 DC0	4005176496486	515	635.10
30 382 000	4005176565496	494	512.87
30 382 DC0	4005176565502	494	584.85
30 383 000	4005176565519	494	350.90
30 385 000	4005176565533	494	314.92
30 387 000	4005176565557	495	269.92
30 468 000	4005176635755	531	191.44
30 503 000	4005176695698	516	461.69
30 503 DC0	4005176720178	516	595.71
30 504 000	4005176695704	517	364.21
30 504 A00	4005176720109	517	486.02
30 504 AL0	4005176720116	517	486.02
30 504 DA0	4005176720123	517	486.05
30 504 DC0	4005176720130	517	425.15
30 504 DL0	4005176720147	517	486.02
30 504 GL0	4005176720154	517	486.05
30 504 GN0	4005176720161	517	486.02
30 505 000	4005176695711	517	291.15
30 505 A00	4005176719738	517	376.42
30 505 AL0	4005176719745	517	376.44
30 505 DA0	4005176719752	517	376.42
30 505 DC0	4005176720062	517	364.24
30 505 DL0	4005176720079	517	376.44
30 505 GL0	4005176720086	517	376.42
30 505 GN0	4005176720352	517	376.44
30 506 000	4005176723667	529	144.82
30 978 000	4005176098918	611	230.22
31			
31 067 001	4005176845710	534	101.49
31 124 002	4005176886614	525	181.53
31 126 004	4005176466977	524	227.95
31 127 002	4005176886669	524	193.71
31 128 001	4005176886737	522	208.26
31 128 DC1	4005176891007	522	266.45
31 129 001	4005176886744	522	254.80
31 129 DC1	4005176891021	522	324.62
31 159 002	4005176888106	525	327.68
31 161 000	4005176889158	527	219.90
31 170 000	4005176889165	528	243.18
31 179 000	4005176889172	527	161.72
31 180 000	4005176889288	526	208.26
31 187 001	4005176843327	533	94.35
31 212 003	4005176466762	521	259.91
31 214 001	4005176891090	523	255.50
31 230 001	4005176478277	536	83.14
31 231 001	4005176478260	536	83.14
31 232 001	4005176478253	535	83.14
31 233 001	4005176478284	535	83.14
31 234 001	4005176478499	536	83.14
31 255 000	4005176901416	518	218.07
31 255 DC0	4005176994319	518	449.55
31 302 002	4005176443343	483	2,006.51
31 302 DC2	4005176443350	483	2,240.44
31 323 002	4005176989933	479	2,105.47
31 323 DC2	4005176989940	479	2,366.42
31 325 002	4005176507274	481	2,213.44
31 325 DC2	4005176507250	481	2,528.37
31 326 002	4005176507236	482	2,213.44
31 326 DC2	4005176507212	482	2,528.37
31 347 003	4005176443336	480	2,105.47
31 347 DC3	4005176446559	480	2,366.42
31 358 002	4005176465000	508	625.98
31 358 DC2	4005176465017	508	782.78
31 360 001	4005176343025	508	607.89
31 360 DC1	4005176343032	508	790.60
31 367 001	4005176478512	535	83.14
31 368 001	4005176478529	535	83.14
31 375 000	4005176934155	509	231.52
31 375 A00	4005176488610	509	329.30
31 375 AL0	4005176488627	509	329.30
31 375 DA0	4005176488634	509	329.30
31 375 DC0	4005176934162	509	301.35
31 375 DL0	4005176488641	509	329.30
31 379 000	4005176938085	506	662.03
31 379 DC0	4005176938092	506	859.82
31 391 003	4005176635762	531	121.25
31 395 000	4005176304774	518	632.23
31 395 DC0	4005176304767	518	814.99
31 454 001	4005176454110	488	1,556.61
31 454 AL1	4005176488900	488	1,961.51
31 454 DC1	4005176454127	488	1,772.56
31 454 DL1	4005176488924	488	1,961.51
31 455 000	4005176323027	486	1,556.61
31 455 001	4005176454134	485	1,556.61
31 455 AL1	4005176488948	485	1,961.51
31 455 DC0	4005176323034	486	1,772.56
31 455 DC1	4005176454141	485	1,772.56
31 455 DL1	4005176488962	485	1,961.51
31 456 001	4005176454158	490	1,556.61
31 456 DC1	4005176454165	490	1,772.56
31 481 001	4005176466922	526	207.05
31 482 003	4005176466984	524	264.14
31 483 002	4005176466809	522	263.80
31 483 DC2	4005176466816	522	344.45
31 491 000	4005176343308	521	371.16
31 491 DC0	4005176343315	521	487.50
31 498 001	4005176454172	492	1,502.63
31 498 AL1	4005176488986	492	1,907.52
31 498 DC1	4005176454189	492	1,736.57
31 498 DL1	4005176489006	492	1,907.52
31 535 001	4005176478550	536	83.14
31 536 001	4005176478567	535	83.14
31 538 001	4005176478574	536	83.14
31 539 000	4005176437014	489	1,808.55
31 539 DC0	4005176437021	489	2,051.49
31 541 000	4005176437038	487	1,808.55
31 541 DC0	4005176437045	487	2,051.49
31 543 000	4005176437052	491	1,808.55
31 543 DC0	4005176437069	491	2,051.49
31 552 SD1	4005176623714	545	113.03
31 562 SD1	4005176623721	545	204.39
31 563 SD1	4005176623738	543	210.86
31 564 SD1	4005176623745	544	168.66
31 565 SD1	4005176623752	544	189.75
31 571 SD1	4005176626029	543	238.63
31 572 SD1	4005176626036	543	341.40
31 574 SD1	4005176607080	541	234.30
31 575 SD1	4005176607097	541	591.70
31 576 SD1	4005176607103	541	268.86
31 577 SD1	4005176607110	542	268.86
31 578 SD1	4005176607127	542	211.63
31 580 SD1	4005176607134	542	274.25
31 581 SD1	4005176607141	539	842.19
31 582 SD1	4005176607158	539	842.19

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
31 583 SD1	4005176607165	539	567.94
31 584 SD1	4005176607172	540	631.64
31 585 SD1	4005176607189	540	842.19
31 586 SD1	4005176607196	540	737.46
31 588 SD1	4005176626043	544	352.81
31 593 002	4005176521942	513	432.97
31 593 DC2	4005176521959	513	650.00
31 613 000	4005176521973	508	329.88
31 613 A00	4005176523601	508	461.18
31 613 DA0	4005176523595	508	461.18
31 613 DC0	4005176521980	508	427.54
31 615 000	4005176523649	516	392.82
31 615 A00	4005176523717	516	550.17
31 615 AL0	4005176523724	516	589.23
31 615 BE0	4005176523731	516	550.17
31 615 DA0	4005176523694	516	550.17
31 615 DC0	4005176523656	516	511.10
31 615 DL0	4005176523700	516	589.23
31 615 EN0	4005176523748	516	589.23
31 615 GL0	4005176523670	516	550.17
31 615 GN0	4005176523687	516	589.23
31 639 AP0	4005176520457	550	248.70
31 639 AT0	4005176520464	550	248.70
31 640 AP0	4005176520471	550	313.15
31 640 AT0	4005176520488	550	313.15
31 641 AP0	4005176521102	550	336.89
31 641 AT0	4005176521119	550	336.89
31 642 AP0	4005176521126	551	360.63
31 642 AT0	4005176521133	551	360.63
31 643 AP0	4005176521140	551	383.23
31 643 AT0	4005176521157	551	383.23
31 644 AP0	4005176521164	548	334.62
31 644 AT0	4005176521171	548	334.62
31 645 AP0	4005176521188	548	349.33
31 645 AT0	4005176521195	548	349.33
31 646 AP0	4005176521201	548	371.92
31 646 AT0	4005176521218	548	371.92
31 647 AP0	4005176521225	549	418.28
31 647 AT0	4005176521232	549	418.28
31 648 AP0	4005176521249	549	319.93
31 648 AT0	4005176521256	549	319.93
31 649 AP0	4005176521263	549	390.01
31 649 AT0	4005176521270	549	390.01
31 650 AP0	4005176521287	546	252.10
31 650 AT0	4005176521294	546	252.10
31 651 AP0	4005176521300	546	297.31
31 651 AT0	4005176521317	546	297.31
31 652 AP0	4005176521324	546	332.35
31 652 AT0	4005176521331	546	332.35
31 653 AP0	4005176521348	547	220.45
31 653 AT0	4005176521355	547	220.45
31 654 AP0	4005176521362	547	253.23
31 654 AT0	4005176521379	547	253.23
31 655 AP0	4005176521386	547	299.58
31 655 AT0	4005176521393	547	299.58
31 656 AP0	4005176521409	551	206.88
31 656 AT0	4005176521416	551	206.88
31 680 000	4005176530487	537	70.18
31 688 000	4005176530333	537	78.82
31 693 000	4005176530371	537	78.82
31 706 000	4005176530449	537	78.82
31 715 000	4005176564123	537	78.82
31 819 001	4005176843471	534	106.26
31 829 001	4005176845697	533	83.59
31 831 001	4005176843280	533	82.41
31 868 000	4005176693113	529	115.19
31 869 000	4005176693120	530	173.36
31 930 001	4005176843303	533	177.93

32

Ref. No.	EAN	Page	Retail Guide Price (£)
32 042 003	4005176454448	51	393.64
32 042 AL3	4005176454462	51	715.55
32 042 DA3	4005176492167	51	611.25
32 042 DC3	4005176454455	51	626.11
32 042 GL3	4005176492143	51	611.24
32 043 003	4005176454479	51	341.25
32 043 AL3	4005176454691	51	620.20
32 043 DC3	4005176454486	51	542.65
32 043 GL3	4005176492211	51	536.34
32 067 000	4005176811142	511	231.52
32 108 003	4005176454790	52	446.05
32 108 AL3	4005176454813	52	810.98
32 108 DA3	4005176492518	52	692.74
32 108 DC3	4005176454806	52	709.61
32 108 GL3	4005176492495	52	692.74
32 109 001	4005176408373	77	242.41
32 109 AL1	4005176586118	77	339.20
32 109 DC1	4005176412691	77	320.89
32 114 001	4005176409103	77	230.23
32 114 DC1	4005176412714	77	342.28
32 146 001	4005176499388	35	317.66
32 146 A01	4005176499456	35	476.50
32 146 DL1	4005176499449	35	508.26
32 146 GN1	4005176499425	35	508.26
32 154 003	4005176613258	180	104.71
32 168 000	4005176824425	509	231.52
32 168 DC0	4005176824432	509	301.35
32 202 10L	4005176903960	141	143.49
32 204 10E	4005176887345	140	154.62
32 207 001	4005176888878	140	107.96
32 208 001	4005176888908	144	143.49
32 210 001	4005176888939	144	162.49
32 211 001	4005176889028	145	187.99
32 212 001	4005176889035	145	221.36
32 213 001	4005176888960	147	162.49
32 214 001	4005176889097	147	184.30
32 224 003	4005176635786	531	147.76
32 229 002	4005176887055	152	144.51
32 240 10E	4005176906794	141	143.49
32 240 10L	4005176903977	141	132.36
32 249 000	4005176832383	47	775.11
32 257 001	4005176834165	520	225.73
32 257 002	4005176886591	519	285.42
32 259 003	4005176466908	519	235.31
32 294 002	4005176466496	513	371.92
32 294 DC2	4005176466502	513	482.73
32 321 002	4005176465109	511	229.24
32 321 A02	4005176488733	511	328.20
32 321 AL2	4005176488740	511	328.20
32 321 DA2	4005176488757	511	328.20
32 321 DC2	4005176465116	511	298.37
32 321 DL2	4005176488764	511	328.20
32 321 GN2	4005176618529	511	328.33
32 322 002	4005176465123	512	229.24
32 322 A02	4005176488818	512	328.20
32 322 AL2	4005176488825	512	328.20
32 322 DA2	4005176488832	512	328.20
32 322 DC2	4005176465130	512	298.37
32 322 DL2	4005176488849	512	328.20
32 467 003	4005176613210	179	91.91
32 467 30L	4005176644276	180	91.91
32 468 003	4005176334207	158	120.59
32 468 20E	4005176906886	150	132.75
32 468 20L	4005176917097	150	126.96

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
32 469 20E	4005176908835	134	193.72
32 469 20L	4005176917110	134	183.76
32 488 000	4005176289552	511	184.99
32 488 A00	4005176488771	511	263.22
32 488 AL0	4005176488788	511	263.22
32 488 DA0	4005176488795	511	263.22
32 488 DC0	4005176804939	511	243.80
32 488 DL0	4005176488801	511	263.22
32 511 000	4005176295621	510	278.08
32 553 002	4005176466649	514	348.19
32 553 DC2	4005176466656	514	546.39
32 612 003	4005176529696	103	214.87
32 612 30L	4005176529979	104	214.87
32 612 AL3	4005176585609	103	331.48
32 612 DC3	4005176574054	103	290.45
32 618 003	4005176529740	106	322.84
32 618 AL3	4005176585647	106	513.96
32 618 DC3	4005176574092	106	449.17
32 628 001	4005176306983	119	218.03
32 628 A01	4005176407376	119	332.45
32 628 AL1	4005176407383	119	354.60
32 628 DA1	4005176407352	119	332.45
32 628 DC1	4005176369940	119	310.27
32 628 DL1	4005176419652	119	354.60
32 628 GL1	4005176407369	119	332.45
32 628 GN1	4005176419645	119	354.60
32 629 002	4005176472619	143	187.99
32 647 003	4005176454707	51	552.05
32 647 AL3	4005176454721	51	1,001.82
32 647 DA3	4005176492303	51	855.73
32 647 DC3	4005176454714	51	876.60
32 647 GL3	4005176492280	51	855.73
32 650 003	4005176454820	52	472.83
32 650 AL3	4005176454844	52	858.67
32 650 DA3	4005176492587	52	733.48
32 650 DC3	4005176454837	52	751.34
32 650 GL3	4005176492563	52	733.48
32 652 003	4005176454851	53	552.05
32 652 AL3	4005176454875	53	1,001.82
32 652 DA3	4005176492655	53	855.73
32 652 DC3	4005176454868	53	876.60
32 652 GL3	4005176492631	53	855.73
32 653 003	4005176454912	56	1,522.19
32 653 AL3	4005176454936	56	2,766.88
32 653 DA3	4005176492723	56	2,363.46
32 653 DC3	4005176454929	56	2,421.04
32 653 GL3	4005176492709	56	2,363.46
32 659 001	4005176886713	523	184.99
32 661 003	4005176466823	521	206.20
32 661 DC3	4005176466830	521	252.28
32 663 003	4005176466854	521	229.24
32 663 DC3	4005176466861	521	321.40
32 700 001	4005176887994	146	173.40
32 706 000	4005176855092	48	266.76
32 750 000	4005176868238	532	94.35
32 752 000	4005176868252	532	106.28
32 757 001	4005176498589	35	285.90
32 757 A01	4005176499357	35	428.85
32 757 DL1	4005176499340	35	457.44
32 757 GN1	4005176499326	35	457.44
32 760 000	4005176870927	47	727.33
32 762 000	4005176871023	606	120.59
32 763 000	4005176871030	606	120.59
32 765 000	4005176871054	606	254.62
32 766 000	4005176871061	606	266.77
32 767 000	4005176871078	607	303.31
32 768 000	4005176871689	607	282.00
32 770 000	4005176871702	607	248.03
32 771 000	4005176871719	607	327.69
32 772 000	4005176871726	608	285.43
32 773 000	4005176871733	608	295.61
32 774 000	4005176871740	608	329.60
32 775 000	4005176871757	608	343.17
32 776 000	4005176871764	607	251.45
32 778 000	4005176871788	607	278.97
32 779 000	4005176871795	607	315.52
32 780 000	4005176871801	608	116.74
32 783 000	4005176871832	609	137.17
32 784 000	4005176871849	609	144.95
32 786 000	4005176871863	532, 609	144.96
32 787 000	4005176871870	532, 609	143.03
32 788 000	4005176871887	612	254.59
32 789 000	4005176871894	612	230.25
32 790 000	4005176871900	612	305.86
32 792 000	4005176871924	613	404.33
32 793 000	4005176871931	613	421.31
32 795 000	4005176871955	612	400.79
32 823 000	4005176877995	612	377.08
32 824 000	4005176874604	168	115.19
32 824 00L	4005176917035	168	115.19
32 825 00E	4005176874628	167	126.81
32 825 00L	4005176917028	167	125.97
32 826 001	4005176507076	38	381.20
32 826 A01	4005176507052	38	571.80
32 826 DL1	4005176506970	38	609.92
32 826 GN1	4005176506918	38	609.92
32 827 00E	4005176906565	168	126.81
32 830 001	4005176472749	171	160.13
32 831 000	4005176874703	174	161.72
32 832 000	4005176874710	175	184.99
32 833 000	4005176874727	175	130.03
32 836 000	4005176874758	174	158.55
32 837 000	4005176874772	173	135.73
32 839 000	4005176874802	173	115.19
32 840 000	4005176874819	173	102.67
32 842 000	4005176874833	527	115.19
32 843 002	4005176466939	526	140.16
32 843 20E	4005176466946	526	143.18
32 843 DC2	4005176466953	526	210.36
32 846 001	4005176506895	38	349.43
32 846 A01	4005176506871	38	524.15
32 846 DL1	4005176506796	38	559.09
32 846 GN1	4005176506734	38	559.09
32 870 000	4005176876523	610	101.98
32 871 000	4005176876530	610	119.54
32 879 000	4005176877353	177	147.14
32 880 000	4005176877360	177	150.09
32 898 001	4005176306860	117	169.32
32 901 001	4005176306969	120	291.15
32 901 A01	4005176407512	120	450.31
32 901 AL1	4005176407529	120	480.32
32 901 DA1	4005176407499	120	450.31
32 901 DC1	4005176369957	120	420.27
32 901 DL1	4005176426124	120	480.32
32 901 GL1	4005176407505	120	450.31
32 901 GN1	4005176426117	120	480.32
32 917 000	4005176230950	510	184.99
32 917 A00	4005176488696	510	263.22
32 917 AL0	4005176488702	510	263.22
32 917 DA0	4005176488719	510	263.22
32 917 DC0	4005176804946	510	231.52
32 917 DL0	4005176488726	510	263.22
32 917 KS0	4005176980640	510	250.16
32 918 000	4005176230967	510	231.52

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
32 918 00E	4005176866616	510	231.52
32 918 DC0	4005176804953	510	301.35
32 926 003	4005176613234	180	103.55
32 929 003	4005176613623	184	91.91
32 935 001	4005176307171	123	169.32
32 935 A01	4005176426360	123	258.83
32 935 AL1	4005176426353	123	276.08
32 935 DA1	4005176426339	123	258.83
32 935 DC1	4005176369988	123	241.55
32 935 DL1	4005176426346	123	276.08
32 935 GL1	4005176426315	123	258.83
32 935 GN1	4005176426322	123	276.08
32 950 000	4005176879838	506	685.31
32 950 DC0	4005176879845	506	894.73
32 955 000	4005176880117	167	115.19
33			
33 155 002	4005176865947	115	278.96
33 163 003	4005176529702	104	214.87
33 183 002	4005176887499	133	191.10
33 188 003	4005176613203	180	91.91
33 190 20E	4005176887482	133	205.89
33 192 002	4005176887864	137	230.26
33 202 003	4005176635588	530	138.45
33 241 003	4005176529849	107	214.87
33 241 AL3	4005176585739	107	331.48
33 241 DC3	4005176574184	107	290.45
33 244 002	4005176888779	136	189.89
33 265 003	4005176613197	179	103.55
33 265 30L	4005176644269	179	103.55
33 281 003	4005176635366	529	115.19
33 281 30E	4005176635410	529	115.19
33 281 DC3	4005176635397	529	130.31
33 300 003	4005176613456	185	115.19
33 302 003	4005176613470	186	150.09
33 303 003	4005176613524	186	208.26
33 305 003	4005176613531	187	143.18
33 390 002	4005176887796	137	230.26
33 395 002	4005176887802	138	297.36
33 547 003	4005176529818	108	366.03
33 552 20E	4005176886300	149	132.76
33 553 003	4005176529795	108	322.84
33 553 AL3	4005176585678	108	496.68
33 553 DC3	4005176574122	108	435.14
33 555 003	4005176613562	184	103.55
33 556 003	4005176613609	187	143.18
33 557 003	4005176334184	158	120.59
33 558 003	4005176334139	156	132.78
33 558 LS3	4005176335686	156	180.30
33 561 002	4005176886379	150	154.07
33 561 003	4005176334160	157	132.78
33 565 002	4005176887000	152	132.76
33 565 003	4005176334283	161	108.41
33 565 LS3	4005176334504	161	182.74
33 569 002	4005176887734	137	205.89
33 577 003	4005176529801	107	258.05
33 577 AL3	4005176585685	107	397.34
33 577 DC3	4005176574139	107	347.67
33 590 002	4005176887048	152	144.94
33 590 003	4005176334306	161	181.53
33 590 LS3	4005176334511	161	193.69
33 591 002	4005176887123	153	166.00
33 591 003	4005176334351	162	193.69
33 591 LS3	4005176334535	162	242.41
33 592 20A	4005176454288	153	224.13
33 592 30A	4005176456497	164	209.87
33 614 002	4005176887208	153	214.14
33 624 001	4005176990786	124	218.08
33 624 A01	4005176426445	124	351.40
33 624 AL1	4005176426438	124	374.82
33 624 DA1	4005176426414	124	351.40
33 624 DC1	4005176371097	124	327.99
33 624 DL1	4005176426421	124	374.82
33 624 GL1	4005176426391	124	351.40
33 624 GN1	4005176426407	124	374.82
33 628 001	4005176990793	124	266.77
33 635 003	4005176334344	165	161.89
33 636 001	4005176307287	123	181.53
33 636 A01	4005176426667	123	286.19
33 636 AL1	4005176426650	123	305.25
33 636 DA1	4005176426636	123	286.19
33 636 DC1	4005176371141	123	267.09
33 636 DL1	4005176426643	123	305.25
33 636 GL1	4005176426612	123	286.19
33 636 GN1	4005176426629	123	305.25
33 637 003	4005176334405	166	215.61
33 770 001	4005176828959	520	213.78
33 770 002	4005176888137	519	237.66
33 772 002	4005176890796	519	249.61
33 848 001	4005176409172	79	278.97
33 848 DC1	4005176412776	79	374.40
33 849 001	4005176409189	80	315.52
33 849 AL1	4005176586200	80	518.73
33 849 DC1	4005176412783	80	492.04
33 850 001	4005176409196	81	365.47
33 865 001	4005176409202	80	315.51
33 865 AL1	4005176586217	80	406.39
33 865 DC1	4005176412790	80	406.85
33 961 000	4005176119972	314, 609	334.00
33 962 000	4005176119989	314, 609	225.48
33 963 000	4005176128387	314, 609	99.72
33 964 000	4005176128394	314, 609	100.85
33 975 004	4005176467004	524	203.83
34			
34 143 003	4005176309618	162, 288	243.18
34 146 003	4005176309625	289	231.52
34 151 004	4005176456664	291	296.70
34 152 004	4005176456640	291	318.80
34 155 003	4005176310027	163, 289	301.35
34 156 003	4005176310034	290	312.97
34 169 001	4005176926518	277	344.87
34 170 001	4005176926471	277	320.14
34 174 001	4005176926426	278	419.07
34 176 001	4005176926488	280	777.54
34 195 001	4005176926631	280	369.62
34 256 004	4005176456671	290	301.35
34 281 001	4005176926501	280	542.65
34 294 001	4005176306877	117	157.15
34 430 000	4005176917981	286	266.45
34 437 000	4005176918025	286	312.97
34 446 001	4005176926402	277	344.87
34 448 000	4005176919183	286	394.42
34 463 001	4005176926419	276	407.90
34 464 001	4005176926433	278	419.03
34 466 001	4005176926440	279	431.43
34 469 001	4005176926396	276	369.60
34 484 001	4005176932519	279	443.76
34 487 000	4005176936234	591, 610	144.96
34 488 000	4005176940620	87, 95	394.33
34 491 000	4005176940644	282	443.75
34 497 000	4005176940675	88, 96	497.30
34 502 000	4005176940798	283	554.99
34 508 000	4005176941795	283	530.30

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
34 509 000	4005176941801	282	406.69
34 519 000	4005176998515	286	299.22
34 557 001	4005176456688	291	266.45
34 558 000	4005176310089	185, 208	208.26
34 562 000	4005176310102	299	219.90
34 565 001	4005176456718	300	231.52
34 566 001	4005176456701	300	253.65
34 567 000	4005176310157	185, 299	266.45
34 569 000	4005176310171	300	266.45
34 665 000	4005176351556	192, 592	382.08
34 666 000	4005176351563	593	338.80
34 667 000	4005176351570	193, 592	305.16
34 671 000	4005176351587	593	389.24
34 681 000	4005176354090	593	364.22
34 705 000	4005176413285	64, 84	1,543.90
34 713 000	4005176409776	267	987.68
34 714 000	4005176409783	267	925.85
34 718 000	4005176457647	80, 108	456.13
34 719 000	4005176457654	80, 108	414.07
34 720 000	4005176457661	268	530.30
34 721 000	4005176457678	268	537.72
34 725 000	4005176457081	592	379.08
34 726 000	4005176466014	272	608.84
34 727 000	4005176466021	272	681.48
34 728 000	4005176466069	270	620.37
34 729 000	4005176466076	270	696.48
34 730 000	4005176466342	270	1,507.11
34 731 000	4005176466359	272	1,507.11
34 732 000	4005176466366	272	1,034.32
34 734 000	4005176466403	270	1,063.16
34 735 000	4005176466410	273	848.67
34 741 000	4005176481208	90, 98	1,399.39
34 742 000	4005176484094	48, 265	1,445.05
34 743 000	4005176484100	266	1,346.15
34 744 000	4005176484117	266	1,131.04
34 765 000	4005176612022	124, 144	207.70
34 766 000	4005176612039	125, 145	270.59
34 767 000	4005176612046	175, 296	202.43
34 768 000	4005176612053	298	241.29
34 769 000	4005176612060	298	247.23
34 770 000	4005176612077	297	265.32
34 771 000	4005176612886	296	212.18
34 772 000	4005176612893	297	275.08
34 776 000	4005176612930	292	219.24
34 779 000	4005176612961	292	285.63
34 780 000	4005176612978	293	280.36
34 781 000	4005176612985	293	223.73
34 782 000	4005176612992	294	290.11
34 783 000	4005176613005	294	253.07
34 784 000	4005176613012	294	256.83
34 787 000	4005176613043	295	257.55
34 793 000	4005176632433	199, 205	161.67
34 796 000	4005176632464	301	198.26
34 806 000	4005176684432	301	202.82
34 813 001	4005176698392	117	157.15
34 814 003	4005176695728	162, 288	243.18
34 816 003	4005176695742	163, 289	301.35
34 817 003	4005176695759	289	231.52
34 818 003	4005176695766	288	243.18
34 819 004	4005176695773	291	318.80
34 820 004	4005176698583	291	296.70
34 821 003	4005176698590	290	312.97
34 823 003	4005176698613	290	312.97
34 824 004	4005176698620	290	301.35
34 825 001	4005176698637	291	266.45
34 827 000	4005176698651	292	219.24
34 830 000	4005176698682	292	285.63
34 831 000	4005176698699	293	280.36
34 832 000	4005176698705	293	223.73
34 833 000	4005176698712	294	290.11
34 834 000	4005176698729	294	253.07
34 835 000	4005176698736	294	256.83
34 838 000	4005176698767	295	257.55
35			
35 028 000	4005176908316	43, 48	144.94
35 034 000	4005176915697	446	233.63
35 085 000	4005176207068	596	2,122.66
35 087 000	4005176207082	596	2,423.63
35 500 000	4005176831522	594, 594	278.96
35 604 000	4005176698774	29, 29	142.72
36			
36 015 001	4005176929359	574	564.61
36 016 001	4005176929366	574	486.98
36 078 000	4005176856532	337	118.24
36 194 000	4005176140921	538	151.71
36 207 001	4005176929373	574	650.74
36 208 001	4005176929380	574	552.34
36 209 000	4005176207105	575, 614	77.78
36 233 000	4005176283338	614	582.36
36 249 000	4005176283345	614	664.05
36 264 001	4005176416279	560, 563	234.04
36 265 000	4005176893131	616	134.09
36 266 000	4005176893148	616	109.46
36 267 000	4005176893155	616	109.48
36 268 000	4005176893162	616	109.46
36 269 000	4005176893179	585	330.92
36 271 000	4005176893193	585	306.32
36 272 000	4005176893209	585	306.32
36 273 000	4005176893216	586	402.14
36 274 000	4005176893223	586	392.41
36 309 000	4005176894794	337	285.45
36 315 000	4005176896590	581	515.43
36 316 000	4005176896279	616	35.66
36 317 000	4005176896514	615	303.34
36 318 000	4005176896521	615	327.70
36 320 000	4005176896545	615	473.90
36 321 000	4005176896552	615	339.86
36 322 001	4005176595400	615	140.98
36 324 001	4005176305757	578	591.70
36 325 001	4005176305764	577	417.02
36 327 001	4005176305771	172, 576	367.81
36 330 001	4005176305788	578	392.42
36 331 001	4005176305795	576	322.31
36 332 000	4005176896682	579	866.95
36 333 000	4005176896699	579	851.50
36 334 SD0	4005176896705	580	478.53
36 335 SD0	4005176896712	580	453.91
36 336 001	4005176991769	568, 580	338.08
36 337 001	4005176595417	568, 580	127.89
36 338 000	4005176896743	561, 564	97.18
36 339 001	4005176595424	569, 581	233.55
36 340 000	4005176911385	561, 564	58.53
36 341 000	4005176911392	561, 564	105.24
36 359 000	4005176918414	332	1,395.61
36 360 000	4005176918438	333	1,197.82
36 367 000	4005176923203	335	320.15
36 371 000	4005176928970	335	678.62
36 376 000	4005176932243	581	613.83
36 384 000	4005176982774	586	675.33
36 386 001	4005176311673	578	715.31
36 397 000	4005176999413	334	1,197.80
36 407 001	4005176368974	561, 564	282.14

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
36 409 000	4005176320538	566	522.82
36 410 000	4005176320545	568	600.30
36 412 000	4005176320569	569	676.57
36 413 000	4005176320576	565	634.75
36 414 000	4005176320583	567	861.10
36 415 000	4005176320590	570	569.03
36 416 001	4005176595394	570, 583	660.61
36 421 000	4005176368523	577	388.25
36 422 000	4005176368530	576	390.66
36 439 000	4005176389740	577	289.98
36 440 000	4005176415623	560	857.32
36 441 000	4005176415630	94, 560	822.05
36 441 AL0	4005176686825	94, 560	1,227.86
36 441 DC0	4005176686818	94, 560	1,064.15
36 442 000	4005176415647	560	927.89
36 444 000	4005176415661	562	692.68
36 445 000	4005176415678	120, 562	669.17
36 445 A00	4005176686795	120, 562	920.90
36 445 AL0	4005176686801	120, 562	986.69
36 445 DA0	4005176686573	120, 562	920.90
36 445 DC0	4005176686542	120, 562	855.11
36 445 DL0	4005176686788	120, 562	986.69
36 445 GL0	4005176686559	120, 562	920.90
36 445 GN0	4005176686566	120, 562	986.69
36 446 000	4005176415685	563	622.13
36 447 000	4005176416293	563	880.85
36 451 000	4005176473678	198, 589	255.20
36 452 000	4005176473685	589	237.56
36 453 000	4005176473791	590	269.31
36 454 000	4005176487774	579	980.90
36 455 000	4005176487781	579	954.20
36 456 000	4005176494758	582	237.89
36 457 000	4005176494765	581	895.26
36 458 000	4005176494772	582	719.55
36 459 000	4005176576188	582	772.92
36 463 000	4005176576690	583	211.46
36 464 000	4005176576706	583	647.25
37			
37 035 000	4005176143731	711	13.36
37 036 000	4005176143748	711	21.07
37 037 000	4005176143762	711	23.29
37 038 000	4005176143786	712	25.50
37 039 000	4005176143793	712	27.69
37 040 000	4005176143861	712	30.94
37 042 000	4005176143908	712	18.81
37 043 000	4005176143922	712	41.65
37 044 000	4005176160776	711	22.18
37 059 000	4005176142857	722	151.71
37 060 000	4005176142901	723	68.86
37 063 000	4005176142185	725	66.84
37 063 SH0	4005176142307	725	66.84
37 069 000	4005176142352	725	115.80
37 078 PI0	4005176160783	694	89.34
37 085 PI0	4005176149641	694	57.18
37 088 PI0	4005176149672	694	55.52
37 092 000	4005176145049	693	37.62
37 093 000	4005176145070	693	44.19
37 095 000	4005176145124	693, 769	33.84
37 099 K00	4005176142086	694	33.19
37 100 SH0	4005176142093	694	22.18
37 104 K00	4005176160844	696	22.18
37 105 K00	4005176141904	697	22.18
37 107 000	4005176141713	700	49.74
37 108 000	4005176141720	700	42.49
37 112 000	4005176141911	700	77.22
37 114 000	4005176141935	700	20.45
37 119 000	4005176144370	697	4.54
37 131 000	4005176144585	685, 697	44.44
37 132 000	4005176144608	699	20.45
37 133 000	4005176144622	699	33.77
37 135 000	4005176144653	700	6.52
37 139 000	4005176143083	699	94.35
37 141 000	4005176143113	699	112.87
37 311 K00	4005176160851	696	22.18
37 321 001	4005176929496	707	576.93
37 321 SD1	4005176929502	707	576.93
37 324 001	4005176929526	708	576.93
37 324 SD1	4005176929533	708	543.71
37 336 001	4005176929540	707	576.93
37 337 001	4005176929557	707	543.71
37 338 000	4005176837920	571, 709	146.37
37 339 000	4005176837937	711	118.22
37 347 000	4005176837999	699	225.74
37 396 000	4005176907968	711	134.09
37 419 000	4005176933806	701	872.18
37 419 SD0	4005176933813	701	872.18
37 421 000	4005176935572	706	471.55
37 489 000	4005176167386	696	10.49
37 503 000	4005176320507	571, 708	736.87
37 504 000	4005176320521	572, 702	921.37
37 535 000	4005176416019	102, 114	71.12
37 535 A00	4005176431364	716	184.17
37 535 AL0	4005176431357	102, 114	184.17
37 535 BE0	4005176431340	716	184.17
37 535 DA0	4005176431333	716	184.17
37 535 DC0	4005176416040	102, 114	184.17
37 535 DL0	4005176431326	716	184.17
37 535 EN0	4005176431319	716	184.17
37 535 GL0	4005176431302	716	184.17
37 535 GN0	4005176431296	716	184.17
37 535 P00	4005176416026	716	71.12
37 535 SH0	4005176416033	716	73.80
37 547 000	4005176189425	725	80.53
37 547 P00	4005176189449	725	74.92
37 547 SH0	4005176189418	725	66.84
37 601 000	4005176416057	85, 129	81.44
37 601 A00	4005176528996	129, 716	184.25
37 601 AL0	4005176529030	85, 129	184.25
37 601 BE0	4005176529009	716	184.25
37 601 DA0	4005176524288	129, 716	184.25
37 601 DC0	4005176416088	85, 129	184.25
37 601 DL0	4005176529023	129, 716	184.25
37 601 EN0	4005176529047	716	184.25
37 601 GL0	4005176524271	129, 716	184.25
37 601 GN0	4005176529016	129, 716	184.25
37 601 P00	4005176416064	716	108.26
37 601 SH0	4005176416071	716	67.01
37 624 000	4005176416095	114, 139	81.44
37 624 A00	4005176529078	717	184.25
37 624 AL0	4005176529115	114, 717	184.25
37 624 BE0	4005176529085	717	184.25
37 624 DA0	4005176529061	717	184.25
37 624 DC0	4005176416125	114, 717	184.28
37 624 DL0	4005176529108	717	184.25
37 624 EN0	4005176529122	717	184.25
37 624 GL0	4005176529054	717	184.25
37 624 GN0	4005176529092	717	184.25
37 624 P00	4005176416101	717	108.26
37 624 SH0	4005176416118	717	67.01
37 761 000	4005176213243	723	45.74
37 762 SH0	4005176213250	690	80.53
37 791 SH0	4005176217241	690	180.16
37 945 SH0	4005176256387	690	80.53

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
37 965 000	4005176442506	717	71.34
37 965 SH0	4005176442513	717	54.93
37 973 000	4005176479021	717	81.44
37 973 DC0	4005176479052	717	184.28
37 973 P00	4005176479045	717	108.26
37 973 SH0	4005176479038	717	67.01
37 998 000	4005176262586	684	118.23
38			
38 338 000	4005176286179	686	31.57
38 422 000	4005176275203	691	196.55
38 445 SD0	4005176282850	725	114.32
38 488 000	4005176289866	723	45.53
38 496 000	4005176289958	723	208.91
38 505 000	4005176290053	720	54.10
38 505 P00	4005176290060	720	94.32
38 505 SH0	4005176290046	720	35.68
38 506 000	4005176290121	720	78.70
38 506 P00	4005176290138	720	80.53
38 506 SH0	4005176290114	720	72.61
38 525 001	4005176863967	675	345.17
38 526 000	4005176291050	675	258.87
38 528 001	4005176863943	667	199.83
38 536 001	4005176863929	673	227.08
38 539 001	4005176863912	673	258.87
38 541 000	4005176291234	680, 682	177.12
38 543 000	4005176291258	681	331.54
38 545 000	4005176291272	681	340.63
38 546 000	4005176291289	680	168.04
38 553 001	4005176863813	680	286.12
38 554 001	4005176863806	679	145.34
38 557 001	4005176863783	679	136.24
38 558 00M	4005176291418	675, 678	28.95
38 559 001	4005176863776	683	213.46
38 562 001	4005176863752	685	106.28
38 564 000	4005176291784	722	84.91
38 564 SH0	4005176291777	722	65.10
38 565 000	4005176291845	722	54.15
38 573 000	4005176292316	722	60.30
38 573 P00	4005176292323	722	80.53
38 573 SH0	4005176292309	722	66.84
38 574 000	4005176292385	722	66.84
38 629 000	4005176293191	685	59.70
38 661 000	4005176294907	690	184.19
38 672 SD0	4005176296468	722	134.09
38 675 001	4005176863516	674, 682	372.42
38 691 000	4005176815454	691	196.55
38 698 SD1	4005176929571	701	773.75
38 699 001	4005176929588	701	650.74
38 714 000	4005176828454	698, 723	15.76
38 721 001	4005176863431	670	272.49
38 722 001	4005176863424	670	272.49
38 732 000	4005176836114	720	78.74
38 732 A00	4005176339110	720	154.93
38 732 AL0	4005176339127	720	154.93
38 732 BE0	4005176427749	720	154.93
38 732 BR0	4005176873676	720	134.07
38 732 DA0	4005176339097	720	154.93
38 732 DC0	4005176431371	720	143.46
38 732 DL0	4005176427732	720	154.93
38 732 EN0	4005176427756	720	154.93
38 732 GL0	4005176339103	720	154.93
38 732 GN0	4005176427725	720	154.93
38 732 P00	4005176836121	720	57.87
38 732 SD0	4005176847691	719	170.99
38 732 SH0	4005176836138	720	60.24
38 733 000	4005176837289	685	34.61
38 735 000	4005176837500	695	60.28
38 736 000	4005176837517	695	47.98
38 748 002	4005176416323	561, 564	626.76
38 750 001	4005176863363	668	308.84
38 761 000	4005176841620	671	313.37
38 764 001	4005176863301	672	245.24
38 765 000	4005176846830	718	78.72
38 765 P00	4005176846847	718	77.49
38 765 SH0	4005176846854	718	60.29
38 771 000	4005176848551	723	47.98
38 772 001	4005176863288	671	272.49
38 773 000	4005176850288	671	313.37
38 776 SD0	4005176853555	719	170.98
38 778 000	4005176855269	703	718.38
38 779 000	4005176855306	685	112.17
38 784 000	4005176855535	726	121.76
38 784 P00	4005176855542	726	125.46
38 784 SD0	4005176877407	726	179.62
38 784 SH0	4005176855559	726	112.03
38 786 001	4005176864025	677	299.75
38 787 000	4005176855689	709	121.80
38 796 000	4005176857034	724	72.57
38 803 001	4005176864049	677	376.96
38 804 000	4005176861512	726	130.17
38 804 P00	4005176861536	726	121.82
38 804 SH0	4005176861529	726	118.25
38 805 000	4005176865596	724	146.37
38 808 000	4005176864056	727	109.47
38 808 P00	4005176864063	727	123.03
38 808 SH0	4005176864070	727	95.89
38 809 000	4005176864681	718	638.42
38 821 000	4005176868986	719	257.11
38 827 000	4005176870477	668	336.08
38 844 000	4005176874963	720	78.72
38 844 P00	4005176875687	720	72.57
38 844 SH0	4005176874970	720	60.28
38 845 KS0	4005176878343	718	269.40
38 845 LS0	4005176878336	718	269.40
38 845 MF0	4005176878619	718	269.40
38 846 KS0	4005176878268	726	320.01
38 846 LS0	4005176878367	726	320.01
38 857 000	4005176875694	727	121.82
38 857 P00	4005176875663	727	118.23
38 857 SH0	4005176875793	727	112.27
38 858 000	4005176876714	720	78.72
38 858 P00	4005176876721	720	72.57
38 858 SH0	4005176876738	720	60.28
38 860 000	4005176878084	668	272.49
38 861 000	4005176832284	721	72.58
38 862 000	4005176832314	720	78.72
38 862 P00	4005176832321	720	69.80
38 862 SD0	4005176834721	721	177.94
38 862 SH0	4005176832338	720	58.50
38 863 000	4005176832345	691	147.09
38 868 000	4005176878091	671	313.37
38 882 000	4005176879197	724	9.07
38 885 000	4005176879609	669	413.30
38 888 000	4005176879630	669	481.42
38 915 KS0	4005176897108	718	939.37
38 915 LS0	4005176897115	718	954.24
38 916 0A0	4005176896941	719	321.27
38 947 000	4005176911217	672	358.79
38 948 000	4005176911224	672	272.49
38 957 000	4005176914409	719	118.24
38 987 000	4005176924798	690	123.03
38 994 000	4005176932335	674	363.34
38 995 000	4005176932342	674	436.00

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

39

Ref. No.	EAN	Page	Retail Guide Price (£)
39 002 000	4005176936920	667	381.49
39 052 000	4005176935961	679	204.37
39 053 000	4005176935978	691	85.27
39 054 000	4005176936289	692	85.27
39 056 000	4005176936302	692	22.18
39 140 000	4005176315268	682	749.38
39 201 000	4005176344947	646	79.24
39 202 000	4005176344954	647	91.61
39 206 000	4005176344992	647	283.52
39 206 00H	4005176418495	647	339.23
39 208 000	4005176345029	650	277.35
39 208 00H	4005176418532	650	333.05
39 245 00H	4005176524479	643	518.62
39 300 000	4005176346026	660	268.86
39 301 000	4005176346033	660	198.19
39 302 000	4005176346040	660	190.07
39 305 000	4005176346071	660	336.09
39 306 000	4005176346088	661	219.03
39 323 000	4005176407116	645	110.17
39 323 00H	4005176417344	645	165.88
39 324 000	4005176407123	646	73.05
39 324 00H	4005176417375	646	128.76
39 325 000	4005176407130	647	79.24
39 327 000	4005176390104	646	91.61
39 327 00H	4005176418341	646	147.33
39 328 000	4005176407161	647	308.28
39 328 00H	4005176417382	647	364.00
39 330 001	4005176468834	650	110.21
39 331 001	4005176468827	650	78.53
39 332 000	4005176407208	649	221.61
39 333 000	4005176407215	649	221.61
39 335 000	4005176407239	645	104.00
39 335 00H	4005176417351	645	153.53
39 336 000	4005176407246	646	102.39
39 336 00H	4005176417368	646	151.66
39 337 000	4005176407253	645	110.18
39 337 00H	4005176418334	645	165.90
39 338 000	4005176407260	648	240.20
39 338 00H	4005176418501	648	295.89
39 339 000	4005176407277	649	235.64
39 339 00H	4005176418525	649	291.36
39 340 000	4005176423697	650	240.17
39 340 00H	4005176423703	650	295.89
39 346 000	4005176449673	657	338.93
39 347 000	4005176449680	657	326.78
39 349 000	4005176449659	653	150.64
39 351 000	4005176450006	656	205.30
39 354 SH1	4005176470448	624	2,411.41
39 367 000	4005176341533	710	572.64
39 368 000	4005176341540	709	555.96
39 369 000	4005176341557	710	739.69
39 374 KS0	4005176344770	666	776.46
39 374 LS0	4005176344787	666	776.46
39 376 000	4005176342998	677	308.84
39 383 000	4005176356926	567	60.27
39 386 00H	4005176438356	641	581.91
39 420 000	4005176405983	651	77.75
39 421 000	4005176428906	651	71.69
39 422 000	4005176406195	651	120.29
39 423 000	4005176406201	646, 651	120.29
39 424 000	4005176406218	651	65.59
39 425 000	4005176406225	652	65.59
39 426 000	4005176406232	652	71.70
39 427 000	4005176406249	653	120.27
39 428 000	4005176406256	653	138.49
39 429 000	4005176406263	654	150.64
39 430 000	4005176406270	654	102.06
39 431 000	4005176406287	654	102.06
39 432 000	4005176406294	656	205.29
39 433 000	4005176406300	655	205.31
39 436 000	4005176406331	654	120.26
39 437 000	4005176406348	654	120.26
39 438 000	4005176406355	656	229.61
39 439 000	4005176406362	656	229.61
39 440 000	4005176405976	651	65.59
39 462 000	4005176454608	649	519.15
39 462 00H	4005176454615	649	572.58
39 469 00H	4005176438363	641	502.93
39 473 00H	4005176438370	641	272.12
39 474 00H	4005176438387	641	253.90
39 475 00H	4005176442599	641	581.91
39 476 00H	4005176442605	641	504.15
39 477 00H	4005176442612	642	273.34
39 478 00H	4005176442629	642	256.33
39 479 00H	4005176442636	642	262.40
39 480 00H	4005176442643	642	245.39
39 481 00H	4005176442650	642	245.39
39 482 00H	4005176442667	642	217.45
39 483 00H	4005176442674	643	211.38
39 484 00H	4005176442698	643	488.36
39 485 00H	4005176442704	643	454.35
39 488 000	4005176442735	644	188.31
39 489 000	4005176442742	643	256.35
39 490 000	4005176442759	644	256.35
39 491 000	4005176449994	653	84.22
39 492 000	4005176450013	655	47.39
39 493 000	4005176450020	655	96.00
39 496 000	4005176450051	657	339.92
39 497 000	4005176450068	656	155.24
39 500 000	4005176453861	668	345.17
39 501 000	4005176453878	669	297.94
39 503 000	4005176454097	669	297.94
39 504 000	4005176454103	670	297.94
39 538 000	4005176468292	648	241.49
39 554 000	4005176484452	647	412.83
39 564 00H	4005176485602	636	297.83
39 565 00H	4005176485619	636	274.84
39 566 00H	4005176485626	636	654.31
39 567 00H	4005176485633	636	470.32
39 568 00H	4005176485640	636	320.84
39 570 000	4005176484865	637	171.34
39 571 00H	4005176485671	637	412.82
39 572 00H	4005176485688	637	458.82
39 573 00H	4005176485794	637	431.22
39 574 00H	4005176485800	638	412.82
39 575 00H	4005176485817	638	431.22
39 577 000	4005176485138	638	171.34
39 578 000	4005176485145	638	263.34
39 579 000	4005176485152	638	263.34
39 581 000	4005176496011	670	331.54
39 584 00H	4005176519161	645	387.53
39 585 00H	4005176519178	645	500.22
39 596 000	4005176527494	625, 664	277.04
39 598 000	4005176527517	625, 665	313.37
39 603 000	4005176527562	664	336.08
39 604 000	4005176524486	658	355.31
39 608 00H	4005176566493	636	625.56
39 609 00H	4005176566509	637	417.43
39 611 000	4005176571275	638	7,124.78
39 617 000	4005176571312	639	1,367.83
39 620 00H	4005176571336	639	1,508.47
39 622 000	4005176571350	639	6,817.23

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
39 648 SH0	4005176575310	627, 658	266.70
39 651 SH0	4005176575327	627, 658	373.59
39 652 SH0	4005176575334	627, 659	507.47
39 693 000	4005176581281	648	382.65
39 703 000	4005176583896	648	353.66
39 729 000	4005176594991	639	6,490.44
39 881 000	4005176706790	702	375.40
39 881 KF0	4005176715099	702	443.09
39 881 SH0	4005176706806	702	360.10
39 882 000	4005176706813	703	295.44
39 882 KF0	4005176715105	703	363.12
39 882 SH0	4005176706820	703	280.17
39 898 000	4005176713972	655	100.53
39 910 000	4005176720444	652	190.79
39 912 000	4005176720468	652	125.04
39 913 000	4005176720475	653	111.54
39 923 000	4005176724008	655	100.53
39 929 000	4005176734427	652	234.82
40			
40 254 003	4005176462405	44, 65	43.38
40 256 003	4005176462443	44, 65	40.30
40 278 001	4005176531545	44	73.06
40 278 A01	4005176531613	44	109.59
40 278 DL1	4005176531606	44	116.90
40 278 GN1	4005176531583	44	116.90
40 279 001	4005176532047	45	95.30
40 279 A01	4005176532115	45	142.95
40 279 DL1	4005176532108	45	152.48
40 279 GN1	4005176532085	45	152.48
40 284 001	4005176531941	45	28.05
40 284 A01	4005176532016	45	38.96
40 284 DL1	4005176532009	45	43.63
40 284 GN1	4005176531989	45	43.63
40 304 003	4005176461576	65	52.81
40 304 AL3	4005176462399	65	84.79
40 304 DA3	4005176494154	65	117.89
40 304 DC3	4005176461583	65	74.13
40 304 GL3	4005176494130	65	117.89
40 305 003	4005176462412	65	52.81
40 305 AL3	4005176462436	65	84.79
40 305 DA3	4005176494208	65	117.89
40 305 DC3	4005176462429	65	74.13
40 305 GL3	4005176494185	65	117.89
40 306 003	4005176461545	44, 65	52.81
40 306 AL3	4005176461569	65	84.79
40 306 DA3	4005176494093	65	117.89
40 306 DC3	4005176461552	65	74.13
40 306 GL3	4005176494079	65	117.89
40 307 003	4005176462450	65	70.88
40 307 AL3	4005176462474	65	115.83
40 307 DA3	4005176494260	65	157.93
40 307 DC3	4005176462467	65	97.29
40 307 GL3	4005176494246	65	157.93
40 308 003	4005176462481	66	120.48
40 308 AL3	4005176462504	66	184.41
40 308 DA3	4005176494321	66	262.46
40 308 DC3	4005176462498	66	166.81
40 308 GL3	4005176494307	66	262.46
40 309 003	4005176462511	66	111.20
40 309 AL3	4005176462627	66	180.70
40 309 DA3	4005176494383	66	250.23
40 309 DC3	4005176462528	66	157.55
40 309 GL3	4005176494369	66	250.23
40 312 003	4005176462535	66	36.60
40 312 AL3	4005176462559	66	58.37
40 312 DA3	4005176494444	66	81.18
40 312 DC3	4005176462542	66	50.96
40 312 GL3	4005176494420	66	81.18
40 313 003	4005176462566	66	80.16
40 313 AL3	4005176462580	66	129.74
40 313 DA3	4005176494505	66	177.94
40 313 DC3	4005176462573	66	111.20
40 313 GL3	4005176494482	66	177.94
40 314 003	4005176462597	66	157.55
40 314 AL3	4005176462610	66	258.58
40 314 DA3	4005176494567	66	353.66
40 314 DC3	4005176462603	66	221.51
40 314 GL3	4005176494543	66	353.66
40 339 001	4005176531026	45	63.53
40 339 A01	4005176531095	45	95.30
40 339 DL1	4005176531088	45	101.65
40 339 GN1	4005176531064	45	101.65
40 340 001	4005176532245	46	158.83
40 340 A01	4005176532313	46	238.25
40 340 DL1	4005176532306	46	254.13
40 340 GN1	4005176532283	46	254.13
40 341 001	4005176531743	45	101.29
40 341 A01	4005176531811	45	155.82
40 341 DL1	4005176531804	45	186.99
40 341 GN1	4005176531781	45	186.99
40 342 001	4005176531644	45	101.29
40 342 A01	4005176531712	45	155.82
40 342 DL1	4005176531705	45	186.99
40 342 GN1	4005176531682	45	186.99
40 344 001	4005176323461	231	101.94
40 344 DC1	4005176413209	231	143.64
40 364 001	4005176326332	227	11.11
40 364 A01	4005176429514	227	16.67
40 364 AL1	4005176429668	227	18.06
40 364 BE1	4005176430114	227	16.67
40 364 DA1	4005176428913	227	16.67
40 364 DL1	4005176429965	227	18.06
40 364 EN1	4005176326349	227	18.06
40 364 GL1	4005176429361	227	16.67
40 364 GN1	4005176429811	227	18.06
40 365 001	4005176326240	225	20.38
40 365 A01	4005176429521	225	30.57
40 365 AL1	4005176429675	225	32.90
40 365 BE1	4005176430121	225	30.57
40 365 DA1	4005176428920	225	30.57
40 365 DC1	4005176412431	225	28.72
40 365 DL1	4005176429972	225	32.90
40 365 EN1	4005176326257	225	32.90
40 365 GL1	4005176429378	225	30.57
40 365 GN1	4005176429828	225	32.90
40 366 001	4005176326264	226	32.42
40 366 A01	4005176429552	226	48.64
40 366 AL1	4005176429705	226	51.89
40 366 BE1	4005176430152	226	48.64
40 366 DA1	4005176428951	226	48.64
40 366 DC1	4005176412448	226	45.40
40 366 DL1	4005176430008	226	51.89
40 366 EN1	4005176326271	226	51.89
40 366 GL1	4005176429408	226	48.64
40 366 GN1	4005176429859	226	51.89
40 367 001	4005176326387	229	26.86
40 367 A01	4005176429620	229	40.30
40 367 AL1	4005176429774	229	43.08
40 367 BE1	4005176430220	229	40.30
40 367 DA1	4005176429323	229	40.30
40 367 DC1	4005176412455	229	37.52
40 367 DL1	4005176430077	229	43.08
40 367 EN1	4005176326394	229	43.08

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
40 367 GL1	4005176429477	229	40.30
40 367 GN1	4005176429927	229	43.08
40 368 001	4005176326219	224, 232	5.64
40 369 001	4005176326196	224	20.38
40 369 A01	4005176429576	224	30.57
40 369 AL1	4005176429729	224	32.90
40 369 BE1	4005176430176	224	30.57
40 369 DA1	4005176428975	224	30.57
40 369 DC1	4005176412462	224	28.72
40 369 DL1	4005176430022	224	32.90
40 369 EN1	4005176326202	224	32.90
40 369 GL1	4005176429422	224	30.57
40 369 GN1	4005176429873	224	32.90
40 371 001	4005176326318	226	36.13
40 371 A01	4005176429538	226	54.20
40 371 AL1	4005176429682	226	57.92
40 371 BE1	4005176430138	226	54.20
40 371 DA1	4005176428937	226	54.20
40 371 DC1	4005176412479	226	50.96
40 371 DL1	4005176429989	226	57.92
40 371 EN1	4005176430268	226	57.92
40 371 GL1	4005176429385	226	54.20
40 371 GN1	4005176429835	226	57.92
40 372 001	4005176326226	224, 232	6.76
40 374 001	4005176326400	229	33.36
40 374 A01	4005176429590	229	50.04
40 374 AL1	4005176429743	229	53.75
40 374 BE1	4005176430190	229	50.04
40 374 DA1	4005176429293	229	50.04
40 374 DC1	4005176412486	229	46.80
40 374 DL1	4005176430046	229	53.75
40 374 EN1	4005176430282	229	53.75
40 374 GL1	4005176429446	229	50.04
40 374 GN1	4005176429897	229	53.75
40 385 001	4005176326356	229	20.38
40 385 A01	4005176429606	229	30.57
40 385 AL1	4005176429750	229	32.90
40 385 BE1	4005176430206	229	30.57
40 385 DA1	4005176429309	229	30.57
40 385 DC1	4005176413094	229	28.72
40 385 DL1	4005176430053	229	32.90
40 385 EN1	4005176430299	229	32.90
40 385 GL1	4005176429453	229	30.57
40 385 GN1	4005176429903	229	32.90
40 386 001	4005176326301	226	40.77
40 386 A01	4005176429569	226	61.16
40 386 AL1	4005176429712	226	65.32
40 386 BE1	4005176430169	226	61.16
40 386 DA1	4005176428968	226	61.16
40 386 DL1	4005176430015	226	65.32
40 386 EN1	4005176430275	226	65.32
40 386 GL1	4005176429415	226	61.16
40 386 GN1	4005176429866	226	65.32
40 394 001	4005176326233	224, 232	16.67
40 394 A01	4005176429583	224	25.01
40 394 AL1	4005176429736	224, 232	26.86
40 394 BE1	4005176430183	224	25.01
40 394 DA1	4005176428982	224	25.01
40 394 DC1	4005176421532	224, 232	23.62
40 394 DL1	4005176430039	224	26.86
40 394 EN1	4005176412646	224, 239	26.86
40 394 GL1	4005176429439	224	25.01
40 394 GN1	4005176429880	224	26.86
40 404 001	4005176984068	497	52.63
40 405 001	4005176698019	496	26.10
40 407 001	4005176328350	230	64.41
40 407 DC1	4005176413179	230	90.35
40 412 001	4005176984082	497	130.46
40 421 001	4005176326325	227	32.42
40 421 A01	4005176429637	227	48.64
40 421 AL1	4005176429781	227	51.89
40 421 BE1	4005176430237	227	48.64
40 421 DA1	4005176429330	227	48.64
40 421 DC1	4005176413117	227	45.40
40 421 DL1	4005176430084	227	51.89
40 421 EN1	4005176430305	227	51.89
40 421 GL1	4005176429484	227	48.64
40 421 GN1	4005176429934	227	51.89
40 422 000	4005176890246	498	71.97
40 423 000	4005176890253	499	89.97
40 430 001	4005176984075	497	98.97
40 432 000	4005176883255	503	22.49
40 434 001	4005176985294	498	26.09
40 437 000	4005176885471	496	26.09
40 438 001	4005176984105	503	130.46
40 444 001	4005176328336	225	25.94
40 444 DC1	4005176413148	225	36.60
40 444 EN1	4005176335501	225	41.69
40 447 001	4005176328701	225	25.48
40 447 DC1	4005176413162	225	35.68
40 447 EN1	4005176335518	225	40.30
40 448 001	4005176328343	225	37.98
40 448 DC1	4005176413155	225	53.29
40 448 EN1	4005176335525	225	60.71
40 457 001	4005176327865	237	20.78
40 459 001	4005176327810	236	23.61
40 460 001	4005176327803	236	16.53
40 461 001	4005176327858	237	9.91
40 462 001	4005176327827	237	87.38
40 463 001	4005176327872	237	26.92
40 493 000	4005176899256	33	221.51
40 494 000	4005176899263	33	332.72
40 496 000	4005176899287	33	180.70
40 497 000	4005176899294	33	202.97
40 498 000	4005176899300	34	87.11
40 499 000	4005176899317	34	176.09
40 500 000	4005176899324	34	286.38
40 503 000	4005176900068	33	258.58
40 504 000	4005176900075	33	267.83
40 507 001	4005176324598	234	31.04
40 507 AL1	4005176636639	234	64.50
40 507 DC1	4005176636530	234	56.72
40 508 001	4005176324413	232	26.86
40 508 AL1	4005176636653	232	55.61
40 508 DC1	4005176636554	232	48.94
40 509 001	4005176324437	233	41.24
40 509 DC1	4005176636493	233	74.51
40 510 001	4005176324420	233	37.07
40 510 AL1	4005176636578	233	76.73
40 510 DC1	4005176636172	233	66.73
40 511 001	4005176324475	233	15.75
40 511 AL1	4005176636615	233	32.26
40 511 DC1	4005176636516	233	28.91
40 512 001	4005176324451	233	134.38
40 512 AL1	4005176636608	233	276.92
40 513 001	4005176324604	234	54.20
40 513 AL1	4005176636561	234	110.10
40 513 DC1	4005176636165	234	96.76
40 514 001	4005176324468	234	55.60
40 514 AL1	4005176636622	234	114.55
40 514 DC1	4005176636523	234	100.10
40 535 000	4005176905490	538	41.38
40 535 A00	4005176489396	538	92.86
40 535 AL0	4005176489402	538	92.86

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
40 535 BE0	4005176489457	538	92.86
40 535 DA0	4005176489433	538	92.86
40 535 DC0	4005176905520	538	58.02
40 535 DL0	4005176489440	538	92.86
40 535 GL0	4005176489419	538	92.86
40 535 GN0	4005176489426	538	92.86
40 536 000	4005176905506	538	37.33
40 536 DC0	4005176905537	538	52.63
40 537 000	4005176905513	538	45.87
40 537 DC0	4005176905544	538	80.45
40 547 001	4005176984099	497	52.63
40 554 002	4005176458521	484	1,511.63
40 564 000	4005176912740	113, 754	276.24
40 564 A00	4005176491849	754	384.96
40 564 AL0	4005176491788	113, 754	410.04
40 564 DC0	4005176491795	113, 754	358.79
40 565 000	4005176912757	753	82.41
40 565 AL0	4005176491696	753	101.49
40 565 DC0	4005176491702	753	89.62
40 575 002	4005176674082	497	103.47
40 585 001	4005176327797	236	16.53
40 623 001	4005176324482	234	25.94
40 623 AL1	4005176636646	234	53.38
40 623 DC1	4005176636547	234	46.71
40 624 001	4005176324444	233	52.36
40 624 AL1	4005176636585	233	106.77
40 624 DC1	4005176636486	233	93.42
40 625 000	4005176927706	76	134.38
40 625 EN0	4005176927720	76	212.22
40 625 IG0	4005176927713	76	176.09
40 626 000	4005176927737	75	129.74
40 626 IG0	4005176927744	75	166.81
40 627 000	4005176927768	75	171.44
40 627 IG0	4005176927775	75	221.51
40 628 000	4005176927898	75	157.55
40 628 IG0	4005176927904	75	202.97
40 629 000	4005176927928	75	180.70
40 629 EN0	4005176927942	75	365.89
40 629 IG0	4005176927935	75	230.77
40 630 000	4005176927959	75	111.20
40 630 EN0	4005176927973	75	176.09
40 630 IG0	4005176927966	75	143.64
40 631 000	4005176927980	75	51.89
40 631 IG0	4005176927997	75	67.18
40 632 000	4005176928017	76	189.98
40 632 IG0	4005176928024	76	249.32
40 633 000	4005176928048	76	120.48
40 633 EN0	4005176928062	76	193.71
40 633 IG0	4005176928055	76	157.55
40 636 SD0	4005176706707	496	11.34
40 652 001	4005176324321	239	20.38
40 652 EN1	4005176324239	239	32.90
40 653 001	4005176324345	239	32.42
40 653 EN1	4005176324253	239	51.89
40 654 001	4005176324352	240	55.60
40 654 EN1	4005176324260	240	89.43
40 655 001	4005176324338	239	20.38
40 655 EN1	4005176324246	239	32.90
40 656 001	4005176324383	240	11.11
40 656 EN1	4005176324291	240	18.06
40 657 001	4005176324390	240	24.09
40 657 EN1	4005176324307	240	38.46
40 658 001	4005176324406	240	33.36
40 658 EN1	4005176324314	240	53.75
40 659 001	4005176324376	241	36.60
40 659 EN1	4005176324284	241	58.37
40 660 001	4005176324369	240	111.20
40 660 EN1	4005176324277	240	176.09
40 663 001	4005176327834	229, 237	46.29
40 664 001	4005176327841	230, 238	37.31
40 684 000	4005176940088	512	67.18
40 684 DC0	4005176940095	512	70.61
40 687 000	4005176981838	498	31.48
40 688 001	4005176326288	226	29.64
40 688 A01	4005176429545	226	44.48
40 688 AL1	4005176429699	226	47.73
40 688 BE1	4005176430145	226	44.48
40 688 DA1	4005176428944	226	44.48
40 688 DC1	4005176413124	226	41.69
40 688 DL1	4005176429996	226	47.73
40 688 EN1	4005176326295	226	47.73
40 688 GL1	4005176429392	226	44.48
40 688 GN1	4005176429842	226	47.73
40 689 001	4005176326363	228	24.09
40 689 A01	4005176429613	228	36.13
40 689 AL1	4005176429767	228	38.46
40 689 BE1	4005176430213	228	36.13
40 689 DA1	4005176429316	228	36.13
40 689 DC1	4005176413131	228	33.82
40 689 DL1	4005176430060	228	38.46
40 689 EN1	4005176326370	228	38.46
40 689 GL1	4005176429460	228	36.13
40 689 GN1	4005176429910	228	38.46
40 691 002	4005176674099	497	67.46
40 694 000	4005176985300	498	11.25
40 711 001	4005176454301	493	1,187.71
40 754 001	4005176328367	233	32.90
40 755 001	4005176328374	232	32.42
40 756 001	4005176328381	232	43.54
40 757 001	4005176328497	234	90.81
40 758 001	4005176328503	235	139.00
40 766 000	4005176347849	221	50.96
40 767 000	4005176347856	222	97.29
40 768 000	4005176347863	221	143.64
40 775 001	4005176328626	230	63.47
40 775 DC1	4005176413186	230	88.96
40 775 EN1	4005176324765	230	101.94
40 776 001	4005176328633	230	82.01
40 776 DC1	4005176413193	230	115.83
40 777 001	4005176328640	235	79.23
40 778 001	4005176328657	235	111.20
40 781 000	4005176347870	222	78.30
40 782 000	4005176347887	222	26.86
40 783 000	4005176347894	221	24.09
40 784 000	4005176347900	222	36.13
40 791 001	4005176323409	66, 220	5.10
40 791 KS1	4005176336379	66, 220	5.10
40 793 001	4005176327599	228	46.33
40 793 DC1	4005176413230	228	64.87
40 794 001	4005176327605	228	55.60
40 794 DC1	4005176413247	228	77.84
40 797 001	4005176327636	228	143.64
40 799 001	4005176327971	228	37.07
40 799 DC1	4005176413216	228	51.89
40 800 001	4005176327988	227	111.20
40 800 A01	4005176429644	227	162.18
40 800 AL1	4005176429798	227	176.09
40 800 BE1	4005176430244	227	162.18
40 800 DA1	4005176429347	227	162.18
40 800 DC1	4005176413223	227	152.90
40 800 DL1	4005176430091	227	176.09
40 800 EN1	4005176430312	227	176.09
40 800 GL1	4005176429491	227	162.18
40 800 GN1	4005176429941	227	176.09

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
40 802 001	4005176328107	227	55.60
40 802 A01	4005176429651	227	83.87
40 802 AL1	4005176429804	227	89.43
40 802 BE1	4005176430251	227	83.87
40 802 DA1	4005176429354	227	83.87
40 802 DL1	4005176430107	227	89.43
40 802 EN1	4005176430329	227	89.43
40 802 GL1	4005176429507	227	83.87
40 802 GN1	4005176429958	227	89.43
40 804 000	4005176347917	222	267.83
40 805 000	4005176347924	221	44.94
40 806 000	4005176347931	221	30.12
40 807 000	4005176347948	222	148.28
40 808 000	4005176347955	223	134.38
40 809 000	4005176347962	223	106.57
40 824 000	4005176332975	753	22.70
40 834 001	4005176335280	503	809.81
40 841 001	4005176335358	502	98.97
40 842 001	4005176335365	503	755.81
40 843 000	4005176337109	499	37.78
40 846 001	4005176344091	230	101.94
40 847 001	4005176344107	235	129.74
40 848 000	4005176351082	496	7.65
40 848 AL0	4005176646997	496	15.28
40 848 DL0	4005176647017	496	15.28
40 848 GN0	4005176647000	496	15.28
40 848 SD0	4005176386008	496	11.25
40 855 000	4005176356452	504	47.68
40 857 000	4005176378393	223	106.57
40 865 000	4005176378140	221	36.13
40 899 000	4005176413896	626, 675	41.80
40 911 000	4005176416132	686, 698	12.90
40 919 SD0	4005176450136	503	13.49
40 920 000	4005176470646	498	16.19
40 949 000	4005176477881	686, 698	23.75
40 950 000	4005176478994	686, 698	18.31
40 954 000	4005176496844	109	106.89
40 955 001	4005176531842	45	135.01
40 955 A01	4005176531910	45	202.51
40 955 DL1	4005176531903	45	216.01
40 955 GN1	4005176531880	45	216.01
40 956 001	4005176532146	46	87.36
40 956 A01	4005176532214	46	131.04
40 956 DL1	4005176532207	46	139.77
40 956 GN1	4005176532184	46	139.77
40 962 000	4005176529412	496	18.88
40 963 001	4005176530913	44	49.86
40 963 A01	4005176530982	44	68.56
40 963 DL1	4005176530975	44	77.91
40 963 GN1	4005176530951	44	77.91
40 964 001	4005176531019	44	10.91
40 965 001	4005176531125	46	214.42
40 965 A01	4005176531194	46	321.64
40 965 DL1	4005176531187	46	343.08
40 965 GN1	4005176531163	46	343.08
40 966 001	4005176531224	46	155.82
40 966 A01	4005176531293	46	194.78
40 966 DL1	4005176531286	46	194.78
40 966 GN1	4005176531262	46	194.78
40 967 001	4005176531323	46	111.18
40 967 A01	4005176531392	46	166.77
40 967 DL1	4005176531385	46	177.89
40 967 GN1	4005176531361	46	177.89
40 980 000	4005176586446	504	242.05
40 981 000	4005176586453	504	242.05
40 982 000	4005176586460	504	260.04
40 983 000	4005176586477	504	260.04
40 984 000	4005176586484	505	39.13

41

Ref. No.	EAN	Page	Retail Guide Price (£)
41 007 000	4005176281815	734	15.76
41 027 000	4005176576836	216	54.50
41 027 A00	4005176576911	216	82.29
41 027 AL0	4005176576928	216	87.85
41 027 BE0	4005176576850	216	82.29
41 027 DA0	4005176576898	216	82.29
41 027 DC0	4005176576843	216	76.73
41 027 DL0	4005176576904	216	87.85
41 027 EN0	4005176576867	216	87.85
41 027 GL0	4005176576874	216	82.29
41 027 GN0	4005176576881	216	87.85
41 028 000	4005176576942	216	54.50
41 028 A00	4005176577024	216	82.29
41 028 AL0	4005176577031	216	87.85
41 028 BE0	4005176576966	216	82.29
41 028 DA0	4005176577000	216	82.29
41 028 DC0	4005176576959	216	76.73
41 028 DL0	4005176577017	216	87.85
41 028 EN0	4005176576973	216	87.85
41 028 GL0	4005176576980	216	82.29
41 028 GN0	4005176576997	216	87.85
41 029 000	4005176577055	216	26.69
41 035 000	4005176577062	216	61.17
41 035 A00	4005176577147	216	92.30
41 035 AL0	4005176577154	216	97.87
41 035 BE0	4005176577086	216	92.30
41 035 DA0	4005176577123	216	92.30
41 035 DC0	4005176577079	216	85.63
41 035 DL0	4005176577130	216	97.87
41 035 EN0	4005176577093	216	97.87
41 035 GL0	4005176577109	216	92.30
41 035 GN0	4005176577116	216	97.87
41 036 000	4005176577178	217	35.59
41 037 000	4005176577185	217	15.57
41 038 000	4005176577192	217	72.29
41 038 A00	4005176577277	217	107.88
41 038 AL0	4005176577284	217	115.66
41 038 BE0	4005176577215	217	107.88
41 038 DA0	4005176577253	217	107.88
41 038 DC0	4005176577208	217	101.21
41 038 DL0	4005176577260	217	115.66
41 038 EN0	4005176577222	217	115.66
41 038 GL0	4005176577239	217	107.88
41 038 GN0	4005176577246	217	115.66
41 039 000	4005176577307	217	20.01
41 039 A00	4005176577383	217	30.02
41 039 AL0	4005176577390	217	32.26
41 039 BE0	4005176577321	217	30.02
41 039 DA0	4005176577369	217	30.02
41 039 DC0	4005176577314	217	27.80
41 039 DL0	4005176577376	217	32.26
41 039 EN0	4005176577338	217	32.26
41 039 GL0	4005176577345	217	30.02
41 039 GN0	4005176577352	217	32.26
41 049 000	4005176577413	217	33.37
41 049 A00	4005176577499	217	48.94
41 049 AL0	4005176577505	217	52.27
41 049 BE0	4005176577437	217	48.94
41 049 DA0	4005176577475	217	48.94
41 049 DC0	4005176577420	217	46.71
41 049 DL0	4005176577482	217	52.27
41 049 EN0	4005176577444	217	52.27
41 049 GL0	4005176577451	217	48.94
41 049 GN0	4005176577468	217	52.27

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
41 056 000	4005176577529	218	87.85
41 056 A00	4005176577604	218	131.23
41 056 AL0	4005176577611	218	140.13
41 056 BE0	4005176577543	218	131.23
41 056 DA0	4005176577581	218	131.23
41 056 DC0	4005176577536	218	122.33
41 056 DL0	4005176577598	218	140.13
41 056 EN0	4005176577550	218	140.13
41 056 GL0	4005176577567	218	131.23
41 056 GN0	4005176577574	218	140.13
41 057 000	4005176577635	218	102.32
41 058 000	4005176577642	218	113.44
41 058 A00	4005176577727	218	170.16
41 058 AL0	4005176577734	218	181.28
41 058 BE0	4005176577666	218	170.16
41 058 DA0	4005176577703	218	170.16
41 058 DC0	4005176577659	218	159.04
41 058 DL0	4005176577710	218	181.28
41 058 EN0	4005176577673	218	181.28
41 058 GL0	4005176577680	218	170.16
41 058 GN0	4005176577697	218	181.28
41 059 000	4005176577758	218	120.11
41 059 A00	4005176577833	218	180.17
41 059 AL0	4005176577840	218	192.40
41 059 BE0	4005176577772	218	180.17
41 059 DA0	4005176577819	218	180.17
41 059 DC0	4005176577765	218	167.93
41 059 DL0	4005176577826	218	192.40
41 059 EN0	4005176577789	218	192.40
41 059 GL0	4005176577796	218	180.17
41 059 GN0	4005176577802	218	192.40
41 063 000	4005176577864	219	97.87
41 063 A00	4005176577949	219	146.80
41 063 AL0	4005176577956	219	156.82
41 063 BE0	4005176577888	219	146.80
41 063 DA0	4005176577925	219	146.80
41 063 DC0	4005176577871	219	137.90
41 063 DL0	4005176577932	219	156.82
41 063 EN0	4005176577895	219	156.82
41 063 GL0	4005176577901	219	146.80
41 063 GN0	4005176577918	219	156.82
41 064 000	4005176577970	219	67.84
41 064 A00	4005176578052	219	101.21
41 064 AL0	4005176578069	219	107.88
41 064 BE0	4005176577994	219	101.21
41 064 DA0	4005176578038	219	101.21
41 064 DC0	4005176577987	219	94.54
41 064 DL0	4005176578045	219	107.88
41 064 EN0	4005176578007	219	107.88
41 064 GL0	4005176578014	219	101.21
41 064 GN0	4005176578021	219	107.88
41 066 000	4005176578083	219	240.22
41 066 A00	4005176578168	219	359.22
41 066 AL0	4005176578175	219	383.68
41 066 BE0	4005176578106	219	359.22
41 066 DA0	4005176578144	219	359.22
41 066 DC0	4005176578090	219	335.86
41 066 DL0	4005176578151	219	383.68
41 066 EN0	4005176578113	219	383.68
41 066 GL0	4005176578120	219	359.22
41 066 GN0	4005176578137	219	383.68
41 067 000	4005176578199	219	54.50
41 067 A00	4005176578274	219	82.29
41 067 AL0	4005176578281	219	87.85
41 067 BE0	4005176578212	219	82.29
41 067 DA0	4005176578250	219	82.29
41 067 DC0	4005176578205	219	76.73
41 067 DL0	4005176578267	219	87.85
41 067 EN0	4005176578229	219	87.85
41 067 GL0	4005176578236	219	82.29
41 067 GN0	4005176578243	219	87.85
41 068 000	4005176578304	220	44.49
41 068 A00	4005176578380	220	65.61
41 068 AL0	4005176578397	220	70.06
41 068 BE0	4005176578328	220	65.61
41 068 DA0	4005176578366	220	65.61
41 068 DC0	4005176578311	220	61.17
41 068 DL0	4005176578373	220	70.06
41 068 EN0	4005176578335	220	70.06
41 068 GL0	4005176578342	220	65.61
41 068 GN0	4005176578359	220	70.06
41 069 000	4005176578410	220	87.85
41 069 A00	4005176578496	220	131.23
41 069 AL0	4005176578502	220	140.13
41 069 BE0	4005176578434	220	131.23
41 069 DA0	4005176578472	220	131.23
41 069 DC0	4005176578427	220	122.33
41 069 DL0	4005176578489	220	140.13
41 069 EN0	4005176578441	220	140.13
41 069 GL0	4005176578458	220	131.23
41 069 GN0	4005176578465	220	140.13
41 076 000	4005176578526	220	108.99
41 076 A00	4005176578601	220	163.49
41 076 AL0	4005176578618	220	174.61
41 076 BE0	4005176578540	220	163.49
41 076 DA0	4005176578588	220	163.49
41 076 DC0	4005176578533	220	152.36
41 076 DL0	4005176578595	220	174.61
41 076 EN0	4005176578557	220	174.61
41 076 GL0	4005176578564	220	163.49
41 076 GN0	4005176578571	220	174.61
41 077 000	4005176578632	220	163.49
41 077 A00	4005176578700	220	244.67
41 077 AL0	4005176578717	220	261.35
41 077 BE0	4005176578656	220	244.67
41 077 DA0	4005176575587	220	244.67
41 077 DC0	4005176578649	220	229.10
41 077 DL0	4005176578694	220	261.35
41 077 EN0	4005176578663	220	261.35
41 077 GL0	4005176578670	220	244.67
41 077 GN0	4005176578687	220	261.35
41 275 000	4005176280481	735	43.91
42			
42 137 000	4005176259524	695	21.53
42 181 000	4005176286872	693	45.53
42 229 000	4005176299223	757	225.48
42 233 000	4005176300653	696, 767	21.53
42 242 000	4005176804977	698	14.00
42 253 000	4005176814532	693	68.86
42 297 PI0	4005176832048	693	70.48
42 303 000	4005176835391	766	80.53
42 304 000	4005176835469	766	80.53
42 305 000	4005176835490	766	80.53
42 314 000	4005176835636	695	68.86
42 320 000	4005176837487	695	68.86
42 327 000	4005176838705	676, 697	13.89
42 333 000	4005176845888	676, 697	15.76
42 383 000	4005176903281	739	44.19
42 384 000	4005176903298	739	55.52
42 429 000	4005176918520	334	122.39
42 593 000	4005176566417	698, 767	35.99
42 740 000	4005176230653	766	395.44
42 764 00M	4005176222092	767	16.89

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
42 766 000	4005176222115	686	14.14
42 774 000	4005176221590	696	66.84
42 886 000	4005176200670	614, 757	44.19
43			
43 352 000	4005176832413	696	10.49
43 486 000	4005176157158	695	57.18
43 506 000	4005176157356	766	10.59
43 537 000	4005176157653	693	44.19
43 544 000	4005176157738	697, 766	10.49
43 617 000	4005176841163	687, 703	78.18
43 733 000	4005176158926	694	10.20
43 758 00M	4005176159121	694, 767	44.19
43 907 PI0	4005176177545	693	89.51
43 908 000	4005176160257	696	21.53
43 977 000	4005176164798	705, 722	225.48
45			
45 314 000	4005176099250	611	89.51
45 342 000	4005176129865	744	55.52
45 346 000	4005176104572	744	55.52
45 363 000	4005176112324	762	21.53
45 459 000	4005176056444	451	14.63
45 650 IP0	4005176137228	761	55.52
45 869 000	4005176189876	744	32.85
45 882 000	4005176189883	744	44.19
45 883 000	4005176189890	745	44.19
45 885 000	4005176189913	744	112.17
45 888 000	4005176189944	745	78.18
45 914 XE0	4005176842054	406, 450	27.26
45 937 000	4005176279683	765	26.56
45 973 001	4005176442919	442	10.82
45 984 001	4005176992056	30, 36	388.61
46			
46 048 000	4005176008283	738	100.85
46 058 000	4005176008467	758	66.84
46 278 000	4005176131868	613, 738	112.17
46 308 000	4005176131769	738	44.19
46 374 000	4005176169076	738	100.85
46 375 000	4005176169083	739	44.19
46 386 000	4005176169410	738	123.50
46 575 000	4005176830099	760	78.18
46 580 000	4005176831867	738	100.85
46 914 000	4005176326424	756	7.82
46 944 001	4005176479977	626	214.87
47			
47 025 000	4005176009549	741	474.75
47 111 000	4005176009921	740	338.79
47 167 000	4005176010125	742	21.53
47 175 000	4005176803895	281, 284	168.83
47 186 000	4005176803901	742	202.81
47 189 000	4005176010330	756	44.19
47 217 000	4005176241246	740	157.50
47 220 000	4005176241253	740	202.81
47 262 000	4005176118722	743	214.14
47 282 000	4005176061592	740	157.50
47 310 000	4005176079238	740	202.81
47 349 000	4005176141461	740	134.84
47 364 000	4005176171819	743	89.51
47 439 000	4005176811975	741	168.83
47 450 000	4005176076190	740	180.16
47 483 000	4005176815409	742	202.81
47 532 000	4005176206795	741	214.14
47 533 000	4005176207181	591, 610	32.85
47 598 000	4005176229169	741	304.80
47 600 000	4005176228995	741	259.47
47 780 000	4005176836541	582, 595	154.04
47 781 000	4005176836558	595	177.95
47 790 000	4005176841491	312	64.48
47 837 000	4005176918490	335	85.28
47 867 000	4005176923227	336	85.28
47 868 000	4005176923234	336	85.28
47 877 000	4005176923241	336	85.28
47 885 000	4005176924729	742	44.19
47 910 000	4005176938887	336	60.56
47 994 000	4005176364723	595	2.35
48			
48 051 000	4005176890024	415, 424	7.04
48 053 000	4005176890031	365	104.38
48 054 000	4005176890048	365	80.92
48 099 000	4005176908583	762	21.53
48 166 000	4005176923197	765	16.30
48 177 000	4005176924248	762	45.08
48 189 000	4005176928772	751	31.08
48 190 000	4005176928987	751	35.85
48 191 000	4005176928994	751	35.85
48 293 000	4005176358593	759	32.85
48 349 000	4005176409851	341, 365	123.59
48 350 000	4005176409868	341, 365	154.52
48 359 000	4005176442810	739	46.45
49			
49 002 00M	4005176372193	763	6.80
49 003 000	4005176413537	313	224.92
49 024 000	4005176454196	769	68.72
49 028 000	4005176442827	742	54.39
49 113 000	4005176571398	640	2,193.85
49 113 SH0	4005176571404	640	2,198.49
49 115 000	4005176571411	640	110.16
49 510 000	4005176373329	769	63.97
49 533 000	4005176478475	661	34.31
49 533 SH0	4005176560033	661	52.61
49 534 000	4005176478482	661	34.31
49 534 SH0	4005176560040	661	52.61
64			
64 508 001	4005176984112	497	30.14
65			
65 807 000	4005176849893	753	44.97
65 807 A00	4005176467721	753	107.96
65 807 AL0	4005176467714	753	80.30
65 807 BE0	4005176467691	753	67.61
65 807 DA0	4005176467752	753	98.14
65 807 DC0	4005176442797	753	109.57
65 807 DL0	4005176467769	753	134.14
65 807 EN0	4005176467707	753	74.15
65 807 GL0	4005176467738	753	98.14
65 807 GN0	4005176467745	753	80.30
65 808 000	4005176860065	753	47.04
66			
66 791 000	4005176866562	686	16.89

LIXIL MAKES BETTER HOMES
A REALITY FOR EVERYONE, EVERYWHERE.

A better home is made up of surprisingly simple things – baths to escape in after a long day; kitchens that unleash creativity; toilets that provide cleanliness and comfort; doors and windows that connect you with the world outside; showers and faucets to experience water in new ways; interiors and exteriors that bring spaces to life.

Born through a merger of five of Japan's most successful building materials and housing companies, we draw on our long Japanese heritage to create world-leading technology and innovative, high quality products that transform homes. Since then, we've brought together some of the most trusted names in our industry from around the world and are now home to brands including American Standard and GROHE. Today, we're made up of over 70,000 employees in more than 150 countries worldwide.
What differentiates LIXIL isn't just what we do or where we do it. It's how and why we do it.

We innovate with meaningful designs that improve how people live, like the smart Ecocarat wall tiles which control odors and humidity. We experiment with leading designers and new thinkers to develop products like the GROHE Sense Guard, which quickly detects water leakages in the home. We adapt our technologies to give access for all, as we did with the SATO range of products, which save lives daily. Finally, we have a responsible business model that enables us to tackle widespread global issues such as our commitment to providing 100 million people with access to safe sanitation by 2020.


› WE ARE PROUD THAT OUR PRODUCTS TOUCH THE LIVES OF MORE THAN ONE BILLION PEOPLE EVERY DAY, BUT THERE IS POTENTIAL TO DO SO MUCH MORE.

lixil.com

LIXIL Link to Good Living












GROHE | American Standard | INAX | TOSTEM | SATO

Visit us:



QUALITY

*"**No.1** most trusted brand in the sanitary industry" –*
Wirtschaftswoche, 2017



TECHNOLOGY

*"**Top 50** companies to change the world" –*
Fortune Magazine, 2017



DESIGN

*Over **400 design awards** won since 2003*



SUSTAINABILITY

***Double award winner** of the German Sustainability Award 2021*

GROHE Limited
World Business Centre 2
Newall Road
London Heathrow Airport
Hounslow
Middlesex
TW6 2SF
Tel: 0208 283 2840
Fax: 0871 200 3415
E-Mail: info-uk@grohe.com

GB_01/2022 – Copyright by GROHE

PART OF LIXIL