



NT 27/1

The NT 27/1 is a powerful wet/dry vacuum cleaner for professional users. It is exceptionally compact and comes standard with a number of useful accessories.



1 Cartridge filter with float

Large cartridge filter ensures constant high suction power. The mechanical floating switch-off interrupts the air stream once the maximum filling level has been reached.

3 Robust bumper

All-round impact protection safeguards not only the machine itself but also walls, machines and items of furniture from damage.

2 Robust metal latches

These extremely robust latches lock more reliably.

TECHNICAL DATA AND EQUIPMENT





NT 27/1

Technical data
Order no.

- With cartridge and wet filter
- Plastic container
- Accessory storage and cable hook

EAN code		4039784724198
Air flow rate	I/s	67
Vacuum	mbar / kPa	200 / 20
Container capacity	1	27
Max. rated input power	W	1380
Standard nominal width		35
Sound pressure level	dB(A)	72
Container material		plastic
Number of motors		1
Frequency	Hz	50-60
Voltage	V	220-240
Weight	kg	7.5
Dimensions (L × W × H)	mm	420 × 420 × 525
Equipment		
Suction hose	m	2.5
Suction tube, metal 2 x 0.5 m		1
Filter bag		Paper
Wet and dry floor nozzle	mm	300
Crevice nozzle		
Cartridge filter		I
Cartridge filter		Paper
Sturdy bumper		
Protection class		II
Protection class Maintenance-free suction turbines	piece(s)	1
	piece(s)	































		Order no.	Quantity	ID	Length	Width	Price	Description	
Paper filter bags (two-ply)									Ť
Paper filter bags	1	6.904-290.0	5 piece(s)					5 paper filter bags. BIA-(U, S, G, C) dust class M. Suitable for NT 27/1/Me Advanced.	
Cartridge filter paper			,	,					
Cartridge filter, paper	2	6.414-789.0	1 piece(s)					Paper cartridge filter with larger filter surface, standard for NT 48/1 and optional for NT 27/1/Me Advanced.	ı
Bend, plastic									Ļ
Plastic bend	3	5.031-718.0	1 piece(s)	ID 35				Plastic bend (DN 35) with C-35 clip system. For all industria single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).	
Bend, plastic, electrically conductive	4	5.031-939.0	1 piece(s)	ID 35				Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.	
Bend, plastic	5	6.902-009.0	1 piece(s)	ID 35				Plastic, ID 35.	
Bend, plastic, electrically conductive	6	5.032-427.0	1 piece(s)	ID 40				Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.	Е
Plastic bend	7	5.031-904.0	1 piece(s)	ID 40				Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.	
Crevice nozzles		1	1				,		
Crevice nozzle	8	6.900-385.0	1 piece(s)	ID 35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	•
	9	6.900-922.0	1 piece(s)	ID 35	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	
	10	6.905-817.0	1 piece(s)	ID 40	400 mm			Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	
Suction tubes, metal			,	_					
Suction tube	11	6.900-514.0	1 piece(s)	ID 35	0.5 m			Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.	1
	12	6.900-275.0	1 piece(s)	ID 40	0.5 m			Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.	
Complete suction hoses (clip system	n)		_				,		
Suction hose	13	4.440-626.0	1 piece(s)	ID 35	2.5 m			2.5 m standard suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without PDFC module. Standard for NT 27/1/Me Advance und NT 48/1.	•
Micro sprayer sets						ı			
Nozzle kit	14	2.860-116.0	1 piece(s)	ID 35				Nozzle kit for all NT vacuum cleaners with DN 35 accessories includes crevice tool, upholstery tool, round brush (x3)	
Fabric filter									
Membrane filter	15	6.906-103.0	1 piece(s)					Polyester needle fleece membrane/fabric filter, washable u to 40°C. For NT 27/1/Me Advance, NT 48/1, NT 351 Eco/ Professional.	р
Wet filter bag			_						
Wet filter bag	16	6.904-171.0	5 piece(s)					Approved for dust class L, general cleaning, wet and dry, tear-resistant.	[
Bends, stainless steel			,	,					
Bend, stainless steel, ID 35	17	6.903-141.0	1 piece(s)	ID 35				Stainless steel and crooked, ID 35	[
Bend, stainless steel, ID 40	18	6.902-079.0	1 piece(s)	ID 40				Stainless steel and crooked, ID 40	[

























		1		1			1		_
		Order no.	Quantity	ID	Length	Width	Price	Description	
Bends, metal									
Bend, metal	19	6.900-519.0	1 piece(s)	ID 35				Robust, chromium-plated metal bend (DN 35), can be used	
								instead of a plastic bend (with clip system adapter 5.407-	
	20	6.900-276.0	1 piece(s)	ID 40				112.0; C 35-DN 35, plastic, el.). Robust, chromium-plated metal bend (DN 40), can be used	+
	20	0.300 270.0	1 piece(s)	10 40				instead of a plastic bend (with clip system adapter 5.407-	
								111.0; C 40-DN 40, plastic, el.).	
All-purpose brushes							ı		
All-purpose brush		6.903-863.0	1 piece(s)	ID 35	120 mm			Natural bristles (ox hair), bristle element 120 x 45 mm.	
	22	6.900-425.0	1 piece(s)	ID 35	120 mm			All-purpose brush PPN_Bristle	
Floor nozzles	1 22	L 6 006 E 12 0	1 nioco(c)	ID 25		200 mm	l	All purpose plactic pozzle (DNL3E) with 200 mm working	-
Wet and dry floor nozzle	23	6.906-512.0	1 piece(s)	ID 35		300 mm		All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and	
								squeegees (6.903-277.0). Only for NT vacuum cleaners.	
Multi-purpose nozzle, wet/dry	24	6.903-018.0	1 piece(s)	ID 40		370 mm		All-purpose aluminium nozzle with 370 mm working width.	
								With height-adjustable side rollers, brush strips (6.903-	
								064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	
	25	6.906-383.0	1 piece(s)	ID 40		450 mm		All-purpose aluminium nozzle (DN 40) with 450 mm work-	T
								ing width. With height-adjustable side rollers, brush strips	
								(6.903-065.0) and oil-resistant squeegees (6.906-146.0).	-
	26	6.906-384.0	1 piece(s)	ID 35		370 mm		Only for NT vacuum cleaners. All-purpose aluminium nozzle (DN 35) with 370 mm work-	+
	20	0.500 504.0	I piece(s)	18 33		37011111		ing width. With height-adjustable side rollers, brush strips	
								(6.903-064.0) and oil-resistant squeegees (6.903-081.0).	
	27	6.906-513.0	1 piece(s)	ID 35		360 mm		Only for NT vacuum cleaners. All-purpose plastic nozzle (DN 35) with 360 mm working	+
	27	0.900-513.0	1 piece(s)	ככ עו		300 111111		width. With side rollers, brush strips (6.905-878.0) and	
								squeegees (6.905-877.0). Only for NT vacuum cleaners.	
DN 40 wet/dry floor nozzle	28	6.907-408.0	1 piece(s)	ID 40		360 mm		Multi-purpose nozzle (ID 40), plastic, 360 mm working	
								width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0).	
Car cleaning nozzles								340eegees (0.303 677.0J.	+
Car nozzle	29	6.906-108.0	1 piece(s)	ID 35		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm	L
								working width. Only for NT vacuum cleaners.	
Rubber tool	1	l	1	1			ı	I	1_
Rubber nozzle, ID 40	30	4.763-057.0	1 piece(s)	40				Rubber.	
Rubber suction tools, nose 45° Rubber suction tool, nose 45°	31	6.902-104.0	1 piece(s)	ID 35	220 mm	l	l	45° rubber suction nozzle (DN 35), oil-resistant and suitable	Ī
Nobbel Soction tool, nose 45	31	0.302 104.0	1 piece(s)	10 33	220 111111			for vacuuming machines. Only for NT vacuum cleaners.	
	32	6.902-105.0	1 piece(s)	ID 40	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable	П
								for vacuuming machines. Only for NT vacuum cleaners.	
Radiator brushes		1 0000 0040	1 ninc=(=)	LID 25				Dedictor brush is suitable for any in tool 5 000 005 0	
Heater brush	33	6.903-034.0	1 piece(s)	ID 35				Radiator brush is suitable for crevice tool 6.900-385.0 or 6.905-240.0.	
Combi-nozzles, dry			1		· ·		1	1 0.500 240.0.	_
Combi-nozzle, dry	34	6.906-511.0	1 piece(s)	ID 35		270 mm		Combination floor tool with changeover function, plastic	
								(272 mm). With stainless steel base plate, thread catcher	
	35	6.906-639.0	1 piece(s)	ID 35		262 mm		6.905-417.0 and DN 35 connection. Plastic with stainless steel soleplate, switchable. Only CV	+
	33	0.5660 0006.0	T hiere(2)	נכ טו		202 111111		and NT vacuum cleaners.	
	_								





























		Order no.	Quantity	ID	Length	Width	Price	Description	
Pipe dusting nozzles									+
Pipe brush 35/100	36	6.903-035.0	1 piece(s)	ID 35				Plastic, pipe diameter 100 mm	
Pipe brush 35/200	37	6.903-036.0	1 piece(s)	ID 35				Plastic, pipe diameter 200 mm	
Suction brushes									
Suction brush	38	6.903-862.0	1 piece(s)	ID 35		70 mm		Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum clean ers.	-
Turbo nozzles									
Turbo upholstery nozzle	39	2.860-113.0	1 piece(s)	ID 32		160 mm		Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.	[
Turbo floor nozzle	40	2.860-114.0	1 piece(s)	ID 32		270 mm		Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.	[
Suction tubes, stainless steel			,						
Suction tube	41	6.902-081.0	1 piece(s)	ID 40	0.5 m			Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	- 1
	42	6.906-531.0	1 piece(s)	ID 40	1 m			Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.	- [
	43	6.902-154.0	1 piece(s)	ID 35	0.5 m			0.5 m long stainless steel suction tube (ID 35) for wet and dry vacuum cleaners. Ideal for frequent wet vacuuming applications and for vacuuming corrosive components.	
Suction tubes, plastic									
Suction tube	44	6.900-384.0	1 piece(s)	ID 35	0.5 m			Plastic suction tube (DN 35, 1x0.5 m) only suitable for BV and T vacuum cleaners.	[
Extension tube, metal			1						Į,
Extension tube, metal, ID 35	45	6.904-276.0	1 piece(s)	35	250 mm			Extension tube, ID 35, chrome-plated metal. For extending a suction tube from 0.5 m to 0.75 m length.	a [
Repair kits								,	Ι,
Repair kit, C 35	46	2.639-682.0	1 piece(s)	ID 35				Repair set (C35) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with cli system.] q
Suction hoses (clip system)									
Suction hose	47	6.906-241.0	1 piece(s)	35	4 m			4 m suction hose without bend and adapter. With bayonet at vacuum end and C 35 clip connection at accessory end.	[
	48	6.906-275.0	1 piece(s)	35	2.5 m			2.5 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.	
	49	6.906-500.0	1 piece(s)	35	4 m			4 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.	
Suction hoses complete		1	1					The second of the	_
Suction hose, complete	50	4.440-287.0	1 piece(s)	ID 35	4 m			Standard, 4.0m, ID 35	[
Connecting sleeves			•						Ė
Connecting adaptor, ID 27, electrically conductive.	51	4.453-006.0	1 piece(s)	ID 27				For connecting 2 suction hoses, thread on both sides, electrically conducitve.	
Adaptor, ID 32/35, with internal thread	52	6.902-077.0	1 piece(s)	ID 32				Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.	
Extension hoses (clip system)				'	<u> </u>				Ė
Extension hose	53	6.906-237.0	1 piece(s)	ID 32	2.5 m			Electrically non-conductive standard extension hose for all C-32 and C-35 hoses with clip system.	



























-					_				_
		Order no.	Quantity	ID	Length	Width	Price	Description	
Connection adaptor C ID (clip to cor	ne), ele	ectrically conduc	tive						
Connection adaptor C DN 35	54	5.407-112.0	1 piece(s)	ID 35				C 35 hose connector for DN 35 accessory, electrically conductive.	
Connection adaptor C DN 40	55	5.407-109.0	1 piece(s)	ID 40				Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 or C-DN 40 suction hose. Suitable for NT vacuum cleaners.	
	56	5.407-111.0	1 piece(s)	ID 40				C 40 has connected for DN 40 accessory plantically con	
Connection adaptor for power tools	s, clip-	on, electrically c	onductive	<u>'</u>	<u>'</u>				
Connection Adaptor for power tools, C 35, electrically conductive	57	5.453-048.0	1 piece(s)	ID 35				conductive. Unly NT vacuums.	
	58	5.453-049.0	1 piece(s)	ID 35				N1-Vacuums.	
	59	5.453-050.0	1 piece(s)	ID 35				conductive. Unly NT vacuums.	
	60	5.453-051.0	1 piece(s)	ID 35					
	61	5.453-052.0	1 piece(s)	ID 35				Inner Ø 28 mm, outer Ø 34 mm/ 38.8 mm, el. Only NT-vaculums.	
Adaptor for electric power tools, so	rewab	le							
Adaptor for electric power tools, screwable, ID 35	62	2.639-129.0	1 piece(s)	ID 35				Adaptable three-step plastic sleeve for power tools. Designed to thread onto a DN 35 industrial suction hose. With fitting instructions.	
	63	5.453-016.0	1 piece(s)	ID 35				DN 36. For connecting to an industrial DN 35 suction hose.	
	64	5.453-026.0	1 piece(s)	ID 35					
	65	6.902-059.0	1 piece(s)	ID 35				nai diameter: 32 mm.External diameter: 39 mm.	
	66	6.902-095.0	1 piece(s)	ID 35				2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm. External diameter: 34 mm and 38.8 mmSuitable for NT vacuum cleaners.	
Reducers (tube -> nozzle)								vacouri cicariers.	
Reducer	67	6.902-017.0	1 piece(s)	ID 40				Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.	
Reducer from ID 35 to ID 32	68	6.902-072.0	1 piece(s)	ID 35				Reducer with internal connecting cone DN 32. Ideal for	
Reduction/expansion adapter kit									
Set of reducers / adapter sleeves	69	2.860-117.0	1 piece(s)					DN 40/35, DN 35/32 (tube -> nozzle), plastic.	
Other Drilling dust nozzle	70	2.679-000.0	1 piece(s)						
CS 40 Me	71	2.863-026.0	1 piece(s)					Kärcher. The highly efficient CS 40 Me cyclone preseparator for all Kärcher wet and dry vacuum cleaners is a specially designed accessory for fine dust applications on construction sites or in industry.	

[■] Included in delivery.

Available accessories.





		Order no.	Length	Colour	Quanti- ty	Price	Description
Miscellaneous							
Extension cable	1	6.647-022.0	20 m		1 piece(s)		Extension cable, 20 m, 3x1.5 mm². With splash-proof earthing pin plug, strain relief and anti-kink sleeve. $\hfill\Box$

[■] Included in delivery.

Available accessories.









		Order no.	Quantity	ID	Length / width	Price	Description	
Other nozzles								
Rubber suction nozzle, 45°	1	6.902-106.0	1 piece(s)	ID 61	220 mm		Angled 45°, for suction of machines, oil-resistant	
Surface nozzle, aluminium	2	4.130-415.0	1 piece(s)	ID 61	200 mm		Flat surface nozzle cpl. DN 51, 200 mm, aluminium with brush and stainless steel bumper	
Crevice tools								
Crevice nozzle, plastic	3	6.900-222.0	1 piece(s)	ID 61	370 × 64 mm		Grout nozzle, plastic, 370 mm	

[■] Included in delivery.

Available accessories.



			1	1			
Order no.					Price	Description	
	Order no. Price	Order no. Price Description					