



### **BR 30/4 C**

The BR 30/4 C scrubber drier is light and compact – weighing only 11.5 kg, this highly innovative and powerful vacuum is ideal for cleaning hard surfaces from 20 to 200 m² as the perfect alternative to manual cleaning. Floors are immediately dry and non-slip after cleaning. Ideal for cleaning of smaller shops, restaurants, petrol stations, supermarkets, sanitary areas, hotels and snack areas or as a supplement to an existing scrubber drier.

#### 1 High-speed roller brush

- Ten times higher contact pressure than manual cleaning.
- The roller brush also cleans structured surfaces and crevices.

### 3 Suction can be switched off

- Suction can be switched off via the foot pedal
- Cleaning fleet can be applied and then suctioned for deeper cleaning.

#### 2 Dries immediately

- The soft suction lips remove moisture backwards and forwards.
- The floor is dry immediately.

#### 4 Tanks are removable

- The handy fresh water tank can be removed and filled in small sinks.
- The dirty water tank can be removed separately and, for example, be emptied in the sink.

### **TECHNICAL DATA AND EQUIPMENT**





### BR 30/4 C

- Suction can be switched offCleans forwards and backwards

Technical data		
Order no.		1.783-220.0
EAN code		4039784717862
Brush working width	mm	300
Working width, vacuuming	mm	300
Rated input power	W	820
Fresh/dirty water tank	1	4 / 4
Brush contact pressure	g/cm²	100
Brush speed	rpm	1450
Max. area performance	m²/h	200
Frequency	Hz	50-60
Voltage	V	220-240
Weight	kg	11.5
Dimensions (L × W × H)	mm	390 × 335 × 1180

Equipment		
Roller brush		
2-tank system		
Mains operation		
Transport wheels		
Two squeegees, straight		

■ Included in delivery.











		Order no.	Hardness / Brush type	Length	Colour	Quanti- ty	Price	Description	
Roller brushes									
Roller brush	1	4.762-428.0	medium	300 mm	red	1 piece(s)		Roller brush, medium-hard, red. Length: 300 mm.With wear-resistant star-wheel mechanism. For normal use. I	
	2	4.762-005.0	medium	300 mm	red	1 piece(s)		tles: Polypropylene, 0.2 mm thick, 11.5 mm long.	
	3	4.762-452.0	soft	300 mm	White	1 piece(s)		Roller brush, soft, white. Length: 300 mm.With wear-resist- ant star-wheel mechanism. For cleaning sensitive floors and polishing. Bristles: Polyamide, 0.15 mm thick, 11.5 mm long.	
	4	4.762-499.0	soft	300 mm	blue	1 piece(s)		For carpet cleaning.	
	5	4.762-484.0	high / low	300 mm	orange	1 piece(s)		Medium hard, for cleaning strong structured floors and deeper joints.	

<sup>■</sup> Included in delivery. 

Available accessories.







		Order no.	Length	Colour	Quanti- ty		Price	Description	
Squeegee, complete									
Squeegees	1	4.777-420.0	300 mm	blue	1 piece(s)			Straight, standard.	•
Squeegee	2	4.777-008.0	300 mm	blue	1 piece(s)			Straight, oil-resistant.	
Squeegees	3	4.777-324.0	300 mm	grey	1 piece(s)			For tackling oil and grease in areas such as kitchens or workshops.	

<sup>■</sup> Included in delivery. 

Available accessories.





		Order no.	Hardness / Brush type	Length	Diame- ter	Colour	Price	Description
Microfibre shaft								
Microfibre roller	1	4.762-453.0	Microfibre	300 mm	60 mm	light green		World first: Microfibre roller, length 300 mm. Combines the excellent cleaning power of microfibres with the advantages of roller technology. Ideal for cleaning fine stoneware tiles.

<sup>■</sup> Included in delivery. 

Available accessories.











	T									T	
		Order no.	Length	Colour	Quanti- ty	Price	Description				
Miscellaneous				'							
Filling hose	1	6.680-124.0	1.5 m		1 piece(s)		1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.				
Extension cable	2	6.647-022.0	20 m		1 piece(s)		Extension cable, 20 m, 3x1.5 mm <sup>2</sup> . With splash-proof earthing pin plug, strain relief and anti-kink sleeve.				
Add-on kit eco!zero	3	5.388-133.0			1 piece(s)						
Carpet kit											
Carpet cleaning attachment kit	4	2.783-005.0			1 piece(s)		For intensive carpet cleaning. 2 suction lips for carpets + 1 blue roller brush + 1   RM 764 + 0.5   RM 769.				
Dosing aids											
DS 3 Cleaning Agent Dosing Station	5	2.641-811.0			1 piece(s)		After connecting to a tap, cleaning agent can be filled into the fresh water tank diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DIN EN 1717).				

<sup>■</sup> Included in delivery. 

□ Available accessories.