



B 150 R DOSE(Brush)



1 Configurable device

- Equipment details can be freely selected.
- Perfect matching of the machine to the cleaning requirements.

2 KIK system

- Greater protection from incorrect operation.
- Lower service costs.

3 Auto-Fill (optional)

- Automatic fresh water tank filling.
- Connect a fresh water hose and the filling stops automatically as soon as the tank is full.

4 Four batteries to choose from

- Battery types: maintenance-free with 36 V/180 Ah, low-maintenance with 36 V/180 Ah, maintenance-free with 36 V/240 Ah, low-maintenance with 36 V/240 Ah.



B 150 R DOSE(Brush)

Technical data

Order no.		1.246-020.2
Brush working width	mm	750
Working width, vacuuming	mm	940
Fresh/dirty water tank	l	150 / 150
Theoretical area performance	m²/h	4500
Brush speed	rpm	600-1300
Brush contact pressure	g/cm²	505-560
Battery voltage	V	36
Rated input power	W	2800
Waste container	l	9
Dimensions (L × W × H)	mm	1790 × 910 × 1410

Equipment

Roller brush	■
Traction drive	■
Automatic water stop	■
Dose	-
Integrated sweeping mechanism	■
Sweeping function	■
Solenoid valve	■
2-tank system	■

■ Included in delivery.

ACCESSORIES FOR B 150 R DOSE(BRUSH)

1.246-020.2

KÄRCHER


		Order no.	Length	Colour	Quantity	Price	Description	
Miscellaneous								
Key yellow KIK	1	5.035-344.0		yellow	1 piece(s)		User key for using the appliance	■
Key grey KIK	2	5.035-348.0		grey	1 piece(s)		Supervisor key for using the appliance	■
Filling hose	3	6.680-124.0	1.5 m		1 piece(s)		1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	□
KIK-Key white KM	4	4.035-076.0		White	1 piece(s)		User key for using the appliance programmable	□
KIK key set, yellow	5	4.035-408.0		yellow	5 piece(s)			□
KIK key set, white	6	4.035-064.0		White	5 piece(s)			□
Fleet management module	7	2.643-310.0			1 piece(s)			□
Cover tank flushing system complete	8	4.035-513.0			1 piece(s)			□
Add-on kit ecolzero	9	5.388-133.0			1 piece(s)			□
ABS brush head impact protection	10	2.034-000.0						□
Home Base accessories								
Home Base Mop Holder Kit	11	4.035-514.0			1 piece(s)			□
Home Base Box Kit	12	4.035-406.0			1 piece(s)		The Box kit provides enough space for three cleaning agent bottles along with cloths, scrapers, spare rubbish bags, gloves, etc.	□
Home Base adapter	13	5.035-488.0			1 piece(s)		Fastener for various hooks and clips on the machine.	□
Double hook	14	6.980-077.0			1 piece(s)		Double hook for attaching rubbish bags, etc. to the machine. Only for use with the Homebase adapter 5.035-488.0.	□
Holder handhold grey	15	6.980-078.0			1 piece(s)		Mop clip for attaching a mop to the machine. Only for use with the Homebase adapter 5.035-488.0.	□
Bottle holder	16	6.980-080.0			1 piece(s)		Suitable for transporting spray bottles - only in conjunction with Home Base adapter 5.035-488.0.	□
Manual rinsing system	17	4.035-515.0			1 piece(s)			□
Universal hook kit	18	4.070-075.0			1 piece(s)		Hook and adaptor kit for attachment to the Home Base rail scrubber drier by Kärcher. Ideal for space-saving storage of hoses (for example, spray suction attachment kit) on the machine.	□
Wheels/tyres								
Supergrip front wheels	19	6.435-810.0		purple	1 piece(s)		The combination of the special tyre compound and the V-profile of these oil-resistant front wheel bands increases traction and ensures very good adhesion properties on slippery floors.	□
Supergrip, rear wheel	20	6.438-006.0		grey	1 piece(s)		For improving adhesion and increasing safety even when negotiating curves, this oil-resistant rear wheel is suitable for our B 150 R ride-on scrubber drier. (2 pieces required).	□
Hub cap	21	6.438-008.0						□

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR B 150 R DOSE(BRUSH) 1.246-020.2



		Order no.	Length	Colour	Quantity	Price	Description	
Dosing aids								
DS 3 Cleaning Agent Dosing Station	22	2.641-811.0			1 piece(s)		After connecting to a tap, cleaning agent can be filled into the fresh water tank diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DIN EN 1717).	<input type="checkbox"/>

■ Included in delivery.
 ☐ Available accessories.

ACCESSORIES FOR B 150 R DOSE(BRUSH)

1.246-020.2

KÄRCHER




		Order no.	Hardness / Brush type	Length	Colour	Quantity	Price	Description	
Roller brushes									
Roller brush	1	6.906-985.0	soft	700 mm	White	1 piece(s)		Soft, for cleaning sensitive surfaces and for polishing. Fits on R 75.	<input type="checkbox"/>
	2	6.906-936.0	medium	700 mm	red	1 piece(s)		Roller brush, medium-hard, red. Length: 638 mm. With wear-resistant star-wheel mechanism. For normal use. Bristles: Polypropylene, 0.5 mm thick, 20 mm long.	<input type="checkbox"/>
	3	4.035-190.0	medium	700 mm	red	1 piece(s)			<input type="checkbox"/>
	4	6.906-986.0	high / low	700 mm	orange	1 piece(s)		Medium hard, for cleaning strong structured floors and deeper joints. Fits R 75.	<input type="checkbox"/>
	5	6.906-987.0	hard	700 mm	green	1 piece(s)		Hard, for heavy soiling and for deep cleaning; for unsensitive floors only. Fits to brush head R 75.	<input type="checkbox"/>
	6	6.906-988.0	very hard	700 mm	black	1 piece(s)		Very hard, for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only. Fits to brush head R 75.	<input type="checkbox"/>
	7	6.906-989.0	soft	800 mm	White	1 piece(s)		Soft, for cleaning sensitive surfaces and for polishing. Fits R 90.	<input type="checkbox"/>
	8	6.906-937.0	medium	800 mm	red	1 piece(s)		Medium, for all floors. Standard with R 90.	<input type="checkbox"/>
	9	6.907-377.0	medium	800 mm	red	1 piece(s)			<input type="checkbox"/>
	10	6.906-991.0	hard	800 mm	green	1 piece(s)		Hard, for heavy soiling and for deep cleaning; for unsensitive floors only. Fits to brush head R 90.	<input type="checkbox"/>
	11	6.906-992.0	very hard	800 mm	black	1 piece(s)		Very hard, for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only. Fits to brush head R 90.	<input type="checkbox"/>
	12	6.906-990.0	high / low	800 mm	orange	1 piece(s)		Medium hard, for cleaning strong structured floors and deeper joints. Fits R 90.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR B 150 R DOSE(BRUSH) 1.246-020.2

KÄRCHER



		Order no.	Hardness / Brush type	Length	Dia- meter	Colour	Price	Description	
Pad roller shaft									
Pad roller shaft	1	4.762-434.0		700 mm				fits R 75	<input type="checkbox"/>
	2	4.762-435.0		800 mm					<input type="checkbox"/>
Roller pads									
Roller pad	3	6.369-454.0	soft		105 mm	yellow		Roller pads (x20) soft, yellow. For polishing and cleaning non-structured floors. Suitable for use with appropriate pad roller shaft.	<input type="checkbox"/>
	4	6.369-456.0	medium		105 mm	red		Roller pads (x20), medium, red. For cleaning non-structured floors. Suitable for use with appropriate pad roller shaft. About 7 to 7.5 pads are required per 10 cm shaft length.	<input type="checkbox"/>
	5	6.369-455.0	hard		105 mm	green		Roller pads (x20), hard, green. For removing stubborn dirt and basic cleaning of non-structured floors. Suitable for use with appropriate pad roller shaft.	<input type="checkbox"/>
Microfibre shaft									
Microfibre roller	6	4.114-007.0	Microfibre	700 mm	105 mm	light green		World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-434.0. Fits on R 75.	<input type="checkbox"/>
	7	4.114-008.0	Microfibre	800 mm	105 mm	light green		World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-435.0. Fits on R 90.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR B 150 R DOSE(BRUSH)

1.246-020.2

KÄRCHER



		Order no.	Length	Colour	Quantity	Price	Description	
Squeegee, complete								
Squeegee	1	4.777-402.0	940 mm	transparent	1 piece(s)		Straight, with support rollers. Suction lips of oil-resistant, transparent polyurethane.	<input type="checkbox"/>
	2	4.777-412.0	940 mm	transparent	1 piece(s)		Curved, with support rollers. Suction lips of oil-resistant, transparent polyurethane.	<input type="checkbox"/>
	3	4.777-403.0	1060 mm	transparent	1 piece(s)		Straight, with support rollers. Suction lips of oil-resistant, transparent polyurethane.	<input type="checkbox"/>
	4	4.777-413.0	1060 mm	transparent	1 piece(s)		Curved, with support rollers. Suction lips of oil-resistant, transparent polyurethane.	<input type="checkbox"/>
V-squeegee	5	4.777-078.0	1200 mm	transparent	1 piece(s)		V-shaped squeegee with length of 1,200 mm and adjustable support rollers. Oil-resistant, fluted suction lips made from robust polyurethane for all conventional floors. Special sliding properties on crevices.	<input type="checkbox"/>
	6	4.777-081.0	1100 mm	transparent	1 piece(s)		With adjustable support rollers and spirit level for precise adjustment: V-shaped squeegee, 1,100 mm long. Suction lips made from robust, oil-resistant and transparent polyurethane.	<input type="checkbox"/>
Squeegees for suction bars								
Suction lips	7	6.273-208.0	960 mm	transparent	2 -part		Standard, grooved, oil-resistant.	<input type="checkbox"/>
	8	6.273-205.0	960 mm	transparent	2 -part		Slotted, oil-resistant, for sensitive floors.	<input type="checkbox"/>
	9	6.273-214.0	960 mm	blue	2 -part		Grooved, natural rubber.	<input type="checkbox"/>
	10	6.273-291.0	960 mm	transparent	2 -part		Closed, oil-resistant, for structured floors.	<input type="checkbox"/>
	11	6.273-206.0	1080 mm	transparent	2 -part		Slotted, oil-resistant.	<input type="checkbox"/>
	12	6.273-209.0	1080 mm	transparent	2 -part		Standard, grooved, oil-resistant.	<input type="checkbox"/>
	13	6.273-215.0	1080 mm	blue	2 -part		Grooved, natural rubber.	<input type="checkbox"/>
Suction lips for V-squeegee	14	6.273-293.0	1080 mm	transparent	2 -part		Closed, oil-resistant, for structured floors.	<input type="checkbox"/>
	15	6.273-016.0	1334 mm	transparent	2 -part		Fluted suction lip set for all conventional floors. Made from oil-resistant, transparent polyurethane with a long lifetime and specially developed for V-shaped, 1,200 mm-long squeegees.	<input type="checkbox"/>
	16	6.273-025.0	1222 mm	transparent	2 -part		Suction lip set made from robust, transparent polyurethane with fluted structure for V-shaped squeegees with length of 1,100 mm. Impressive sliding properties on all floors.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR B 150 R DOSE(BRUSH)

1.246-020.2



		Order no.					Price	Description	
Brush heads									
Brush head R 75	1	2.763-006.0						Brush-head with 2 roller brushes and a working width of 75 cm. Brush-change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.	<input type="checkbox"/>
Brush head R 90 S	2	2.763-007.0							<input type="checkbox"/>

■ Included in delivery. ☐ Available accessories.

ACCESSORIES FOR B 150 R DOSE(BRUSH) 1.246-020.2



		Order no.	Length	Diameter	Quantity	Price	Description	
Spray extraction mounting kit								
Spray suction attachment kit	1	2.642-058.0			1 piece(s)		Simplifies cleaning areas inaccessible for machines.	<input type="checkbox"/>
Other attachment kits								
Suction hose accessories	2	4.444-015.0	3.25 m		1 piece(s)		For vacuuming water out of corners or containers (e.g. freezers).	<input type="checkbox"/>
Working light (manufactured from 2018 onwards)	3	2.034-001.0						<input type="checkbox"/>
Flashing beacon	4	4.035-516.0			1 piece(s)			<input type="checkbox"/>
Auto-Fill	5	4.035-345.0			1 piece(s)			<input type="checkbox"/>

■ Included in delivery.
 ☐ Available accessories.

ACCESSORIES FOR B 150 R DOSE(BRUSH) 1.246-020.2

KÄRCHER



		Order no.	Quantity	Battery volt- age	Battery capaci- ty	Battery type	Price	Description	
Batteries									
Battery kit	1	4.035-988.0	1 piece(s)	36 V	180 Ah				<input type="checkbox"/>
	2	4.654-307.0	6 -part	36 V	180 Ah	Mainte- nance- free			<input type="checkbox"/>
	3	4.654-306.0	6 -part	36 V	240 Ah	Mainte- nance- free			<input type="checkbox"/>
	4	4.035-987.0	1 piece(s)	36 V	240 Ah				<input type="checkbox"/>
Accessories for batteries									
Box with wall holder	5	2.641-243.0	1 piece(s)					Supply system for charging wet batteries, the batteries can be filled easily, time saving. Mount the box 4 meters high.	<input type="checkbox"/>
Box	6	2.641-244.0	1 piece(s)						<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR B 150 R DOSE(BRUSH)

1.246-020.2



		Order no.	Quantity	ID	Width	Length	Price	Description	
Other									
Cleaning agent container, complete	1	4.070-006.0	1 piece(s)					Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base Rail.	<input type="checkbox"/>

■ Included in delivery. ☐ Available accessories.

ACCESSORIES FOR B 150 R DOSE(BRUSH)

1.246-020.2



		Order no.	Installation ex works	Length / width	Diame- ter		Price	Description	
Standard side brushes									
Standard side brushes	1	6.951-073.0			390 mm			Standard side brush with moisture-proof universal bristles and long service life. Suitable for all surfaces.	<input type="checkbox"/>

■ Included in delivery. ☐ Available accessories.