



SCRUBBER DRIERS - WALK BEHIND

NEW

CT71

MAX PRODUCTIVITY

Up to
3150 m²/h

**BATTERIES
RUNNING TIME**

3,5 h standard

**WATER TANK
RUNNING TIME**

Up to **75'**
working session

TELEMATICS GPS (opt)
GEOLOCATION OF
ALL YOUR MACHINES

MEMORY CARD

**ANC
ADVANCE NOISE CONTROL**
54 dB
IN ECO SELECT MODE



ONE BRUSH VERSION



ROLLER VERSION



BATTERIES AND BATTERY CHARGER NOT INCLUDED

MOST FREQUENTLY USE



INNOVATIONS

**INTER-CHANGEABLE
BRUSH HEAD**

**SLST™
SELF
LEVELING
SYSTEM**

**ANC™
ADVANCE
NOISE
CONTROL**

**ECO
SELECT**

**DBL™
DOUBLE
BATTERY
LIFE**

**MEMORY
CARD**

**TELEMATICS
GPS**

**BACTERIA
CONTROL**

**600
RPM
INTERCHANGEABLE
BRUSH HEAD**


SPECS



ADJUSTABLE HANDLE FOR
A COMFORTABLE AND EASY
USE.



FULL MACHINE CONTROL
THANKS TO AN INTUITIVE
CENTRAL KNOB.



EASY ACCESS NO TOOLS

TECHNICAL DATA

		NO TRACTION		WITH TRACTION	
		CT71 B55 LPTB01855	CT71 BT55 LPTB01856	CT71 BT60 LPTB02919	CT71 BT70 LPTB01857
Code					
PERFORMANCE					
Max theoretical productivity	m ² /h	1925	2475	2700	3150
Cleaning path	mm	550	550	600	700
Water tank capacity (solution recovery)	l	70/70	70/70	70/70	70/70
Max running time	min	210	210	210	210
Voltage	V-Ah	24	24	24	24
Installed power	W	1050	1550	1550	1550
Brush pressure	kg	18	18	23	23
Squeegee width	mm	815	815	1010	1010
Max speed	km/h	3,5	4,5	4,5	4,5
Weight	kg	82,2	89,9	97,9	95,4
Dimension (LxWxH)	mm	1327x563x1033	1327x563x1033	1279x653x1033	1297x753x1033

STANDARD EQUIPMENT

	CT71 B55	CT71 BT55	CT71 BT60	CT71 BT70
BRUSHES				
PPL SOFT	SPPV01352	SPPV01352	2xSPPV01473	2xSPPV01472
SQUEEGEE BLADES				
LATEX FRONT BLADE	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08040 - 1020mm
LATEX REAR BLADE	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08036 - 1020mm

CONSUMABLES (Codes available on price list)

BRUSHES & PAD HOLDER



PADS/SUPER PADS



SQUEEGEE BLADES



OPTIONAL ACCESSORIES

CODE: KTRI04846
CHEM DOSE KIT



CODE: KTRI05244
SPLASH GUARD 55 cm



CODE: KTRI05245
SPLASH GUARD 60 cm



CODE: KTRI05246
SPLASH GUARD 70 cm



CODE: KTRI04848
TOOLS BAR



CODE: KTRI04849
AUTO-REFILL SYSTEM



CODE: KTRI02257
EXTERNAL SUCTION KIT



CODE: KTRI04851
BRUSH HEAD KIT (55 VERSION)



CODE: KTRI04852
BRUSH HEAD KIT (60 VERSION)



CODE: KTRI04853
BRUSH HEAD KIT (70 VERSION)



CODE: PRCH00578
BIOSAN RAPIDE WT (30PCS/30DAYS)



BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah [C5]	345x170x285	210 min	DBL on board high freq. 24V 15 Ah- KTRI04845 DBL stand alone high frequency BLS010 - BACA00133
EXIDE gel battery BAAC00024	2	12V 105 Ah [C5]	345x174x283	210 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133
Acid tubular plate BAAC00136	2	12V 85 Ah [C5]	308x175x225	150 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA0060
Dry charge flate plate BAAC00009	2	12V 105 Ah [C5]	261x171x210	210 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA0060
Acid tubular plate BAAC00070	2	12V 118 Ah [C5]	345x170x285	210 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA0060

RECOMMENDED BATTERIES AND BATTERY CHARGERS

TECHNICAL DATA

	ELECTRONIC BRUSH PRESSURE CONTROL		ROLLER
	CT71 XP60 LPTB02921	CT71 XP70 LPTB01858	CT71 XP55 R LPTB02927
Code			
PERFORMANCE			
Max theoretical productivity	m ² /h	2700	3150
Cleaning path	mm	600	700
Water tank capacity (solution recovery)	l	70/70	70/70
Max running time	min	210	210
Voltage	V-Ah	24	24
Installed power	W	1550	1550
Brush pressure	kg	31	31
Squeegee width	mm	1010	1010
Max speed	km/h	4,5	4,5
Weight	kg	97,9	95,4
Dimension (LxWxH)	mm	1279x653x1033	1297x753x1033
			1288x640x1033

STANDARD EQUIPMENT

	CT71 XP60	CT71 XP70	CT71 XP55R
BRUSHES			
PPL SOFT	2xSPPV01473	2xSPPV01472	-
CYLINDRICAL BRUSH - PPL SOFT Ø 0,3 mm	-	-	SPPV01163
SQUEEGEE BLADES			
LATEX FRONT BLADE	MPVR08040 - 1020mm	MPVR08040 - 1020mm	MPVR08039 - 880mm
LATEX REAR BLADE	MPVR08036 - 1020mm	MPVR08036 - 1020mm	MPVR06288 - 715mm

CONSUMABLES (Codes available on price list)

BRUSHES & PAD HOLDER



CYLINDRICAL BRUSHES



PADS/SUPER PADS



SQUEEGEE BLADES



OPTIONAL ACCESSORIES

CODE: KTRI04846
CHEM DOSE KIT



CODE: KTRI05245
SPLASH GUARD 60 cm



CODE: KTRI05246
SPLASH GUARD 70 cm



CODE: KTRI04848
TOOLS BAR



CODE: KTRI04849
AUTO-REFILL SYSTEM



CODE: KTRI02257
EXTERNAL SUCTION KIT



CODE: KTRI04852
BRUSH HEAD KIT
(60 VERSION)



CODE: KTRI04853
BRUSH HEAD KIT
(70 VERSION)



CODE: KTRI04854
ROLLER BRUSH HEAD KIT



CODE: PRCH00578
BIOSAN RAPIDE WT
(30PCS/30DAYS)



BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah [C5]	345x170x285	210 min	DBL on board high freq. 24V 15 Ah- KTRI04845 DBL stand alone high frequency BLS010 - BACA00133
EXIDE gel battery BAAC00024	2	12V 105 Ah [C5]	345x174x283	210 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133
Acid tubular plate BAAC00136	2	12V 85 Ah [C5]	308x175x225	150 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA0060
Dry charge flate plate BAAC00009	2	12V 105 Ah [C5]	261x171x210	210 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA0060
Acid tubular plate BAAC00070	2	12V 118 Ah [C5]	345x170x285	210 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA0060

