



OPTIMO K415



M-Code	Size	LI	SR	USE	PR	S/W Type	Recom- mended Rim	Max. Air (PSI)	Max.Load		Overall Diameter		Section Width		Tread Width		Tread Depth		SLR	RPM	Rolling Circum- ference
									(kgs)	(lbs)	mm	inch	mm	inch	mm	inch	mm	inch (32")			

70

1012044	175/70R14	84	H	CC	4	DSB																
1013255	175/70R14	84	T	CD	4	DSB																
1006577	185/70R14	88	H	-	4	DSB	5.5	44	560	1235	615	24.2	186	7.3	182	7.2	7.5	9.4	287	858	1876	
1012045	185/70R14	88	H	CC	4	DSB																
1006576	195/70R14	91	H	-	4	DSB	6.0	44	615	1356	629	24.8	200	7.9	182	7.2	7.8	9.8	292	839	1918	
1012046	195/70R14	91	H	CC	4	DSB																

65

1006584	175/65R14	82	H	-	4	DSB	5.0	44	475	1047	583	23.0	177	7.0	134	5.3	8.5	10.6	263	905	1778	
1007339	175/65R14	82	H	CJ	4	DSB																
1010010	175/65R14	82	H	CR	4	DSB																
1013062	175/65R14	82	H	CO	4	DSB																
1012478	175/65R14	82	T	CJ	4	DSB																
1006585	185/65R14	86	H	-	4	DSB	6.0	44	530	1168	595	23.4	191	7.5			8.0	10.0	272	887	1815	
1013273	185/65R14	86	H	P	4	DSB	6.0	44	530	1168	595	23.4	191	7.5	156	6.1	8.0	10.0	272	887	1815	
1011875	185/65R14	86	T	CD	4	DSB																
1013246	185/65R14	86	H	CD	4																	
1013568	185/65R14	86	T	CI	4																	
1013838	195/65R14	89	H	P	4																	
1006590	195/65R14	89	H	-	4	DSB	6.0	44	580	1279	609	24.0	201	7.9	182	7.2	8.1	10.1	277	866	1857	
1009024	195/65R14	89	H	E-	4	DSB	6.0	44	580	1279	609	24.0	201	7.9	148	5.8	8.0	9.9		866	1857	
1009658	165/65R15	81	H	-	4	DSB	5.0	44	462	1019	594	23.4	170	6.7			7.3	9.1	272	888	1812	
1007648	175/65R15	84	H	-	4	DSB	5.0	44	500	1102	608	23.9	177	7.0	134	5.3	7.9	9.9	275	868	1854	
1006580	185/65R15	88	H	-	4	DSB	5.5	44	560	1235	619	24.4	188	7.4	182	7.2	7.8	9.8	288	852	1888	
1007626	185/65R15	88	H	I	4	DSB	5.5	44	560	1235	618	24.3	186	7.3	182	7.2	7.8	9.7	287	854	1885	
1009165	185/65R15	88	H	CH	4	DSB																
1009954	185/65R15	88	H	CP	4	DSB																
1006262	185/65R15	88	H	H	4	DSB	5.5	44	560	1235	619		188		160		7.8		288			
1009680	185/65R15	88	H	EH	4	DSB																
1011837	185/65R15	88	H	ET	4	DSB																
1013673	185/65R15	88	H	CR	4																	
1006263	195/65R15	91	H	H	4	DSB	5.5	44	615	1356	635	25.0	196	7.7	160	6.3	7.8	9.7	295	831	1937	
1006581	195/65R15	91	H	-	4	DSB	6.0	44	615	1356	634	25.0	201	7.9	148	5.8	8.7	10.9	285	832	1934	
1007627	195/65R15	91	H	I	4	DSB	5.5	44	615	1356	636	25.0	196	7.7	182	7.2	7.8	9.7	297	830	1940	
1008016	195/65R15	91	H	CD	4	DSB																
1008030	195/65R15	91	T	K	4	DSB	6.0	44	615	1356	635	25.0	202	8.0	160	6.3	7.8	9.7	296	832	1935	
1008476	195/65R15	91	H	V	4	DSB	6.0	51	615	1356	639	25.2	204	8.0	160	6.3	8.4	10.6	290	826	1949	
1008695	195/65R15	91	H	CP	4	DSB																
1009719	195/65R15	91	H	G	4	DSB																
1009958	195/65R15	91	V	CP	4	DSB																
1010697	195/65R15	91	T	V	4	DSB	6.0	51	615	1356	639	25.2	204	8.0	168	6.6	8.4	10.6		826	1949	
1012189	195/65R15	91	H	T	4	DSB	6.0	44	615	1356	635	25.0	201	7.9	168	6.6	7.8	9.8	287	831	1937	
1009681	195/65R15	91	H	EH	4	DSB																
1011737	195/65R15	91	H	CG	4	DSB																
1011838	195/65R15	91	H	ET	4	DSB																
1012231	195/65R15	91	V	CJ	4	DSB																
1013284	195/65R15	91	V	CR	4	DSB																
1013176	195/65R15	91	H	CO	4																	
1013674	195/65R15	91	V	CO	4																	
1013685	195/65R15	91	H	CI	4																	
1013875	195/65R15	91	V	CD	4																	
1014074	195/65R15	91	H	CJ	4																	
1014745	195/65R15	91	H	CM	4																	

Technical data subject to change without prior notice. * XL : Extra Load * DSB : Diagonal Serrated Band

High-performance tire with superb wet/dry handling performance. Optimized four straight grooves ensure ultra-effective water drainage. Center rib block enhances handling and braking. Shoulder block multi-kerfs provide a very smooth ride.



OPTIMO K415



M-Code	Size	LI	SR	USE	PR	S/W Type	Recom- mended Rim	Max. Air (PSI)	Max.Load		Overall Diameter		Section Width		Tread Width		Tread Depth		SLR	RPM	Rolling Circum- ference
									(kgs)	(lbs)	mm	inch	mm	inch	mm	inch	mm	inch (32")			

65

1014751	195/65R15	91	H	CR	4																	
1015118	195/65R15	91	H	X	4																	
1006360	205/65R15	94	H	I	4	DSB	6.0	44	670	1477	644	25.4	208	8.2	160		8.0	10.0	298	819	1964	
1006361	205/65R15	94	H	K	4	DSB	6.0	44	670	1477	644	25.4	208	8.2	160		8.0	10.0	298	819	1964	
1006865	205/65R15	94	V	-	4	DSB	6.0	44	670	1477	646	25.4	209	8.2	156	6.1	8.5	10.6	288	817	1970	
1008654	205/65R15	94	V	D	4	DSB	6.5	44	615	1356	647	25.5	214	8.4	160	6.3	8.0	9.9	292	816	1973	
1009267	205/65R15	94	V	C-	4	DSB																
1010708	205/65R15	94	H	S	4	DSB	6.5	44	670	1477	643	25.3	215	8.5	160	6.3	8.0	9.9		821	1961	
1010202	205/65R15	XL 99	L	-	4	DSB	6.0	50	775	1709	646	25.4	209	8.2	160	6.3	8.0	9.9	294	817	1970	
1010118	205/65R16	95	T	CR	4	DSB																
1008017	215/65R16	98	H	CJ	4	DSB																
1009086	215/65R16	98	V	H	4	DSB	6.5	44	750	1653	682	26.9	220	8.7	156	6.1	7.8	9.7	316	774	2080	
1010089	215/65R16	98	T	CJ	4	DSB																

60

1006857	165/60R14	75	H	-	4	DSB	5.0	44	387	853	554	21.8	170	6.7	120	4.7	7.7	9.6	254	952	1690
1007174	175/60R14	79	H	CH	4	DSB	5.0	44	437	963	565	22.2	177	7.0	128	5.0	7.9	9.9	258	934	1723
1006457	185/60R14	82	H	-	4	DSB	5.5	44	475	1047	577	22.7	189	7.4	140	5.5	8.7	10.9	207	914	1760
1009949	185/60R14	82	H	CP	4	DSB															
1013238	185/60R14	82	H	CD	4	DSB															
1014078	185/60R14	82	H	C-	4																
1014079	195/60R14	86	H	C-	4																
1013237	195/60R14	86	H	CD	4	DSB															
1009656	175/60R15	81	H	-	4	DSB	5.0	44	462	1019	590	23.2	177	7.0			7.5	9.3	271	894	1800
1006856	185/60R15	84	H	-	4	DSB	5.5	44	500	1102	602	23.7	189	7.4	140	5.5	8.2	10.3	274	876	1836
1007059	185/60R15	84	H	H	4	DSB	5.5	44	630	1389	601	23.7	188	7.4	182	7.2	7.8	9.7	284	878	1833
1009063	185/60R15	84	T	CG	4	DSB															
1012479	185/60R15	84	H	CJ	4	DSB															
1012720	185/60R15	84	H	U	4	DSB	6.0	44	615	1356	635	25.0	201	7.9	168	6.6	7.8	9.8	287	831	1937
1009184	185/60R15	84	T	CD	4	DSB															
1011895	185/60R15	XL 88	H	CD	4	DSB															
1012772	185/60R15	XL 88	H	CR	4	DSB															
1011641	185/60R15	84	H	CE	4																
1013567	185/60R15	84	T	CI	4																
1013669	185/60R15	84	H	CD	4																
1006583	195/60R15	88	H	-	4	DSB	6.0	44	560	1235	614	24.2	201	7.9	148	5.8	8.4	10.5	275	859	1873
1009951	195/60R15	88	H	CP	4	DSB															
1009959	205/60R15	91	H	CP	4	DSB															
1006592	225/60R15	96	V	-	4	DSB	6.5	44	710	1565	650	25.6	228	9.0	170	6.7	8.6	10.8	292	812	1983
1013443	195/60R16	89	H	CD	4																
1006362	205/60R16	92	H	I	4	DSB	6.5	44	630	1389	650	25.6	213	8.4	160		7.7	9.6	302	812	1981
1006903	205/60R16	92	V	D	4	DSB	6.0	44	630	1389	649	25.6	207	8.1	182	7.2	8.0	9.9	302	813	1979
1008655	205/60R16	92	V	T	4	DSB	6.5	44	630	1389	652	25.7	213	8.4	160	6.3	8.0	9.9	298	809	1989
1009942	205/60R16	92	V	CJ	4	DSB															
1011375	205/60R16	92	H	S	4	DSB	6.5	44	630	1389	648	25.5	214	8.4	182	7.2	8.0	9.9		814	1976
1013686	205/60R16	92	V	CR	4																
1014740	205/60R16	92	H	CG	4																
1014887	205/60R16	92	V	CO	4																
1010693	215/60R16	95	T	V	4	DSB															
1010730	215/60R16	95	V	V	4	DSB															
1013295	215/60R16	95	V	CO	4																
1013442	215/60R16	95	H	CD	4																
1009957	225/60R16	98	S	CP	4																
1006594	235/60R16	100	W	-	4	DSB	7.0	44	800	1764	687	27.0	240	9.4	178	7.0	8.6	10.8	307	768	2095
1010082	225/60R17	99	H	N	4	DSB	6.5	44	775	1709	701	27.6	225	8.9	168	6.6	7.8	9.8	328	753	2138
1011106	225/60R17	99	H	EK	4	DSB															

Technical data subject to change without prior notice. * XL : Extra Load * DSB : Diagonal Serrated Band

High-performance tire with superb wet/dry handling performance. Optimized four straight grooves ensure ultra-effective water drainage. Center rib block enhances handling and braking. Shoulder block multi-kerfs provide a very smooth ride.



Silica COMPOUND

OPTIMO K415



High-performance tire with superb wet/dry handling performance. Optimized four straight grooves ensure ultra-effective water drainage. Center rib block enhances handling and braking. Shoulder block multi-kerfs provide a very smooth ride.

M-Code	Size	LI	SR	USE	PR	S/W Type	Recom- mended Rim	Max. Air (PSI)	Max.Load		Overall Diameter		Section Width		Tread Width		Tread Depth		SLR	RPM	Rolling Circum- ference
									(kgs)	(lbs)	mm	inch	mm	inch	mm	inch	mm	inch (32")			

55

1007338	185/55R15	82	V	CJ	4	DSB																
1010555	185/55R15	82	H	CR	4	DSB																
1007791	185/55R15	XL	86	L	CU	4	DSB															
1006858	195/55R15	85	H	-	4	DSB	6.0	51	545	1201	620	24.4	201	7.9	164	6.5	8.2	10.3	468	851	1891	
1009062	195/55R15	85	H	CG	4	DSB																
1007479	195/55R15	85	V	CH	4																	
1011642	195/55R15	85	H	CE	4																	
1012744	185/55R15	XL	86	V	CG	4																
1013240	195/55R15	85	H	CJ	4																	
1007628	205/55R16	91	H	I	4	DSB	6.5	44	615	1356	633	24.9	206	8.1	160	6.3	7.8	9.7	297	834	1931	
1007702	205/55R16	91	V	CR	4	DSB																
1008031	205/55R16	91	H	K	4	DSB	6.0	44	615	1356	635	25.0	202	8.0	160	6.3	7.6	9.5	296	832	1935	
1009682	205/55R16	91	H	EH	4	DSB	6.0	44	615	1356	633	24.9	206	8.1	160	6.3	7.8	9.7	297	834	1931	
1009720	205/55R16	91	H	G	4	DSB																
1006264	205/55R16	91	H	H	4	DSB	6.0	44	615	1356	633	24.9	208	8.2	160	6.3	7.8	9.7	295	834	1931	
1011839	205/55R16	91	H	ET	4	DSB	6.0	44	615	1356	633	24.9	206	8.1	160	6.3	7.8	9.7	297	834	1931	
1010977	205/55R16	91	V	CO	4	DSB																
1009564	205/55R16	XL	94	L	T	4	DSB	6.0	50	570	1477	635	25.0	209	8.2	168	6.6	7.8	9.7	291	831	1937
1007707	195/55R16	87	H	-	4																	
1013495	205/55R16	91	V	CJ	4																	
1013497	205/55R16	91	V	CM	4																	
1013565	205/55R16	91	V	CI	4																	
1014003	205/55R16	91	V	CO	4																	
1014080	205/55R16	90	V	C-	4																	
1014096	205/55R16	91	V	CW	4	DSB																
1014746	205/55R16	91	V	CP	4	DSB																
1014752	205/55R16	91	V	CG	4	DSB																
1010696	215/55R17	94	V	V	4	DSB																
1009769	215/55R17	94	V	H	4	DSB	6.5	44	730	1609	666	26.2	220	8.7	168	6.6	7.8	9.8	309	792	2031	
1013684	215/55R17	94	V	CI	4	DSB																
1007591	225/55R17	97	V	H	4	DSB	6.5	44	730	1609	684	26.9	225	8.9	182	7.2	7.8	9.7	318	771	2086	
1009753	225/55R17	97	V	K	4	DSB	7.0	44	730	1609	681	26.8	231	9.1	160	6.3	7.8	9.7	316	775	2077	
1007593	235/55R17	99	V	H	4	DSB																
1010083	225/55R18	98	H	I	4	DSB	6.0	44	630	1389	651	25.6	209	8.2	160	6.3	7.8	9.7	328	811	1986	
1011108	225/55R18	98	H	EK	4	DSB																
1010084	235/55R18	100	H	I	4	DSB	7.0	44	630	1389	711	28.0	237	9.3	160	6.3	7.8	9.7	334	742	2169	
1012445	235/55R18	100	H	EK	4	DSB																

50

1007173	175/50R15	75	H	CH	4	DSB																
1007790	195/50R16	XL	88	L	CU	4	DSB															
1012745	195/50R16	XL	88	L	CG	4	DSB															
1007060	195/50R16	84	H	H	4	DSB																
1013692	215/50R17	91	V	CR	4	DSB																
1013439	225/50R17	94	H	CD	4	DSB																
1007592	235/50R18	97	V	H	4	DSB	7.5	44	730	1609	689	27.1	225	8.9	182	7.2	7.8	9.8	322	766	2101	
1012691	235/50R18	97	V	T	4	DSB																
1007594	245/50R18	100	V	H	4	DSB	7.5	44	800	1764	699	27.5	251	9.9	182	7.2	7.8	9.7	325	755	2131	
1012690	245/50R18	100	V	T	4	DSB																
1010154	235/50R19	99	H	G	4	DSB	7.0	44	775	1709	719	28.3	240	9.4	160	6.3	8.1	10.2	332	734	2193	

45

1008696	205/45R16	83	H	CD	4	DSB																
1006042	205/45R16	83	V	K	4	DSB	6.5	44	487	1074	593	23.4	199		160		7.8		277			
1013125	205/45R16	83	L	CD	4	DSB																
1013126	215/45R16	83	H	CD	4	DSB																
1007633	225/45R17	91	V	H	4	DSB	7.0	44	615	1356	635	25.0	215	8.5	160	6.3	7.8	9.7	300	831	1937	
1009683	225/45R17	91	V	EH	4	DSB	7.0	44	615	1356	635	25.0	215	8.5	160	6.3	7.8	9.7	300	831	1937	
1009469	225/45R18	91	V	K	4	DSB	7.0	44	615	1356	656	25.8	219	8.6	180	7.1	7.8	9.7	311	805	1999	

Technical data subject to change without prior notice. * XL : Extra Load * DSB : Diagonal Serrated Band