

ELIPTA
the professionals' choice

Issue 23

**LIGHTING|FOR
GARDENS**

www.lightingforgardens.com

HIGH QUALITY OUTDOOR LIGHTING



All images are for guidance only. Manufacturers specifications may change without notice. Elipta product warranty: 2-5 years, exclusions apply. For product details, warranty terms & conditions, dimensions & full specifications, go to www.lightingforgardens.com
Cover photo by Chris Nicholson.

www.lightingforgardens.com
01462 486777



Contents

UPLIGHTS

- 4** Adjustable spike spots
- 12** Recessed uplights

WALL LIGHTS

- 14** Wall lights – compact wall lights
- 24** Solid brass wall lights
- 28** Verdigris range

PATH, STEP & DECK

- 30** Bollard lights
- 36** Path lights
- 40** Alfresco dining
- 42** Recessed steplights
- 44** Waymarkers

UNDERWATER

- 52** Underwater lights

TREE LIGHTING

- 56** Tree lighting


PLUG&PLAY

- 60** Plug 'n' play lighting

LAMPS & INSTALLATION

- 62** Transformers

Compact adjustable spike spotlights



				
Compact spike spot	STAINLESS STEEL	COPPER	BLACK	RUSTIC BROWN
12v MR16	E4111N	E4121N	E4131N	E4171N
240v GU10	E4112N	E4122N	E4132N	E4172N


Accessories: Glare louvre E4010 | Colour filters | Spike extensions | Ground anchor E4009

Compact spike spot – 12v specifications	A	B	C
STAINLESS STEEL COPPER RUSTIC BROWN BLACK	63mm	103mm	72mm
Compact spike spot – 240v specifications	A	B	C
STAINLESS STEEL COPPER RUSTIC BROWN BLACK	63mm	111mm	82mm

12v MR16	240v GU10	IP65	Retrofit LED
Dimmable	Beam 15°-120°	12v Pre-wired 1.5m	240v Pre-wired 2m

Pole spotlights

12v MR16	IP65	Retrofit LED	Dimmable	Beam 15°-120°	Pre-wired 1.5m
----------	------	--------------	----------	---------------	----------------




				
Pole spot solo	STAINLESS STEEL	COPPER	BLACK	RUSTIC BROWN
12v MR16	E6311	E6321	E6331	E6371

Accessories: Glare louvre - E4010 | Polycarbonate spike - E6001 | Tri-spike - E6002 (Order spike separately)
30cm pole extensions - Stainless steel - E6011 / Natural copper - E6021 / Black - E6031 / Rustic brown - E6071

				
Pole spot duo	STAINLESS STEEL	COPPER	BLACK	RUSTIC BROWN
12v MR16	E6411	E6421	E6431	E6471

Accessories: Glare louvre - E4010 | Polycarbonate spike - E6001 | Tri-spike - E6002 (Order spike separately)
30cm pole extensions - Stainless steel - E6011 / Natural copper - E6021 / Black - E6031 / Rustic brown - E6071

Adjustable spike spotlights



Microspot spike spotlight

	STAINLESS STEEL	COPPER	BLACK	RUSTIC BROWN
12v MR11	E4115	E4125	E4135	E4175

Accessories: Glare louvre - E4011 | 25cm pole extensions: Stainless steel - E4004 / Copper - E4004C / Black - E4004B / Rustic brown - E4004R

12v MR11	IP65	Retrofit LED
Dimmable	Beam 25°	Pre-wired 1.5m



Microspot spike spotlights

Elipta 12v adjustable Micro spike spots are intended for use in containers, urns and small planting pockets using an MR11 low energy warm white LED lamp. Microspot Spikes are supplied with a matching 18cm slim rod spike fitted to the adjustable knuckle joint; this may be unscrewed and extended with an optional 25cm spike extension without having to rewire the light. The longer spike lends itself for use amongst taller planting or to cater for seasonal fluctuations in planting height.



Taurus II spike spotlight

	BLACK	BRONZE, BRASS BODY
12v MR16	PG8B	PG8R

Supplied with ground spike

12v MR16	IP56	Plug & Play	Retrofit LED
Dimmable	Beam 15°-120°	Pre-wired 1.5m	




Cygnet spike spotlight

	BLACK
Built-in 12v CREE LED	ERL005-06C

Supplied with ground spike

12v 11.7w	Built-in LED	IP65	815 lm	20,000 hours
3000K	Beam 27°	Pre-wired 2m		




Adjustable spike spotlights – Anthracite

3 year warranty | Die-cast anodised aluminium bodies | Built-in LED 50,000hrs



EP4340
SPIKE3 GARDEN SPOTLIGHT
12V | 3W | 130LM
40° | 2700K | IP67
ANODISED ALUMINIUM
COLOUR: ANTHRACITE GREY (RAL7016)
SUPPLIED WITH GROUND SPIKE.




EP4525
SPIKE5 GARDEN SPOTLIGHT
12V | 5W | 400LM
25° | 2700K | IP67
ANODISED ALUMINIUM
COLOUR: ANTHRACITE GREY (RAL7016).
SUPPLIED WITH GROUND SPIKE.

ALSO AVAILABLE IN 38° (EP4538)




EP4836
SPIKE8 GARDEN SPOTLIGHT
12V | 8W | 640LM
36° | 2700K | IP67
ANODISED ALUMINIUM
COLOUR: ANTHRACITE GREY (RAL7016). ALSO AVAILABLE IN BLACK (EP4536B) WITH MATCHING GLARE SHIELD (EPGS46B)
SUPPLIED WITH GROUND SPIKE.




EP41240
SPIKE12 GARDEN SPOTLIGHT
24VDC | 12W | 1250LM
40° | 2700K | IP67
ANODISED ALUMINIUM
COLOUR: ANTHRACITE GREY (RAL7016)
SUPPLIED WITH GROUND SPIKE.



EP41260Z
UNIBEAM TELESCOPIC GARDEN SPIKE LIGHT
240V | 12W | 550LM
10°-60° | 2700K | IP67
ANODISED ALUMINIUM
COLOUR: ANTHRACITE GREY (RAL7016)
SUPPLIED WITH GROUND SPIKE.



EP41860MV
SPIKE18 GARDEN SPOTLIGHT
240V | 18W | 1700LM
60° | 2700K | IP67
ANODISED ALUMINIUM
COLOUR: ANTHRACITE GREY (RAL7016)
SUPPLIED WITH GROUND SPIKE.



ACCESSORIES

For (SPIKE 3 & 5)
Glare Shield 46mm - EPGS46



For (SPIKE 8)
Glare Shield 48mm - EPGS48



For (SPIKE 12)
Glare Shield 65mm - EPGS65



For (SPIKE 18)
Glare Shield 80mm - EPGS80



| Power supply - T2415ENC



| Power supply - T9201ENC



| Power supply - T9208ENC



| Power supply - T9209ENC



Adjustable spike spotlights – Black

IP67	Built-in LED	2700K	50,000 hours	Glare shield	Pre-wired 1.5m
------	--------------	-------	--------------	--------------	----------------







EP4340B
SPIKE3 GARDEN SPOTLIGHT
12V | 3W | 130LM | 40°
2700K | IP67 | BLACK
SUPPLIED WITH GROUND SPIKE.

EP4538B
SPIKE5 GARDEN SPOTLIGHT
12V | 5W | 400LM | 38°
2700K | IP67 | BLACK
SUPPLIED WITH GROUND SPIKE.

EP4538BMV
SPIKE5 GARDEN SPOTLIGHT
240V | 5W | 400LM | 38°
2700K | IP67 | BLACK
SUPPLIED WITH GROUND SPIKE.

EP4536BMV
SPIKE8 GARDEN SPOTLIGHT
240V | 8W | 640LM | 38°
2700K | IP67 | BLACK
SUPPLIED WITH GROUND SPIKE.



ACCESSORIES

Elipta Glare Shield 46mm - Black (Spike 3 & 5) – EPGS46B




Elipta Glare Shield 48mm - Black (Spike 8) - EPGS48B



Elipta Glare Shield 65mm - Black (Spike 12) – EPGS65B



Recessed uplights



Polus asymmetric LED recessed spotlight

STAINLESS STEEL	
24v	EP9945
240v	EP9945MV

IP67	Built-in LED	9w 24v DC	2700k	316 stainless steel
Beam 45°		600lm	50,000 hours	Pre-wired 1.5m



Vulcan LED recessed spotlight

STAINLESS STEEL	
24v 40°	EP91540
24v 60°	EP91560

IP67	Built-in LED	15w 24v DC	3000k	316 stainless steel
Beam 40°-60°		1380lm	50,000 hours	Pre-wired 2m




Modula recessed uplight

STAINLESS STEEL		GREEN	BRASS
12v MR16	E8711N	E8741N	E8761N
240v GU10	E8712N	E8742N	E8762N

Accessories: Glare louvre MR16AHL | Colour filters

12v MR16	240v GU10	IP67	Retrofit LED	Dimmable	Beam 15°-120°	Pre-wired 2m	33° tilt
----------	-----------	------	--------------	----------	---------------	--------------	----------



STAINLESS STEEL	BRASS
E8811N	E8861N
E8812N	E8862N



Spartan adjustable recessed uplight

STAINLESS STEEL	
240v - 26w warm white	E99200WW

26w 240v DC	IP67	Built-in LED	2250 lm	3000K
316 stainless steel	Beam 36°		Pre-wired 2m	22° tilt



Spartan adjustable recessed uplight

GREEN	
240v - 26w warm white	E99200WWG

26w 240v DC	IP67	Built-in LED	2250 lm	3000K
316 stainless steel	Beam 36°		240v Pre-wired 2m	



Lumilux

STAINLESS STEEL	
Built-in 12v CREE LED	GLWW12W

12v 12w	IP68	Built-in LED	340 lm	Plug & Play
3000K	20,000 hours	Beam 30°		Pre-wired 5m



Lumimax

STAINLESS STEEL	
Built-in 12v CREE LED	GLWW18W

12v 24w	IP68	Built-in LED	650 lm	Plug & Play
3000K	20,000 hours	Beam 30°		Pre-wired 5m



Lumimax RGB

STAINLESS STEEL	
Built-in 12v CREE LED	GLRGB24W

Accessories: GLMCL - Remote controller for GL series RGB lights


12v 24w	IP68	Built-in LED	400 lm	Plug & Play
3000K	Beam 30°		Pre-wired 5m	

Compact wall lights

Superior quality wall lights; up and down lights, outdoor wall lights and traditional lanterns. Available with glare control, coloured filters and a host of finishes, beam angles, low energy LED lamps (sold separately)... all the choices you need! Contemporary and traditional designs constructed from 316 stainless steel, natural copper, solid brass and die-cast aluminium.



Photo Courtesy of Mike Shackleton



Compact wall downlight

	 STAINLESS STEEL	 COPPER	 BLACK	 RUSTIC BROWN
12v MR16	E4311L	E4321L	E4331L	—
240v GU10	E4312	E4322	E4332	E4372

Accessories: Glare louvre E4010 | Colour filters | Clip-on lenses

12v MR16

240v GU10

IP65

Retrofit LED

Dimmable


Beam 15°-120°

240v GU10

IP65

Retrofit LED

Wide beam




Compact outdoor wall light

	STAINLESS STEEL
240v GU10	E4512

Compact outdoor wall light

	BLACK
240v GU10	E4532

Accessories: Glare louvre E4011



Compact up & down wall light

	 STAINLESS STEEL	 COPPER	 BLACK
240v GU10	E4412	E4422	E4432

Accessories: Glare louvre E4010 | Colour filters | Clip-on lenses

240v GU10


IP65

Retrofit LED

Dimmable

Beam 15°-120°

Mircrospot wall downlight

	 STAINLESS STEEL
12v MR16	E4315

Accessories: Glare louvre E4011

12v MR11

IP66

Retrofit LED

Dimmable


Beam 15°-120°

Compact wall spots



Compact wall spotlight

240v or 12v - IP65 adjustable LED spotlights with glare protection, choice of beam angles and clip-on colour filters. Available in 316 stainless steel, natural copper and aluminium powder-coated in a choice of two colours - black and rustic brown. Ideal for downlighting terraces, grazing walls and accent lighting features.



Compact wall spotlights					
		STAINLESS STEEL	COPPER	BLACK	RUSTIC BROWN
12v MR16	E4211L	E4211L	E4221L	E4231L	E4271L
240v GU10	E4212	E4212	E4222	E4232	E4272

Accessories: Glare louvre E4010 | Clip on filters

12v MR16


240v GU10



IP65

Retrofit LED

Dimmable

Beam 15°-120°



Microspot adjustable wall lights			
		COPPER	BLACK
12v MR11	E4225	E4225	E4235

Accessories: Glare louvre E4011

12v MR11




IP65

Retro-fit LED

Dimmable

Beam 25°



Compact twin wall spotlights				
		STAINLESS STEEL	COPPER	BLACK
240v GU10	E4912	E4912	E4922S	E4932

Accessories: Glare louvre E4010 | Clip on filters | Frosted lens


240v GU10

IP65


Retrofit LED



Dimmable



Beam 15°-120°



Gemini wall light







BLACK

GRAPHITE

EH2573B - LED

EH2571 - LED

Gemini wall light

LED

240v

IP54

Built-in LED

261 lm

30,000 hours

Beam 28°



Titan spot lights | IP65 | 12v + 240v





Titan built-in LED

DIMENSIONS				BLACK
	A	B	C	
12V - 10w	123	170	75	E9811WW
240v - 10w	123	170	75	E9810WW
240v - 15w	133	176	95	E9815WW15
240v - 15w	133	176	95	E9815WW36
240v - 26w	138	206	105	E9826WW
240v - 45w	144	210	190	E9845WW

Supplied with ground spike and glare shield | Strap-on Tree Mount Bracket E4013BN - Black - For LED Floods (sold separately)

12v

240v

IP65


Built-in LED

3000K

20,000 hours

Glare shield

Pre-wired 2m





Graphite wall lights



Lumex wall light

GRAPHITE	
240v	ERW070-8A


240v	IP65	Built-in LED	689 lm
30,000 hours	Beam 90°		



Cyclone up & down wall light

GRAPHITE	
240v	EHH1142


240v	IP54	Built-in LED	571 lm
30,000 hours	Beam 36°		



Kensington wall light

GRAPHITE	
240v E27	EHH1461


240v E27	IP54	Retro-fit LED
Dimmable	Wide beam	



Kensington wall light – with PIR sensor

GRAPHITE	
240v E27	EHH1465


240v E27	IP54	Retro-fit LED
Dimmable	Wide beam	



Kensington post light

GRAPHITE	
240v E27	EHH1463-350

240v E27	IP54	Retro-fit LED
Dimmable	Wide beam	



Graphite box lights



Box LED wall light

240v E27



GRAPHITE

EH5702


240v
E27

IP54

Retro-fit
LED

Dimmable

Wide
beam



240v
7w

IP54

Built-in
LED

577
lm

3000k

Beam
72°




Larson downlight

240v LED

GRAPHITE

EH2622



240v
2x7w

IP54

Built-in
LED

1116
lm

3000k

Beam
72°



Jenson up & downlight

240v LED


GRAPHITE

EH2621

Solid brass wall lights



Chatham eyelid wall light



SOLID BRASS, NICKEL PLATED FINISH
240v CAPLED - 140mm diameter solid brass LD436G912

SOLID BRASS, VERDIGRIS FINISH
LD43662VER

SOLID BRASS
LD436G962




Chatham wall light



SOLID BRASS, NICKEL PLATED FINISH
240v CAPLED - 140mm diameter solid brass LD438G912

SOLID BRASS
LD438G962



Greenwich wall lantern light



SOLID BRASS
240v GLS LD40662



Greenwich wall lantern light



SOLID BRASS, VERDIGRIS FINISH
240v GLS LD40662VER



Drake pendant light



SOLID BRASS, ANTIQUE LACQUERED FINISH
240v GLS LD425492



Solid brass wall lights



Clyde oval bulkhead



SOLID BRASS

240v E27

LD40062 - c/w wingnuts

240v E27

IP64

Retro-fit LED

Dimmable

Wide beam



Globe lantern light



SOLID BRASS, ANTIQUE LACQUERED FINISH

240v GLS

LD48992

240v E27

IP44

Retro-fit LED

Dimmable

Wide beam



Portsmouth oval eyelid bulkhead



SOLID BRASS, NICKEL PLATED FINISH

240v GLS

LD43512



SOLID BRASS

LD43562

240v GLS

LD43562VER

SOLID BRASS, VERDIGRIS FINISH

240v GLS

LD43562VER



Coachlight lantern light



SOLID BRASS, ANTIQUE LACQUERED FINISH

240v GLS

LD483A92

240v E27

IP44

Retro-fit LED

Dimmable

Wide beam



Dartmouth wall light



SOLID BRASS, NICKEL PLATED FINISH

240v GLS

LD45312

240v E27

IP64

Retro-fit LED

Dimmable

Wide beam



SOLID BRASS, VERDIGRIS FINISH

LD45362VER



SOLID BRASS

LD45362

Poole round bulkhead



SOLID BRASS

240v GLS

LD40262

240v E27

IP64

Retro-fit LED

Dimmable

Wide beam




Verdigris range



- | Solid brass
- | Verdigris finish
- | Ideal for coastal areas
- | Mains 230v
- | Retrofit lamps



Floodlights



Mini flood

SOLID BRASS, BRONZE FINISH
12v CAPLED
PG9R

Supplied with ground spike

12v	IP144	G4 LED	Plug& Play	Retro-fit LED	Dimmable	Beam 120°	Pre-wired 1.5m
-----	-------	--------	------------	---------------	----------	-----------	----------------

Compact LED floodlight

BLACK
240v - 10w - 1000lm
E9761W

240v 10w	IP65	4000K	35,000 hours
Built-in LED	Beam 120°		



Bollard lights



Nimbus 45 & Nimbus 70



	TEAK	TEAK WITH LOUVRES
240v E27	E1042T - 45cm tall	E1042TL - 45cm tall
240v E27	E1072T - 70cm tall	E1072TL - 70cm tall

Accessories: Round ground mount - E1022
Spike mount - E1023

240v E27	IP44	Retro-fit LED	Dimmable	Wide beam	Pre-wired 2m
----------	------	---------------	----------	-----------	--------------



Cirrus 45



	TEAK	TEAK WITH LOUVRES
240v E27	E1142T - 45cm tall	E1142TL - 45cm tall

Accessories: Square ground mount - E1021
Spike mount - E1024

240v E27	IP44	Retro-fit LED	Dimmable	Wide beam	Pre-wired 2m
----------	------	---------------	----------	-----------	--------------



Arcus bollard light



	GRANITE STONE
240v LED	E1503

240v 6w	IP55	Built-in LED	3000K
500 lm	Wide beam		



Alto 60 bollard Light



	STAINLESS STEEL
240v LED	E1612

Accessories: Ground mount - E1025
Spike mount - E1026

240v E27	IP44	Retro-fit LED	Dimmable
Wide beam	Pre-wired 2m		



Bollard lights




Senatrix bollard light

GRAPHITE

240v EH8443LED-650

Accessories: EHSENATRIX - Round SS base plate & spike

240v 7w	IP54	Built-in LED	426 lm
Glare free beam		Pre-wired 2m	




Matrix bollard light

GRAPHITE

240v LED EH8453LED-650

Accessories: Ground spike - EHSQUARE

240v 5w	IP54	Built-in LED	3000K
356 lm	Wide beam		Pre-wired 2m




Vortex bollard light

GRAPHITE

240v LED EH5853-400

Accessories: Ground spike - EHSEMI

240v 7w	IP65	Built-in LED	3000K
262 lm	Beam 49°		Pre-wired 2m



Polar bollard light

GRAPHITE

240v LED EH8464LED-650

Accessories: Ground spike - EHSQUARE

240v 12w	IP54	Built-in LED	
262 lm	Wide beam		Pre-wired 2m




Stella bollard light

GRAPHITE

240v LED EH8363-650

Accessories: Ground spike - EHROUND

240v E27	IP54	Retro-fit LED	
Wide beam		Pre-wired 2m	




Greenwich bollard light

SOLID BRASS - 63CM

240v GLS LD4066362

240v E27	IP64	Retro-fit LED	
Dimmable	Wide beam		Pre-wired 2m



Bollard lights

Compact bollard light

	BLACK
12V CAP	E6531
240v E27	E6532P

Supplied with ground spike

12v Cap LED	240v E27	IP66	Retro-fit LED	Dimmable	Wide beam	Pre-wired 2m
----------------	-------------	------	------------------	----------	--------------	-----------------




Compact bollard light

	STAINLESS STEEL
240v E27	E6512



Supplied with ground spike

240v E27	IP66	Retro-fit LED	Dimmable
Wide beam	Pre-wired 2m		



Path lights



Domo spreadlight		
	COPPER	SATIN CHROME
12v CAP	EG6921	EG6911

12v G4

IP66



Retro-fit CAPLED

Dimmable

Wide beam

Pre-wired 1.5m



Midas tapered spreadlight		
	COPPER	SATIN CHROME
12v CAP	EG6621	EG6611

Supplied with ground spike

12v G4

IP66

Retro-fit CAPLED

Dimmable

Wide beam

Pre-wired 1.5m



Nebula spreadlight		
	BLACK	SOLID BRASS, BRONZE
12v CAP	PG7B	PG7R

Supplied with ground spike

12v

IP65

Plug & Play

Retro-fit CAPLED

Wide beam



Stem LED path light	
	SOLID BRASS, BRONZE
12v CAP	EG1923R




Supplied with ground spike

12v G4

IP65

Wide beam

Pre-wired 1.5m



Path lights



Single path light

12v / 2w / 105lm

E5531



Duo path light

12v / 2x 2w / 2x 105lm

E5631



Tall mushroom - 50cm

12v 3w

ERL0203A12



Short mushroom - 15cm

12v 6.4w

ERL0206A12

Hanging lights



Moonray hanging downlight

	BLACK	NATURAL COPPER	RUSTIC BROWN
12v MR16 20w	E7831	E7821	E7871

Accessories: Clip on honeycomb glare filter



IP23	12v MR16	Retro-fit LED	Dimmable	Wide beam	Pre-wired 1m
------	----------	---------------	----------	-----------	--------------

Pergolight

	NATURAL COPPER
12v MR16 20w	E8521

Accessories: Clip on honeycomb glare filter

IP44	12v MR16	Retro-fit LED	Dimmable	Wide beam	Pre-wired 1m
------	----------	---------------	----------	-----------	--------------



Al fresco dining

2700K

3000K

IP54

Built-in LED

Wide beam



Rechargeable battery outdoor table lamps

- EHH1891BN - Black rechargeable table lamp
- EHH1891WN - White rechargeable table lamp

IP54

2700K 3000K

Wide beam

Built-in LED



- | 9 hour battery life
- | Touch switch operation
- | 3 year warranty
- | USB-C charging
- | 180lm
- | Dimmable



- | Decorative lighting
- | Energy efficient
- | Easy installation
- | Versatile use
- | Plug & Play



Festoon lights

- FEST5KIT - Elipta festoon kit C/W 5m festoon cable - 3m mains lead - 10 lamps
- FEST5 - Elipta 5m festoon cable with E27 sockets
- FEX5 - Elipta 5m extension cable with male - female socket
- FE13A - Elipta 3m mains lead with 13A plug and terminal connector
- FE27GB - Elipta E27 golf ball lamp - 1w - 80lm - 2700K



Recessed steplights




Smoothie recessed light



STAINLESS STEEL	
12v MR16	E8011L
240v GU10	E8012


12v MR16	240v GU10	IP66	Retro-fit LED
Dimmable	Wide beam	Pre-wired 2m	

Smoothie eyelid light




STAINLESS STEEL		COPPER
12v MR16	E8111L	E8121L
240v GU10	E8112	E8122

12v MR16	240v GU10	IP66	Retro-fit LED
Dimmable	Wide beam	Pre-wired 2m	



Step and deck lights


12v/24v	IP65	IP67	Pre-wired	Wide beam
---------	------	------	-----------	-----------



Vela steplight




BRASS, BRUSHED NICKEL FINISH	
12v G4	PG3RBN



Vela steplight



TEXTURED BRASS	
12v G4	PG3RTB



Vela II steplight



SOLID BRASS, BRONZE FINISH	
12v G4	PG3R

Meridian LED marker light



316 STAINLESS STEEL	
12/24v - Built-in LED 2w - 12lm	EP32000


Micro deck light



316 STAINLESS STEEL	
12/24v DC - Built-in LED 2w - 80lm	EP32120



Waymarkers



Waymarker 180

		
	STAINLESS STEEL	STAINLESS STEEL
12v MR16 IP65	E8311L	-
240v GU10 IP66	-	E8312SS


12v MR16

Retro-fit LED

Dimmable

Wide beam

Pre-wired 2m



Waymarker 360

				
	STAINLESS STEEL	COPPER	STAINLESS STEEL	COPPER
12v MR16 IP65	E8411L	E8421L	-	-
240v GU10 IP66	-	-	E8412SS	E8422SS

12v MR16


Retro-fit LED

Dimmable

Wide beam

Pre-wired 2m

Micro Waymarkers



Micro Waymarker 90°

	
	STAINLESS STEEL
12v/24v DC 3w	EP8390

12v/24v

IP67


100 lm

2700k


316 stainless steel

Pre-wired 1.5m

Built-in LED



Micro Waymarker 360°

	
	STAINLESS STEEL
12v/24v DC 3w	EP83360

12v/24v

IP67

100 lm


2700k

316 stainless steel

Pre-wired 1.5m

Built-in LED

Recessed deck and steplights



Navigator Minor

STAINLESS STEEL

White LED	E3111W-N
Warm white LED	E3111WWN


12v
0.3w

IP67

Built-in
LED

Beam
49°

Pre-wired
1m



Navigator Mono

STAINLESS STEEL	COPPER
White LED	E3211WNN
Warm white LED	E3211WWN


12v
1w

IP67

Built-in
LED

Wide
beam

Pre-wired
1m



Navigator Maxor

STAINLESS STEEL	COPPER
White LED	E3311W-N
Warm white LED	E3311WW




12v
1w


IP67

Built-in
LED

Wide
beam

Pre-wired
1m





Navigator Eye

	STAINLESS STEEL	COPPER
White	E3411W-N	E3421W
Warm white	E3411WW	E3421WW

12v
1w

IP67

Built-in
LED

Wide
beam

Pre-wired
1m

Manzi wall light

STAINLESS STEEL

240v Warm white LED

E3411W-N

240v

IP65


Built-in
LED

20,000
hours

Wide
beam

Pre-wired
2m

3000K



Phanzi wall light

STAINLESS STEEL

240v Warm white

E3411W-N

240v

IP65


Built-in
LED

20,000
hours

Wide
beam

Pre-wired
2m

3000K



Micro LED strip light

12v DC

24v DC

IP67

3500k

13,000 hours

Dimmable

Wide beam



Photo courtesy of Paul Newman Landscapes

MicroLED strip light

12v 10x6mm - 5m LED strip only



WARM WHITE

B3001WWAN

MicroLED strip light accessories and controls

2 zone remote handset dimmer
BV206



RF dimmer/receiver 12-36v
BV255



RF single colour receiver & controller for warm white MicroLED
B3010



WiFi LED RGB controller for iphone/android
B3031



16mm x 12mm - anodised aluminium mounting channel
B3021



DMX kits and controls

Walkover quartz recessed RGB uplight stainless steel
E993RGB - 24v LED



Walkover opal frosted recessed uplight stainless steel
E995RGBF - 24v LED



Wall mount 4 channel DMX controller
B30DMX



Opal walkover DMX kit
E995DMXKIT



Constant voltage DMX decoder
BVDMX-501



Sensors




Photo courtesy of Mike Shackleton

Nightmatic 3000 - dusk til dawn sensor
ST550516



140°x360° anti-creep IP54, 12m detection 2000w switching
LC140B



Light symphony wireless controller solutions

- 4 Channel Starter Kit:
Key fob - 4 channel controller

LS3KIT4KF


- 2 Channel Starter Kit:
Handset - wall switch - 2 channel controller

LS3SKIT2


- 2 x 2 Channel Starter Kit:
Key fob - Two 2 channel controllers

LS3KIT4KF2


- 2 x 2 Channel Starter Kit:
Handset - wall switch - Two 2 channel controllers

LS3SKIT42


- 2 Channel starter kit:
Key fob - 2 channel controller

LS3KIT2KF


- 4 Channel Starter Kit:
Key fob - 4 channel controller

LS3KIT4KF


- 4-Channel 4X 700W (switched) mini lighting controller

LS30503MCM


- Smart Timer (Astronomical) - with iPort, App, Alexa & Google voice control

LS30952STIM


- Infrared driveway beam master sensor & repeater

LS30820DBS


- Wireless PIR

LS30070PIR


- Single channel lighting controller

LS30505SCC




- Infrared driveway beam sensor - infrared sensor only

LS30820DBSS



- 9 Channel remote control handset


LS30050WRC





Underwater LED spotlights





Atlantus II underwater light

BRASS

12v LED EG3505

12v MR16


IP68

Retro-fit LED

Dimmable

Beam 15°-120°

Pre-wired 6m



Atlantus II underwater light with glare shield

BRASS

12v LED EG3506

12v MR16


IP68

Retro-fit LED

Dimmable

Beam 15°-120°

Pre-wired 6m



Hydro Plus underwater light with base

STAINLESS STEEL

12v MR16 E996SS

12v MR16

IP68

Retro-fit LED

Dimmable

Beam 15°-120°

Pre-wired 6m

ACCESSORIES

Elipta Atlantus II heavy mounting base – E2560BN

Elipta Atlantus II brass spike - R3520

Underwater LED spotlights



Micro Plus underwater light



STAINLESS STEEL

24v/12v DC 550lm ERU005-7A

24v/12v 6w	IP68	3000k	550 lm	Beam 30°
---------------	------	-------	-----------	-------------



Micro underwater light



STAINLESS STEEL

24v DC LED ERU010-01A

Base ERU010B

24v 2w	IP68	3000k	200 lm	Built-in LED
Beam 30°	Pre-wired 5m			



Brilliance



NICKEL PLATED

12v LED GLWW8WSB RI

12v 8w	IP68	Built-in LED	Dimmable
330 lm	Beam 30°	Pre-wired 5m	



Excellence



NICKEL PLATED

12v LED GLWW12WSBRI

12v 12w	IP68	Built-in LED	Dimmable
370 lm	Beam 30°	Pre-wired 5m	



Luxes



NICKEL PLATED

12v LED GLWW18WS

12v 18w	IP68	Built-in LED	Dimmable
750 lm	Beam 30°	Pre-wired 5m	

Brilliance RGB




NICKEL PLATED

12v LED GLRGB8WS



RGB	200 lm
-----	-----------

Elipta Luxor




NICKEL PLATED

12v LED c/w 5 metre cable GLWW4WW



Luxes RGB



NICKEL PLATED

12v LED GLRGB18WS



RGB	400 lm	12v 8w
-----	-----------	-----------



New powerful LED tree uplighters



Titan26 LED Spotlight

STAINLESS STEEL			
240v - 26w Warm White	E9826WW		
Elipta Double Strap-on Tree Mount Bracket - Black	E4015TB		

240v	IP65	3000K	Beam 36°	Pre-wired 2m
------	------	-------	----------	--------------



Titan45 LED Spotlight

STAINLESS STEEL			
240v - 45w Warm White	E9845WW		
Elipta Double Strap-on Tree Mount Bracket - Black	E4015TB		

240v	IP65	3000K	Beam 38°	Pre-wired 2m
------	------	-------	----------	--------------



Tree mount spotlights

Strap or screw mount | Choice of 5 strap sizes | Black or rustic brown | 12v or 240v



Screw-mount tree spotlight

	BLACK	RUSTIC BROWN
12v MR11	E4135M	E4175M
12v MR16	E4131M	E4171M
240v GU10	E4132M	E4172M

Accessories: Screw-on tree mount brackets available in black/rustic brown | Clip on honeycomb glare filter | Clip on colour filter | Clip on frosted lens

IP65

12v MR11

12v MR16


240v GU10

Retro-fit LED

Dimmable

Beam 15°-120°

Pre-wired 1.5m



Strap-mount tree spotlight

	NATURAL COPPER	RUSTIC BROWN
12v MR11	E4135T	E4175T
12v MR16	E4131T	E4171T
240v GU10	E4132T	E4172T

Accessories: Tree straps available in black/rustic brown and various sizes 10"(250mm)/15"(375mm)/21"(525mm)/31"(775mm)/41"(1025mm) | Clip on honeycomb glare filter | Clip on colour filter | Clip on frosted lens

IP65

12v MR11

12v MR16


240v GU10

Retro-fit LED

Dimmable

Beam 15°-120°

Pre-wired 1.5m



Surface mount metal halide



Apollo

Apollo surface mount fittings are available in 3 wattage ratings and a choice of circular beam angles designed for uplighting large trees over 6m. Supplied with a stirrup bracket for mounting on walls, ground spike or adjustable surface mount. The frame of the borosilicate lens has 'through-flow' slots to allow water to drain off the lens even if pointed directly upward or fitted with a glare shield.

Apollo 35 | 70 | 150

DARK GREY			
Apollo 35	36°	240v MH	E94035SM
Apollo 35	60°	240v MH	E94035WM
Apollo 70	36°	240v MH	E94070S
Apollo 70	60°	240v MH	E94070W
Apollo 150	36°	240v MH	E94150S
Apollo 150	60°	240v MH	E94150W

Accessories: Glare louvres | Glare shields | Ground spike

IP65

240v MH 35w


240v MH 70w

240v MH 150w


Retro-fit metal halide

Beam 36° / 60°

Pre-wired 2m



Garden spotlights with IP44 connector



Lunar spotlight

	BLACK	BLACK	BLACK
12v MR16 - 3 Lunar spotlight kit	GLMR16KIT3	-	-
12v MR16 - 5 Lunar spotlight kit	-	GLMR16KIT5	-
12v MR16 - Lunar LED spotlight, lamp sold separately	-	-	GLMR16S


12v
MR16

IP68

Retro-fit
LED

Beam
15°-120°

Pre-wired
5m



LED lights with IP44 connector



Recessed decklights

Lumini deck light

	STAINLESS STEEL	STAINLESS STEEL
12v AC starter kit	GLWW03WKIT	-
12v AC single light	-	GLWW03W

12v
0.3w


IP67

3000K

Built-in
LED

Beam
120°

Pre-wired
1m



Lumina deck light

	STAINLESS STEEL	STAINLESS STEEL
12v MR16 starter kit	GLWW1WKIT	-
12v MR16 single light	-	GLWW1W

12v
1w

IP67

3000K

Built-in
LED

Beam
120°

Pre-wired
1m



Transformers



IP68 LED power supply

B9403N - 12v DC - 15w



12v DC LED power supplies - enclosures

T9208ENC - 20w in IP65 enclosure



T9209ENC - 35w in IP65 enclosure

T9210ENC - 60w in IP65 enclosure

12v DC LED power supplies - potted

T9151PT - 60w potted - non dimmable
CW Sheathed Cable



T9160PT - 60w dimmable potted

T9208PT - 20w potted

T9209PT - 35w potted

T9210PT - 60w potted

T9160PT - 60w dimmable potted

T9211PT - 100w potted

12v DC LED power supplies - ground burial

T9208GB - 20w in ground burial enclosure



T9209GB - 35w in ground burial enclosure

T9210GB - 60w in ground burial enclosure

T2415GB - 15w in ground burial enclosure

Surface-mount exterior transformer

T9501N - 12v AC - 10va



T9502N - 12v AC - 20va

T9504N - 12v AC - 40va

T9506N - 12v AC - 60va

T9510N - 12v AC - 100va

T9515N - 12v AC - 150va

Ground burial transformer

T2524 - 12v AC - 50va



T2534 - 12v AC - 100va

T2544 - 12v AC - 150va

Plug&Play transformer

DB6W12 - 6va



DB12W12 - 12va

DB20W12 - 20va

DB60W12 - 60va

DB105W12 - 105va

24V DC Power supplies

T2415GB - 15w - 24v DC - IP67 potted led power supply in ground burial enclosure



T2415ENC - 15w - 24v DC - IP67 potted led power supply in ip65 enclosure

T2415PT - 15w - 24v DC - IP67 potted led power supply

T2435ENC 35w - 24v DC - Potted LED power supply in ip65 enclosure

T2435GB 35w - 24v DC - Potted LED power supply in ground burial enclosure

T2435PT 35w - 24v DC - Potted LED power supply

T2499ENC 99w - 24v DC - Potted power supply in IP65 enclosure

T2499PT - 99w - 24v DC - Potted IP67 power supply - sheathed cables

Installation accessories



Weatherproof junction boxes

T9801 - IP65 Junction box (plain sides) -
112 x 112 x 67mm - Black



T9802 - IP65 Junction box (plain sides) -
160 x 120 x 71mm - Black

T9803 - IP65 Junction box (plain sides) -
165 x 145 x 84mm - Black

T9808 - IP65 Junction box (plain sides) -
230 x 180 x 88mm - Black

T9809 - IP65 Junction box (plain sides) -
320 x 250 x 135mm - Black

T9810 - IP66 Junction box c/w terminals/entries -
75 x 75 x 50mm - Black

T9811 - IP66 Junction box c/w terminals/entries -
85 x 85 x 50mm - Black

T9812 - IP66 Junction box c/w terminals/entries -
110 x 110 x 65mm - Black

T9813 - IP66 Junction box c/w terminals/entries -
140 x 140 x 80mm - Black

T9814 - IP66 Junction box c/w terminals/entries -
160 x 140 x 80mm - Black

2 Core low voltage cable - Ground burial

T9910 - Ground burial 2 core low voltage cable -
50m - 4mm²



T9911 - Ground burial 2 core low voltage cable -
25m - 4mm²

T9912 - Ground burial 2 core low voltage cable -
50m - 2.5mm²

T9913 - Ground burial 2 core low voltage cable -
25m - 2.5mm²

T9918 - Ground burial 2 core low voltage cable -
50m - 1.5mm²

T9919 - Ground burial 2 core low voltage cable -
25m - 1.5mm²

3 Core cable - 240V

T9930 - Elipta HO7RN-F 3 Core cable - 25m-1mm²



T9931 - Elipta HO7RN-F 3 Core cable - 100m - 1mm²

IP68 3 pole cable connectors

T9941 - Elipta 3 Pole IP68 In-line cable connector



T9942 - Elipta 3 Pole IP68 In-line T cable connector

T9943 - Elipta 3 Pole IP68 In-line X cable connector

Cable management accessories

T9962 - Cable joint kit



T9963 - Cable splice kit

T9964 - 12/3mm heat shrink c/w adhesive - length 1.2 metres

T9965 - 19/6mm heat shrink c/w adhesive - length 1.2 metres

T9966 - 3 Pole IP68 In-line cable connector

T9968A - Burial resin sealant pack 350ml

T9969 - Underground joint kit c/w resin sealant pack

T9972 - IP68 Cable gland c/w lock nut - 20mm

T9973 - IP68 Cable gland c/w lock nut - 25mm

T9974 - Cable gland adaptor - Black 25mm - 20mm

T9982 - MPGEL Re-enterable clear sealant 1 litre bottle

T9984 - Shark gel insulated Joint 6A

T9985 - Shark gel insulated Joint 13A

T9990 - Outdoor sealant - Black - 75ml

T9599 - Transformer mounting stakes (pair)

T3800S - 6 way junction box