



Tork Premium Toilet Paper Folded Soft



artikel: 114273

systeem: T3 - Gevouwen toiletpapier systeem

Lagen: 2

Kleur: Wit

Uitgevouwen breedte: 11 cm

Uitgevouwen lengte: 19 cm

Gevouwen lengte: 9.5 cm

Print: nee

Reliëf:

producteigenschappen

- Gecontroleerd verbruik
- Vel-voor-vel dosering
- Zacht toiletpapier
- Navullen op ieder moment mogelijk

verzendinggegevens

consumentenunit:

EAN: 7310791142739

stuks: 252

materiaal: Banderole

hoogte: 95 mm

breedte: 95 mm

lengte: 110 mm

volume: 1.0 dm³

nettogewicht: 179 g

brutogewicht: 182 g

transportunit:

EAN: 7310791004242

stuks: 7560

consumentenunits: 30

materiaal: Carton

hoogte: 241 mm

breedte: 296 mm

lengte: 496 mm

volume: 35.4 dm³

nettogewicht: 5.37 kg

brutogewicht: 5.86 kg

milieu

Content

Recycled fibres, Chemicals

Material

Recycled fibresRecovered paper can be produced both from collected newsprint, magazines and office waste. The paper is washed with water and treated with chemicals under high temperature and then filtered. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important. The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its



availability, transport distance and the quality of the collected material. Bleaching of fibres Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety. There are different methods used today for bleaching ECF (elementary chlorine free) where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view. The used functional chemicals are: Dry strength agent If coloured = Dye Fixing agents Fluorescent whitening agent Glue Softeners The process chemicals are: Antipitch Protection agent Yankee coating Defoamer Dispersing agents and surfactants pH and charge control Retention aids Broke treatment chemicals Drainage aid Packaging Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes Environmental label This product does not have any ecolabel.

Date of issue 2010-02-23

Revision date

Production

This product is produced in Skelmersdale, UK, certified according to ISO 9001, ISO 14001.

Destruction

This product is suitable to be taken care of in the normal sewage system of the community.