



Tork Advanced Wiper 420 Roll Performance



artikel: 130045

systeem: W1 - Poetsdoeken
muur/vloer/standaard systeem

Lagen: 2

Kleur: Wit

Print: nee

Reliëf: ja

Rollbreedte: 23.5 cm

Rollengte: 510 m

Aantal vellen: 1500

Vellengte: 34 cm

Roldiameter: 39 cm

Binnenste diameter van kern: 7.1 cm

producteigenschappen

- Voor olie en vet
- Zuinig in gebruik
- TAD-technologie
- Speciaal reliëfoppervlak

verzendinggegevens

consumentenunit:

EAN: 7322540182279

stuks: 1

hoogte: 235 mm

breedte: 390 mm

lengte: 390 mm

volume: 35.7 dm³

nettogewicht: 4614 g

brutogewicht: 4697 g

transportunit:

EAN: 7322540182279

stuks: 1

consumentenunits: 1

materiaal: Shrink

hoogte: 235 mm

breedte: 390 mm

lengte: 390 mm

volume: 35.7 dm³

nettogewicht: 4.61 kg

brutogewicht: 4.75 kg

milieu

Content

The fibre composition in the product is virgin and recycled

Material

Virgin fibres and recovered paper



In the tissue process both virgin fibres and recovered paper are being used. In the process it is a matter of finding an efficient solution where both virgin fibres and recovered paper play a role. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important. The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material. Bleaching of fibres Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety. There are different methods used today for bleaching ECF (elementary chlorine free) where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view. The used functional chemicals are: Wet strength agent Dry strength agent Dye Fixing agents Fluorescent whitening agent Glue Softeners The process chemicals are: Antipitch Protection agent Yankee coating Defoamer Dispersing agents and surfactants pH and charge control Retention aids Broke treatment chemicals Drainage aid

Product safety

The product fulfils the legislative requirements for food safety. Packaging Fulfillment of Packaging and Packaging Waste Directive (94/62/EC): Yes Environmental label Ecolabel This product does not have an ecolabel

Date of issue 2006-06-12

Revision date 2010-02-25

Production

This product is produced at Kostheim mill, Germany. Kostheim mill is certified according to ISO 14001 and EMAS.

Destruction

For disposal of used product please contact the local authorities. The packaging can be used for material recovery or energy recovery