

[Home](#)[Products](#)[News](#)[Download](#)[About Us](#)[Blog](#)[Sitemap](#)[Feedback](#)

Products

[Cable connector](#)[Insulated Piercing Connector](#)[Parallel groove clamp](#)[Dead end clamp](#)[Suspension clamp](#)[Tension clamp](#)[Anchor clamp bracket](#)[Stainless steel band and buckles](#)

Insulated Piercing Connector

You are here: [Home](#) > [Insulated Piercing Connector](#)



JBC SERIES INSULATION PIERCING CONNECTOR

Item No.: 201

Features:

- 1).It is featuring a unique insulation technique.
- 2).Connections can be made live in minutes and suitable for aluminum or Copper, the body materials are UV-resistant.

[INQUIRY](#)[PDF Format](#)

Braid copper wire

+ Overhead line fittings

+ Electrical insulator

Fiber Cable Fittings



Description


Advantages:

- 1).Designed for all weather applications and easy to install.
- 2).Special connecting tablet is adopted in our insulation piercing connector, which is applicable to joint of Cu(Al) and Cu(Al) or Cu and Al.
- 3).The self-seam frame of JBC Series Insulation Piercing Connector is wet proof, water proof, and anti-corrosive, which can prolong the using life of insulated lead and connector.
- 4).Saving investments: first, less installation space needed; second, saving cost of bridge and civil engineering; third, it does not require terminal boxes, distribution boxes when building.


Instructions:

Full range of ABC Insulation Piercing Connectors used to tap off low voltage XLPE insulated Aerial Bundled Cable (ABC).

- 1).Adjust the connector nut to suitable location.
- 2).Put the branch wire into the cap sheath fully.
- 3).Insert the main wire, if there are two lays of insulated lay in the main cable, should strip a certain length of the first insulated lay from inserted end.
- 4).Turn the nut by hand, and fix the connector in suitable location.
- 5).Screw the nut with the sleeve spanner.
- 6).Screw the nut continually until the top part is cracked and dropped down.




JBC-0



JBC-1



JBC-2



JBC-3

Item No.	Main wire section	Branch wire section	Bolt
JBC-0	25-70	6-35	1
JBC-1	35-70	6-35	1
JBC-2	35-150	35-150	1
JBC-3	50-240	50-150	2

Insulated piercing connector TTD insulation piercing connector CPC series insulation piercing connector NU series insulation piercing connector CPB series insulation piercing connector

Review

Name

E-mail

Subject

Message

Verification code



Submit

About Us

About Us

Company Honor

LINKS

FACEBOOK

YOUTUBE

Case

Contact Us

Subscribe free newsletter to get latest products and discount information.

E-mail



bearings for tmt barmag murata luminescent ceramics pos terminal doym bag plasma powder buy steroids eyelashes smart led bulb work machine heat exchanger manufacturer air fin cooler piping bestwin
news piston pump drill manufacturers in china wigs pet bed china suppliers steel door medical catheter machine china china tft lcd manufacturer
metal supplier mechanical seal excavator seal kit antique copper faucets cnc milling Air detector bathtub Hand pipe industrial lighting

N.I.U ELECTRIC GROUP CO., LTD