COFFEE MAKER
INSTALLATION CONSIDERATIONS

Accessing your product specifications 3
Electrical connection 5

FISHER & PAYKEL

NZ AU UK IE SG CN EU

BUILT IN COFFEE MAKER


EB60MSG3, EB60MSB3, EB60CSX3, EB76PSX3


ACCESSING YOUR PRODUCT SPECIFICATIONS

For full product, cabinetry and service specifications, refer to the Planning Guide. To access the Planning Guide, scan the QR code or visit fisherpaykel.com/specify. Search by appliance type, product name or model code.

60CM MODELS

EB60MSG3, EB60MSB3, EB60CSX3, EB76PSX3





PRODUCT DIMENSIONS		mm
A	Overall height	458
B	Overall width	596
C	Chassis height	445
D	Chassis width	560
E	Chassis depth	460
F	Control panel thickness	20

CAVITY DIMENSIONS		mm
A	Minimum inside height of cavity	450
B	Minimum inside width of cavity	560
C	Minimum inside depth of cavity*	545*


*Minimum total ventilation area of 280cm2 is required.


ACCESSING YOUR PRODUCT SPECIFICATIONS

For full product, cabinetry and service specifications, refer to the Planning Guide. To access the Planning Guide, scan the QR code or visit fisherpaykel.com/specify. Search by appliance type, product name or model code.

76CM MODELS

EB76PSX3





PRODUCT DIMENSIONS		mm
A	Overall height	458
B	Overall width	758
C	Chassis height	445
D	Chassis width	560
E	Chassis depth	460
F	Control panel thickness	24

CAVITY DIMENSIONS		mm
A	Minimum inside height of cavity	450
B	Minimum inside width of cavity	560
C	Minimum inside depth of cavity*	550*

*Minimum total ventilation area of 280cm2 is required.

ELECTRICAL CONNECTION

SPECIFICATIONS	EB60, EB76 MODELS
SERVICE (A)	10
SUPPLY (Hz)	50
VOLTAGE (V)	220 – 240V

FISHERPAYKEL.COM

© Fisher & Paykel Appliances 2026. All rights reserved.

The models shown in this guide may not be available in all markets and are subject to change at any time.

The product specifications in this guide apply to the specific products and models described at the date of issue. Under our policy of continuous product improvement, these specifications may change at any time.

For current details about model and specification availability in your country, please go to our website or contact your local Fisher & Paykel dealer.

433147A 05.26