



Monodraught are the recognised market leaders in ultra-low carbon, low energy solutions for Natural Ventilation, Natural Cooling and Natural Lighting.

WINDCATCHER[®], **SUNPIPE**[®] and **COOL-PHASE**[®] brands are synonymous with quality and innovation (ISO9001 & 14001) and are supported by our market leading design service.


Air-Precision is an addition to Monodraught's portfolio including grilles, diffusers, external louvres and volume control dampers.

PRODUCT RANGE OF GRILLES, DIFFUSERS, LOUVRES AND DAMPERS

We are supporting this range with:

- £1 million of fast moving stock
- Bespoke manufacture with any standard RAL colour within 5 days
- 15 dedicated selection experts
- Designed with industry leading software
- Belimo actuators used throughout
- AA5 anodisation (ISO7599) utilised
- Market leading quality fully supported by a **10 year guarantee**

We are confident that we can beat any quotation you have by 10% so please contact us on **01494897700** or email us on air-precision@monodraught.com



Pressed Steel Grilles - PS



Press steel grilles are a low cost air terminal, most associated with domestic warm air heating systems.

The PS range encapsulates a variety of pressed steel units, which can be used for their original purpose with warm air heating systems or in doors as transfer units, etc.

Models:

- **PSGH:** Pressed steel grille horizontal sizes - No. 66
- **PSGV:** Pressed steel grille vertical sizes - No. 68
- **PSFD:** Pressed steel floor diffuser - No. 28 Type A
- **PSCD:** Pressed steel ceiling diffuser - No. 28 Type B
- **PSTR:** Pressed steel toe plate - No. 28 Type C
- **PSR:** Pressed steel register - No. 126

Construction:

- Pressed steel construction with manually adjustable blades
- Series PSFD includes a cog for manual adjustment of rear mounted damper
- Series PSCD includes a cord operated rear mounted damper
- Series PSR includes a lever operated rear mounted damper

Sizes:

- Pressed steel grilles are available in sizes of 50 mm increments up to 900 mm wide by 600 mm high, there will be a single centre mullion on any grille sized over 200 mm wide.

Finishes:


- White, beige, silver, bare metal and primer coat finishes are available.
Please state colour required on order.

Technical Information


PSGV



PSFD




PSCD




PSTP: As PSFD & PSCD with no damper mechanism.

PSR





Pressed Steel Grilles - PS


Selection data




All data based on supply air at 55°C.

 Halifax House, High Wycombe
Buckinghamshire, HP12 3SE

 +44 01494 897700

 +44 01494 532465

 www.monodraught.com

 info@monodraught.com

 Monodraught Ltd

 @MonodraughtLtd

 Monodraught Ltd

 **Monodraught**®
engineering delivered. naturally

