

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name **SABRE**
 Product No. **K054**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses **biocidal hard surface foaming cleaner**

1.3. Details of the supplier of the safety data sheet

Selden Research Limited t : 01298 26226
 Staden Lane
 Ashbourne Road f : 01298 26540
 Buxton
 Derbyshire e : safety@selden.co.uk
 SK17 9RZ
 United Kingdom

1.4. Emergency telephone number

01298 26226

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (67/548/EEC) **F+;R12.**

2.2. Label elements

Detergent Labelling:
 < 5% disinfectants
 < 5% non-ionic surfactants
 < 5% perfumes

Labelling



Extremely Flammable

Risk Phrases **R12 Extremely flammable.**
 Safety Phrases **S2 Keep out of the reach of children.**
S16 Keep away from sources of ignition - No smoking.
S51 Use only in well-ventilated areas.
S23 Do not breathe vapour/spray.

2.3. Other hazards

No other hazards known

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not Applicable

3.2. Mixtures

BUTANE	5-10%
CAS-No.: 106-97-8	EEC (EINECS) No. 203-448-7
Classification (EC 1272/2008) Flammable liquids, category 1 - H224	Classification (67/548/EEC) F+;R12

Dodecyl dipropylenetriamine CAS-No.: 2372-82-9	EEC (EINECS) No. 219-145-8	<0.5%
Classification (EC 1272/2008) Acute toxicity, category 4 - Oral - H302 Skin corrosion, categories 1A, 1B, 1C - H314 Hazardous to the aquatic environment, acute, category 1 - H400		Classification (67/548/EEC) Xn;R22 C;R34 N;R50
PROPAN-2-OL CAS-No.: 67-63-0	EEC (EINECS) No. 200-661-7	5-10%
Classification (EC 1272/2008) Flammable liquids, category 2 - H225 Eye irritation, category 2 - H319 STOT***, single exposure, category 3 - Narcotic effects - H336		Classification (67/548/EEC) F;R11 Xi;R36 R67
Quaternary ammonium compounds CAS-No.: 68989-03-7	EEC (EINECS) No.	<0.5%
Classification (EC 1272/2008) Eye irritation, category 2 - H319 Skin irritation, category 2 - H315 Hazardous to the aquatic environment, chronic, category 2 - H411 Hazardous to the aquatic environment, chronic, category 2 - H411		Classification (67/548/EEC) Xi;R36/38 N;R51/53

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information	Treat Symptomatically.
Inhalation	Move the exposed person to fresh air at once., Keep the affected person warm and at rest. Get prompt medical attention., For breathing difficulties oxygen may be necessary.
Ingestion	Rinse mouth thoroughly., Drink plenty of water., Get medical attention.
Skin contact	Wash the skin immediately with soap and water., Get medical attention if any discomfort continues.
Eye contact	Promptly wash eyes with plenty of water while lifting the eye lids., Continue to rinse for at least 15 minutes., Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	High concentrations of vapours may irritate respiratory system and lead to headache, fatigue, nausea and vomiting., Gas or vapour displaces oxygen available for breathing (asphyxiant) ., Unconsciousness.
Ingestion	May cause burns in mucous membranes, throat, oesophagus and stomach., May cause stomach pain or vomiting.
Skin contact	No specific health warnings noted.
Eye contact	Irritation of eyes and mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

Treat Symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media Use:, Powder., Dry chemicals, sand, dolomite etc., Water spray, fog or mist.

5.2. Special hazards arising from the substance or mixture

Unsuitable extinguishing media

5.3. Advice for firefighters

Special Fire Fighting Procedures Self contained breathing apparatus and full protective clothing must be worn in case of fire. Containers close to fire should be removed or cooled with water., Use water to keep fire exposed containers cool and disperse vapours.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

For personal protection, see section 8.

6.2. Environmental precautions

Any spillage needs to be contained and not allowed to enter water courses

6.3. Methods and material for containment and cleaning up

Wear necessary protective equipment., Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate., If leakage cannot be stopped, evacuate area.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Keep away from heat, sparks and open flame., Avoid spilling, skin and eye contact., Ventilate well, avoid breathing vapours. Use approved respirator if air contamination is above accepted level.

7.2. Conditions for safe storage, including any incompatibilities

Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50°C.

7.3. Specific end use(s)

See product label for detailed usage and instructions.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name	STD	TWA - 8 Hrs	STEL - 15 Min	Notes
BUTANE	WEL	600 ppm1450 mg/m3	750 ppm1810 mg/m3	
PROPAN-2-OL	WEL	400 ppm999 mg/m3	500 ppm1250 mg/m3	

WEL = Workplace Exposure Limits

8.2. Exposure controls

Protective equipment



Engineering measures

Provide adequate general and local exhaust ventilation.

Hand protection

Use protective gloves.

Eye protection

Eye protection not normally required with day to day use of product

Other Protection

General workwear only

Hygiene measures

DO NOT SMOKE IN WORK AREA!

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Aerosol., White foam
Odour	Characteristic., lime
Comments	Information given relates to total aerosol container contents.
Flash point (°C)	- 74
Auto Ignition Temperature (°C)	+ 405
Flammability Limit - Upper(%)	1.8
Flammability Limit - Lower(%)	10.0

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Stable under normal temperature conditions.

10.2. Chemical stability

Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

None known

10.4. Conditions to avoid

Avoid heat, flames and other sources of ignition., Increase in temperature to greater than 50 degrees will cause rise in internal pressure with likelihood of bursting/explosion.

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

Fire creates: , Toxic gases/vapours/fumes of: , Carbon monoxide (CO) , Carbon dioxide (CO₂).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Toxicological information	No toxicological data is available for this mixture, however data can be provided for specific raw materials upon request.
Inhalation	High concentrations of vapours may irritate respiratory system and lead to headache, fatigue, nausea and vomiting. , Gas or vapour displaces oxygen available for breathing (asphyxiant) , Unconsciousness.
Ingestion	May cause burns in mucous membranes, throat, oesophagus and stomach. , May cause stomach pain or vomiting.
Skin contact	No specific health warnings noted.
Eye contact	Irritation of eyes and mucous membranes.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Not classed as Hazardous to the Environment but release to the environment should be avoided.

12.2. Persistence and degradability

Degradability	The surfactants contained within the product comply with the biodegradability criteria as laid down in Regulation (EC) No 648/2004.
---------------	-------------------------------------------------------------------------------------------------------------------------------------

12.3. Bioaccumulative potential

Bioaccumulative potential	The product does not contain any substances expected to be bioaccumulating.
---------------------------	-----------------------------------------------------------------------------

12.4. Mobility in soil

Mobility:	The product contains substances, which are water soluble and may spread in water systems.
-----------	-------------------------------------------------------------------------------------------

12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or PvB substances

12.6. Other adverse effects

None known

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Empty containers must not be burned because of explosion hazard. , Dispose of waste and residues in accordance with local authority requirements.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

UN No. (ADR/RID/ADN)	1950
UN No. (IMDG)	1950
UN No. (ICAO)	1950

14.2. UN proper shipping name

Proper Shipping Name: AEROSOLS, FLAMMABLE

14.3. Transport hazard class(es)

ADR/RID/ADN Class	2 Class Code:5F Label: 2.1
IMDG Class	2.1
ICAO Class/Division	2.1
Transport Labels	Not Applicable

14.4. Packing group

IMDG Packing group	N/A
ICAO Packing group	N/A

14.5. Environmental hazards

Environmentally Hazardous substance/Marine Pollutant

14.6. Special precautions for user

Tunnel Restriction Code n/a

SECTION 15: REGULATORY INFORMATION15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

UK Regulatory References	The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.
Environmental Listing	Rivers (Prevention of Pollution) Act 1961., Control of Pollution (Special Waste Regulations) Act 1980.
Statutory Instruments	Control of Substances Hazardous to Health., The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).
Approved Code Of Practice	Classification and Labelling of Substances and Preparations Dangerous for Supply.
Guidance Notes	Workplace Exposure Limits EH40., Introduction to Local Exhaust Ventilation HS(G)37., CHIP for everyone HSG (108). System of specific information relating to Dangerous Preparations. 2001/58/EC., Dangerous Preparations Directive 1999/45/EC., Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments., Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.
EU Legislation	
National Regulations	The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2007 (CDG 2007).

15.2. Chemical Safety Assessment

No chemical assessment has been carried out as this Safety Data Sheet is for a mixture

SECTION 16: OTHER INFORMATION

General information

The following risk phrases relate to the raw materials in the product and not the product itself:-

Revision Comments

Safety Data Sheet revised to be in accordance with EU Regulation No 453/2010 - REACH Regulations.

Revision Date	10/03/2006
Revision	7

Risk Phrases In Full R12 Extremely flammable. | R11 Highly flammable, R36 Irritating to eyes., R67 Vapours may cause drowsiness and

dizziness. | R36/38 Irritating to eyes and skin., R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. | R22 Harmful if swallowed., R34 Causes burns., R50 Very toxic to aquatic organisms. |

Hazard Statements In Full

H224	Extremely flammable liquid and vapour.
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.