

m o o o i[®]



Prop Light Round

We have round lights, we have straight lights. We have them with lights on one side, we have them with lights on two sides.

Designer

Bertjan Pot


Year of design

2013

Material

HIPS housing; PMMA lightguide; Glass bulbs

m o o o i



m o o o i[®]

detailing



Prop Light is equipped with a comfortably warm LED light source, spreading its light by a specially developed optics. All versions are dimmable.

colours



White body
RAL9016

m o o o i[®]

**input voltage CE:**

220-240V

Inpute voltage cUL:

110 or 240V

amount of LED's:

Prop Light Round Single: 48

Prop Light Round Double: 96

colour temperature (degrees Kelvin, K) / colour rendering index:

Approx. 2000K / CRI_Ra min. 80

NEW: 2700K version now available!

luminous flux (Lumen, lm):

Prop Light Round Single: 1078.51lm

Prop Light Round Double: 1936.03lm

power consumption:

Prop Light Round Single: MAX 21W

Prop Light Round Double: MAX 42W

**canopy:**

matching white pebble

cable length & colour:

4M | 13ft, transparent

dimnable:

yes, mains dimmable

Recommended dimmer specs

For fluent dimming behaviour we advise a dimmer that is compatible with the following specs:

Transformer type: Electronic Low Voltage (ELV)

Load type: Capacitive load (C-Type)

Dimmer type: Trailing edge / Reverse phase

Please note the functioning of the dimmer and the power supply combination can never be predicted, it always needs to be tested in practice.