

Compounds	Current AAS abusers		Former AAS abusers		p-value
		dose range per week (mg)		dose range per week (mg)	
Testosterone esters (%)	97.3	500 - 2000	96.3	500 - 1500	1.00
Trenbolone (%)	78.4	250 - 750	57.6	250 - 1000	0.08
Nandrolone (%)	73.0	250 - 1000	78.8	250 - 1000	0.48
Stanozolol (%)	73.0	200 - 700	66.7	200 - 700	0.57
Sustanon (%)	70.2	750 - 2000	54.5	500 - 1000	0.20
Boldenone (%)	64.9	600 - 2000	27.3	500 - 750	<0.01
Drostanolone (%)	62.2	300 - 700	45.5	300 - 500	0.23
Metenolone (%)	59.5	400 - 1000	54.6	400 - 1000	0.72
Oxandrolone (%)	56.8	350 - 700	42.4	350 - 420	0.28
Methanolone (%)	48.7	280 - 350	51.5	350 - 700	0.72
Oxymetholome (%)	27.0	350 - 700	57.6	350 - 700	<0.01
Clostebol (%)	10.8	160 - 280	6.1	not reported	0.83
Gestrinone (%)	5.4	not reported	9.1	not reported	0.15
Metribolone (%)	2.7	not reported	6.1	200 - 600	0.41
Androstenione (%)	0.0	-	3.0	not reported	0.73

AAS, anabolic androgenic steroids

p-values are generated as response to chi-square test or Fisher's exact test as appropriate.