

Photochemical homologation for the preparation of aliphatic aldehyde in flow

Yiding Chen,^{a#} Marco Leonardi,^{a, b#} Paul Dingwall,^a Ricardo Labes,^a Patrick Pasau,^c David C. Blakemore^d and Steven V. Ley^{a*}

^a Department of Chemistry, University of Cambridge, Lensfield Road, Cambridge CB2 1EW, U.K.

^b Departamento de Química en Ciencias Farmacéuticas, Facultad de Farmacia, Universidad Complutense, 28040 Madrid, Spain


^c UCB Biopharma SPRL, Chemical Research R5, Chemin du Foriest, 1420 Braine-L'Alleud, Belgium

^d Medicine Design, Pfizer Inc., Eastern Point Road, Groton, Connecticut 06340, United States


Table of Content

Spectroscopic data:S2



Spectroscopic data:




¹H NMR and ¹³C NMR spectra of 1,2,3,4-tetrahydronaphthalene-2-carbaldehyde (3a)




¹H NMR and ¹³C NMR spectra of tetrahydro-2H-pyran-4-carbaldehyde (3b)





¹H NMR and ¹³C NMR spectra of tetrahydro-2H-thiopyran-4-carbaldehyde (3c)




S5





^1H NMR and ^{13}C NMR spectra of 1,4-dioxaspiro[4.5]decane-8-carbaldehyde (3e)





¹H NMR and ¹³C NMR spectra of **adamantane-2-carbaldehyde (3h)**






¹H NMR and ¹³C NMR spectra of 4-(6-methoxynaphthalen-2-yl)-2-methylbutanal (3j)





¹H NMR and ¹³C NMR spectra of (1,2,3,4-tetrahydronaphthalen-2-yl)methanol (4a)




¹H NMR and ¹³C NMR spectra of (tetrahydro-2H-pyran-4-yl)methanol (4b)





S12




¹H NMR and ¹³C NMR spectra of (1,4-dioxaspiro[4.5]decan-8-yl)metanol (4e)




¹H NMR and ¹³C NMR spectra of *tert*-butyl 4-(hydroxymethyl)piperidine-1-carboxylate (4f)





¹H NMR and ¹³C NMR spectra of (adamantan-2-yl)methanol (4h)




¹H NMR and ¹³C NMR spectra of 4-(6-methoxynaphthalen-2-yl)-2-methylbutan-1-ol (4j)




¹H NMR and ¹³C NMR spectra of 2-methylpentane-1,5-diol (4k)





¹H NMR and ¹³C NMR spectra of 2-methyl-3-(pyridin-4-yl)propan-1-ol (4l)




¹H NMR and ¹³C NMR spectra of 3-(furan-2-yl)-2-methylpropan-1-ol (4m)





1H NMR and ^{13}C NMR spectra of 2-methylhex-5-en-1-ol (4n)




¹H NMR and ¹³C NMR spectra of 2-(tetrahydro-2H-pyran-4-yl)-1H-benzimidazole (5b)





¹H NMR and ¹³C NMR spectra of 2-(Tetrahydrothiophen-3-yl)-1H-benzimidazole (5d)







¹H NMR and ¹³C NMR spectra of *tert*-butyl 4-(1*H*-benzimidazol-2-yl)piperidine-1-carboxylate (5f)





¹H NMR and ¹³C NMR spectra of 2-[1-(pyrimidin-2-yl)piperidin-4-yl]-1H-benzimidazole (5g)




¹H NMR and ¹³C NMR spectra of 2-(adamantan-2-yl)-1H-benzimidazole (5h)




¹H NMR and ¹³C NMR spectra of 2-cyclobutyl-1H-benzimidazole (5i)





¹H NMR and ¹³C NMR spectra of 2-[1-(pyridin-4-yl)propan-2-yl]-1H-benzimidazole (5l)





¹H NMR and ¹³C NMR spectra of 2-[1-(furan-2-yl)propan-2-yl]-1H-benzimidazole (5m)




¹H NMR and ¹³C NMR spectra of 2-(hex-5-en-2-yl)-1H-benzimidazole (5n)





¹H NMR and ¹³C NMR spectra of 2-(4-chlorophenyl)acetaldehyde (7a)





¹H NMR and ¹³C NMR spectra of 2-(3-bromophenyl)acetaldehyde (7b)





¹H NMR and ¹³C NMR spectra of 2-(o-tolyl)acetaldehyde (7c)



¹H NMR and ¹³C NMR spectra of 2-(4-chlorophenyl)ethan-1-ol (8a)



¹H NMR and ¹³C NMR spectra of 2-(3-bromophenyl)ethan-1-ol (8b)



¹H NMR and ¹³C NMR spectra of 2-(*o*-tolyl)ethan-1-ol (8c)