

Copper-Mediated, Palladium-Catalyzed Cross-coupling of 3-Iodo-Chromones, Thiochromones and Quinolones with Ethyl Bromodifluoroacetate.

Xiaodong Han,^{a,b} Zhizhou Yue,^b Xiaofei Zhang,^a Qian He,^a and Chunhao Yang^{a}*

^a State Key Laboratory of Drug Research, Shanghai Institute of Materia Medica, SIBS,
Chinese Academy of Sciences, 555 Zu Chong Zhi Road, Shanghai, 201203 P.R.

China

^b Department of Pharmaceutical Engineering, School of Chemical Engineering,
Wuhan University of Technology, 205 Luo Shi Road, Wuhan, Hubei, 430070 P. R.

China

Table of contents

¹H NMR spectra of **1** and **2**, ¹³C NMR spectra of **1g**, **1h**, **1k**, **1n**, **1v** and **2**.

¹ H NMR spectra of 1	S2-S15
¹³ C NMR spectra of 1g	S5
¹³ C NMR spectra of 1h	S6
¹³ C NMR spectra of 1k	S8
¹³ C NMR spectra of 1n	S10
¹³ C NMR spectra of 1v	S15
¹ H and ¹³ C NMR spectra of all 2	S15-S37





































































