

# Allenyl and Alkynyl Phenyl Ethers from the Endolichenic Fungus

## *Neurospora terricola*

Fan Zhang,<sup>†,‡</sup> Shuchun Liu,<sup>†</sup> Xinhua Lu,<sup>§</sup> Liangdong Guo,<sup>†</sup> Hua Zhang,<sup>§</sup> and Yongsheng Che<sup>\*,†</sup>

*Key Laboratory of Systematic Mycology & Lichenology, Institute of Microbiology, Chinese Academy of Sciences, Beijing 100190, People's Republic of China, Graduate School of Chinese Academy of Sciences, Beijing 100039, People's Republic of China, and New Drug Research and Development Center, North China Pharmaceutical Group Corporation, Shijiazhuang 050015, People's Republic of China*

Contents:	Page
1) <b>Figure S1.</b> <sup>1</sup> H NMR spectrum of terricollene A ( <b>1</b> ; 500 MHz, acetone- <i>d</i> <sub>6</sub> )	3
2) <b>Figure S2.</b> <sup>1</sup> H NMR spectrum of terricollene A ( <b>1</b> ; 600 MHz, methanol- <i>d</i> <sub>4</sub> )	4
3) <b>Figure S3.</b> <sup>13</sup> C NMR spectrum of terricollene A ( <b>1</b> ; 125 MHz, acetone- <i>d</i> <sub>6</sub> )	5
4) <b>Figure S4.</b> <sup>1</sup> H NMR spectrum of terricollene B ( <b>2</b> ; 500 MHz, acetone- <i>d</i> <sub>6</sub> )	6
5) <b>Figure S5.</b> <sup>1</sup> H NMR spectrum of terricollene B ( <b>2</b> ; 600 MHz, methanol- <i>d</i> <sub>4</sub> )	7
6) <b>Figure S6.</b> <sup>13</sup> C NMR spectrum of terricollene B ( <b>2</b> ; 125 MHz, acetone- <i>d</i> <sub>6</sub> )	8
7) <b>Figure S7.</b> <sup>1</sup> H NMR spectrum of terricollene C ( <b>3</b> ; 500 MHz, acetone- <i>d</i> <sub>6</sub> )	9
8) <b>Figure S8.</b> <sup>13</sup> C NMR spectrum of terricollene C ( <b>3</b> ; 100 MHz, acetone- <i>d</i> <sub>6</sub> )	10
9) <b>Figure S9.</b> <sup>1</sup> H NMR spectrum of terricolylene ( <b>4</b> ; 500 MHz, acetone- <i>d</i> <sub>6</sub> )	11
10) <b>Figure S10.</b> <sup>13</sup> C NMR spectrum of terricolylene ( <b>4</b> ; 100 MHz, acetone- <i>d</i> <sub>6</sub> )	12
11) <b>Figure S11.</b> <sup>1</sup> H NMR spectrum of 1- <i>O</i> -methylterricolylene ( <b>5</b> ; 500 MHz, acetone- <i>d</i> <sub>6</sub> )	13
12) <b>Figure S12.</b> <sup>13</sup> C NMR spectrum of 1- <i>O</i> -methylterricolylene ( <b>5</b> ; 100 MHz, acetone- <i>d</i> <sub>6</sub> )	14
13) <b>Figure S13.</b> <sup>1</sup> H NMR spectrum of 1- <i>O</i> -acetylterricolylene ( <b>6</b> ; 500 MHz, acetone- <i>d</i> <sub>6</sub> )	15
14) <b>Figure S14.</b> <sup>13</sup> C NMR spectrum of 1- <i>O</i> -acetylterricolylene ( <b>6</b> ; 100 MHz, acetone- <i>d</i> <sub>6</sub> )	16
15) <b>Figure S15.</b> HPLC analysis of <i>o</i> -tolylthiocarbamate of standard D-Glc	17

16) <b>Figure S16.</b>	HPLC analysis of <i>o</i> -tolylthiocarbamate of standard L-Glc	18
17) <b>Figure S17.</b>	HPLC analysis of <i>o</i> -tolylthiocarbamate of the acid hydrolyzate of terricollene A ( <b>1</b> )	19
18) <b>Figure S18.</b>	HPLC analysis of <i>o</i> -tolylthiocarbamate of standard D-Man	20
19) <b>Figure S19.</b>	HPLC analysis of <i>o</i> -tolylthiocarbamate of standard L-Man	21
20) <b>Figure S20.</b>	HPLC analysis of <i>o</i> -tolylthiocarbamate of the acid hydrolyzate of terricollene B ( <b>2</b> )	22
21) <b>Figure S21.</b>	Key NOESY correlations used to identify $\beta$ -Man in terricollene B ( <b>2</b> )	23
22) <b>Figure S22.</b>	$\Delta\delta$ Values (in ppm) = $\delta_S - \delta_R$ obtained for the ( <i>R</i> )- and ( <i>S</i> )-MTPA esters <b>4a</b> and <b>4b</b>	24

---


\* To whom correspondence should be addressed. Tel./Fax: +86 10 82618785.  
E-mail: [cheys@im.ac.cn](mailto:cheys@im.ac.cn).

† Institute of Microbiology.


‡ Graduate School of Chinese Academy of Sciences.

§ North China Pharmaceutical Group Corporation.


**Figure S1.**  $^1\text{H}$  NMR Spectrum of Terricollene A (**1**; 500 MHz, Acetone- $d_6$ )




**Figure S2.**  $^1\text{H}$  NMR Spectrum of Terricollene A (**1**; 600 MHz,  $\text{CD}_3\text{OD}$ )




**Figure S3.**  $^{13}\text{C}$  NMR Spectrum of Terricollene A (**1**; 125 MHz, Acetone- $d_6$ )




**Figure S4.**  $^1\text{H}$  NMR Spectrum of Terricollene B (**2**; 500 MHz, acetone- $d_6$ )



**Figure S5.**  $^1\text{H}$  NMR Spectrum of Terricollene B (**2**; 600 MHz,  $\text{CD}_3\text{OD}$ )




**Figure S6.**  $^{13}\text{C}$  NMR Spectrum of Terricollene B (**1**; 125 MHz, acetone- $d_6$ )







**Figure S7.**  $^1\text{H}$  NMR Spectrum of Terricollene C (**3**; 500 MHz, acetone- $d_6$ )




**Figure S8.**  $^{13}\text{C}$  NMR Spectrum of Terricollene C (**3**; 100 MHz, acetone- $d_6$ )




**Figure S9.**  $^1\text{H}$  NMR Spectrum of Terricolyne (**4**; 500 MHz, acetone- $d_6$ )




**Figure S10.**  $^{13}\text{C}$  NMR Spectrum of Terricolyne (**4**; 100 MHz, acetone- $d_6$ )




**Figure S11.**  $^1\text{H}$  NMR Spectrum of 1-*O*-methylterricolyne (**5**; 500 MHz, acetone- $d_6$ )




**Figure S12.**  $^{13}\text{C}$  NMR Spectrum of 1-*O*-methylterricolyne (**5**; 100 MHz, acetone- $d_6$ )



**Figure S13.**  $^1\text{H}$  NMR Spectrum of 1-*O*-acetylterricolyne (**6**; 500 MHz, acetone- $d_6$ )




**Figure S14.**  $^{13}\text{C}$  NMR Spectrum of 1-*O*-acetylterricolyne (**6**; 100 MHz, acetone- $d_6$ )







**Figure S15.** HPLC Analysis of *o*-Tolylthiocarbamate of Standard D-Glc




**Figure S16.** HPLC Analysis of *o*-Tolylthiocarbamate of Standard L-Glc




**Figure S17.** HPLC Analysis of *o*-Tolylthiocarbamate of the Acid Hydrolyzate of Terricollene A (1)




**Figure S18.** HPLC Analysis of *o*-Tolylthiocarbamate of Standard D-Man




**Figure S19.** HPLC Analysis of *o*-Tolythiocarbamate of Standard L-Man




**Figure S20.** HPLC Analysis of *o*-Tolylthiocarbamate of the Acid Hydrolyzate of Terricollene B (2)



**Figure S21.** Key NOESY Correlations Used to Identify  $\beta$ -Man in Terricollene B (**2**)



**Figure S22.**  $\Delta\delta$  Values (in ppm) =  $\delta_S - \delta_R$  Obtained for the (*R*)- and (*S*)-MTPA Esters **4a** and **4b**



**4a** R = (*R*)-MTPA

**4b** R = (*S*)-MTPA