

## Supporting Information

Corresponding to Environmental Science and Technology Manuscript “Intercorrelations among Degree of Geochemical Alteration, Physicochemical Property and Organic Sorption Equilibrium of Kerogen” by Chen Yang<sup>1</sup>, Weilin Huang<sup>2</sup>, Baohua Xiao<sup>2</sup>, Zhiqiang Yu<sup>1</sup>, Ping’an Peng<sup>1</sup>, Jiamo Fu<sup>1</sup>, Guoying Sheng<sup>1</sup>

<sup>1</sup>State Key Laboratory of Organic Geochemistry, Guangzhou Institute of Geochemistry, Chinese Academy of Sciences, Wushan, Guangzhou 510640, PR China

<sup>2</sup>Department of Environmental Sciences, Rutgers University, New Brunswick, NJ 08901-8551  
Corresponding Author: 732-932-7928 (o); 732-932-8644 (fax) ([whuang@envsci.rutgers.edu](mailto:whuang@envsci.rutgers.edu))

### List of Tables and Figures in the Supporting Information

TABLE SI-1. Contents of Functional Groups by CP/MAS <sup>13</sup>C-NMR.

TABLE SI-2. Peak Assignments for FTIR Spectra.

TABLE SI-3. List of Dual Mode Model Parameters of the Measured Sorption Isotherms

FIGURE SI-1. TCB sorption and desorption isotherms measured for five kerogen samples.

FIGURE SI-2. Fitting of the TCB isotherm data to the Dual Mode Model for five kerogen samples.

**TABLE SI-1. Contents of Functional Groups by CP/MAS <sup>13</sup>C-NMR.**

Sample	Aliphatic-C 0-45ppm	Methoxyl-C 45-63ppm	Carbohydrate-C 63-93ppm	Aromatic-C 93-148ppm	Aromatic-C <sup>a</sup> 148-165ppm	Carboxyl-C 165-187ppm	Carbonyl-C 187-220ppm	Aromaticity $f_a$ <sup>b</sup> %
XFL0	33.1	7.36	4.75	25.1	11.7	8.63	9.34	44.9
XFL1	33.7	7.06	3.51	25.7	12.5	8.44	9.15	46.3
XFL2	33.4	7.19	2.58	26.5	11.8	6.48	12.1	47.0
XFL3	25.5	5.13	3.36	29.2	17.4	-	19.3	57.8
XFL4	16.7	3.73	7.26	44.3	8.65	-	19.4	65.7
XFL5	8.16	-	10.7	50.5	7.77	-	22.9	75.5
XFL6	5.51	-	12.1	58.4	3.84	-	20.2	77.9
XFL7	4.99	-	10.6	62.0	2.28	-	20.1	80.5

<sup>a</sup>oxygen-substituted aromatic. <sup>b</sup> Aromaticity  $f_a$  is the ratio of the peak area integrated over 93 to 165ppm as the aromatic carbon region to that over 0 to 165ppm as the total carbon region.

**TABLE SI-2. Peak Assignments for FTIR Spectra.**

functional group	frequency range (cm <sup>-1</sup> )	bond action
carboxylic	~3400	O-H stretching of COOH
aliphatic	~2980	C-H stretching of aliphatic
carboxylic	~1700	C=O stretching of COOH
aromatic	~1600	C=C stretching of aromatic ring
aliphatic	~1400	C-H bending of branched aliphatic
aromatic	750~860	C-H bending of aromatic ring

**TABLE SI-3. List of Dual Mode Model Parameters of the Measured Sorption Isotherms**

Sample	$K_{D,L}^a$	$Q_a^{o,b}$	$b^c$	$R^2$
		Phenanthrene		
XFL0	36.5 (1.42) <sup>d</sup>	5499 (740)	0.033 (0.009)	0.998
XFL1	38.9 (1.36)	14544 (1195)	0.013 (0.002)	0.998
XFL2	51.8 (3.79)	14603 (1843)	0.017 (0.005)	0.996
XFL3	42.2 (2.38)	25780 (3205)	0.014 (0.003)	0.993
XFL4	24.4 (2.38)	24230 (1851)	0.020 (0.004)	0.993
XFL5	6.50 (0.83)	4242 (333)	0.067 (0.014)	0.987
XFL6	3.33 (0.18)	1231 (52)	0.372 (0.070)	0.989
XFL7	2.82 (0.22)	1400 (67)	0.293 (0.072)	0.977
		1,3,5-trichlorobenzene		
XFL0	4.24 (0.94)	2075 (1298)	0.0042 (0.0033)	0.995
XFL1	7.57 (0.62)	2089 (650)	0.0067 (0.0031)	0.998
XFL3	21.6 (1.22)	4122 (738)	0.0196 (0.0069)	0.998
XFL5	5.22 (1.60)	6060 (1515)	0.0083 (0.0032)	0.990
XFL7	1.44 (0.35)	2472 (495)	0.0077 (0.0030)	0.987

<sup>a</sup> Units in (μg/g)/(μg/L) or (L/g). <sup>b</sup> Units in (μg/g). <sup>c</sup> Units in (L/μg). <sup>d</sup> one standard deviation




FIGURE SI-1. TCB sorption and desorption isotherms measured for five kerogen samples. The empty and filled circles represent the measured sorption and desorption data, respectively. The dashed lines are the best fits of the data sets to the Freundlich isotherm model, and the dashed lines represent the best fit isotherms  $\pm$ one standard deviations of the  $\log K_F$  and  $n$  values.




FIGURE SI-2. Fitting of the TCB isotherm data to the Dual Mode Model for five kerogen samples. The empty circles are the measured isotherm data. The solid and broken lines represent respectively the contribution of the linear partition and site-limiting adsorption components to the overall sorption (dotted line) by each kerogen sample.