

Supporting Information

Trichodermine, an Unique Polyketide-Hybrid with a Cyclopentone-Pyrone Skeleton from the Plant Endophytic Fungus *Trichoderma gamsii*

Lin Chen,[†] Shu-Bin Niu,[‡] Li Li,[⊥] Gang Ding,^{*,†} Meng Yu,[†] Gui-shan Zhang^{||},
Meng-hua Wang,[†] Lu-ying Li,[†] Tao Zhang,[†] Hong-Mei Jia,[†] Hong-wu Zhang,[†] Hai
Shang,[†] Xing-zhong Liu[§], Zhong-mei Zou^{*,†}

Figure S1. ¹ H-NMR of compound 1	2
Figure S2. ¹³ C-NMR of compound 1	3
Figure S3. HSQC spectrum of compound 1	4
Figure S4. ¹ H- ¹ H COSY spectrum of compound 1	5
Figure S5. HMBC spectrum of compound 1	6
Figure S6. NOESY spectrum of compound 1	7
Figure S7. HR-ESI-MS spectrum of compound 1	8
Figure S8. CD spectrum of compound 1	9

Figure S1. ^1H NMR spectrum of Compound 1 (DMSO- d_6 , 600MHz).




Figure S2. ^{13}C NMR spectrum of Compound 1 (DMSO- d_6 , 150MHz).




Figure S3. HSQC spectrum of Compound 1 (DMSO-*d*₆, 600MHz).




Figure S4. ^1H - ^1H COSY spectrum of Compound **1** (DMSO- d_6 , 600MHz).




Figure S5. HMBC spectrum of Compound 1 (DMSO-*d*₆, 600MHz).




Figure S6. NOESY spectrum of Compound **1** (DMSO-*d*₆, 600MHz).




Figure S7. HR-ESI-MS spectrum of compound 1.




Figure S8. CD spectrum of compound 1

