

Supporting Information for:

Facile gel-based morphological control of Ag/g-C₃N₄ porous nanofibers for photocatalytic hydrogen generation

Jiangpeng Wang,^{a‡} Jingkun Cong,^{a‡} Hui Xu,^{b*} Jinming Wang,^a Hong Liu,^a Mei

Liang,^a Junkuo Gao,^{a,c*}, Qingqin Ni,^d Juming Yao,^a

^aThe Key laboratory of Advanced Textile Materials and Manufacturing Technology of Ministry of Education, National Engineering Lab for Textile Fiber Materials and Processing Technology (Zhejiang), College of Materials and Textiles, Zhejiang Sci-Tech University, Hangzhou 310018, P. R. China.

^bInstitute of Coordination Bond Metrology and Engineering, College of Materials Science and Engineering, China Jiliang University, Hangzhou 310018, China.

^cState Key Laboratory of Silicon Materials, College of Materials Science and Engineering, Zhejiang University, Hangzhou 310027, China

^dDepartment of Mechanical Engineering & Robotics, Shinshu University, 3-15-1 Tokida, Ueda, Nagano 386-8576, Japan

Number of Pages: 3

Number of Figures: 8

Number of Tables: 0




Figure S1. Photograph of AgMA2 hydrogel and freeze-dried sample.




Figure S2. The TG curves of Ag-g-C₃N₄-1, Ag-g-C₃N₄-2, Ag-g-C₃N₄-3 and g-C₃N₄.




Figure S3. IR spectra of Ag-g-C₃N₄-1, Ag-g-C₃N₄-2, Ag-g-C₃N₄-3 and g-C₃N₄.




Figure S4. XPS spectra of the synthesized **Ag-g-C₃N₄-3**. (a) C 1s spectra of **Ag-g-C₃N₄-3**. (b) N 1s spectra of **Ag-g-C₃N₄-3**. (c) Ag 3d spectra of **Ag-g-C₃N₄-3**.




Figure S5. Nitrogen sorption isotherm of (a) **Ag-g-C₃N₄-1**; (b) **Ag-g-C₃N₄-2**; (c) **Ag-g-C₃N₄-3**; (d) **g-C₃N₄**.




Figure S6. The BJH pore-size distribution curves (a) **Ag-g-C₃N₄-1**; (b) **Ag-g-C₃N₄-2**; (c) **Ag-g-C₃N₄-3**.




Figure S7. SEM image of used Ag-g-C₃N₄-2 after photocatalysis.




Figure S8. XRD pattern of fresh Ag-g-C₃N₄-2 and used Ag-g-C₃N₄-2 after photocatalysis.