

Supplemental Table 6. Adjusted hazard ratios (95% CI) of early menopause (menopause <45 yrs) vs. normal menopause (menopause ≥45 yrs) and cardiovascular disease risk in women under 70 years old (n=7989)

	CHD	Stroke	ASCVD	HF
	HR (95% CI)^{&}	HR (95% CI)^{&}	HR (95% CI)^{&}	HR (95% CI)^{&}
All	1.097 (1.037 1.161)*	1.095 (1.036 1.157)*	1.103 (1.041 1.169)*	1.071 (1.014 1.132)*
<i>P-interaction</i>	0.13	0.11	0.12	0.25
T2DM	1.301 (1.090 1.553)*	1.239 (1.051 1.461)*	1.327 (1.104 1.596)*	1.154 (0.975 1.366)
Non-T2DM	1.073 (1.010 1.139)*	1.072 (1.012 1.137)*	1.077 (1.013 1.146)*	1.058 (0.997 1.121)

T2DM: type 2 diabetes; White: non-Hispanic white; Black: non-Hispanic black. CHD: coronary heart disease; ASCVD: Atherosclerotic cardiovascular disease (CHD or stroke); HF: heart failure

*P<0.05

[&]HRs were adjusted for age, race, cohort indicator, education, smoking status, alcohol drinking, BMI, mean blood pressure, mean total cholesterol, antihypertensive medication, lipid-lowering medication, ever used hormone therapy, pregnancy history, and T2DM.