

Table S1. Means/proportions and standard errors for Figures 1 and 2.

y-axis variable	F1 quintile 1		F1 quintile 2		F1 quintile 3		F1 quintile 4		F1 quintile 5	
	or F2 CR = 0		or F2 CR = 1		or F2 CR = 2		or F2 CR = 3		or F2 CR = 4	
	<i>M</i>	(<i>SE</i>)	<i>M</i>	(<i>SE</i>)	<i>M</i>	(<i>SE</i>)	<i>M</i>	(<i>SE</i>)	<i>M</i>	(<i>SE</i>)
Fig 1 language	-0.341	(.052)	-0.171	(.049)	.002	(.045)	.151	(.046)	.423	(.041)
Fig 1 decoding	-0.396	(.058)	-0.185	(.054)	.000	(.051)	.154	(.054)	.415	(.049)
Fig 1 readcomp	-0.433	(.054)	-0.213	(.048)	.058	(.051)	.175	(.049)	.461	(.052)
Fig 2a language % low	5.3	(.010)	12.4	(.017)	16.1	(.031)	20.0	(.073)	60.0	(.155)
Fig 2a decoding % low	6.2	(.010)	10.5	(.016)	17.4	(.031)	31.3	(.082)	36.4	(.145)
Fig 2a readcomp % low	6.5	(.009)	11.1	(.015)	13.8	(.026)	32.4	(.077)	36.4	(.145)
Fig 2b language % low	5.2	(.009)	11.3	(.017)	18.8	(.033)	28.1	(.079)	42.9	(.187)
Fig 2b decoding % low	6.2	(.010)	10.1	(.016)	20.5	(.033)	20.6	(.069)	37.5	(.171)
Fig 2b readcomp % low	6.9	(.010)	10.3	(.015)	16.0	(.028)	26.8	(.069)	25.0	(.153)