

Art, Nature and Mental Health: Assessing the biopsychosocial effects of a 'creative green prescription' museum programme involving horticulture, artmaking and collections

Thomson LJ, Morse N, Elsdon E and Chatterjee HJ*

*Corresponding author

Abstract

Aims: To assess the biopsychosocial effects of participation in a unique, combined arts- and nature-based museum intervention, involving engagement with horticulture, artmaking and museum collections, on adult mental health service users.

Methods: Adult mental health service users (total n = 46 across two phases) with an average age of 53 were referred through social prescribing by community partners (mental health nurse and via a day centre for disadvantaged and vulnerable adults) to a 10-week 'creative green prescription' programme held in Whitworth Park and The Whitworth Art Gallery. The study used an exploratory sequential mixed methods design comprising two phases. Phase 1 (Sep - Dec, 2016): qualitative research investigating the views of participants (n = 26) through semi-structured interviews and diaries; Phase 2 (Feb-April, 2018): quantitative research informed by Phase 1 analysing psychological wellbeing data from participants (n = 20) who completed the UCL Museum Wellbeing Measure pre-post programme.

Results: Inductive thematic analysis of Phase 1 interview data revealed increased feelings of wellbeing brought about by improved self-esteem, decreased social isolation and the formation of communities of practice. Statistical analysis of pre-post quantitative measures in Phase 2 found a highly significant increase in psychological wellbeing.

Conclusion: Creative green prescription programmes, using a combination of arts- and nature-based activities, present distinct synergistic benefits that have the potential to make a significant impact on the psychosocial wellbeing of adult mental health service users. Museums with parks and gardens should consider integrating programmes of outdoor and indoor collections-inspired creative activities permitting combined engagement with nature, art and wellbeing.

Key words: creative activities; green prescriptions; mental health service user; mixed methods; museum intervention; psychological wellbeing; social prescribing

INTRODUCTION

The wide-ranging benefits of social prescription on psychological health have been well established.[1,2] Consequently, there is a growing impetus for social interventions that support psychosocial health outcomes, such as community-based referral to non-clinical provision involving creative and cultural activities, physical exercise or educational opportunities.[3,4] Given that a fifth of consultations with a general practitioner (GP) are for psychosocial rather than medical problems,[5] social prescribing has become an important means by which healthcare professionals can 'seek to address the non-medical causes of ill health with non-medical interventions'.[3 p5] As an illustration of current interest in the UK in non-medical interventions, a new independent not-for-profit organization, the National Academy of Social Prescribing, has been set up by the Secretary of State for Health and Social Care, with a mission to develop and advance social prescribing to promote health and wellbeing at local and national level.[6]

As part of the National Health Service (NHS) Long Term Plan, NHS England has published a summary guide to social prescribing, regarded as a key component of Universal

Personalised Care – the choice and control that people have over the way their care is planned and delivered.[7] As part of its Long Term Plan for the next 10 years, NHS England aims to recruit over 1,000 trained social prescribing link workers within primary care networks by 2020/21, and to integrate social prescribing into the personalised care remit with the objective of referring 900,000 people to such schemes by 2023/24.[8 p25] Furthermore, social prescribing in general practice, described as the use of referral and signposting to non-medical services in the community, is listed as one of 10 high impact actions needed to release time for GP care.[9] Other high impact actions related to social prescribing include active signposting that provides patients with a first point of contact to direct them to an appropriate source of help, such as web and app-based portals, and supporting people to play a greater role in their own health.

Arts on Prescription has a long history in the UK and the evidence base continues to grow, demonstrating a range psycho-social outcomes: supporting mental health recovery; combatting social isolation for people with mild to moderate anxiety and depression; as well as increased levels of empowerment and improved quality of life.[1,10,11] There is also good evidence that creative engagement in museums, and specifically Museums on Prescription, supports health and wellbeing, quality of life, social inclusion and lifelong learning.[3]

Another type of social prescribing, 'green prescription' where outdoor spaces are used to improve health and wellbeing, is beginning to gain momentum, with a potential for impact across the life span.[12] Green prescriptions work under the same premise as social prescriptions however they focus on therapeutic engagement with nature-based interventions. A Scandinavian systematic review of 38 nature-assisted therapy programmes located three main types of intervention: horticultural therapy, wilderness therapy and unspecified nature-assisted therapy.[11] The authors found small but robust evidence to suggest that these different types nature-based therapies were relevant to public health interventions, including effects on

psychological, social, physical and therapeutic goals across diverse patient groups, with reduced measurable symptoms of disease in some cases, for instance, obesity and schizophrenia. An Australian review, using an expert elicitation process, categorised 27 distinct nature-based interventions split into those that aimed to promote general wellbeing and prevent chronic health conditions through interaction with nature, and those that aimed to treat specific physical, mental or social health and wellbeing issues through behavioural and environmental change.[13] The review found that a key characteristic of nature-based health interventions is that a single intervention can potentially improve wellbeing across a range of domains. Nature prescriptions can promote physical activity leading to positive health outcomes, while contact with nature can have an additional restorative effect on mental wellbeing. As such, nature prescriptions can have significant impact as not only are their effects multiple, they also may have potential in terms of protective factors. Across both reviews, the authors called for more research to investigate the effectiveness of such programmes in order to promote their wider usage across public health.

Of interest to this paper is the contribution of nature-based activities for mental health interventions. A 2013 review evaluated the published literature and found reliable evidence of the positive effects of gardening for mental health. The evidence included reduced symptoms of depression and anxiety, and a range of self-reported benefits across emotional, social, physical, occupational and spiritual aspects of the lives of mental health service-users.[14] Studies focused on mental health outcomes give further insight into the multiple effects of nature-based interventions that go beyond the benefits of contact with nature or physical exercise. Indeed, an additional potential positive effect of nature-based interventions is that they tend to be designed as social activities, and therefore have the potential to mitigate social isolation and enable engagement with a person's community.[15] Qualitative studies further consolidate

understanding of the psychotherapeutic mechanisms for how nature prescriptions can impact wellbeing, and mental health in particular. The social and occupational dimensions of activities are strongly associated with feelings of belonging allied with decreasing isolation and increasing social inclusion for people experiencing mental health issues.[16] Additionally, as meaningful activity with opportunities for knowledge and skills developments, nature-based interventions help to consolidate self-reliance and bolster self-esteem;[17] factors known to improve individual psychosocial wellbeing.[18] Conversely, poor self-esteem can be an indicator for the development of mental health disorders.[19] Improvements in self-esteem can be supported by programme designs that enable self-expression, personal growth and connectedness (with self and others) through meaningful occupation.[20]

In the current UK-based study, museums and art galleries have started to use their outdoor spaces within a wider focus on wellbeing activities.[3,21] Since these activities are designed and delivered by museums, they are able to utilise the unique characteristics of their sites to bring together horticulture and gardening with creativity and culture. This paper sets out to examine the potential of such a combination in a mental health intervention with adults, an area of practice not yet investigated. The current research was situated in a park adjoining an inner-city art gallery and focused on a group project of dual engagement in green activity outdoors (including planting and clearing) and creative, arts-based activities indoors responding to collections with broad links to nature themes (including painting, print making and ceramics). The study was developed as a part of a larger research initiative called *Not So Grim Up North*, a collaboration between researchers at University College London and two museum partners, the Whitworth Art Gallery and Manchester Museum, part of the University of Manchester, and Tyne & Wear Archives & Museums. The current study reports on a project called 'GROW: Art, Park & Wellbeing', delivered by the Whitworth Art Gallery since 2015. The aim of the current study was

to explore the health and wellbeing outcomes derived from engagement in a combined programme of horticulture and creative, arts-based activities. In this sense, the study is unique and original in considering the dual effects of indoor and outdoor spaces, and the combination of arts- and nature-based activities. It was hypothesised that there would be a range of positive responses including improvements in social inclusion and wellbeing in the first, qualitative phase of the study, and that measures of wellbeing in the second, quantitative phase of the study would increase significantly due to the positive improvements identified in the first phase.

METHODS

Design

The project used a two-stage design following exploratory sequential mixed methods,[22 p16] where qualitative data collected in Phase 1 (Sept-Dec, 2016) shaped quantitative data collection in Phase 2 (Feb-Apr, 2018). Phase 1 used participant observation and interviews derived from ethnographic methods to capture data in nature-based interventions.[23] Qualitative data comprised researcher and facilitator observation, in-depth interviews with participants (n = 10, with n = 1 at 3- and 6-month follow up), facilitators (n = 2) and volunteers (n = 1); and structured diary entries from participants (n = 12) and facilitators (n = 2). Phase 2 used a quantitative within participants design with an independent variable of pre- and post-intervention (Weeks 1 and 10) and dependent variable of psychological wellbeing score on the UCL Museum Wellbeing Measure.[24,25]

Participants

Phase 1 participants (n = 26) and Phase 2 participants (n = 20), with a mean age of 53 and age range of 26 (44–70 years old) comprising 60% White, 30% Black and 10% Mixed race, with

approximately equal numbers of males and females, were recruited on the basis of accessing local mental health or social services through a community mental health nurse or day centre providing support to vulnerable and disadvantaged adults. Attendance across the project was varied with no single participants attending all 10 set sessions of the programme. Participant attrition reduced the Phase 1 sample size (n = 16: m = 8); Phase 2 sample size remained constant (n = 20: m = 11).

Materials

Materials included the participant information leaflet; consent form; museum activity schedule; interview protocol; weekly diaries with guideline questions; and the UCL Museum Wellbeing Measure, a positive mood scale where participants rate each of six mood items (Active; Alert; Enthusiastic; Excited; Happy; and Inspired) on a five point scale (1 = 'I don't feel; 2 = I feel a little bit'; 3 = 'I feel fairly'; 4 = I feel quite a bit'; and 5 = 'I feel extremely').[23, 24]

Procedure

Ethical approval was obtained for the research (Health Research Authority Ethics ID 199643). Participants were referred to the dual programme of outdoor horticultural activities and indoor nature-based creative activities, and were sent the museum schedule, consent form and information leaflet in advance of the programme. Informed consent was obtained by the research team prior to the start. The programme was coordinated by the Whitworth Gallery Cultural Park Keeper and delivered by a horticultural specialist, an arts tutor and a museum volunteer. The groups met in Whitworth Park and used the museum spaces to connect the indoors with the outdoors and nature. The two-hour sessions, comprising talks, demonstrations and practical activities, were held on consecutive Tuesdays over 10 weeks. Participants,

facilitators and researchers kept weekly diaries with guideline questions to record their experiences. In Phase 1, participants and staff were interviewed at programme end with one participant interviewed at 3 and 6-month follow up (not discussed here because of the small sample). In Phase 2, measures were completed before the first session and after the tenth session. Data were anonymised and stored in a secure database.

RESULTS

For Phase 1, qualitative findings were derived from inductive thematic analysis of participant and facilitator dairies and interviews,[26] using NVivo v11, and for Phase 2, quantitative findings resulted from statistical analysis of pre-post intervention scores from UCL Museum Wellbeing Measure,[23,24] using IBM SPSS v25.

Phase 1: Qualitative findings

An inductive approach was chosen as there are no other published studies on combined arts- and nature-based programmes. The inductive thematic analysis involved a six-phase approach consisting of familiarisation with interview transcripts and diaries; generation of initial codes; searching for themes among codes; reviewing themes; defining and naming themes; and producing qualitative findings.[25] Three themes were inductively generated: building a sense of community, decreasing social isolation, and supporting self-esteem. These themes worked together in shaping the collective experience of the intervention. As one participant elaborated:

'I did feel a lot happier, every time I finished the session. I felt a sense of achievement very much so, self-esteem... a sense of belonging as well and doing something that refers to myself and especially with other people. It just made me feel not only more solid

within my beliefs in myself and what I can do but a lot more connected, because it was done in a group session as opposed to a one-to-one.'

Examples of participant responses from across each of the three themes (Tables 1 – 3) are discussed in turn below:

Sense of community

Across interviews participants described how the programme had fostered a sense of community over the 10 weeks that had helped them to feel relaxed and enjoy the programme, as many commented that they were nervous on first arrival. Participants noted how the sense of community was facilitated by a number of related characteristics of the programme, firstly from knowledge and reassurance of taking part in activities with other people with shared experience of mental health difficulties:

'It was very important to relate to people, that we had a common ground factor and that was our mental health experiences. Any other art group that wasn't focused around mental health, I would never be able to have the same chats and the same connection and the same understanding and empathy.'

This shared understanding of each other played a key role in building a sense of community in the programme. This occurred even though, or perhaps because, the project did not directly focus on discussing mental health within the structured sessions; instead it appeared the tacit knowledge of shared experience while at the same time being engaged with by facilitators and museum staff as people who are more than their diagnosis was key to positive engagement in

the programme. Support and sharing tended to happen more spontaneously during breaks or activities, on participants' own terms.

Secondly, the programmes provided new, hands-on skills in both horticulture and arts-based practice, and this learning appeared to further contribute to building a sense of community. In both set of activities there were opportunities to learn together and contribute to a common goal (e.g. planting) and individual achievements (e.g. painting in response to a museum object or artwork). This unique combination of group and individual activities appeared to be key to producing positive outcomes for participants. As one participant reflected:

'We all come together didn't we so... so at the end of it we all come as one. We were all together singly. Like the flowers, I suppose.'

Decreasing social isolation

A further effect of the intervention was related to enabling participants to gain motivation and a positive reason to leave their home. Some participants led relatively isolated lives while others reported spending a great deal of time at home alone, linked to unemployment and/or current mental health issues. Participants felt that the intervention gave them routine and structure with an opportunity to engage positively with others which in turn, decreased the sense of social isolation and was felt to support wellbeing and potentially recovery. As one participant explained:

'if you give people structure, then they don't... they won't get bored you see, and also it gives them some meaning, as well. And, especially if they are interacting with other people, that also helps people in their recovery, if people have to recover from something.'

Or, even maintaining wellbeing, interacting with others. I mean, nobody's isolated, you know, because then that's not helpful to the wellbeing.'

The programme could also be said to have effect beyond the sessions as it gave participants something positive to look forward to during the week.

Self-esteem

Another key area related in interviews was the development of self-esteem through the programme. Several participants noted this in relation to becoming more outgoing as the session progressed:

'I've come out my shell which is really major, do you know what I mean? 'Cos usually I just curl up and feel sorry for myself and not go anywhere'

Self-esteem was here related the social interactions around group activities outdoors where participant would help and support one another in activities (for example helping someone to dig or helping someone with their painting techniques), as well as supporting each other through informal, social discussion around the activities, which both gave participants a sense of purpose. This was further enabled by the facilitation that modelled inclusive, supportive practice. As one participant summarised:

'this is the point, if you're being supported, listened to, helped, it gives you self-confidence and self-worth and you try to do the same thing for [other participants].'

Self-esteem was also derived from the new learning and skills development about art and horticulture. One participant reflected on how they felt proud that their work could be enjoyed by other visitors to the museum park:

'I felt very useful because I was helping the nature first and then I was going to make some people happy when they come out and they look very nice in in the spring. And people will enjoy it, enjoy the flowers that I put down on the ground.'

Table 1. Codes and quotes associated with building a sense of community

Theme	Codes	Quotes
Building a sense of community		'Like I say, the [...] group that came mostly seemed kind of happy and, bubbly and connected with each other anyway from the beginning right through to the end.' (Facilitator)
	• Groups forming	'Enjoyed mixing with group, growing with them.'
	• Connections	'So how we feel and how we're affected and so how our diagnosis or experiences of mental health issues might affect us and how we feel and how we act. So, quite important and still conversations that you wouldn't normally have...'
	• Shared experience	
	• Learning	
	• Positive mood	'What I've learnt here, especially the herbs and the gardening, I loved that.'
	• Green Space	
	• Art	'Outside it's a kind of big park, so you have ... it's just being close to nature in some ways. So, it feels alright, it's great.'
		'Yes, because we were working ... yes, the physical connection with the earth, the soil, I didn't think I would like that at all, but it's got an amazing

satisfaction. I felt a lot more able to understand my mother being so fond of gardening after the sessions, or other people who are gardening obsessed.'

'I learned about art as I say and how to produce prints and how to dry some flowers. How to have the nature and the flowers and the nature itself can be, can be a source of art and inspiration for art.'

Table 2. Codes and quotes associated with decreasing social isolation

Theme	Codes	Quotes
Decreasing social isolation	<ul style="list-style-type: none"> • Connections with group members and facilitators 	<p>'I always see a couple of the people at the group. Yeah. And hopefully when the group opens again, I'd like to return.'</p>
	<ul style="list-style-type: none"> • Routine and structure of getting out the house 	<p>'I found out I could work as well in a team...'</p>
		<p>'It's just a feeling of doing something in a group really. It's basically that, doing an activity in a group which gave me a little bit, improved my confidence a little bit as the weeks went by.'</p>
		<p>'Yes, yeah. It's just a bit, just a tiny bit easier being with strangers, just a tiny bit though. But yeah it's helped me a bit.'</p>
		<p>'I liked getting up in the morning. I liked the fact that I had something to do.'</p>
		<p>'It has provided some structure and an opportunity to be in a group with others while doing something interesting.'</p>

Table 3. Codes and quotes associated with supporting self esteem

Theme	Codes	Quotes	
Supporting self-esteem	• Confidence	'While I was doing the course, my self-esteem has been sort of raised considerably to what it was.'	
	• Agency and ability	'Confidence really. The confidence to get out and about again. To meet new people. It was really a kick up the backside to get out.'	
	• Purpose	'I was feeling a bit nervous, a bit scared, not realising, it wasn't anything really to worry about. So, actually taking part helped my confidence a lot more.'	
	• Meaningful occupation	'Doing something I felt was worthwhile and sort of taking on board the praise I'd been getting from them, and, sort of just getting out of bed and coming here is a sort of reward in itself.'	
	• Motivation	'I've come out my shell which is really major, do you know what I mean? 'Cos usually I just curl up and feel sorry for myself and not go anywhere. Instead, I've been coming here, trying to get out the house, trying to get a life, there's only so much you can do with my illness, you know, but, it's great. I love it.'	
	• Participation	'Connected with other people and, and in the process you find... you learn about yourself also. Because it's a group – other people become sort of a mirror and only in, in social situations a person can learn about himself.'	
			'I can do things that I like.'
			'Don't need to be negative. I can do.'
			'I am able to help others.'

'If you are participating in life, that is interacting to other living beings, and then that enhances you. It doesn't make you less in any way, you know, maintaining or enhancing [wellbeing], yeah.'

Phase 2: Quantitative findings

Pre-post intervention UCL Museum Wellbeing Measure total scores (out of 30) and individual mood item scores (each out of 5) were analysed using descriptive and inferential statistical tests. Descriptive statistics showed that mean total scores for wellbeing increased post-intervention compared with pre-intervention (Table 4, Figure 1). An inferential statistical t-test showed that the pre-post increase in wellbeing was highly significant, $t(19) = 6.96$, $p < .001$, one-tailed. Scores for each of the six mood items (Active; Alert; Enthusiastic; Excited; Happy; and Inspired) were examined separately (Table 5). There was no missing data. Each of the separate mood items increased highly significantly post-session compared with pre-session and t-tests showed no significant differences between individual mood items. The largest improvement across the intervention was for the word 'Excited' closely followed by 'Inspired' (Figure 2).

Table 4. Means and standard deviations (SD) for wellbeing

	N	Mean	SD
Pre-intervention wellbeing	20	16.70	6.42
Post-intervention wellbeing	20	25.30	4.58
Pre-post wellbeing improvement		8.60	

INSERT FIGURE 1 ABOUT HERE

Table 5. Means and standard deviations (SD) for individual mood items

	N	Mean	SD
Pre-intervention Active	20	2.65	1.18
Post-intervention Active	20	4.10	0.91
Pre-post Active improvement		1.45	
Pre-intervention Alert	20	2.70	1.26
Post-intervention Alert	20	4.10	0.91
Pre-post Alert improvement		1.40	
Pre-intervention Enthusiastic	20	2.95	1.19
Post-intervention Enthusiastic	20	4.10	0.97
Pre-post Enthusiastic improvement		1.15	
Pre-intervention Excited	20	2.10	1.07
Post-intervention Excited	20	4.20	0.70
Pre-post Excited improvement		2.10	
Pre-intervention Happy	20	2.95	1.05
Post-intervention Happy	20	4.35	0.75
Pre-post Happy improvement		1.40	
Pre-intervention Inspired	20	2.55	1.20
Post-intervention Inspired	20	4.50	0.83
Pre-post Inspired improvement		1.95	

INSERT FIGURE 3 ABOUT HERE

DISCUSSION

The aim of the study was to explore the health and wellbeing outcomes derived from a combined programme of nature-based horticulture and arts-based responses to museum collections as part of a creative green prescription. It was hypothesised that there would be a range of positive responses in the first qualitative phase of the study and that these changes would be reflected in a different group of participants, two years later, by significant increases in psychological wellbeing in the second, quantitative phase of the study.

Thematic analysis of participant and facilitator interviews in Phase 1 revealed three main themes: building a shared sense of community, decreasing social isolation, and supporting self-esteem. Each of these interacted to form the collective experience of the intervention; the sense of community supported decrease in social isolation while self-esteem was boosted through social interaction. The sense of community was enabled by knowledge of shared experience but notably, this was not the main focus of the programme; rather it was the types of activity and the non-clinical indoor and outdoor spaces of the museum that supported a sense of community first and foremost. The new learning gained from the programme, across both nature and arts topics, also contributed a shared sense of community and individual self-esteem, thereby further reducing feeling of isolation commonly reported by participants before the start of the project.

Although mental wellbeing was not mentioned explicitly by all participants, most of the themes they expressed had positive outcomes with many related to improvements in quality of life and individual, psychological wellbeing, consequently it was appropriate to use the positive mood UCL Museum Wellbeing Measure for Phase 2 of the study.[23,24] Furthermore, support for self-esteem and allied confidence, agency, ability and sense of purpose are theorised to

improve individual psychosocial wellbeing.[15] It was interesting that all of the six mood items on the Wellbeing Measure increased significantly after the 10-week programme, particularly 'excited' and 'inspired' that linked into the overall creative and outdoors experience of the intervention. These increases in positive mood, specifically in enthusiasm, inspiration, excitement and happiness, are conjectured to have arisen through the social, interactive and creative content of the programme. 'Active' also contributed to overall wellbeing, which could be related to the physical elements of the programme, in particular the outdoor horticultural activities. As such, a drawing on the wider literature, it can be speculated that the combined programme also had some physical health benefits, though these were not measured directly.

As a creative green prescription for adults with mental health issues, the current study focused on engagement with a dual, arts and nature-based intervention, and found predominantly positive biopsychosocial outcomes. The unique aspect of this programme was its delivery across two different environments, the park and the museum spaces. It appears that there were specific synergies between the arts- and nature-based aspects of the intervention, most notably creativity and multisensory engagement,[27] that supported the positive outcomes alongside the social aspects of the project and the opportunities for new learning.

Within the literature, both arts- and nature-based interventions independently have been found to mitigate social isolation and enable engagement with a person's community.[3, 10, 12] In the current study these activities were effectively combined with similar outcomes. At the same time, there is some indication that this unique combination of physical and creative activities, and the outdoor and indoor museum spaces, may allow for additional benefits as participants were able to engage in individual and group pursuits. Another aspect of note from the current study, is the sharing of past and current experiences of mental health that appeared to enhance inter-group social ties. While this may not necessarily improve the participants'

relationships with people outside of their groups in the wider community, this could provide an area for further study.

A strong theme from the current study was that the intervention bolstered self-confidence and self-esteem, aligning with other research.[14] Given that poor self-esteem can be an indicator for the development of mental health disorders,[16] it seemed particularly pertinent that participants with mental health issues in the current study should benefit from improved self-esteem. Additionally, one of the challenges with common mental health disorders (anxiety and depression) is that they can co-occur with other factors such as social isolation because people are reluctant to leave their homes which, in turn, can lead to a lack of physical exercise from not going out. From this perspective it is especially relevant to highlight the large significant pre-post increase in the feeling of being active, as shown in the UCL Museum Wellbeing Measure mood item analysis.

Whilst there is limited previous research comparing arts- and nature-based interventions, these two forms of social prescribing appear to bring about similar health and wellbeing benefits, and further research is warranted to explain the underlying neuro-biopsychosocial mechanisms.[27] Similarly, the creative and multisensory aspects of these seemingly different types of activities need to be better understood, as do the connections between creativity, health and wellbeing, especially in relation to the neuro-biopsychosocial mechanisms underpinning creative health.

CONCLUSION

The *Creative Health* report argues that the arts and creativity can support a healthy lifestyle, aid recovery, and support major health and social care challenges including ageing, long-term conditions, loneliness and mental health.[27] Research on engaging with nature has reported

similar benefits,[11,12] and here we reported on the synergistic benefits of an intervention that includes arts- and nature-based activities. Given the positive improvements for two groups of mental health service users in the current study held in a museum with adjacent parkland, it is apparent that creative green prescriptions, combining arts- and nature-based activities, have the potential to make a significant positive impact to the lives of adult mental health service users. Museums with outdoor spaces need to recognise the health, wellbeing and quality of life benefits in green prescribing, and the opportunities of combining creative outdoors and indoor activities using their spaces and their collections.[27] The advantage that museums with outdoor spaces have over other single green environments, such as forests or farms, is that they are not necessarily restricted by weather conditions, as activities can be continued indoors and creatively inspired by collections. Findings from the current study link to the body of research on social prescribing,[1] where community referral can be used to support psycho-social outcomes. [2,3] Further research exploring the interconnections between creativity, arts, nature, health, and wellbeing outcomes is required to fully explain the synergistic benefits of creative green prescriptions.

ACKNOWLEDGEMENTS

The authors gratefully acknowledge the Whitworth Art Gallery's Cultural Park Keeper, Francine Hayfron and the Arts for Health Manager, Wendy Gallagher; also the horticultural specialists and museum volunteers who supported the programmes, the community mental health and day centre staff who referred participants to the project, and in particular the participants who consented to take part in the research.

CONFLICT OF INTEREST

The authors have declared no potential conflicts of interest with regards to the authorship, research and publication of this article.

FUNDING

This study was conducted as part of the Not So Grim Up North project funded by Arts Council England (2015-2018; Grant: 29250851). The GROW Project and the Whitworth's creation of the Art Garden has been funded by Jo Malone, London.

ETHICAL APPROVAL

Research and data collected from the Not So Grim Up North project and was approved by the University College London Ethics Committee (Study Ref: 8297/001), and the Health Research Authority (IRAS IC 199643).

REFERENCES

1. Chatterjee HJ, Thomson LJ, Lockyer B, et al. Non-clinical community interventions: A systematised review of social prescribing schemes. *Arts Health: Int J Res, Pol Pract* 2017; 10: 93–123 [DOI: 10.1080/17533015.2017.1334002](https://doi.org/10.1080/17533015.2017.1334002)
2. Polley M and Pilkington K. *A review of the evidence assessing impact of social prescribing on healthcare demand and cost implications*. London: University of Westminster <https://westminsterresearch.westminster.ac.uk/item/q1455/a-review-of-the-evidence-assessing-impact-of-social-prescribing-on-healthcare-demand-and-cost-implications> (2017 accessed 4 December 2019).

3. Thomson LJ, Lockyer B, Camic PM, et al. Effects of a museum-based social prescription intervention on quantitative measures of psychological wellbeing in older adults. *Perspect Public Heal* 2018; 138: 28–38 [DOI: 10.1177/1757913917737563](https://doi.org/10.1177/1757913917737563)
4. King's Fund. *What is social prescribing?*, <https://www.kingsfund.org.uk/publications/social-prescribing> (2017, accessed 8 November 2019).
5. Parkinson A and Buttrick J. *The role of advice services in health outcomes: Evidence review and mapping study*. London: London Advice Services Alliance and The Low Commission <https://www.scie.org.uk/prevention/research-practice/getdetailedresultbyid?id=a11G00000G6QAsIAN> (2015, accessed 4 December 2019).
6. National Academy for Social Prescribing <http://www.socialprescribingacademy.org.uk/about-us> (2019, accessed 2 December 2019).
7. NHS England. Social prescribing and community-based support: Summary guide. <https://www.england.nhs.uk/wp-content/uploads/2019/01/social-prescribing-community-based-support-summary-guide.pdf> (2019, accessed 2 December 2019).
8. NHS England. The NHS Long Term Plan. <https://www.longtermplan.nhs.uk/> (2019, accessed 2 December 2019).
9. General Practice Forward View. NHS England. <https://www.england.nhs.uk/wp-content/uploads/2016/04/gpfv.pdf> (2016, accessed 2 December 2019).
10. Bungay H and Clift S. Arts on Prescription: A review of practice in the UK. *Perspect Public Heal* 2010; 130(6), 277–281. <https://doi.org/10.1177/1757913910384050>
11. Annerstedt, M and Wahrborg, P. Nature-assisted therapy: Systematic review of controlled and observational studies. *Scand J Public Heal* 2011; 39: 317–388 [DOI: 10.1177/1403494810396400](https://doi.org/10.1177/1403494810396400)

12. Buck D. *Gardens and health: Implications for policy and practice*. London: King's Fund, https://www.researchgate.net/profile/David_Buck10/publication/303436076_Gardens_and_health_Implications_for_policy_and_practice/links/5742e22a08ae9ace8418b42e.pdf (2015, accessed 2 December 2019)
13. Shanahan DF, Astell-Burt T, Barber EA, et al. Nature-based interventions for improving health and wellbeing: The purpose, the people and the outcomes. *Sport* 2019; 7: 141–161 <https://www.mdpi.com/2075-4663/7/6/141>
14. Clatworthy J, Hinds J, M. Camic P. Gardening as a mental health intervention: a review. *Mental Health Review Journal*. 2013 Nov 29;18(4):214-25. DOI: [10.1108/MHRJ-02-2013-0007](https://doi.org/10.1108/MHRJ-02-2013-0007)
15. Howarth M, Rogers M, Withnell, N, et al. Growing spaces: An evaluation of the mental health recovery programme using mixed methods. *J Res Nursing* 2018; 23: 476–489. DOI: [10.1177/1744987118766207](https://doi.org/10.1177/1744987118766207)
16. Diamant E and Waterhouse A. Gardening and belonging: Reflections on how social and therapeutic horticulture may facilitate health, wellbeing and inclusion. *Brit J Occup Ther* 2010; 73: 84–88. DOI: [10.4276/030802210X12658062793924](https://doi.org/10.4276/030802210X12658062793924)
17. Barton J, Griffin M and Pretty J. Exercise-, nature- and socially interactive-based initiatives improve mood and self-esteem in the clinical population. *Perspect Public Heal* 2012; 132: 89–96. DOI: [10.1177/1757913910393862](https://doi.org/10.1177/1757913910393862)
18. New Economics Foundation. *National accounts of wellbeing: Bringing real wealth onto the balance sheet*. London: NEF, 2008. www.nationalaccountsofwellbeing.org
19. Mann M, Hosman CMH, Schaalma HP, et al. Self-esteem in a broad-spectrum approach for mental health promotion. *Health Educ Res*, 2004; 19: 357–372. DOI: [10.1093/her/cyg041](https://doi.org/10.1093/her/cyg041)

20. Hui A, Stickley T, Stubbley, et al. Project earth: Participatory arts and mental health recovery, a qualitative study. *Perspect Public Heal* 2019; 20: 1-7 [DOI: 10.1177/1757913918817575](https://doi.org/10.1177/1757913918817575)
21. Kidd J and McAvoy EN. *Immersive experiences in museums, galleries and heritage sites: A review of research findings and issues*. Cardiff: School of Journalism, Media and Culture, 2019. <https://pec.ac.uk/assets/publications/PEC-Discussion-Paper-Immersive-experiences-Cardiff-University-November-2019.pdf>
22. Creswell JW. *Designing and conducting mixed methods research*. 3rd Ed, London: Sage, 1991, p.16.
23. O'Brien L and Varley P. Use of ethnographic approaches to the study of health experiences in relation to natural landscapes. *Perspect Public Heal* 2012; 132: 305–312. [DOI: 10.1177/1757913911434895](https://doi.org/10.1177/1757913911434895)
24. Thomson LJ and Chatterjee HJ. Measuring the impact of museum activities on wellbeing: Developing the Museum Wellbeing Measures Toolkit. *J Mus Manage Curat* 2015; 30: 44–62. DOI: [10.1080/09647775.2015.1008390](https://doi.org/10.1080/09647775.2015.1008390)
25. Thomson LJ and Chatterjee HJ. Assessing well-being outcomes for arts and heritage activities: Development of a Museum Well-being Measures Toolkit. *J Appl Arts Heal* 2014; 5: 29–50. [DOI: 10.1386/jaah.5.1.29_1](https://doi.org/10.1386/jaah.5.1.29_1)
26. Braun V and Clarke V. Using thematic analysis in psychology. *Qual Res Psychol* 2006; 3: 93–95
27. Chatterjee HJ. Partnership for health: the role of cultural and natural assets in public health. In *Connecting Museums*. Eds. M O'Neill and G Hopper. Routledge: Oxford and New York. 2019 pp. 112-124.

Figure 1. Pre-post intervention wellbeing improvement (error bars +/- 1 SD)




Figure 2. Pre-post intervention individual mood item improvement

