

Appendix: Other Culled Published Articles With ≤ 3 Contributing Authors Who Indicate High Importance

1. Al-Biltagi MA, Abo-Elezz AA, Abd-Elhafez MA, Mabrouk MM, Suliman GA. Beneficial effects of omega-3 supplement to the enteral feeding in children with mild to moderate sepsis. *J Intensive Care Med.* 2017;32:212-7.
2. Allingstrup MJ, Kondrup J, Wiis J, et al. Early goal-directed nutrition versus standard of care in adult intensive care patients: the single-centre, randomised, outcome assessor-blinded EAT-ICU trial. *Intensive Care Med.* 2017;43:1637-47.
3. Anwar E, Hamdy G, Taher E, Fawzy E, Abdulattif S, Attia MH. Burden and Outcome of Vitamin D Deficiency Among Critically Ill Patients: A Prospective Study. *Nutr Clin Pract.* 2017;32:378-84.
4. Arabi YM, Aldawood AS, Al-Dorzi HM, et al. Permissive underfeeding or standard enteral Feeding in high- and low-nutritional-risk critically ill adults. Post hoc analysis of the permit trial. *Am J Respir Crit Care Med.* 2017;195:652-62.
5. Banerjee S, Garrison LP, Danel A, Ochoa Gautier JB, Flum DR. Effects of arginine-based immunonutrition on inpatient total costs and hospitalization outcomes for patients undergoing colorectal surgery. *Nutrition.* 2017;42:106-13.
6. Berger MM, Soguel L, Charriere M, Theriault B, Pralong F, Schaller MD. Impact of the reduction of the recommended energy target in the ICU on protein delivery and clinical outcomes. *Clin Nutr.* 2017;36:281-7.
7. Bevan MG, Asrani VM, Bharmal S, Wu LM, Windsor JA, Petrov MS. Incidence and predictors of oral feeding intolerance in acute pancreatitis: A systematic review, meta-analysis, and meta-regression. *Clin Nutr.* 2017;36:722-9.
8. Busch RA, Curtis CS, Kight CE, et al. An Institutional Change in Continuous Renal Replacement Therapy. *Nutr Clin Pract.* 2017;32:245-51.

9. Calkins KL, Havranek T, Kelley-Quon LI, et al. Low-dose parenteral soybean oil for the prevention of parenteral nutrition-associated liver disease in neonates with gastrointestinal disorders. *J Parenter Enteral Nutr.* 2017;41:404-11.
10. Carter BA, Cohran VC, Cole CR, et al. Outcomes from a 12-week, open-label, multicenter clinical trial of teduglutide in pediatric short bowel syndrome. *J Pediatr.* 2017;181:102-11 e5.
11. Charriere M, Ridley E, Hastings J, Bianchet O, Scheinkestel C, Berger MM. Propofol sedation substantially increases the caloric and lipid intake in critically ill patients. *Nutrition.* 2017;42:64-8.
12. Cogle SV, Smith SE, Maish GO, Minard G, Croce MA, Dickerson RN. Sliding scale regular human insulin for identifying critically ill trauma patients who require intensive insulin therapy and for glycemic control in those with mild to moderate hyperglycemia. *J Pharm Nutr Sci.* 2017;7:106-15.
13. Davidson JB, Edakkanambeth Varayil J, Okano A, et al. Prevention of subsequent catheter-related bloodstream infection using catheter locks in high-risk patients receiving home parenteral nutrition. *J Parenter Enteral Nutr.* 2017;41:685-90.
14. Demirkan K, Bayraktar-Ekincioglu A, Gulhan-Halil M, Abbasoglu O. Assessment of drug administration via feeding tube and the knowledge of health-care professionals in a university hospital. *Eur J Clin Nutr.* 2017;71:164-8.
15. Der-Nigoghossian C, Lesch C, Berger K. Effectiveness and tolerability of conivaptan and tolvaptan for the treatment of hyponatremia in neurocritically ill patients. *Pharmacotherapy.* 2017;37:528-34.
16. Devaud JC, Berger MM, Pannatier A, Sadeghipour F, Voirol P. Does the type of parenteral lipids matter? A clinical hint in critical illness. *Clin Nutr.* 2017;36:491-6.
17. Edakkanambeth Varayil J, Whitaker JA, Okano A, et al. Catheter salvage after catheter-related bloodstream infection during home parenteral nutrition. *J Parenter Enteral Nutr.* 2017;41:481-8.

18. Edakkanambeth Varayil J, Yadav S, Miles JM, et al. Hyperglycemia during home parenteral nutrition administration in patients without diabetes. *J Parenter Enteral Nutr.* 2017;41:672-7.
19. Ellery KM, Kumar S, Crandall W, Gariepy C. The benefits of early oral nutrition in mild acute pancreatitis. *J Pediatr.* 2017;191:164-9.
20. Fan S, Ni X, Wang J, et al. High prevalence of suboptimal vitamin D status and bone loss in adult short bowel syndrome even after weaning off parenteral nutrition. *Nutr Clin Pract.* 2017;32:258-65.
21. Forchielli ML, Conti M, Motta R, Puggioli C, Bersani G. Phytonadione content in branded intravenous fat emulsions. *J Parenter Enteral Nutr.* 2017;41:489-95.
22. Fujioka K, Jeejeebhoy K, Pape UF, Li B, Youssef NN, Schneider SM. Patients With short bowel on narcotics during 2 randomized trials have abdominal complaints independent of teduglutide. *J Parenter Enteral Nutr.* 2017;41:1419-22.
23. Gartner S, Kraft M, Kruger J, et al. Geriatric nutritional risk index correlates with length of hospital stay and inflammatory markers in older inpatients. *Clin Nutr.* 2017;36:1048-53.
24. Gottschlich MM, Mayes T, Khoury J, Kagan RJ. Clinical trial of vitamin D2 vs D3 supplementation in critically ill pediatric burn patients. *J Parenter Enteral Nutr.* 2017;41:412-21.
25. Grelle JL, Kutter SN, Giruzzi ME, Tawwater JC. Impact of insulin detemir administration time on hypoglycemia rates in hospitalized patients. *Pharmacotherapy.* 2017;37:1523-9.
26. Hakeam HA, Mulia HA, Azzam A, Amin T. Glargine insulin use versus continuous regular insulin in diabetic surgical noncritically ill patients receiving parenteral nutrition: Randomized controlled study. *J Parenter Enteral Nutr.* 2017;41:1110-8.
27. Hall AR, Arnold CJ, Miller GG, Zello GA. Infant parenteral nutrition remains a significant source for aluminum toxicity. *J Parenter Enteral Nutr.* 2017;41:1228-33.
28. Han JE, Alvarez JA, Jones JL, et al. Impact of high-dose vitamin D3 on plasma free 25-hydroxyvitamin D concentrations and antimicrobial peptides in critically ill mechanically ventilated adults. *Nutrition.* 2017;38:102-8.

29. Haskins IN, Baginsky M, Gamsky N, et al. Volume-based enteral nutrition support regimen improves caloric delivery but may not affect clinical outcomes in critically ill patients. *J Parenter Enteral Nutr.* 2017;41:607-11.
30. Hijaze D, Szalat A. Retrospective evaluation of glycemic control With basal-olus or neutral protamine hagedorn insulin regimens in patients receiving continuous enteral nutrition therapy in medicine wards. *Nutr Clin Pract.* 2017;32:557-62.
31. Hiller LD, Shaw RF, Fabri PJ. Difference in composite end point of readmission and death between malnourished and nonmalnourished veterans assessed using academy of Nutrition and Dietetics/American Society for Parenteral and Enteral Nutrition clinical characteristics. *J Parenter Enteral Nutr.* 2017;41:1316-24.
32. Huston RK, Heisel CF, Vermillion BR, Christensen JM, Minc L. Aluminum content of neonatal parenteral nutrition solutions. *Nutr Clin Pract.* 2017;32:266-70.
33. Huston RK, Kaempf JW, Wang M, Wang L, Grunkemeier GL, Cohen HS. Calcium chloride in neonatal parenteral nutrition: A 15 year experience. *J Neonatal Perinatal Med.* 2017;10:33-8.
34. Iyer KR, Kunecki M, Boullata JI, et al. Independence From parenteral nutrition and intravenous fluid support during treatment with teduglutide among patients with intestinal failure associated with short bowel syndrome. *J Parenter Enteral Nutr.* 2017;41:946-51.
35. Jafari P, Thomas A, Haselbach D, et al. Trace element intakes should be revisited in burn nutrition protocols: A cohort study. *Clin Nutr.* 2017.
36. Johnsen JC, Reese SA, Mackay M, Anderson CR, Jackson D, Paul IL. Assessing selenium, manganese, and iodine status in pediatric patients receiving parenteral nutrition. *Nutr Clin Pract.* 2017;32:552-6.
37. Johnston CT, Maish GO, 3rd, Minard G, Croce MA, Dickerson RN. Evaluation of an intravenous potassium dosing algorithm for hypokalemic critically ill patients. *J Parenter Enteral Nutr.* 2017;41:796-804.

38. Joly F, Baxter J, Staun M, et al. Five-year survival and causes of death in patients on home parenteral nutrition for severe chronic and benign intestinal failure. *Clin Nutr.* 2017.
39. Kota H, Chamberlain RS. Immunonutrition is associated with a decreased incidence of graft-versus-host disease in bone marrow transplant recipients: A Meta-analysis. *J Parenter Enteral Nutr.* 2017;41:1286-92.
40. Lebon D, Biard L, Buyse S, et al. Gastrointestinal emergencies in critically ill cancer patients. *J Crit Care.* 2017;40:69-75.
41. Lemon SJ, Zack SD, Voils SA. No difference in mechanical ventilation-free hours in critically ill patients who received intravenous, oral, or enteral phosphate replacement. *J Crit Care.* 2017;39:31-5.
42. Maas C, Mathes M, Bleeker C, et al. Effect of increased enteral protein intake on growth in human milk-fed preterm infants: A randomized clinical trial. *JAMA Pediatr.* 2017;171:16-22.
43. Marsen TA, Beer J, Mann H, German I-Tg. Intradialytic parenteral nutrition in maintenance hemodialysis patients suffering from protein-energy wasting. Results of a multicenter, open, prospective, randomized trial. *Clin Nutr.* 2017;36:107-17.
44. Merchan C, Altshuler D, Aberle C, Papadopoulos J, Schwartz D. Tolerability of enteral nutrition in mechanically ventilated patients with septic shock who require vasopressors. *J Intensive Care Med.* 2017;32:540-6.
45. Morgan C, Burgess L. High protein intake does not prevent low plasma levels of conditionally essential amino acids in very preterm infants receiving parenteral nutrition. *J Parenter Enteral Nutr.* 2017;41:455-62.
46. Mundi MS, Vallumsetla N, Davidson JB, McMahon MT, Bonnes SL, Hurt RT. Use of home parenteral nutrition in post-bariatric surgery-related malnutrition. *J Parenter Enteral Nutr.* 2017;41:1119-24.
47. Nandivada P, Anez-Bustillos L, O'Loughlin AA, et al. Risk of post-procedural bleeding in children on intravenous fish oil. *Am J Surg.* 2017;214:733-7.

48. Nandivada P, Fell GL, Mitchell PD, et al. Long-term fish oil lipid emulsion use in children with intestinal failure-associated liver disease. *J Parenter Enteral Nutr.* 2017;41:930-7.
49. New AM, Nystrom EM, Frazee E, Dillon JJ, Kashani KB, Miles JM. Continuous renal replacement therapy: a potential source of calories in the critically ill. *Am J Clin Nutr.* 2017;105:1559-63.
50. Pantet O, Stoecklin P, Vernay A, Berger MM. Impact of decreasing energy intakes in major burn patients: A 15-year retrospective cohort study. *Clin Nutr.* 2017;36:818-24.
51. Parekh D, Patel JM, Scott A, et al. Vitamin D deficiency in human and murine sepsis. *Crit Care Med.* 2017;45:282-9.
52. Parent BA, Seaton M, Djukovic D, et al. Parenteral and enteral nutrition in surgical critical care: Plasma metabolomics demonstrates divergent effects on nitrogen, fatty-acid, ribonucleotide, and oxidative metabolism. *J Trauma Acute Care Surg.* 2017;82:704-13.
53. Sacheck JM, Van Rompay MI, Chomitz VR, et al. Impact of three doses of vitamin D3 on serum 25(OH)D deficiency and insufficiency in at-risk schoolchildren. *J Clin Endocrinol Metab.* 2017;102:4496-505.
54. Segadilha N, Rocha EEM, Tanaka LMS, Gomes KLP, Espinoza REA, Peres WAF. Energy expenditure in critically ill elderly patients: Indirect calorimetry vs predictive equations. *J Parenter Enteral Nutr.* 2017;41:776-84.
55. Shenep MA, Tanner MR, Sun Y, et al. Catheter-related complications in children with cancer receiving parenteral nutrition: Change in risk is moderated by catheter type. *J Parenter Enteral Nutr.* 2017;41:1063-71.
56. Sigalet DL, Brindle M, Boctor D, et al. Safety and dosing study of glucagon-like peptide 2 in children With intestinal failure. *J Parenter Enteral Nutr.* 2017;41:844-52.
57. Sigalet DL, Brindle ME, Boctor D, et al. A safety and pharmacokinetic dosing study of glucagon-like peptide 2 in infants with intestinal failure. *J Pediatr Surg.* 2017;52:749-54.

58. Solomon DM, Hollands JM, Siemianowski LA, Smith CE, Song RJ, Bingham AL. Do patients with a baseline clinical condition warranting the cautious use of parenteral nutrition develop subsequent metabolic complications? *Nutr Clin Pract.* 2017;32:400-6.
59. Tribler S, Brandt CF, Petersen AH, et al. Taurolidine-citrate-heparin lock reduces catheter-related bloodstream infections in intestinal failure patients dependent on home parenteral support: a randomized, placebo-controlled trial. *Am J Clin Nutr.* 2017;106:839-48.
60. Vallabh H, Konrad D, DeChicco R, et al. Thirty-day readmission rate Is high for hospitalized patients discharged with home parenteral nutrition or intravenous fluids. *J Parenter Enteral Nutr.* 2017;41:1278-85.
61. Van Gossum A, Pironi L, Chambrier C, et al. Home parenteral nutrition (HPN) in patients with post-bariatric surgery complications. *Clin Nutr.* 2017;36:1345-8.
62. Vanhorebeek I, Verbruggen S, Casaer MP, et al. Effect of early supplemental parenteral nutrition in the paediatric ICU: a preplanned observational study of post-randomisation treatments in the PEPaNIC trial. *Lancet Respir Med.* 2017;5:475-83.
63. Vazelle C, Jouinot A, Durand JP, et al. Relation between hypermetabolism, cachexia, and survival in cancer patients: a prospective study in 390 cancer patients before initiation of anticancer therapy. *Am J Clin Nutr.* 2017;105:1139-47.
64. Wang K, McIlroy K, Plank LD, Petrov MS, Windsor JA. Prevalence, outcomes, and management of enteral tube feeding intolerance: A retrospective cohort study in a tertiary center. *J Parenter Enteral Nutr.* 2017;41:959-67.
65. Williams FLR, Ogston S, Hume R, et al. Supplemental iodide for preterm infants and developmental outcomes at 2 Years: An RCT. *Pediatrics.* 2017;139.
66. Wong JJ, Han WM, Sultana R, Loh TF, Lee JH. Nutrition delivery affects outcomes in pediatric acute respiratory distress syndrome. *J Parenter Enteral Nutr.* 2017;41:1007-13.

67. Yamada T, Shojima N, Noma H, Yamauchi T, Kadowaki T. Glycemic control, mortality, and hypoglycemia in critically ill patients: a systematic review and network meta-analysis of randomized controlled trials. *Intensive Care Med.* 2017;43:1-15.
68. Yanagisawa R, Takeuchi K, Komori K, et al. Hypoglycemia during the temporary interruption of parenteral nutrition infusion in pediatric hematopoietic stem cell transplantation. *J Parenter Enteral Nutr.* 2017;41:1414-8.
69. Yeh DD, Chokengarmwong N, Chang Y, et al. Total and ionized magnesium testing in the surgical intensive care unit - Opportunities for improved laboratory and pharmacy utilization. *J Crit Care.* 2017;42:147-51.
70. Yeung SE, Hilkewich L, Gillis C, Heine JA, Fenton TR. Protein intakes are associated with reduced length of stay: a comparison between Enhanced Recovery After Surgery (ERAS) and conventional care after elective colorectal surgery. *Am J Clin Nutr.* 2017;106:44-51.
71. Younge N, Yang Q, Seed PC. Enteral high fat-polyunsaturated fatty acid blend alters the pathogen composition of the intestinal microbiome in premature infants with an enterostomy. *J Pediatr.* 2017;181:93-101 e6.
72. Yu J, Wu G, Tang Y, Ye Y, Zhang Z. Efficacy, safety, and preparation of standardized parenteral nutrition regimens: Three-chamber bags vs compounded monobags-A prospective, multicenter, randomized, single-blind clinical trial. *Nutr Clin Pract.* 2017;32:545-51.
73. Zhang B, Wei G, Li R, et al. n-3 fatty acid-based parenteral nutrition improves postoperative recovery for cirrhotic patients with liver cancer: A randomized controlled clinical trial. *Clin Nutr.* 2017;36:1239-44.
74. Zhang H, Wang Y, Jiang ZM, et al. Impact of nutrition support on clinical outcome and cost-effectiveness analysis in patients at nutritional risk: A prospective cohort study with propensity score matching. *Nutrition.* 2017;37:53-9.
75. Zielenski C, Crabtree A, Le T, Marlatt A, Ng D, Tran A. Implementation of a timed, electronic, assessment-driven potassium-replacement protocol. *Am J Health Syst Pharm.* 2017;74:927-31.