

Supplement Table 1

Differences between those who paid and did not pay for the intervention

<i>Primary Outcomes</i>	<i>Pretest¹</i>		<i>Posttest-Pretest¹</i>	
	<i>t</i>	<i>p</i>	<i>F</i>	<i>p</i>
ADHD Rating Scale				
Attention	3.89	.06	1.83	.19
Impulsive/Hyperactive	2.55	.12	0.57	.46
LASSI				
Information Processing	.13	.72	0.15	.70
Selecting Main Ideas	1.97	.17	3.73	.06
Test Strategies	1.30	.26	0.60	.45
Test Anxiety	1.77	.19	0.06	.80
Motivation	1.30	.26	1.38	.25
Attitude	.03	.87	0.58	.45
Time Management	1.54	.22	0.42	.52
Concentration	.40	.53	0.12	.73
Self-testing	.82	.78	0.69	.41
Study Techniques	.73	.40	2.19	.15
Secondary Outcomes				
Depressive Symptoms BDI	.69	.41	1.48	.23
Tower Test	5.99	.02*	0.01	.92
Adult Self-Report				
Anxious/Depressed	.20	.67	0.24	.63
Withdrawn	.21	.66	1.10	.30
Somatic Complaints	1.87	.17	0.18	.68
Thought Problems	.32	.57	1.09	.31
Attention Problems	2.79	.1	0.16	.69
Aggressive Behavior	.43	.51	0.01	.91
Rule-Breaking Behavior	3.49	.07	1.65	.21
Intrusive Behavior	.60	.44	0.00	.95

¹randomization to treatment was after baseline, thus differences at baseline were tested for the whole group (N=58), differences in treatment response for the treatment only (N=30) Note: * $p < .05$

Supplement Table 2

Baseline differences in the intervention group between those who completed and those who did not complete the training and/or posttest

<i>Primary Outcomes</i>	<i>Completers</i>	<i>Non-Completers</i>	<i>F</i>	<i>p</i>
	<i>M (SD)</i>	<i>M (SD)</i>		
ADHD Rating Scale				
Inattention	21.00 (4.81)	20.13 (5.96)	.171	.68
Impulsive/Hyperactive	14.36 (5.64)	12.50 (7.09)	.560	.46
LASSI				
Information Processing	27.68 (6.27)	28.13 (5.17)	.03	.86
Selecting Main Ideas	13.45 (4.76)	13.13 (3.31)	.03	.86
Test Strategies	22.45 (4.28)	24.00 (4.54)	.74	.40
Test Anxiety	25.27 (7.00)	22.13 (5.72)	1.29	.26
Motivation	20.82 (5.32)	23.63 (2.62)	2.01	.17
Attitude	27.55 (5.09)	30.13 (4.94)	1.53	.23
Time Management	15.59 (4.66)	18.75 (5.14)	2.56	.12
Concentration	19.32 (4.95)	19.50 (6.41)	.01	.94
Self-testing	20.36 (5.04)	21.25 (3.69)	.21	.65
Study Techniques	20.82 (4.62)	22.50 (3.42)	.88	.36
Secondary Outcomes				
Depressive Symptoms BDI	9.14 (7.82)	9.88 (12.03)	.04	.85
Tower Test	19.05 (4.02)	19.00 (3.30)	.001	.98
Adult Self-Report				
Anxious/Depressed	10.63 (5.97)	13.50 (7.39)	1.18	.29
Withdrawn	3.54 (2.60)	3.00 (3.21)	.22	.64
Somatic Complaints	3.65 (2.59)	3.25 (2.12)	.15	.70
Thought Problems	3.24 (2.21)	4.25 (3.06)	.98	.33
Attention Problems	18.96 (4.40)	18.63 (5.10)	.03	.86
Aggressive Behavior	5.65 (3.57)	6.25 (5.55)	.12	.73
Rule-Breaking Behavior	6.31 (4.88)	4.88 (6.15)	.73	.40
Intrusive Behavior	2.67 (1.85)	1.50 (1.85)	2.25	.15

Supplement Table 3

MANOVA Results for the completers (completer analysis)

Domain	Time			Time x Condition		
	$F (df_h, df_e)$	p	$\eta^2_{partial}$	$F (df_h, df_e)$	p	$\eta^2_{partial}$
ADHD Symptoms						
Omnibus	4.660 (2, 40)	.015*	.189	2.207 (2,40)	.123	.099
Inattention	8.302 (1, 41)	.006**	.168	4.482 (1, 41)	.040*	.099
Hyperactivity	0.842 (1, 41)	.364	.020	1.341 (1, 41)	.254	.032
Study Strategies						
Omnibus	5.167 (10, 25)	.000***	.674	1.824 (10, 25)	.108	.422
Attitude	4.041 (1, 34)	.052	.106	3.593 (1, 34)	.067	.096
Motivation	22.456 (1, 34)	.000***	.398	1.777(1, 34)	.191	.050
Time Management	10.911 (1, 34)	.002**	.243	1.180(1, 34)	.285	.034
Test Anxiety	0.965 (1, 34)	.333	.028	0.716 (1, 34)	.404	.021
Concentration	.206 (1, 34)	.652	.006	0.923 (1, 34)	.343	.026
Information Processing	1.437 (1, 34)	.239	.041	0.191 (1, 34)	.665	.006
Selecting Main Ideas	0.136 (1, 34)	.715	.004	0.408(1, 34)	.527	.012
Study Techniques	1.138 (1, 34)	.294	.032	0.207 (1, 34)	.652	.006
Self-Testing	0.027 (1, 34)	.870	.001	0.239 (1, 34)	.628	.007
Test Strategies	7.359 (1, 34)	.010**	.178	0.770 (1, 34)	.387	.022
Comorbid Symptoms						
Omnibus	2.731 (10, 28)	.018*	.494	0.959 (10, 28)	.498	.255
Depression Symptoms	6.195 (1, 37)	.017*	.143	0.015 (1, 37)	.902	.000
Tower Test	23.923 (1, 37)	.000***	.393	1.132 (1, 37)	.294	.030
Anxious/Depressed	14.959 (1, 37)	.000***	.288	0.137 (1, 37)	.714	.004
Withdrawn	0.986 (1, 37)	.327	.026	0.305 (1, 37)	.584	.008
Somatic Complaints	3.232 (1, 37)	.080	.080	1.731 (1, 37)	.196	.045
Thought Problems	4.008 (1, 37)	.053	.098	0.755 (1, 37)	.391	.020
Attention Problems	8.699 (1, 37)	.005**	.190	0.927 (1, 37)	.342	.024
Aggressive Behaviour	3.956 (1, 37)	.054	.097	0.165 (1, 37)	.687	.004
Rule-Breaking Behaviour	2.227 (1, 37)	.144	.057	3.201 (1, 37)	.082	.080
Intrusive Thoughts	3.919 (1, 37)	.055	.096	0.024 (1, 37)	.878	.001

Note: *** $p < .001$, ** $p < .01$, * $p < .05$, df_h = degrees of freedom for the hypothesis, df_e = degrees of freedom for error