

	1-million cohort patients		Ambulatory care visits patients				Family physicians visits patients				Internist visits patients				Pediatricians visits patients				Otolaryngologists visits patients			
Age (years)	Male (n)	Female (n)	Male (n)	Female (%)	Female (n)	Male (%)	Male (n)	Female (%) *	Female (n)	Male (%) *	Male (n)	Female (%) *	Female (n)	Male (%) *	Male (n)	Female (%) *	Female (n)	Male (%) *	Male (n)	Female (%) *	Female (n)	Male (%) *
85+	5442	5988	5195	95.5%	5710	95.4%	3269	62.9%	3434	60.1%	2745	52.8%	2902	50.8%	306	5.9%	418	7.3%	1292	24.9%	1106	19.5%
80-84	8397	7866	8096	96.4%	7634	97.1%	5489	67.8%	5078	66.5%	4442	54.9%	4169	54.6%	650	8.0%	688	9.0%	2412	29.8%	1836	24.2%
75-79	10499	11642	10164	96.8%	11422	98.1%	7004	68.9%	8002	70.1%	5587	55.0%	6355	55.6%	904	8.9%	1234	10.8%	2978	29.3%	3064	26.3%
70-74	13056	15175	12571	96.3%	14848	97.8%	8500	67.6%	10280	69.2%	6762	53.8%	8113	54.6%	1255	10.0%	1832	12.3%	3843	30.6%	4457	30.6%
65-69	15369	16518	14548	94.7%	16081	97.4%	9498	65.3%	11093	69.0%	7273	50.0%	8589	53.4%	1498	10.3%	2187	13.6%	4604	31.6%	5393	33.1%
60-64	21057	22447	19466	92.4%	21620	96.3%	10977	56.4%	13385	61.9%	8821	45.3%	10520	48.7%	1613	8.3%	2964	13.7%	6354	32.6%	8079	37.3%
55-59	33086	33431	29679	89.7%	31879	95.4%	15847	53.4%	19076	59.8%	12308	41.5%	14542	45.6%	2517	8.5%	4194	13.2%	9715	32.7%	12293	38.2%
50-54	37450	38046	32698	87.3%	36034	94.7%	16528	50.5%	20414	56.7%	12741	39.0%	15142	42.0%	3130	9.6%	4605	12.8%	10823	33.1%	13693	38.8%
45-49	40528	40559	34803	85.9%	37769	93.1%	16117	46.3%	18951	50.2%	11821	34.0%	13634	36.1%	4456	12.8%	5517	14.6%	11652	33.5%	14004	37.5%
40-44	39639	40859	33477	84.5%	37674	92.2%	14606	43.6%	17327	46.0%	10417	31.1%	11841	31.4%	5331	15.9%	7269	19.3%	11885	35.5%	14597	38.4%
35-39	38311	41163	32210	84.1%	37896	92.1%	13440	41.7%	16325	43.1%	9604	29.8%	11168	29.5%	5839	18.1%	9590	25.3%	12293	38.2%	16172	42.5%
30-34	43763	47368	36947	84.4%	43878	92.6%	15396	41.7%	19024	43.4%	10915	29.5%	12990	29.6%	5780	15.6%	11571	26.4%	14203	38.4%	19752	45.1%
25-29	40061	45071	34287	85.6%	41638	92.4%	14229	41.5%	18172	43.6%	9988	29.1%	12523	30.1%	4366	12.7%	9323	22.4%	12512	36.5%	18372	44.5%
20-24	30325	35012	26576	87.6%	32834	93.8%	11145	41.9%	14866	45.3%	7731	29.1%	9980	30.4%	3863	14.5%	6714	20.4%	9669	36.4%	14147	43.9%
15-19	34683	33147	31609	91.1%	31263	94.3%	13671	43.3%	13953	44.6%	8728	27.6%	9353	29.9%	8112	25.7%	8810	28.2%	12594	39.8%	13098	47.7%
10-14	33446	30284	31762	95.0%	28841	95.2%	12984	40.9%	11657	40.4%	7129	22.4%	6260	21.7%	14029	44.2%	12775	44.3%	13549	42.7%	11954	47.1%
05-09	25989	23494	25436	97.9%	22960	97.7%	11905	46.8%	10597	46.2%	5783	22.7%	4946	21.5%	17656	69.4%	16072	70.0%	13648	53.7%	11877	53.8%
00-04	21322	19507	20742	97.3%	18959	97.2%	10183	49.1%	9265	48.9%	4141	20.0%	3515	18.5%	18996	91.6%	17280	91.1%	10494	50.6%	9089	47.6%
Total (n)	492423	507577	440266	89.4%	478940	94.4%	210788	47.9%	240899	50.3%	146936	33.4%	166542	34.8%	100301	22.8%	123043	25.7%	164520	37.4%	192983	40.0%
			47.9% †		52.1% †		46.7% †		53.3% †		46.9% †		53.1% †		44.9% †		55.1% †		46.0% †		54.0% †	

(%)*†	1000000	919206	451687	313478	223344	357503
		91.9%	49.1% *	34.1% *	24.3% *	38.9% *

Supplementary material 1. Numbers and proportions of patients with at least one ambulatory care visit overall, to a family physician, to an internist, to a pediatrician, and to an otolaryngologist of the one- million LHID (Longitudinal Health Insurance Database) 2010 beneficiaries by age and gender.

Note. * denotes proportions of patients who had visited family physicians, internists, pediatricians, or otolaryngologists with at least one ambulatory care visit. † denotes male and female proportions of patients who had visited family physicians, internists, pediatricians, or otolaryngologists.