

Table S1: Primers used for Q-PCR

Species	Oligo name	Sense	Anti-sense
human	c-Myc	CAGCAGCCTCCCGCGACGAT	GGGTGGGCAGCAGCTCGAAT
	BIRC5	TTCTCAAGGACCACCGCATC	GTTTCCTTTGCATGGGGTTCG
	CYR61	TGCGAGGAGTGGGTCTGT	GCGAGGCTCCATTCCAAA
	Cyclin D1	GCGAGGAACAGAAGTGCG	TGGAGTTGTTCGGTGTAGATGC
	GAPDH	CTCCTGCACCACCAACTGCT	GGGCCATCCACAGTCTTCTG
mouse	β -catenin	AGGGTGCTATTCCACGACTA	GTTGTGAACGTCCCGAGCAA
	BIRC5	TTCATCCACTGCCCTACC	GTGCTTTCTATGCTCCTCTAT
	c-Jun	GGCACATCACCCTACACCG	GTTCTGGCTATGCAGTTCAGC
	CYR61	CTGCTCGCCGGCTTGTGGTT	AGGCGGCGGGGCAGGTG
	GAPDH	AGGTCGGTGTGAACGGATTTG	TGTAGACCATGTAGTTGAGGTCA

Table S2: Primers used for ChIP

Species	Oligo name	Sense	Anti-sense
human	LKB1-pro	GGGAGGGAGGTAAACAAGATGG	CCGAGTGCCCTCAGCGTC