

eTable 1. Clinicopathological findings and prognosis of carcinoma ex pleomorphic adenoma.

Case	Age	Location	Histology	pStage	PORT	F/u duration (month)	Recurrence
1	69	Parotid	MEC, high grade	pT3N0	Yes	12	No
2	47	Parotid	MEC, low grade	pT2N0	No	24	f/u loss
3	56	Parotid	Adenocarcinoma, NOS	pT3N0	No	25	No
4	67	Parotid	Adenocarcinoma, NOS	pT2Nx	No	26	No
6	51	Parotid	Adenocarcinoma, NOS	pT2Nx	Yes	96	No
5	65	Parotid	Myoepithelial carcinoma	pT2N0	No	39	No
7	87	Parotid	Salivary duct carcinoma	pT2Nx	Yes	36	No
8	30	Parotid	Clear cell carcinoma	pT2N0	No	56	No
9	63	Parotid	Adenoid cystic carcinoma	pT2N2b	Yes	132	Distant metastasis
10	28	SMG	Adenocarcinoma, NOS	pT2Nx	No	32	No
11	53	SMG	Salivary duct carcinoma	pT1N0	No	12	No
12	71	SMG	Salivary duct carcinoma	pT4aN2b	Yes	37	Distant metastasis
13	45	Tongue	Myoepithelial carcinoma	pT1Nx	No	59	No
14	49	Pharynx	MEC	pT2Nx	No	74	No
15	45	Neck	Salivary duct carcinoma	-	No	79	No

Note – PORT: post-operative radiotherapy, MEC: mucoepidermoid carcinoma, NOS: not otherwise specified.