

## Supplemental Materials

**Appendix A.** Adjusted risk of MACE, myocardial infarction, and stroke (with adjustment for the competing risk of death), overall and stratified by the presence of mobility disability.

	<b>Overall</b> N=6011		<b>No mobility disability</b> N=4539		<b>Mobility disability</b> N=1472	
	<b>HR</b> <b>(95% CI)</b>	<b>P</b> <b>value</b>	<b>HR</b> <b>(95% CI)</b>	<b>P</b> <b>value</b>	<b>HR</b> <b>(95% CI)</b>	<b>P</b> <b>value</b>
<b>MACE</b>	1.10 (0.79-1.53)	0.574	1.15 (0.70-1.90)	0.571	1.13 (0.74-1.74)	0.573
<b>Myocardial infarction</b>	1.39 (0.87-2.23)	0.170	1.40 (0.73-2.68)	0.312	1.58 (0.82-3.05)	0.174
<b>Stroke</b>	0.77 (0.48-1.23)	0.272	0.88 (0.41-1.87)	0.742	0.78 (0.44-1.36)	0.376

**Appendix B.** Sensitivity Analysis: Adjusted risk of death and MACE excluding participants who switched exposure group during follow-up

	<b>Overall</b> N=5333	
	<b>HR</b> <b>(95% CI)</b>	<b>P</b> <b>value</b>
<b>Death</b>	0.96 (0.73-1.27)	0.778
<b>MACE</b>	1.24 (0.85-1.80)	0.260