

**Chemical constituents and their activities from the seeds of
Ormosia hosiei Hemsl. et Wils.**

Huiyou Xu^a, Yatie Qiu^a, Jingxin Chen^a, Yan Shi^a, Xiaoqin Zhang^b, Qiang Song^c,
Mingqing Huang^b, Zujian Wu^{a*}, Lin Ni^{a*}


*Corresponding author: wuzujian@126.com; nilin_fjau@126.com.

Supplementary materials


¹College of Plant Protection, Fujian Agriculture and Forestry University, Fuzhou 350002, People's Republic of China;

²College of Pharmacy, Fujian University of Traditional Chinese Medicine, Fuzhou 350108, People's Republic of China.


³Department of Pharmacy, Fujian Provincial Hospital, Fuzhou 350001, People's Republic of China




^1H NMR spectrum of hosimonoal (400 MHz, metho- d_4)




^{13}C NMR spectrum of hosimonoal (100 MHz, metho- d_4)




DEPT spectrum of hosimonoal (400 MHz, metho-*d*₄)




HSQC spectrum of hosimonoal




^1H , ^1H COSY spectrum of hosimonoal (600 MHz, metho- d_4)



HMBC spectrum of hosimonoal (400 MHz, metho- d_4)




Expansion of the HMBC spectrum of hosimonoal (400 MHz, metho- d_4)




NOESY spectrum of hosimonoal (600 MHz, metho- d_4)

HRMS (ESI) m/z calcd for $C_{25}H_{33}O_4N_2^+$ (M+H) $^+$ 425.24348, found 425.24258.



m/z	Theo. Mass	Delta (ppm)	RDB equiv.	Composition	
425.24258	425.24348	-2.13	10.5	C25 H33 O4 N2	M+H

HRESIMS spectrum of hosimonoal



ECD spectrum of hosimonoal