

## **SUPPLEMENTARY MATERIAL (1)**

**Task 1:** Please rank the categories that you think are important to collect for **clinical purposes** in a combined rehabilitation programme (1 being the most important)

- Health related quality of life
- Anxiety & depression
- Exercise capacity
- Frailty
- Peripheral muscle assessment (to include strength/mass)
- Symptom evaluation
- Cardio-metabolic risk
- Physical activity
- Disease specific knowledge
- Self-efficacy
- Functional capacity (activities of daily living)
- Organ impairment
- Carer's engagement

**Task 2:** Please rank the categories that you think are important to collect for **research purposes** in a combined rehabilitation programme (1 being the most important)

- Health related quality of life
- Anxiety & depression
- Exercise capacity
- Frailty

- Peripheral muscle assessment (to include strength/mass)
- Symptom evaluation
- Cardio-metabolic risk
- Physical activity
- Disease specific knowledge
- Self-efficacy
- Functional capacity (activities of daily living)
- Organ impairment
- Carer's engagement

**Task 3:** Do you think a measure assessing “health related quality of life” should be used for clinical purposes?

- Yes
- No

Do you think a measure assessing “health related quality of life” should be used for research purposes?

- Yes
- No

*(completed for all categories)*

**Task 4: a)** Clinical purpose: please rate the importance of “health related quality of life” as a baseline/ profiling measure

Not at all important	Low importance	Slightly important	Neutral	Moderately important	Very important	Extremely important
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Research purpose: please rate the importance of “health related quality of life” as a baseline/  
profiling measure

Not at all important	Low importance	Slightly important	Neutral	Moderately important	Very important	Extremely important
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

**Task 4: b)** Clinical purpose: please rate the importance of “health related quality of life” as  
an outcome measure

Not at all important	Low importance	Slightly important	Neutral	Moderately important	Very important	Extremely important
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Research purpose: please rate the importance of “health related quality of life” as an outcome  
measure

Not at all important	Low importance	Slightly important	Neutral	Moderately important	Very important	Extremely important
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

*(completed for all categories)*

## SUPPLEMENTARY MATERIAL (2)

Supplementary Table A: The number of stakeholders that voted the importance of each category as a baseline patient evaluation or outcome measure for clinical or research purposes within combined rehabilitation

	<b>Clinical</b>		<b>Research</b>	
	Baseline patient	Outcome	Baseline patient	Outcome
	evaluation		evaluation	
<b>Health Related Quality of Life</b>	18	18	16	18
<b>Anxiety &amp; depression</b>	16	17	18	17
<b>Exercise capacity</b>	17	18	17	18
<b>Frailty</b>	17	18	17	18
<b>Peripheral muscle assessment</b>	17	18	17	18
<b>Symptom evaluation</b>	17	18	17	18
<b>Cardio-metabolic risk</b>	17	18	17	18
<b>Physical activity</b>	17	18	17	18
<b>Disease specific knowledge</b>	17	18	16	18
<b>Self efficacy</b>	17	18	18	17
<b>Functional capacity</b>	17	17	17	17
<b>Organ impairment</b>	17	17	17	17
<b>Carer engagement</b>	17	17	17	17