

Supporting Information for

Triterpenoids with α -glucosidase inhibitory activities from the roots of *Codonopsis pilosula* var. *modesta*

Bing Li¹, Ru-Yue Wang¹, Ye Zhao¹, Yi-Fan Yu¹, Zhan-Xin Zhang¹, Fang-Di Hu¹, Kun Gao² and Dong-Qing Fei^{1,*}

¹School of Pharmacy, Lanzhou University, Lanzhou 730000, People's Republic of China

²State Key Laboratory of Applied Organic Chemistry, College of Chemistry and Chemical Engineering, Lanzhou University, Lanzhou 730000, People's Republic of China

*Corresponding author:

Dong-Qing Fei, School of Pharmacy, Lanzhou University, Lanzhou 730000, People's Republic of China. Tel: +86-931-8915686; Fax: +86-931-8915686. E-mail: feidq@lzu.edu.cn.

Contents of Supporting Information

Figure S1. ^1H -NMR (600 MHz, CDCl_3) Spectrum of 1 (codopimodol A).....	S3
Figure S2. ^{13}C -NMR (150 MHz, CDCl_3) Spectrum of 1 (codopimodol A).....	S4
Figure S3. DEPT135 (150 MHz, CDCl_3) Spectrum of 1 (codopimodol A).....	S5
Figure S4. ^1H - ^1H COSY Spectrum of 1 (codopimodol A).....	S6
Figure S5. HSQC Spectrum of 1 (codopimodol A).....	S7
Figure S6. HMBC Spectrum of 1 (codopimodol A)	S8
Figure S7. NOESY Spectrum of 1 (codopimodol A).....	S9
Figure S8. HR-ESI-MS Spectrum of 1 (codopimodol A).....	S10
Figure S9. IR Spectrum of 1 (codopimodol A).....	S11

Figure S1. $^1\text{H-NMR}$ (600 MHz, CDCl_3) Spectrum of **1** (codopimodol A)




Figure S2. ^{13}C -NMR (150 MHz, CDCl_3) Spectrum of **1** (codopimodol A)




Figure S3. DEPT135 (150 MHz, CDCl₃) Spectrum of **1** (codopimodol A)




Figure S4. ^1H - ^1H COSY Spectrum of **1** (codopimodol A)




Figure S5. HSQC Spectrum of **1** (codopimodol A)




Figure S6. HMBC Spectrum of **1** (codopimodol A)




Figure S7. NOESY Spectrum of **1** (codopimodol A)




Figure S8. HR-ESI-MS Spectrum of **1** (codopimodol A)




Figure S9. IR Spectrum of **1** (codopimodol A)

