





Qty: 1 Ø 2000 x 1000 mm


POS-NR	PROFILE	COLOR	RADIUS mm	LENGTH mm	DEFAULT LEFT	DEFAULT RIGHT	AMOUNT
1	D-44 OPEN	SILVER	1000	2094*	45°	90°	1
2	D-44 OPEN	SILVER	1000	2094*	90°	45°	1
3	D-44 OPEN	SILVER	1000	2094*	90°	90°	1
4	D-44 OPEN	SILVER	1000	2094	45°	90°	1
5	D-44 OPEN	SILVER	1000	2094	90°	45°	1
6	D-44 OPEN	SILVER	1000	2094	90°	90°	1
7	D-44 OPEN	SILVER		1000*	45°	45°	2
8	STABILIZER	SILVER		920	90°	90°	3
	LOCKSET FK-0200						1
	STABILIZER-LOCK FK-220						3
	EXTENTION SET FK-500						2
	FRAMECONNECTOR FK-0668						2
	Reutlinger FK-7915						2

*= CNC holes to connect frame/ Reutlinger holes

Probo		APPROVED BY:
Ref.: SI-0444021	Ship. Date:	
Page: 1/4	Rev.: 1	APPOVED DATE:
Designed by: KW	Des. Date: 03-03-2026	



In het midden van elk bovenste deel
1 Reutlinger gat 8mm



Qty: 1 Ø 3000 x 1000 mm

POS-NR	PROFILE	COLOR	RADIUS mm	LENGTH mm	DEFAULT LEFT	DEFAULT RIGHT	AMOUNT
1	D-44 OPEN	SILVER	1500	2356*	45°	90°	1
2	D-44 OPEN	SILVER	1500	2356*	90°	45°	1
3	D-44 OPEN	SILVER	1500	2356*	90°	90°	2
4	D-44 OPEN	SILVER	1500	2356	45°	90°	1
5	D-44 OPEN	SILVER	1500	2356	90°	45°	1
6	D-44 OPEN	SILVER	1500	2356	90°	90°	2
7	D-44 OPEN	SILVER		1000*	45°	45°	2
8	STABILIZER	SILVER		920	90°	90°	5
	LOCKSET FK-0200						1
	STABILIZER-LOCK FK-220						5
	EXTENTION SET FK-500						3
	FRAMECONNECTOR FK-0668						2
	Reutlinger FK-7915						2

*= CNC holes to connect frame/ Reutlinger holes

Probo

Ref.: SI-0444031

Page: 2/4

Designed by: KW


Ship. Date:

Rev.: 1

Des. Date: 03-03-2026

APPROVED BY:

APPOVED DATE:



Qty: 1 Ø 4000 x 1000 mm

POS-NR	PROFILE	COLOR	RADIUS mm	LENGTH mm	DEFAULT LEFT	DEFAULT RIGHT	AMOUNT
1	D-44 OPEN	SILVER	2000	2094*	45°	90°	1
2	D-44 OPEN	SILVER	2000	2094*	90°	45°	1
3	D-44 OPEN	SILVER	2000	2094*	90°	90°	4
4	D-44 OPEN	SILVER	2000	2094	45°	90°	1
5	D-44 OPEN	SILVER	2000	2094	90°	45°	1
6	D-44 OPEN	SILVER	2000	2094	90°	90°	4
7	D-44 OPEN	SILVER		1000*	45°	45°	2
8	STABILIZER	SILVER		920	90°	90°	7
	LOCKSET FK-0200						1
	STABILIZER-LOCK FK-220						7
	EXTENTION SET FK-500						5
	FRAMECONNECTOR FK-0668						2
	Reutlinger FK-7915						3

*= CNC holes to connect frame/ Reutlinger holes

Probo

Ref.: SI-0444041

Page: 3/4

Designed by: KW


Ship. Date:

Rev.: 1

Des. Date: 03-03-2026

APPROVED BY:

APPOVED DATE:



Qty: 1 Ø 5000 x 1000 mm

POS-NR	PROFILE	COLOR	RADIUS mm	LENGTH mm	DEFAULT LEFT	DEFAULT RIGHT	AMOUNT
1	D-44 OPEN	SILVER	2500	2244*	45°	90°	1
2	D-44 OPEN	SILVER	2500	2244*	90°	45°	1
3	D-44 OPEN	SILVER	2500	2244*	90°	90°	5
4	D-44 OPEN	SILVER	2500	2244	45°	90°	1
5	D-44 OPEN	SILVER	2500	2244	90°	45°	1
6	D-44 OPEN	SILVER	2500	2244	90°	90°	5
7	D-44 OPEN	SILVER		1000*	45°	45°	2
8	STABILIZER	SILVER		920	90°	90°	7
	LOCKSET FK-0200						1
	STABILIZER-LOCK FK-220						7
	EXTENTION SET FK-500						6
	FRAMECONNECTOR FK-0668						2
	Reutlinger FK-7915						4

*= CNC holes to connect frame/ Reutlinger holes

Probo

Ref.: SI-0444051

Page: 4/4

Designed by: KW

Ship. Date:

Rev.: 1

Des. Date: 03-03-2026

APPROVED BY:

APPOVED DATE: